

STM32CubeMX Assignment2.loc: STM32F103C8Tx

File Window Help myST

Home STM32F103C8Tx Assignment2.loc - Pinout & Configuration GENERATE CODE

Pinout & Configuration Clock Configuration Project Manager Tools

Software Packs Pinout

GPIO Mode and Configuration

Configuration

Group By Peripherals

GPIO I2C RCC SYS

GPIO : General Purpose Input/Output details and documentation (PDF)

Signal on GPIO out GPIO mode GPIO Pul Maximum User Label Modified

Signal on	GPIO out	GPIO mode	GPIO Pul	Maximum	User Label	Modified
PA0-WK	n/a	Low	Output P... No pull-u...	Low	MOTOR_	☒
PA1	n/a	n/a	Input mode Pull-up	n/a	BTN43	☒
PB0	n/a	n/a	Input mode Pull-up	n/a	BTN1	☒
PB1	n/a	n/a	Input mode Pull-up	n/a	BTN2	☒

☐ Show only Modified Pins

Select Pins from table to configure them. Multiple selection is Allowed.

Pinout view System view

STM32F103C8Tx LQFP48

STM32F103C8Tx Pinout Diagram

Pinout Diagram showing the STM32F103C8Tx LQFP48 package with pins labeled: VBAT, PC13, PC14, PC15, PD0, PD1, NRST, VSSA, VDDA, PA0, PA1, PA2, PA3, PA4, PA5, PA6, PA7, PA8, PA9, PA10, PA11, PA12, PA13, PA14, PA15, PB0, PB1, PB2, PB3, PB4, PB5, PB6, PB7, PB8, PB9, PB10, PB11, PB12, PB13, PB14, PB15, VDD, VSS, VDD1, VSS1, VDD2, VSS2, VDD3, VSS3, VDD4, VSS4, VDD5, VSS5, VDD6, VSS6, VDD7, VSS7, VDD8, VSS8, VDD9, VSS9, VDD10, VSS10, VDD11, VSS11, VDD12, VSS12, VDD13, VSS13, VDD14, VSS14, VDD15, VSS15, VDD16, VSS16, VDD17, VSS17, VDD18, VSS18, VDD19, VSS19, VDD20, VSS20, VDD21, VSS21, VDD22, VSS22, VDD23, VSS23, VDD24, VSS24, VDD25, VSS25, VDD26, VSS26, VDD27, VSS27, VDD28, VSS28, VDD29, VSS29, VDD30, VSS30, VDD31, VSS31, VDD32, VSS32, VDD33, VSS33, VDD34, VSS34, VDD35, VSS35, VDD36, VSS36, VDD37, VSS37, VDD38, VSS38, VDD39, VSS39, VDD40, VSS40, VDD41, VSS41, VDD42, VSS42, VDD43, VSS43, VDD44, VSS44, VDD45, VSS45, VDD46, VSS46, VDD47, VSS47, VDD48, VSS48.

STM32CubeMX Assignment2.loc STM32F103C8Tx

File Window Help myST

Home STM32F103C8Tx Assignment2.loc - Pinout & Configuration GENERATE CODE

Pinout & Configuration

Clock Configuration

Project Manager

Tools

Software Packs Pinout

Search

Categories A-Z

System Core

- DMA
- GPIO
- IWDG
- NVIC**
- ✓ RCC
- ⚠ SYS
- WWDG

Analog

Timers

Connectivity

Computing

Middleware and Software Packs

Configuration

• NVIC • Code generation

Priority Group ☐ Sort by Preemption Priority and Sub Priority ☐ Sort by interrupts na

Search Show available interrupts ☒ Force DMA channel

NVIC Interrupt Table	Enabled	Preemption Priority
Reset interrupt	☒	0
Non-maskable interrupt	☒	0
Hard fault interrupt	☒	0
Memory management fault	☒	0
Prefetch fault, memory access fault	☒	0
Undefined instruction or illegal state	☒	0
System service call via SWI instruction	☒	0
Debug monitor	☒	0
Pendable request for system service	☒	0
Time base: System tick timer	☒	15
PVD interrupt through EXTI line 15	☐	0
Flash global interrupt	☐	0
RCC global interrupt	☐	0
TIM3 global interrupt	☒	0
I2C2 event interrupt	☐	0
I2C2 error interrupt	☐	0

☐ Enabled Preemption Priority Sub Priority

Pinout view System view

STM32F103C8Tx LQFP48

Pinout details:

- Top: VDD, VSS, PB9, PB8, PB7, PB6, PB5, PB4, PB3, PB2, PA15, PA14
- Right: VDD, VSS, PA13, PA12, PA11, PA10, PA9, PA8, PB15, PB14, PB13, PB12
- Bottom: PA0, PA1, PA2, PA3, PA4, PA5, PA6, PA7, PB11, PB10, PB9, PB8, PB7, PB6, PB5, PB4, PB3, PB2, PB1, PB0
- Left: VBAT, PC13, PC14, PC15, PD0, PD1, NRST, VSSA, VDDA, MOTOR_CTRL, BTM3
- Internal: RCC_OSC_IN, RCC_OSC_OUT, BTM3, I2C2_SCL, I2C2_SDA, I2C2_INT, I2C2_ERR

STM32CubeMX Assignment2.loc STM32F103C8Tx

File Window Help myST

Home STM32F103C8Tx Assignment2.loc - Pinout & Configuration GENERATE CODE

Pinout & Configuration Clock Configuration Project Manager Tools

Software Packs Pinout

TM3 Mode and Configuration

Mode

Slave Mode Disable

Trigger Source Disable

☒ Internal Clock

Channel1 Disable

Channel2 Disable

Channel3 Disable

Channel4 Disable

Combined Channels Disable

☐ XOR activation

☐ One Pulse Mode

Configuration

Reset Configuration

Parameter Settings User Constants NMC Settings DMA Settings

Configure the below parameters:

Search (Ctrl+F)

Counter Settings

Prescaler (PSC - 16 bits value) 7159

Counter Mode Up

Counter Period (AutoReload Reg) 4999

Internal Clock Division (CKD) No Division

auto-reload preload Disable

Trigger Output (TRGO) Parameters

Master/Slave Mode (SCK) Disable (Trigger output after not delayed)

Pinout view System view

STM32F103C8Tx LQFP48

Pinout diagram showing connections for various pins: VDD, VSS, PB0, PB1, PB2, PB3, PB4, PB5, PB6, PB7, PB8, PB9, PB10, PB11, PB12, PB13, PB14, PB15, PA0, PA1, PA2, PA3, PA4, PA5, PA6, PA7, PA8, PA9, PA10, PA11, PA12, PA13, PA14, PA15, PC0, PC1, PC2, PC3, PC4, PC5, PC6, PC7, PC8, PC9, PC10, PC11, PC12, PC13, PC14, PC15, PD0, PD1, PD2, PD3, PD4, PD5, PD6, PD7, PD8, PD9, PD10, PD11, PD12, PD13, PD14, PD15, PE0, PE1, PE2, PE3, PE4, PE5, PE6, PE7, PE8, PE9, PE10, PE11, PE12, PE13, PE14, PE15, PF0, PF1, PF2, PF3, PF4, PF5, PF6, PF7, PF8, PF9, PF10, PF11, PF12, PF13, PF14, PF15, PG0, PG1, PG2, PG3, PG4, PG5, PG6, PG7, PG8, PG9, PG10, PG11, PG12, PG13, PG14, PG15, PH0, PH1, PH2, PH3, PH4, PH5, PH6, PH7, PH8, PH9, PH10, PH11, PH12, PH13, PH14, PH15, PI0, PI1, PI2, PI3, PI4, PI5, PI6, PI7, PI8, PI9, PI10, PI11, PI12, PI13, PI14, PI15, PJ0, PJ1, PJ2, PJ3, PJ4, PJ5, PJ6, PJ7, PJ8, PJ9, PJ10, PJ11, PJ12, PJ13, PJ14, PJ15, PK0, PK1, PK2, PK3, PK4, PK5, PK6, PK7, PK8, PK9, PK10, PK11, PK12, PK13, PK14, PK15, PL0, PL1, PL2, PL3, PL4, PL5, PL6, PL7, PL8, PL9, PL10, PL11, PL12, PL13, PL14, PL15, PM0, PM1, PM2, PM3, PM4, PM5, PM6, PM7, PM8, PM9, PM10, PM11, PM12, PM13, PM14, PM15, PN0, PN1, PN2, PN3, PN4, PN5, PN6, PN7, PN8, PN9, PN10, PN11, PN12, PN13, PN14, PN15, PO0, PO1, PO2, PO3, PO4, PO5, PO6, PO7, PO8, PO9, PO10, PO11, PO12, PO13, PO14, PO15.

STM32CubeMX Assignment2.loc: STM32F103C8Tx

File Window Help myST

Home STM32F103C8Tx Assignment2.loc - Pinout & Configuration GENERATE CODE

Pinout & Configuration Clock Configuration Project Manager Tools

Software Packs Pinout

I2C2 Mode and Configuration

Mode

I2C I2C

Categories A-Z

- RCC
- SYSCFG
- WWDG

Analog

Timers

- RTC
- TIM1
- TIM2
- TIM3
- TIM4

Connectivity

- CAN
- I2C1
- I2C2
- SP11
- SP12
- USART1
- USART2
- USART3
- USB

Configuration

Reset Configuration

- NMC Settings
- DMA Settings
- GPIO Settings
- Parameter Settings
- User Constants

Configure the below parameters :

Search (Ctrl+F)

Master Features

- I2C Speed Mode Standard Mode
- I2C Clock Speed (Hz) 100000

Slave Features

- Clock No Stretch Mode Disabled
- Primary Address Length selection 7-bit
- Dual Address Auto-matched Disabled

Pinout view System view

STM32F103C8Tx LQFP48

Pinout diagram showing the STM32F103C8Tx LQFP48 package with pins labeled: VBAT, PC13, PC14, PC15, VDD, VSSA, VDDA, VDD, PA0, PA1, PA2, PA3, PA4, PA5, PA6, PA7, PA8, PA9, PA10, PA11, PA12, PA13, PA14, PA15, VDD, VSS, PB0, PB1, PB2, PB3, PB4, PB5, PB6, PB7, PB8, PB9, PB10, PB11, PB12, PB13, PB14, PB15, VDD, VSS, PC0, PC1, PC2, PC3, PC4, PC5, PC6, PC7, PC8, PC9, PC10, PC11, PC12, PC13, PC14, PC15, VDD, VSS, PD0, PD1, PD2, PD3, PD4, PD5, PD6, PD7, PD8, PD9, PD10, PD11, PD12, PD13, PD14, PD15, VDD, VSS, PE0, PE1, PE2, PE3, PE4, PE5, PE6, PE7, PE8, PE9, PE10, PE11, PE12, PE13, PE14, PE15, VDD, VSS, PF0, PF1, PF2, PF3, PF4, PF5, PF6, PF7, PF8, PF9, PF10, PF11, PF12, PF13, PF14, PF15, VDD, VSS, PG0, PG1, PG2, PG3, PG4, PG5, PG6, PG7, PG8, PG9, PG10, PG11, PG12, PG13, PG14, PG15, VDD, VSS, PH0, PH1, PH2, PH3, PH4, PH5, PH6, PH7, PH8, PH9, PH10, PH11, PH12, PH13, PH14, PH15, VDD, VSS, PI0, PI1, PI2, PI3, PI4, PI5, PI6, PI7, PI8, PI9, PI10, PI11, PI12, PI13, PI14, PI15, VDD, VSS, PJ0, PJ1, PJ2, PJ3, PJ4, PJ5, PJ6, PJ7, PJ8, PJ9, PJ10, PJ11, PJ12, PJ13, PJ14, PJ15, VDD, VSS, PK0, PK1, PK2, PK3, PK4, PK5, PK6, PK7, PK8, PK9, PK10, PK11, PK12, PK13, PK14, PK15, VDD, VSS, PL0, PL1, PL2, PL3, PL4, PL5, PL6, PL7, PL8, PL9, PL10, PL11, PL12, PL13, PL14, PL15, VDD, VSS, PM0, PM1, PM2, PM3, PM4, PM5, PM6, PM7, PM8, PM9, PM10, PM11, PM12, PM13, PM14, PM15, VDD, VSS, PN0, PN1, PN2, PN3, PN4, PN5, PN6, PN7, PN8, PN9, PN10, PN11, PN12, PN13, PN14, PN15, VDD, VSS, PO0, PO1, PO2, PO3, PO4, PO5, PO6, PO7, PO8, PO9, PO10, PO11, PO12, PO13, PO14, PO15, VDD, VSS, PP0, PP1, PP2, PP3, PP4, PP5, PP6, PP7, PP8, PP9, PP10, PP11, PP12, PP13, PP14, PP15, VDD, VSS, PQ0, PQ1, PQ2, PQ3, PQ4, PQ5, PQ6, PQ7, PQ8, PQ9, PQ10, PQ11, PQ12, PQ13, PQ14, PQ15, VDD, VSS, PR0, PR1, PR2, PR3, PR4, PR5, PR6, PR7, PR8, PR9, PR10, PR11, PR12, PR13, PR14, PR15, VDD, VSS, PS0, PS1, PS2, PS3, PS4, PS5, PS6, PS7, PS8, PS9, PS10, PS11, PS12, PS13, PS14, PS15, VDD, VSS, PT0, PT1, PT2, PT3, PT4, PT5, PT6, PT7, PT8, PT9, PT10, PT11, PT12, PT13, PT14, PT15, VDD, VSS, PU0, PU1, PU2, PU3, PU4, PU5, PU6, PU7, PU8, PU9, PU10, PU11, PU12, PU13, PU14, PU15, VDD, VSS, PV0, PV1, PV2, PV3, PV4, PV5, PV6, PV7, PV8, PV9, PV10, PV11, PV12, PV13, PV14, PV15, VDD, VSS, PW0, PW1, PW2, PW3, PW4, PW5, PW6, PW7, PW8, PW9, PW10, PW11, PW12, PW13, PW14, PW15, VDD, VSS, PX0, PX1, PX2, PX3, PX4, PX5, PX6, PX7, PX8, PX9, PX10, PX11, PX12, PX13, PX14, PX15, VDD, VSS, PY0, PY1, PY2, PY3, PY4, PY5, PY6, PY7, PY8, PY9, PY10, PY11, PY12, PY13, PY14, PY15, VDD, VSS, PZ0, PZ1, PZ2, PZ3, PZ4, PZ5, PZ6, PZ7, PZ8, PZ9, PZ10, PZ11, PZ12, PZ13, PZ14, PZ15, VDD, VSS.

