

17	12 : 15 : 5	P1	for process to find ratio of heights of L and M eg $\sqrt[3]{64} : \sqrt[3]{125}$ (= 4 : 5) oe or $\sqrt[3]{\frac{64}{64}} : \sqrt[3]{\frac{125}{64}}$ (= 1 : 1.25) oe or $\sqrt[3]{\frac{64}{125}} : \sqrt[3]{\frac{125}{125}}$ (= 0.8 : 1) oe P1 for process to find ratio of heights of M and P eg $\sqrt{144} : \sqrt{16}$ (= 12 : 4 = 3 : 1) oe or $\sqrt{\frac{144}{16}} : \sqrt{\frac{16}{16}}$ (= 3 : 1) oe or $\sqrt{\frac{144}{144}} : \sqrt{\frac{16}{144}}$ (= 1 : 0.3) oe P1 (dep on P2) for process to find ratio of heights of all 3, eg “(4 : 5)” × 3 and “(3 : 1)” × 5 or (1 : 1.25) × 12 and (3 : 1) × 5 or (0.8 : 1) and (1 : 0.3) A1 for 12 : 15 : 5 oe	Condone not written as a ratio as long as clear $\frac{125}{64} = 1.953... \quad \frac{64}{125} = 0.512$ Condone not written as a ratio as long as clear $\frac{144}{16} = 9 \quad \frac{16}{144} = 0.\dot{1}$ Can ISW incorrect simplification of a correct ratio
----	-------------	----	---	---