Question	Answer	Mark	Mark scheme	Additional guidance
17 (a)	42	P1	for a correct start to the process by finding the number of batches for one ingredient, eg 500 ÷ 125 (= 4) **or** 700 ÷ 200 (= 3.5 or 3) **or** 250 ÷ 50 (= 5) **OR** for a correct start to building up number of batches of **all** ingredients, eg. (24 biscuits or 2 batches =) 250 (butter), 400 (flour) and 100 (sugar) **OR** for a start to the process by finding the amount of one ingredient needed to make 1 biscuit, eg 125 ÷ 12 (= $10\frac{5}{12}$) **or** 200 ÷ 12 (= $16\frac{8}{12}$) **or** 50 ÷ 12 (= $4\frac{2}{12}$)	
		P1	for a correct process to find the number of batches for all 3 ingredients, eg 500 ÷ 125 (= 4) **and** 700 ÷ 200 (= 3.5 or 3) **and** 250 ÷ 50 (= 5) **OR** for a build-up process reaching a point where there is not enough of one ingredient, eg. (36 biscuits or 3 batches =) 375 (butter), 600 (flour) and 150 (sugar) **or** (48 biscuits or 4 batches =) 500 (butter), 800 (flour) and 200 (sugar) **OR** for a correct process to find the amount of each ingredient needed to make 1 biscuit, eg 125 ÷ 12 (= $10\frac{5}{12}$) **and** 200 ÷ 12 (= $16\frac{8}{12}$) **and** 50 ÷ 12 (= $4\frac{2}{12}$)	
		P1	(dep on P2) for a process to find the number of biscuits, eg "4" × 12 (= 48) **or** "3.5" × 12 (= 42) **or** "3" × 12 (= 36) **or** "5" × 12 (= 60) **OR** (dep on P2) for (700 – 600) ÷ 200 × 12 (= 6) or "3" × 12 (= 36) **OR** (dep on P2) for a process to find the number of biscuits, eg 500 ÷ "$10\frac{5}{12}$" (= 48) **or** 700 ÷ "$16\frac{8}{12}$" (= 42) **or** 250 ÷ "$4\frac{2}{12}$" (= 60)	
		A1	cao	
(b)	Explanation	C1	(dep on P3) for a correct explanation, ft (a) for the critical ingredient identified **Acceptable examples** No, since flour is the critical value No, since flour gives you the least number of batches No since she needs more flour to make more biscuits. **Not acceptable examples** Yes … No (no reason given) No, since we would need more of the other ingredients too	