14	<table><tr><td>x</td><td>−3</td><td>−2</td><td>−1</td><td>0</td><td>1</td><td>2</td><td>3</td></tr><tr><td>y</td><td>−8</td><td>−6</td><td>−4</td><td>−2</td><td>0</td><td>2</td><td>4</td></tr></table>	$y = 2x - 2$ drawn	B3	for a correct line between $x = -3$ and $x = 3$ **OR**
			[B2]	[for a correct straight line segment through at least 3 of (−3, −8), (−2, −6), (−1, −4), (0, −2), (1, 0), (2, 2), (3, 4), **or** for all of these points plotted but not joined **or** for a line drawn with a positive gradient through (0, −2) **and** clear intention to use of a gradient of 2, e.g. line through (0, −2) and (0.5, −1)] **OR**
			[B1]	[for at least 2 correct points stated or plotted **or** for a line drawn with a positive gradient through (0, 7) **or** a line with gradient 2]

Documented scheme clarification

1MA1_MOCK_SET_03_3F_Q14

Original source

scheme page 10, SHA256 74c8f7bd438e4ea6f63a49ca02fe8926e33cf7db0b10075a09c76cbe075d7efc

Original wording

The B1 line example refers to a positive-gradient line through (0,7).

Correction / interpretation

For y = 2x - 2, the y-intercept is (0,-2), not (0,7). The correct line passes through (-3,-8), (0,-2) and (3,4). The source B1 coordinate example is inconsistent with the equation; retain the stated alternative credit for a line of gradient 2 and the full correct-line criteria.

Reason

Direct substitution verifies the printed equation and the scheme full-credit table.

Sol authority

beb4f8a7443797f377fa651550d12b0da38f25498812f76de1ca740f8556fcfa