

Path: /usr/share/fonts/opentype/urw-base35/P052-Italic.otf
Basename: P052-Italic.otf
Family name: P052
Style name: Italic
PostScript name: P052-Italic
Italic

Path: /usr/share/fonts/opentype/urw-base35/NimbusRoman-BoldItalic.otf
Basename: NimbusRoman-BoldItalic.otf
Family name: Nimbus Roman
Style name: Bold Italic
PostScript name: NimbusRoman-BoldItalic
Bold Italic

Path: /usr/share/fonts/opentype/urw-base35/URWBookman-Demi.otf
Basename: URWBookman-Demi.otf
Family name: URW Bookman
Style name: Demi
PostScript name: URWBookman-Demi

Path: /usr/share/fonts/opentype/urw-base35/NimbusSansNarrow-BoldOblique.otf
Basename: NimbusSansNarrow-BoldOblique.otf
Family name: Nimbus Sans Narrow
Style name: Bold Oblique
PostScript name: NimbusSansNarrow-BoldOblique
Bold Italic

Path: /usr/share/fonts/opentype/urw-base35/P052-Bold.otf
Basename: P052-Bold.otf
Family name: P052
Style name: Bold
PostScript name: P052-Bold
Bold

Path: /usr/share/fonts/opentype/urw-base35/P052-Roman.otf
Basename: P052-Roman.otf
Family name: P052
Style name: Roman
PostScript name: P052-Roman

Path: /usr/share/fonts/opentype/urw-base35/NimbusRoman-Bold.otf
Basename: NimbusRoman-Bold.otf
Family name: Nimbus Roman
Style name: Bold
PostScript name: NimbusRoman-Bold
Format: OpenType
Bold

Path: /usr/share/fonts/opentype/urw-base35/Z003-MediumItalic.otf
Basename: Z003-MediumItalic.otf
Family name: Z003
Style name: Medium Italic
PostScript name: Z003-MediumItalic
Italic

Path: /usr/share/fonts/opentype/urw-base35/NimbusSans-Regular.otf
Basename: NimbusSans-Regular.otf
Family name: Nimbus Sans
Style name: Regular
PostScript name: NimbusSans-Regular

Path: /usr/share/fonts/opentype/urw-base35/URWBookman-DemiItalic.otf
Basename: URWBookman-DemiItalic.otf
Family name: URW Bookman
Style name: Demi Italic
PostScript name: URWBookman-DemiItalic
Italic

Path: /usr/share/fonts/opentype/urw-base35/C059-BdIta.otf
Basename: C059-BdIta.otf
Family name: C059
Style name: Bold Italic
PostScript name: C059-BdIta
Bold Italic

Path: /usr/share/fonts/opentype/urw-base35/URWGothic-DemiOblique.otf
Basename: URWGothic-DemiOblique.otf
Family name: URW Gothic
Style name: Demi Oblique
PostScript name: URWGothic-DemiOblique
Italic

Path: /usr/share/fonts/opentype/urw-base35/NimbusSansNarrow-Bold.otf
Basename: NimbusSansNarrow-Bold.otf
Family name: Nimbus Sans Narrow
Style name: Bold
PostScript name: NimbusSansNarrow-Bold
Bold

Path: /usr/share/fonts/opentype/urw-base35/NimbusSans-BoldItalic.otf
Basename: NimbusSans-BoldItalic.otf
Family name: Nimbus Sans
Style name: Bold Italic
PostScript name: NimbusSans-BoldItalic
Bold Italic

Path: /usr/share/fonts/opentype/urw-base35/P052-BoldItalic.otf
Basename: P052-BoldItalic.otf
Family name: P052
Style name: Bold Italic
PostScript name: P052-BoldItalic
Bold Italic

Path: /usr/share/fonts/opentype/urw-base35/NimbusRoman-Italic.otf
Basename: NimbusRoman-Italic.otf
Family name: Nimbus Roman
Style name: Italic
PostScript name: NimbusRoman-Italic
Italic

Path: /usr/share/fonts/opentype/urw-base35/NimbusSansNarrow-Regular.otf
Basename: NimbusSansNarrow-Regular.otf
Family name: Nimbus Sans Narrow
Style name: Regular
PostScript name: NimbusSansNarrow-Regular

Path: /usr/share/fonts/opentype/urw-base35/C059-Roman.otf
Basename: C059-Roman.otf
Family name: C059
Style name: Roman
PostScript name: C059-Roman

Path: /usr/share/fonts/opentype/urw-base35/NimbusMonoPS-Regular.otf
Basename: NimbusMonoPS-Regular.otf
Family name: Nimbus Mono PS
Style name: Regular
PostScript name: NimbusMonoPS-Regular

Path: /usr/share/fonts/opentype/urw-base35/URWGothic-Book.otf
Basename: URWGothic-Book.otf
Family name: URW Gothic
Style name: Book
PostScript name: URWGothic-Book

Path: /usr/share/fonts/opentype/urw-base35/NimbusMonoPS-Italic.otf
Basename: NimbusMonoPS-Italic.otf
Family name: Nimbus Mono PS
Style name: Italic
PostScript name: NimbusMonoPS-Italic
Italic

Path: /usr/share/fonts/opentype/urw-base35/NimbusSansNarrow-Oblique.otf
Basename: NimbusSansNarrow-Oblique.otf
Family name: Nimbus Sans Narrow
Style name: Oblique
PostScript name: NimbusSansNarrow-Oblique
Italic

Path: /usr/share/fonts/opentype/urw-base35/NimbusSans-Bold.otf
Basename: NimbusSans-Bold.otf
Family name: Nimbus Sans
Style name: Bold
PostScript name: NimbusSans-Bold
Bold

Path: /usr/share/fonts/opentype/urw-base35/URWGothic-BookOblique.otf
Basename: URWGothic-BookOblique.otf
Family name: URW Gothic
Style name: Book Oblique
PostScript name: URWGothic-BookOblique
Italic

Path: /usr/share/fonts/opentype/urw-base35/NimbusMonoPS-BoldItalic.otf
Basename: NimbusMonoPS-BoldItalic.otf
Family name: Nimbus Mono PS
Style name: Bold Italic
PostScript name: NimbusMonoPS-BoldItalic
Bold Italic

Path: /usr/share/fonts/opentype/urw-base35/URWGothic-Demi.otf
Basename: URWGothic-Demi.otf
Family name: URW Gothic
Style name: Demi
PostScript name: URWGothic-Demi

Path: /usr/share/fonts/opentype/urw-base35/NimbusSans-Italic.otf
Basename: NimbusSans-Italic.otf
Family name: Nimbus Sans
Style name: Italic
PostScript name: NimbusSans-Italic
Italic

Path: /usr/share/fonts/opentype/urw-base35/StandardSymbolsPS.otf
Basename: StandardSymbolsPS.otf
Family name: Standard Symbols PS
Style name: Regular
PostScript name: StandardSymbolsPS

Path: /usr/share/fonts/opentype/urw-base35/C059-Italic.otf
Basename: C059-Italic.otf
Family name: C059
Style name: Italic
PostScript name: C059-Italic
Italic

Path: /usr/share/fonts/opentype/urw-base35/NimbusRoman-Regular.otf
Basename: NimbusRoman-Regular.otf
Family name: Nimbus Roman
Style name: Regular
PostScript name: NimbusRoman-Regular

Path: /usr/share/fonts/opentype/urw-base35/URWBookman-LightItalic.otf
Basename: URWBookman-LightItalic.otf
Family name: URW Bookman
Style name: Light Italic
PostScript name: URWBookman-LightItalic
Italic

Path: /usr/share/fonts/opentype/urw-base35/C059-Bold.otf
Basename: C059-Bold.otf
Family name: C059
Style name: Bold
PostScript name: C059-Bold
Bold

Path: /usr/share/fonts/opentype/urw-base35/D050000L.otf
Basename: D050000L.otf
Family name: D050000L
Style name: Regular
PostScript name: D050000L

Path: /usr/share/fonts/opentype/urw-base35/NimbusMonoPS-Bold.otf
Basename: NimbusMonoPS-Bold.otf
Family name: Nimbus Mono PS
Style name: Bold
PostScript name: NimbusMonoPS-Bold
Bold

Path: /usr/share/fonts/opentype/urw-base35/URWBookman-Light.otf
Basename: URWBookman-Light.otf
Family name: URW Bookman
Style name: Light
PostScript name: URWBookman-Light