Web Application Report

This report includes important security information about your web application.

Security report

This report was created by HCL AppScan Standard 10.12.0
Scan started: 10/7/2026 11:45:57 AM

Table of Contents

Introduction

- General Information
- Login Settings

Summary

- Issue Types
- Vulnerable URLs
- Fix Recommendations
- Security Risks
- Causes
- WASC Threat Classification

Issues Grouped by Issue Type

- Required directives missing from the CSP 1
- Check for SRI (Subresource Integrity) support 5
- Cookie with Insecure or Improper or Missing SameSite attribute 1
- Missing or insecure Cross-Origin-Embedder-Policy (COEP) header 1
- Missing or insecure Cross-Origin-Opener-Policy (COOP) header 1
- Missing or insecure Cross-Origin-Resource-Policy (CORP) header 1
- Temporary File Download 4
- Vulnerable Component 7
- Hidden Directory Detected 5
- Query Parameter in SSL Request 4
- Trusted types in scripts not enforced in CSP 1
- Web Application Source Code Disclosure Pattern Found 1
- Client-Side (JavaScript) Cookie References 1
- Missing "Referrer policy" Security Header 1
- Non-Quantum-Resistant Cipher Suite[s] Detected 1

How to Fix

- Required directives missing from the CSP
- Check for SRI (Subresource Integrity) support
- Cookie with Insecure or Improper or Missing SameSite attribute
- Missing or insecure Cross-Origin-Embedder-Policy (COEP) header
- Missing or insecure Cross-Origin-Opener-Policy (COOP) header
- Missing or insecure Cross-Origin-Resource-Policy (CORP) header
- Temporary File Download

- Vulnerable Component
- Hidden Directory Detected
- Query Parameter in SSL Request
- Trusted types in scripts not enforced in CSP
- Web Application Source Code Disclosure Pattern Found
- Client-Side (JavaScript) Cookie References
- Missing "Referrer policy" Security Header
- Non-Quantum-Resistant Cipher Suite[s] Detected

Application Data

- Cookies
- JavaScripts
- Parameters
- Comments
- Visited URLs
- Failed Requests
- Filtered URLs
- Components

Introduction

This report contains the results of a web application security scan performed by HCL AppScan Standard.

High severity issues:	1
Medium severity issues:	20
Low severity issues:	11
Informational severity issues:	3
Total security issues included in the report:	35
Total security issues discovered in the scan:	35

General Information

Scan file name:	UAT - GC Foundation - (SECOND SCAN) 2026-10-07
Scan started:	10/7/2026 11:45:57 AM
Test policy:	Complete
CVSS version:	3.1
Test optimization level:	Normal

Host	uat1.apps.tbs-sct.gc.ca
Port	443
Operating system:	Unknown
Web server:	Unknown
Application server:	Any

Login Settings

Login method: None

Summary

Issue Types 15

TOC

	Issue Type	Number of Issues
H	Required directives missing from the CSP	1
M	Check for SRI (Subresource Integrity) support	5
M	Cookie with Insecure or Improper or Missing SameSite attribute	1
M	Missing or insecure Cross-Origin-Embedder-Policy (COEP) header	1
M	Missing or insecure Cross-Origin-Opener-Policy (COOP) header	1
M	Missing or insecure Cross-Origin-Resource-Policy (CORP) header	1
M	Temporary File Download	4
M	Vulnerable Component	7
L	Hidden Directory Detected	5
L	Query Parameter in SSL Request	4
L	Trusted types in scripts not enforced in CSP	1
L	Web Application Source Code Disclosure Pattern Found	1
I	Client-Side (JavaScript) Cookie References	1
I	Missing "Referrer policy" Security Header	1
I	Non-Quantum-Resistant Cipher Suite[s] Detected	1

Vulnerable URLs 14

TOC

	URL	Number of Issues
H	https://uat1.apps.tbs-sct.gc.ca/	8
M	https://uat1.apps.tbs-sct.gc.ca/gcfoundation/_content/GCFoundation.Components/lib/prism/js/prism.js	4
M	https://uat1.apps.tbs-sct.gc.ca/gcfoundation/_content/GCFoundation.Components/js/foundation.min.js	2
M	https://uat1.apps.tbs-sct.gc.ca/gcfoundation/js/custom-scripts.js	2
M	https://uat1.apps.tbs-sct.gc.ca/gcfoundation/en/home	2
M	https://uat1.apps.tbs-sct.gc.ca/gcfoundation/_content/GCFoundation.Components/lib/quill/quill.js	2
M	https://uat1.apps.tbs-sct.gc.ca/gcfoundation/template/	1
M	https://uat1.apps.tbs-sct.gc.ca/gcfoundation/en/styles/	1
M	https://uat1.apps.tbs-sct.gc.ca/gcfoundation/styles/	1
M	https://uat1.apps.tbs-sct.gc.ca/gcfoundation/home/	1
M	https://uat1.apps.tbs-sct.gc.ca/apps/	1
M	https://uat1.apps.tbs-sct.gc.ca/apps/default/bootstrap/js/bootstrap.min.js	6
L	https://uat1.apps.tbs-sct.gc.ca/gcfoundation/en/	1
L	https://uat1.apps.tbs-sct.gc.ca/gcfoundation/	3

Fix Recommendations 14

TOC

	Remediation Task	Number of Issues
H	Configure Content-Security-Policy with proper values	2
M	Add or modify the "Cross-Origin-Embedder-Policy" (COEP) header to "require-corp"	1
M	Add or modify the "Cross-Origin-Opener-Policy" (COOP) header to "same-origin"	1
M	Add or modify the "Cross-Origin-Resource-Policy" (CORP) header to "same-origin" or "same-site"	1
M	Add to each third-party script/link element support to SRI(Subresource Integrity).	5
M	Remove old versions of files from the virtual directory	4
M	Review possible solutions for configuring SameSite Cookie attribute to recommended values	1
M	Upgrade the component to the latest stable version	7
L	Always use SSL and POST (body) parameters when sending sensitive information.	4
L	Config your server to use the "Referrer Policy" header with secure policies	1
L	Issue a "404 - Not Found" response status code for a forbidden resource, or remove it completely	5
L	Remove business and security logic from the client side	1
L	Remove source code files from your web-server and apply any relevant patches	1
L	Upgrade your server's TLS configuration to include quantum-resistant cipher suites	1

Security Risks 11

TOC

	Risk	Number of Issues
H	It is possible to gather sensitive information about the web application such as usernames, passwords, machine name and/or sensitive file locations	6
H	It is possible to persuade a naive user to supply sensitive information such as username, password, credit card number, social security number etc.	3
M	In case the third-party server is compromised, the content/behavior of the site will change	5
M	Prevent cookie information leakage by restricting cookies to first-party or same-site context, Attacks can extend to Cross-Site-Request-Forgery (CSRF) attacks if there are no additional protections in place (such as Anti-CSRF tokens).	1
M	It is possible to download temporary script files, which can expose the application logic and other sensitive information such as usernames and passwords	4
M	It is possible for an attacker to use the web server to attack other sites, which increases his or her anonymity	7
L	It is possible to retrieve information about the site's file system structure, which may help the attacker to map the web site	5
L	It may be possible to steal sensitive data such as credit card numbers, social security numbers etc. that are sent unencrypted	4
L	It is possible to retrieve the source code of server-side scripts, which may expose the application logic and other sensitive information such as usernames and passwords	1
I	The worst case scenario for this attack depends on the context and role of the cookies that are created at the client side	1
I	Hackers can store your encrypted data today and decrypt it all once quantum computers become powerful enough, retroactively exposing sensitive details.	1

Causes 9

TOC

	Cause	Number of Issues
H	Insecure web application programming or configuration	6
M	SRI (Subresource Integrity) not supported	5
M	Sensitive Cookie with Improper or Insecure or Missing SameSite Attribute	1
M	Temporary files were left in production environment	5
M	Latest patches or hotfixes for 3rd. party products were not installed	8
L	The web server or application server are configured in an insecure way	6
L	Query parameters were passed over SSL, and may contain sensitive information	4

L	Debugging information was left by the programmer in web pages	1	
I	Cookies are created at the client side	1	

WASC Threat Classification 5

TOC

	Threat	Number of Issues
H	Information Leakage	17
M	Remote File Inclusion	5
M	Server Misconfiguration	2
M	Predictable Resource Location	4
M	Abuse of Functionality	7

Issues Grouped by Issue Type

H Required directives missing from the CSP 1 TOC

Issue 1 of 1 TOC

Required directives missing from the CSP

Severity:	High
Status:	Open
CVSS 3.1 Vector:	AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:L/A:N
CVSS 3.1 Score:	8.2
CVSS 4.0 Vector:	AV:N/AC:L/AT:N/PR:N/UI:N/VC:H/VI:L/VA:N/SC:N/SI:N/SA:N/E:X
CVSS 4.0 Score:	8.8
URL:	https://uat1.apps.tbs-sct.gc.ca/
Entity:	uat1.apps.tbs-sct.gc.ca (Page)
Risk:	It is possible to gather sensitive information about the web application such as usernames, passwords, machine name and/or sensitive file locations It is possible to persuade a naive user to supply sensitive information such as username, password, credit card number, social security number etc.
Cause:	Insecure web application programming or configuration
Fix:	Configure Content-Security-Policy with proper values

Difference:

Reasoning: Important directives are missing

Test Requests and Responses:

```
GET /apps/default.htm HTTP/1.1
Cookie: Culture=en;
TS01f9e613=01d93dcb0353b72dca4fccc7bd3ecc60d66ad160acd136950d09a733cf354bbe7d3d0ec5d3069ab7e6a06df55075072dc8d913bdb1
Accept-Language: en-US
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Referer: https://uat1.apps.tbs-sct.gc.ca/apps/?v=zg2MlsSqvmHJM0WAjtbQ6NOn9OZis57oiynRz5Q6ZaY
Host: uat1.apps.tbs-sct.gc.ca
User-Agent: Mozilla/5.0 (Windows NT 6.2; WOW64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/100.0.4896.127 Safari/537.36
Content-Length: 0


HTTP/1.1 200 OK
Content-Length: 7401
Content-Type: text/html
Date: Wed, 07 Oct 2026 16:07:54 GMT
Accept-Ranges: bytes
Access-Control-Allow-Headers: Origin, X-Requested-With, Content-Type, Accept
Access-Control-Allow-Methods: GET,PUT,POST,OPTIONS
Access-Control-Allow-Origin: https://www.youtube.com
Cache-Control: no-cache, no-store, must-revalidate, pre-check=0, post-check=0, max-age=0, s-maxage=0
ETag: "0fa2cb1e4e8d51:0"
Last-Modified: Fri, 21 Feb 2020 18:28:20 GMT
Pragma: no-cache
Strict-Transport-Security: max-age=31536000; includeSubDomains
Arr-Disable-Session-Affinity: true
X-Frame-Options: SAMEORIGIN
X-Original-Host: uat1.apps.tbs-sct.gc.ca
```

```
X-Content-Type-Options: nosniff
X-XSS-Protection: 1; mode=block
Content-Security-Policy: frame-ancestors https://uat1.apps.tbs-sct.gc.ca /
Public-Key-Pins: pin-sha256="K5cLRLJx5XMmt3FZ4juyw6w77/ZS+AP52Q/mK+UO3P0="; pin-
sha256="CzdPous1hY3sIkO55pUH7vklXyIHVZAl/UnprSQvpEI="; pin-sha256="ntPCN1f+CZzlQhaIE331czBRcAjdmi504yTaH4mK2Gw="; max-
age=2592000; report-uri="https://domain.com/report"

<!DOCTYPE html>

<html lang="en" xmlns="http://www.w3.org/1999/xhtml">
<head>
    <meta charset="utf-8" />
    <title>CBA Links</title>
    <link href="default/bootstrap/css/bootstrap.min.css" rel="stylesheet">
    <link href="default/bootstrap/css/bootstrap-theme.min.css" rel="stylesheet">
    <link href="default/bootstrap/css/app.css" rel="stylesheet">
</head>
<body style="height: 100%;">
    <header id="top" class="navbar navbar-static-top navbar-default" role="banner">
        <div class="container">
          <div class="navbar-header">
          <button class="navbar-toggle" type="button" data-toggle="collapse" data-target=".bs-navbar-collapse">
          <span class="sr-only">Toggle navigation</span>
          <span class="icon-bar"></span>
          <span class="icon-bar"></span>
          <span class="icon-bar"></span>
          </button>
          <a class="navbar-brand" href="default.htm">CBA Links</a>
          </div>
          <nav class="collapse navbar-collapse bs-navbar-collapse" role="navigation">
          <ul class="nav navbar-nav" role="tablist">
          <li class="active"><a href="#work-applications" role="tab" data-toggle="tab">Applications</a></li>
          <li><a href="#work-tools" role="tab" data-toggle="tab">Tools</a></li>
          <li><a href="#work-websites" role="tab" data-toggle="tab">Websites</a></li>
          </ul>
          <form class="navbar-form navbar-right visible-md visible-lg" role="search">
          <input type="text" class="form-control" id="search" placeholder="Search">
          </form>
          </nav>
        </div>
    </header>
    <div id="content">
        <div class="container">
          <div class="row">
          <div class="col-md-12">
          <div class="tab-content">
          <div class="tab-pane active" id="work-applications"></div>
          <div class="tab-pane" id="work-websites"></div>
          <div class="tab-pane" id="work-tools"></div>
          </div>
          <div class="btn-group">
          <button class="btn btn-default" onclick="$('div.collapse').collapse('show');">Expand All</button>
          <button class="btn btn-default" onclick="$('div.collapse').collapse('hide');">Collapse All</button>
          </div>
     <div class="panel panel-small panel-success mrgn-tp-md">
      <div class="panel-heading">
       <h5 class="panel-title"><a data-toggle="collapse" href="#version-info" style="display: block;">Version info: (v<span
id="version-number"></span>)<span class="glyphicon glyphicon-chevron-down pull-right"></span></a></h5>
      </div>
      <div class="panel-collapse collapse" id="version-info">
          <div class="panel-body">
          <p>v1.1.0: Moved the JSON object array outside of the default.js into their own JSON files.</p>
          <p>v0.1.1: You can now search by the applications' "title" properties (e.g. searching for "MAF" or "management
accountability framework" will highlight the "MAF5" & "MAF6" elements).</p>

...
...
...
```

M Check for SRI (Subresource Integrity) support 5

TOC

Issue 1 of 5

TOC

Check for SRI (Subresource Integrity) support	
Severity:	Medium
Status:	Open
CVSS 3.1 Vector:	AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:N/A:N
CVSS 3.1 Score:	5.3
CVSS 4.0 Vector:	AV:N/AC:L/AT:N/PR:N/UI:N/VC:L/VI:N/VA:N/SC:N/SI:N/SA:N/E:X
CVSS 4.0 Score:	6.9
URL:	https://uat1.apps.tbs-sct.gc.ca/gcfoundation/en/home
Entity:	home (Page)
Risk:	In case the third-party server is compromised, the content/behavior of the site will change
Cause:	SRI (Subresource Integrity) not supported
Fix:	Add to each third-party script/link element support to SRI(Subresource Integrity).

Difference:

Reasoning: The third-party links/scripts don't have integrity attribute for the browser to confirm they were not compromised

Test Requests and Responses:

```
GET /gcfoundation/en/home HTTP/1.1
Host: uat1.apps.tbs-sct.gc.ca
Connection: keep-alive
sec-ch-ua: "Chromium";v="149", "Not)A;Brand";v="24"
sec-ch-ua-mobile: ?0
sec-ch-ua-platform: "Windows"
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/149.0.0.0
Safari/537.36
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=0.8,application/signed-
exchange;v=b3;q=0.7
Sec-Fetch-Site: none
Sec-Fetch-Mode: navigate
Sec-Fetch-User: ?1
Sec-Fetch-Dest: document
Accept-Language: en-US
Content-Length: 0


HTTP/1.1 200 OK
Content-Type: text/html; charset=utf-8
Date: Wed, 07 Oct 2026 15:56:13 GMT
Access-Control-Allow-Headers: Origin, X-Requested-With, Content-Type, Accept
Access-Control-Allow-Methods: GET,PUT,POST,OPTIONS
Access-Control-Allow-Origin: https://www.youtube.com
Cache-Control: no-store, no-cache, must-revalidate, proxy-revalidate,no-cache, no-store, must-revalidate, pre-check=0, post-
check=0, max-age=0, s-maxage=0
Pragma: no-cache
Strict-Transport-Security: max-age=31536000; includeSubDomains
Request-Context: appId=cid-v1:d9502e2c-6169-4a5a-8581-4dac5503c92f
Content-Security-Policy: default-src 'none'; script-src 'self' cdn.design-system.canada.ca https://assets.adobedtm.com
https://cdn.jsdelivr.net 'nonce-YpCH3uFcZCmyu4s9I86EsA=='; object-src 'none'; style-src 'self' cdn.design-system.canada.ca
cdnjs.cloudflare.com https://cdn.j
...
...
...
```

```
    <title>Build GC web applications with confidence - GCFoundation</title>

 <link rel="preconnect" href="https://fonts.googleapis.com">
 <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
 <link href="https://fonts.googleapis.com/css2?
family=Lato:ital,wght@0,400;0,700;1,400;1,700&family=Noto+Sans:ital,wght@0,300;0,400;0,500;0,600;0,700;1,300;1,400;1,500;1,6
00;1,700&family=Noto+Sans+Mono:wght@100..900&display=swap" rel="stylesheet">
 <link rel="dns-prefetch" href="https://cdn.design-system.canada.ca">

    <link href="/gcfoundation/_content/GCFoundation.Components/images/favicon.ico" rel="icon" type="image/x-icon">

        <link rel="stylesheet" href="https://cdn.design-system.canada.ca/@gcds-core/components@1.3.1/dist/gcds/gcds.css"
nonce="YpCH3uFcZCmyu4s9I86EsA==" />
        <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.4.2/css/all.min.css" />
    <link rel="stylesheet" href="/gcfoundation/_content/GCFoundation.Components/lib/prism/css/prism.css?
v=g4HYIYEJ6YYkhYk0IK77E1Kn8J0ov2A83aOOwY5ipcs" />
    <link rel="stylesheet" href="/gcfoundation/_content/GCFoundation.Components/lib/quill/quill.snow.css?
v=HHlIzROqkvrGOQMZvB5eRhgj2hcVGdOnaNtWFk-HFjY" />
    <link rel="stylesheet" href="/gcfoundation/_content/GCFoundation.Components/css/foundation.min.css?v=Wfgmdn3KRJsvN6-
bbRCgn_NV-DKJmFBPQR7ZdlMjGvo" />

...
...
...

crossOrigin: "anonymous",
cfg: { // Application Insights Configuration
    connectionString: 'InstrumentationKey=68e4a0b7-938a-41a6-9088-2e9ad1641336'
}});</script>
          <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.4.2/css/all.min.css"
crossorigin="anonymous">
          <link rel="stylesheet" href="https://cdn.design-system.canada.ca/@gcds-core/components@1.3.1/dist/gcds/gcds.css">
          <link rel="stylesheet" href="https://cdn.design-system.canada.ca/@gcds-core/css-shortcuts@1.2.0/dist/gcds-css-
shortcuts.min.css">
          <script type="module" src="https://cdn.design-system.canada.ca/@gcds-core/components@1.3.1/dist/gcds/gcds.esm.js">
</script>
          </head>
<body>
    <gcds-header lang="en" lang-href="/gcfoundation/fr/accueil" skip-to-href="#main-content" signature-has-link="true">

...
...
...ment&amp;quot;:&amp;quot;/gcfoundation/en/home/accessibility-statement&amp;quot;,&amp;quot;Our GitHub
repository&amp;quot;:&amp;quot;https://github.com/tbs-imtd/GCFoundation&amp;quot;}" display="compact" lang="en"></gcds-footer>



        <script type="module" src="https://cdn.design-system.canada.ca/@gcds-core/components@1.3.1/dist/gcds/gcds.esm.js"
nonce="YpCH3uFcZCmyu4s9I86EsA==">></script>
    <script src="/gcfoundation/_content/GCFoundation.Components/lib/prism/js/prism.js?
v=zg2MlsSqvmHJM0WAjtbQ6NOn9OZis57oiynRz5Q6ZaY"></script>
    <script src="/gcfoundation/_content/GCFoundation.Components/lib/quill/quill.js?
v=9hV8cqybP1HN6tQmM1aIoCexJAXZ1qTardOKZ2stf_I"></script>
    <script src="/gcfoundation/_content/GCFoundation.Components/js/foundation.min.js?v=fEtRg-
0wqK9rYR_gReOkR6hjZFde36YAfDH13jsOvC0"></script>

...
...
...
```

Check for SRI (Subresource Integrity) support

Severity:	Medium
Status:	Open
CVSS 3.1 Vector:	AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:N/A:N
CVSS 3.1 Score:	5.3
CVSS 4.0 Vector:	AV:N/AC:L/AT:N/PR:N/UI:N/VC:L/VI:N/VA:N/SC:N/SI:N/SA:N/E:X
CVSS 4.0 Score:	6.9
URL:	https://uat1.apps.tbs-sct.gc.ca/gcfoundation/template/
Entity:	(Page)
Risk:	In case the third-party server is compromised, the content/behavior of the site will change
Cause:	SRI (Subresource Integrity) not supported
Fix:	Add to each third-party script/link element support to SRI(Subresource Integrity).

Difference:

Reasoning: The third-party links/scripts don't have integrity attribute for the browser to confirm they were not compromised

Test Requests and Responses:

```
GET /gcfoundation/template/?v=zg2M1sSqvmHJM0WAjtbQ6NOn9OZis57oiynRz5Q6ZaY HTTP/1.1
Host: uat1.apps.tbs-sct.gc.ca
Connection: keep-alive
sec-ch-ua-platform: "Windows"
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/149.0.0.0
Safari/537.36
sec-ch-ua: "Chromium";v="149", "Not)A;Brand";v="24"
sec-ch-ua-mobile: ?0
Accept: */*
Sec-Fetch-Site: same-origin
Sec-Fetch-Mode: no-cors
Sec-Fetch-Dest: script
Referer: https://uat1.apps.tbs-sct.gc.ca/gcfoundation/en/home
Accept-Language: en-US
Cookie: Culture=en
Content-Length: 0


HTTP/1.1 200 OK
Content-Type: text/html; charset=utf-8
Date: Wed, 07 Oct 2026 16:08:35 GMT
Access-Control-Allow-Headers: Origin, X-Requested-With, Content-Type, Accept
Access-Control-Allow-Methods: GET,PUT,POST,OPTIONS
Access-Control-Allow-Origin: https://www.youtube.com
Cache-Control: no-store, no-cache, must-revalidate, proxy-revalidate,no-cache, no-store, must-revalidate, pre-check=0, post-
check=0, max-age=0, s-maxage=0
Pragma: no-cache
Strict-Transport-Security: max-age=31536000; includeSubDomains
Request-Context: appId=cid-v1:d9502e2c-6169-4a5a-8581-4dac5503c92f
Content-Security-Policy: default-src 'none'; script-src 'self' cdn.design-system.canada.ca https://assets.adobedtm.com
https://cdn.jsdelivr.net 'nonce-ZxJr4myMO2I2JHbfyp1xOg=='; object-src 'none'; style-src 'self' cdn.design-system.canada.ca
cdnjs.cloudflare.com https://cdn.jsdelivr.net https://fonts.googleapis.com 'nonce-ZxJr4myMO2I2JHbfyp1xOg==';
...
...
...

    <title>Page Templates - GCFoundation</title>

 <link rel="preconnect" href="https://fonts.googleapis.com">
 <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
 <link href="https://fonts.googleapis.com/css2?
family=Lato:ital,wght@0,400;0,700;1,400;1,700&family=Noto+Sans:ital,wght@0,300;0,400;0,500;0,600;0,700;1,300;1,400;1,500;1,6
00;1,700&family=Noto+Sans+Mono:wght@100..900&display=swap" rel="stylesheet">
 <link rel="dns-prefetch" href="https://cdn.design-system.canada.ca">

    <link href="/gcfoundation/_content/GCFoundation.Components/images/favicon.ico" rel="icon" type="image/x-icon">

        <link rel="stylesheet" href="https://cdn.design-system.canada.ca/@gcds-core/components@1.3.1/dist/gcds/gcds.css"
nonce="ZxJr4myMO2I2JHbfyp1xOg==" />
        <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.4.2/css/all.min.css" />
    <link rel="stylesheet" href="/gcfoundation/_content/GCFoundation.Components/lib/prism/css/prism.css?
v=g4HYIYEJ6YYkhYk0IK77E1Kn8J0ov2A83aOOwY5ipcs" />
```

```
    <link rel="stylesheet" href="/gcfoundation/_content/GCFoundation.Components/lib/quill/quill.snow.css?
v=HHlIzROqkvrGOQMZvB5eRhgj2hcVGdOnaNtWFk-HFjY" />
    <link rel="stylesheet" href="/gcfoundation/_content/GCFoundation.Components/css/foundation.min.css?v=Wfgmdn3KRJsvN6-
bbRCgn_NV-DKJmFBPQR7ZdlMjGvo" />

...
...
...

crossOrigin: "anonymous",
cfg: { // Application Insights Configuration
    connectionString: 'InstrumentationKey=68e4a0b7-938a-41a6-9088-2e9ad1641336'
}});</script>
          <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.4.2/css/all.min.css"
crossorigin="anonymous">
          <link rel="stylesheet" href="https://cdn.design-system.canada.ca/@gcds-core/components@1.3.1/dist/gcds/gcds.css">
          <link rel="stylesheet" href="https://cdn.design-system.canada.ca/@gcds-core/css-shortcuts@1.2.0/dist/gcds-css-
shortcuts.min.css">
          <script type="module" src="https://cdn.design-system.canada.ca/@gcds-core/components@1.3.1/dist/gcds/gcds.esm.js">
</script>
          </head>
<body>
    <gcds-header lang="en" lang-href="/gcfoundation/fr/modele" skip-to-href="#main-content" signature-has-link="true">

...
...
...ment&amp;quot;:&amp;quot;/gcfoundation/en/home/accessibility-statement&amp;quot;,&amp;quot;Our GitHub
repository&amp;quot;:&amp;quot;https://github.com/tbs-imtd/GCFoundation&amp;quot;}" display="compact" lang="en"></gcds-footer>



        <script type="module" src="https://cdn.design-system.canada.ca/@gcds-core/components@1.3.1/dist/gcds/gcds.esm.js"
nonce="ZxJr4myMO2I2JHbfyp1xOg=="></script>
    <script src="/gcfoundation/_content/GCFoundation.Components/lib/prism/js/prism.js?
v=zg2MlsSqvmHJM0WAjtbQ6NOn9OZis57oiynRz5Q6ZaY"></script>
    <script src="/gcfoundation/_content/GCFoundation.Components/lib/quill/quill.js?
v=9hV8cqybP1HN6tQmM1aIoCexJAXZ1qTardOKZ2stf_I"></script>
    <script src="/gcfoundation/_content/GCFoundation.Components/js/foundation.min.js?v=fEtRg-
0wqK9rYR_gReOkR6hjZFde36YAfDH13jsOvC0"></script>

...
...
...
```

Issue 3 of 5

TOC

Check for SRI (Subresource Integrity) support

Severity:	Medium
Status:	Open
CVSS 3.1 Vector:	AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:N/A:N
CVSS 3.1 Score:	5.3
CVSS 4.0 Vector:	AV:N/AC:L/AT:N/PR:N/UI:N/VC:L/VI:N/VA:N/SC:N/SI:N/SA:N/E:X
CVSS 4.0 Score:	6.9
URL:	https://uat1.apps.tbs-sct.gc.ca/gcfoundation/en/styles/
Entity:	(Page)
Risk:	In case the third-party server is compromised, the content/behavior of the site will change
Cause:	SRI (Subresource Integrity) not supported
Fix:	Add to each third-party script/link element support to SRI(Subresource Integrity).

Difference:

Reasoning: The third-party links/scripts don't have integrity attribute for the browser to confirm they were not compromised

Test Requests and Responses:

```
GET /gcfoundation/en/styles/ HTTP/1.1
Host: uat1.apps.tbs-sct.gc.ca
Connection: keep-alive
sec-ch-ua: "Chromium";v="149", "Not)A;Brand";v="24"
sec-ch-ua-mobile: ?0
sec-ch-ua-platform: "Windows"
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/149.0.0.0
Safari/537.36
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=0.8,application/signed-
exchange;v=b3;q=0.7
Sec-Fetch-Site: none
Sec-Fetch-Mode: navigate
Sec-Fetch-User: ?1
Sec-Fetch-Dest: document
Accept-Language: en-US
Content-Length: 0


HTTP/1.1 200 OK
Content-Type: text/html; charset=utf-8
Date: Wed, 07 Oct 2026 16:08:35 GMT
Access-Control-Allow-Headers: Origin, X-Requested-With, Content-Type, Accept
Access-Control-Allow-Methods: GET,PUT,POST,OPTIONS
Access-Control-Allow-Origin: https://www.youtube.com
Cache-Control: no-store, no-cache, must-revalidate, proxy-revalidate,no-cache, no-store, must-revalidate, pre-check=0, post-
check=0, max-age=0, s-maxage=0
Pragma: no-cache
Strict-Transport-Security: max-age=31536000; includeSubDomains
Request-Context: appId=cid-v1:d9502e2c-6169-4a5a-8581-4dac5503c92f
Content-Security-Policy: default-src 'none'; script-src 'self' cdn.design-system.canada.ca https://assets.adobedtm.com
https://cdn.jsdelivr.net 'nonce-IyyTByWkDYp9DiVhc4euKA=='; object-src 'none'; style-src 'self' cdn.design-system.canada.ca
cdnjs.cloudflare.com https://cdn.js
...
...
...

    <title>Styles - Utility Classes Documentation - GCFoundation</title>

 <link rel="preconnect" href="https://fonts.googleapis.com">
 <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
 <link href="https://fonts.googleapis.com/css2?
family=Lato:ital,wght@0,400;0,700;1,400;1,700&family=Noto+Sans:ital,wght@0,300;0,400;0,500;0,600;0,700;1,300;1,400;1,500;1,6
00;1,700&family=Noto+Sans+Mono:wght@100..900&display=swap" rel="stylesheet">
 <link rel="dns-prefetch" href="https://cdn.design-system.canada.ca">

    <link href="/gcfoundation/_content/GCFoundation.Components/images/favicon.ico" rel="icon" type="image/x-icon">

        <link rel="stylesheet" href="https://cdn.design-system.canada.ca/@gcds-core/components@1.3.1/dist/gcds/gcds.css"
nonce="IyyTByWkDYp9DiVhc4euKA==" />
        <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.4.2/css/all.min.css" />
    <link rel="stylesheet" href="/gcfoundation/_content/GCFoundation.Components/lib/prism/css/prism.css?
v=g4HYIYEJ6YYkhYk0IK77E1Kn8J0ov2A83aOOwY5ipcs" />
    <link rel="stylesheet" href="/gcfoundation/_content/GCFoundation.Components/lib/quill/quill.snow.css?
v=HHlIzROqkvrGOQMZvB5eRhgj2hcVGdOnaNtWFk-HFjY" />
    <link rel="stylesheet" href="/gcfoundation/_content/GCFoundation.Components/css/foundation.min.css?v=Wfgmdn3KRJsvN6-
bbRCgn_NV-DKJmFBPQR7ZdlMjGvo" />

...
...
...

crossOrigin: "anonymous",
cfg: { // Application Insights Configuration
    connectionString: 'InstrumentationKey=68e4a0b7-938a-41a6-9088-2e9ad1641336'
}});</script>
          <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.4.2/css/all.min.css"
crossorigin="anonymous">
          <link rel="stylesheet" href="https://cdn.design-system.canada.ca/@gcds-core/components@1.3.1/dist/gcds/gcds.css">
          <link rel="stylesheet" href="https://cdn.design-system.canada.ca/@gcds-core/css-shortcuts@1.2.0/dist/gcds-css-
shortcuts.min.css">
          <script type="module" src="https://cdn.design-system.canada.ca/@gcds-core/components@1.3.1/dist/gcds/gcds.esm.js">
</script>
          </head>
<body>
    <gcds-header lang="en" lang-href="/gcfoundation/fr/styles" skip-to-href="#main-content" signature-has-link="true">

...
...
```

```
...ment&amp;quot;:&amp;quot;/gcfoundation/en/home/accessibility-statement&amp;quot;,&amp;quot;Our GitHub
repository&amp;quot;:&amp;quot;https://github.com/tbs-imtd/GCFoundation&amp;quot;}" display="compact" lang="en"></gcds-footer>



        <script type="module" src="https://cdn.design-system.canada.ca/@gcds-core/components@1.3.1/dist/gcds/gcds.esm.js"
nonce="IyyTByWkDYp9DiVhc4euKA=="></script>
    <script src="/gcfoundation/_content/GCFoundation.Components/lib/prism/js/prism.js?
v=zg2MlsSqvmHJM0WAjtbQ6NOn9OZis57oiynRz5Q6ZaY"></script>
    <script src="/gcfoundation/_content/GCFoundation.Components/lib/quill/quill.js?
v=9hV8cqybP1HN6tQmM1aIoCexJAXZ1qTardOKZ2stf_I"></script>
    <script src="/gcfoundation/_content/GCFoundation.Components/js/foundation.min.js?v=fEtRg-
0wqK9rYR_gReOkR6hjZFde36YAfDH13jsOvC0"></script>

...
...
...
```

Issue 4 of 5

TOC

Check for SRI (Subresource Integrity) support

Severity:	Medium
Status:	Open
CVSS 3.1 Vector:	AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:N/A:N
CVSS 3.1 Score:	5.3
CVSS 4.0 Vector:	AV:N/AC:L/AT:N/PR:N/UI:N/VC:L/VI:N/VA:N/SC:N/SI:N/SA:N/E:X
CVSS 4.0 Score:	6.9
URL:	https://uat1.apps.tbs-sct.gc.ca/gcfoundation/styles/
Entity:	(Page)
Risk:	In case the third-party server is compromised, the content/behavior of the site will change
Cause:	SRI (Subresource Integrity) not supported
Fix:	Add to each third-party script/link element support to SRI(Subresource Integrity).

Difference:

Reasoning: The third-party links/scripts don't have integrity attribute for the browser to confirm they were not compromised

Test Requests and Responses:

```
GET /gcfoundation/styles/?v=zg2MlsSqvmHJM0WAjtbQ6NOn9OZis57oiynRz5Q6ZaY HTTP/1.1
Host: uat1.apps.tbs-sct.gc.ca
Connection: keep-alive
sec-ch-ua-platform: "Windows"
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/149.0.0.0
Safari/537.36
sec-ch-ua: "Chromium";v="149", "Not)A;Brand";v="24"
sec-ch-ua-mobile: ?0
Accept: */*
Sec-Fetch-Site: same-origin
Sec-Fetch-Mode: no-cors
Sec-Fetch-Dest: script
Referer: https://uat1.apps.tbs-sct.gc.ca/gcfoundation/en/home
Accept-Language: en-US
Cookie: Culture=en
Content-Length: 0


HTTP/1.1 200 OK
Content-Type: text/html; charset=utf-8
Date: Wed, 07 Oct 2026 16:08:35 GMT
Access-Control-Allow-Headers: Origin, X-Requested-With, Content-Type, Accept
Access-Control-Allow-Methods: GET,PUT,POST,OPTIONS
Access-Control-Allow-Origin: https://www.youtube.com
Cache-Control: no-store, no-cache, must-revalidate, proxy-revalidate,no-cache, no-store, must-revalidate, pre-check=0, post-
check=0, max-age=0, s-maxage=0
```

```
Pragma: no-cache
Strict-Transport-Security: max-age=31536000; includeSubDomains
Request-Context: appId=cid-v1:d9502e2c-6169-4a5a-8581-4dac5503c92f
Content-Security-Policy: default-src 'none'; script-src 'self' cdn.design-system.canada.ca https://assets.adobedtm.com
https://cdn.jsdelivr.net 'nonce-e5lps7hAncyPdlRL+kzx/w=='; object-src 'none'; style-src 'self' cdn.design-system.canada.ca
cdnjs.cloudflare.com https://cdn.jsdelivr.net https://fonts.googleapis.com 'n
...
...
...

    <title>Styles - Utility Classes Documentation - GCFoundation</title>

 <link rel="preconnect" href="https://fonts.googleapis.com">
 <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
 <link href="https://fonts.googleapis.com/css2?
family=Lato:ital,wght@0,400;0,700;1,400;1,700&family=Noto+Sans:ital,wght@0,300;0,400;0,500;0,600;0,700;1,300;1,400;1,500;1,6
00;1,700&family=Noto+Sans+Mono:wght@100..900&display=swap" rel="stylesheet">
 <link rel="dns-prefetch" href="https://cdn.design-system.canada.ca">

    <link href="/gcfoundation/_content/GCFoundation.Components/images/favicon.ico" rel="icon" type="image/x-icon">

        <link rel="stylesheet" href="https://cdn.design-system.canada.ca/@gcds-core/components@1.3.1/dist/gcds/gcds.css"
nonce="e5lps7hAncyPdlRL&#x2B;kzx/w==" />
        <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.4.2/css/all.min.css" />
    <link rel="stylesheet" href="/gcfoundation/_content/GCFoundation.Components/lib/prism/css/prism.css?
v=g4HYIYEJ6YYkhYk0IK77E1Kn8J0ov2A83aOOwY5ipcs" />
    <link rel="stylesheet" href="/gcfoundation/_content/GCFoundation.Components/lib/quill/quill.snow.css?
v=HHlIzROqkvrGOQMZvB5eRhgj2hcVGdOnaNtWFk-HFjY" />
    <link rel="stylesheet" href="/gcfoundation/_content/GCFoundation.Components/css/foundation.min.css?v=Wfgmdn3KRJsvN6-
bbRCgn_NV-DKJmFBPQR7ZdlMjGvo" />

...
...
...

crossOrigin: "anonymous",
cfg: { // Application Insights Configuration
    connectionString: 'InstrumentationKey=68e4a0b7-938a-41a6-9088-2e9ad1641336'
}});</script>
          <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.4.2/css/all.min.css"
crossorigin="anonymous">
          <link rel="stylesheet" href="https://cdn.design-system.canada.ca/@gcds-core/components@1.3.1/dist/gcds/gcds.css">
          <link rel="stylesheet" href="https://cdn.design-system.canada.ca/@gcds-core/css-shortcuts@1.2.0/dist/gcds-css-
shortcuts.min.css">
          <script type="module" src="https://cdn.design-system.canada.ca/@gcds-core/components@1.3.1/dist/gcds/gcds.esm.js">
</script>
          </head>
<body>
    <gcds-header lang="en" lang-href="/gcfoundation/fr/styles" skip-to-href="#main-content" signature-has-link="true">

...
...
...ment&amp;quot;:&amp;quot;/gcfoundation/en/home/accessibility-statement&amp;quot;,&amp;quot;Our GitHub
repository&amp;quot;:&amp;quot;https://github.com/tbs-imtd/GCFoundation&amp;quot;}" display="compact" lang="en"></gcds-footer>



        <script type="module" src="https://cdn.design-system.canada.ca/@gcds-core/components@1.3.1/dist/gcds/gcds.esm.js"
nonce="e5lps7hAncyPdlRL&#x2B;kzx/w=="></script>
    <script src="/gcfoundation/_content/GCFoundation.Components/lib/prism/js/prism.js?
v=zg2MlsSqvmHJM0WAjtbQ6NOn9OZis57oiynRz5Q6ZaY"></script>
    <script src="/gcfoundation/_content/GCFoundation.Components/lib/quill/quill.js?
v=9hV8cqybP1HN6tQmM1aIoCexJAXZ1qTardOKZ2stf_I"></script>
    <script src="/gcfoundation/_content/GCFoundation.Components/js/foundation.min.js?v=fEtRg-
0wqK9rYR_gReOkR6hjZFde36YAfDH13jsOvC0"></script>

...
...
...
```

Check for SRI (Subresource Integrity) support

Severity:	Medium
Status:	Open
CVSS 3.1 Vector:	AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:N/A:N
CVSS 3.1 Score:	5.3
CVSS 4.0 Vector:	AV:N/AC:L/AT:N/PR:N/UI:N/VC:L/VI:N/VA:N/SC:N/SI:N/SA:N/E:X
CVSS 4.0 Score:	6.9
URL:	https://uat1.apps.tbs-sct.gc.ca/gcfoundation/home/
Entity:	(Page)
Risk:	In case the third-party server is compromised, the content/behavior of the site will change
Cause:	SRI (Subresource Integrity) not supported
Fix:	Add to each third-party script/link element support to SRI(Subresource Integrity).

Difference:

Reasoning: The third-party links/scripts don't have integrity attribute for the browser to confirm they were not compromised

Test Requests and Responses:

```
GET /gcfoundation/home/?v=zg2MlsSqvmHJM0WAjtbQ6NOn9OZis57oiynRz5Q6ZaY HTTP/1.1
Host: uat1.apps.tbs-sct.gc.ca
Connection: keep-alive
sec-ch-ua-platform: "Windows"
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/149.0.0.0
Safari/537.36
sec-ch-ua: "Chromium";v="149", "Not)A;Brand";v="24"
sec-ch-ua-mobile: ?0
Accept: */*
Sec-Fetch-Site: same-origin
Sec-Fetch-Mode: no-cors
Sec-Fetch-Dest: script
Referer: https://uat1.apps.tbs-sct.gc.ca/gcfoundation/en/home
Accept-Language: en-US
Cookie: Culture=en
Content-Length: 0


HTTP/1.1 200 OK
Content-Type: text/html; charset=utf-8
Date: Wed, 07 Oct 2026 16:08:36 GMT
Access-Control-Allow-Headers: Origin, X-Requested-With, Content-Type, Accept
Access-Control-Allow-Methods: GET,PUT,POST,OPTIONS
Access-Control-Allow-Origin: https://www.youtube.com
Cache-Control: no-store, no-cache, must-revalidate, proxy-revalidate,no-cache, no-store, must-revalidate, pre-check=0, post-
check=0, max-age=0, s-maxage=0
Pragma: no-cache
Strict-Transport-Security: max-age=31536000; includeSubDomains
Request-Context: appId=cid-v1:d9502e2c-6169-4a5a-8581-4dac5503c92f
Content-Security-Policy: default-src 'none'; script-src 'self' cdn.design-system.canada.ca https://assets.adobedtm.com
https://cdn.jsdelivr.net 'nonce-yBkeVJ3zKaHM75Cdxc7KGQ=='; object-src 'none'; style-src 'self' cdn.design-system.canada.ca
cdnjs.cloudflare.com https://cdn.jsdelivr.net https://fonts.googleapis.com 'nonce-yBk
...
...
...

    <title>Build GC web applications with confidence - GCFoundation</title>

 <link rel="preconnect" href="https://fonts.googleapis.com">
 <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
 <link href="https://fonts.googleapis.com/css2?
family=Lato:ital,wght@0,400;0,700;1,400;1,700&family=Noto+Sans:ital,wght@0,300;0,400;0,500;0,600;0,700;1,300;1,400;1,500;1,6
00;1,700&family=Noto+Sans+Mono:wght@100..900&display=swap" rel="stylesheet">
 <link rel="dns-prefetch" href="https://cdn.design-system.canada.ca">

    <link href="/gcfoundation/_content/GCFoundation.Components/images/favicon.ico" rel="icon" type="image/x-icon">

        <link rel="stylesheet" href="https://cdn.design-system.canada.ca/@gcds-core/components@1.3.1/dist/gcds/gcds.css"
nonce="yBkeVJ3zKaHM75Cdxc7KGQ==" />
        <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.4.2/css/all.min.css" />
    <link rel="stylesheet" href="/gcfoundation/_content/GCFoundation.Components/lib/prism/css/prism.css?
v=g4HYIYEJ6YYkhYk0IK77E1Kn8J0ov2A83aOOwY5ipcs" />
```

```
    <link rel="stylesheet" href="/gcfoundation/_content/GCFoundation.Components/lib/quill/quill.snow.css?
v=HHlIzROqkvrGOQMZvB5eRhgj2hcVGdOnaNtWFk-HFjY" />
    <link rel="stylesheet" href="/gcfoundation/_content/GCFoundation.Components/css/foundation.min.css?v=Wfgmdn3KRJsvN6-
bbRCgn_NV-DKJmFBPQR7ZdlMjGvo" />

...
...
...

crossOrigin: "anonymous",
cfg: { // Application Insights Configuration
    connectionString: 'InstrumentationKey=68e4a0b7-938a-41a6-9088-2e9ad1641336'
}});</script>
          <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.4.2/css/all.min.css"
crossorigin="anonymous">
          <link rel="stylesheet" href="https://cdn.design-system.canada.ca/@gcds-core/components@1.3.1/dist/gcds/gcds.css">
          <link rel="stylesheet" href="https://cdn.design-system.canada.ca/@gcds-core/css-shortcuts@1.2.0/dist/gcds-css-
shortcuts.min.css">
          <script type="module" src="https://cdn.design-system.canada.ca/@gcds-core/components@1.3.1/dist/gcds/gcds.esm.js">
</script>
          </head>
<body>
    <gcds-header lang="en" lang-href="/gcfoundation/fr/accueil" skip-to-href="#main-content" signature-has-link="true">

...
...
...ment&amp;quot;:&amp;quot;/gcfoundation/en/home/accessibility-statement&amp;quot;,&amp;quot;Our GitHub
repository&amp;quot;:&amp;quot;https://github.com/tbs-imtd/GCFoundation&amp;quot;}" display="compact" lang="en"></gcds-footer>



        <script type="module" src="https://cdn.design-system.canada.ca/@gcds-core/components@1.3.1/dist/gcds/gcds.esm.js"
nonce="yBkeVJ3zKaHM75Cdxc7KGQ=="></script>
    <script src="/gcfoundation/_content/GCFoundation.Components/lib/prism/js/prism.js?
v=zg2MlsSqvmHJM0WAjtbQ6NOn9OZis57oiynRz5Q6ZaY"></script>
    <script src="/gcfoundation/_content/GCFoundation.Components/lib/quill/quill.js?
v=9hV8cqybP1HN6tQmM1aIoCexJAXZ1qTardOKZ2stf_I"></script>
    <script src="/gcfoundation/_content/GCFoundation.Components/js/foundation.min.js?v=fEtRg-
0wqK9rYR_gReOkR6hjZFde36YAfDH13jsOvC0"></script>

...
...
...
```

M Cookie with Insecure or Improper or Missing SameSite attribute 1 TOC

Issue 1 of 1

TOC

Cookie with Insecure or Improper or Missing SameSite attribute

Severity:	Medium
Status:	Open
CVSS 3.1 Vector:	AV:N/AC:L/PR:L/UI:N/S:U/C:L/I:L/A:N/E:U/RL:O/RC:C
CVSS 3.1 Score:	4.7
CVSS 4.0 Vector:	AV:N/AC:L/AT:N/PR:L/UI:N/VC:L/VI:L/VA:N/SC:N/SI:N/SA:N/E:U
CVSS 4.0 Score:	1.3
URL:	https://uat1.apps.tbs-sct.gc.ca/
Entity:	TS01f9e613 (Cookie)
Risk:	Prevent cookie information leakage by restricting cookies to first-party or same-site context, Attacks can extend to Cross-Site-Request-Forgery (CSRF) attacks if there are no additional protections in place (such as Anti-CSRF tokens).
Cause:	Sensitive Cookie with Improper or Insecure or Missing SameSite Attribute
Fix:	Review possible solutions for configuring SameSite Cookie attribute to recommended values

Difference:

Reasoning: The response contains Sensitive Cookie with Insecure or Improper or Missing SameSite attribute, which may lead to Cookie information leakage, which may extend to Cross-Site-Request-Forgery(CSRF) attacks if there are no additional protections in place.

Test Requests and Responses:

```
GET /gcfoundation/_content/GCFoundation.Components/lib/prism/js/prism.js?v=zg2MlsSqvmHJM0WAjtbQ6NOn9OZis57oiynRz5Q6ZaY
HTTP/1.1
Host: uat1.apps.tbs-sct.gc.ca
Connection: keep-alive
sec-ch-ua-platform: "Windows"
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/149.0.0.0
Safari/537.36
sec-ch-ua: "Chromium";v="149", "Not)A;Brand";v="24"
sec-ch-ua-mobile: ?0
Accept: */*
Sec-Fetch-Site: same-origin
Sec-Fetch-Mode: no-cors
Sec-Fetch-Dest: script
Referer: https://uat1.apps.tbs-sct.gc.ca/gcfoundation/en/home
Accept-Language: en-US
Cookie: Culture=en
Content-Length: 0


HTTP/1.1 200 OK
Content-Length: 26881
Content-Type: text/javascript
Date: Wed, 07 Oct 2026 15:56:07 GMT
Accept-Ranges: bytes
Access-Control-Allow-Headers: Origin, X-Requested-With, Content-Type, Accept
Access-Control-Allow-Methods: GET,PUT,POST,OPTIONS
Access-Control-Allow-Origin: https://www.youtube.com
Cache-Control: no-store, no-cache, must-revalidate, proxy-revalidate,no-cache, no-store, must-revalidate, pre-check=0, post-
check=0, max-age=0, s-maxage=0
ETag: "1dd34bd309c3401"
Last-Modified: Tue, 25 Aug 2026 18:11:46 GMT
Pragma: no-cache
Strict-Transport-Security: max-age=31536000; includeSubDomains
Request-Context: appId=cid-v1:d9502e2c-6169-4a5a-8581-4dac5503c92f
Content-Security-Policy: default-src 'none'; script-src 'self' cdn.design-system.canada.ca https://assets.adobedtm.com
https://cdn.jsdelivr.net 'nonce-xw1ZZOFwGGEgfKW+geJT3Q=='; object-src 'none'; style-src 'self' cdn.design-system.canada.ca
cdnjs.cloudflare.com https://cdn.jsdelivr.net https://fonts.googleapis.com 'nonce-xw1ZZOFwGGEgfKW+geJT3Q=='; font-src 'self'
cdnjs.cloudflare.com cdn.design-system.canada.ca https://fonts.gstatic.com; connect-src 'self' https://canada.sc.omtrdc.net
https://dpm.demdex.net http://localhost:* https://localhost:* ws://localhost:* wss://localhost:* https://cdn.design-
system.canada.ca https://cdn.design-system.alpha.canada.ca; img-src 'self' https://canada.sc.omtrdc.net
https://cm.everesttech.net data:; frame-src 'self' https://canada.demdex.net; frame-ancestors 'none'; upgrade-insecure-
requests;
Content-Security-Policy: frame-ancestors https://uat1.apps.tbs-sct.gc.ca /
X-XSS-Protection: 1; mode=block
X-XSS-Protection: 1; mode=block
X-Content-Type-Options: nosniff
X-Content-Type-Options: nosniff
Referrer-Policy: strict-origin-when-cross-origin
Permissions-Policy: geolocation=(), microphone=(), camera=()
```

```
Expect-CT: max-age=86400, enforce
Cross-Origin-Opener-Policy: same-origin
Cross-Origin-Resource-Policy: same-origin
Cross-Origin-Embedder-Policy: credentialless
X-Session-Timeout: 2
X-Session-Reminder: 1
Arr-Disable-Session-Affinity: true
X-Frame-Options: SAMEORIGIN
X-Original-Host: uat1.apps.tbs-sct.gc.ca
Public-Key-Pins: pin-sha256="K5cLRLJx5XMmt3FZ4juyw6w77/ZS+AP52Q/mK+UO3P0="; pin-
sha256="CzdPous1hY3sIkO55pUH7vklXyIHVZAl/UnprSQvpEI="; pin-sha256="ntPCN1f+CZzlQhaIE331czBRcAjdmi504yTaH4mK2Gw="; max-
age=2592000; report-uri="https://domain.com/report"
Set-Cookie:
TS01f9e613=01d93dcb0349945cb9687eea1c5e26615e1719450ee99e4910ae404b73fde5dc99738b0c678e7e99272e07b091c31a82e9cbccb39c;
Path=/; Domain=.uat-infositeapps-backend.tbs-sct.ca; Secure; HttpOnly

/* PrismJS 1.30.0
https://prismjs.com/download.html#themes=prism-twilight&languages=markup+css+clike+javascript+aspnet+csharp+cshtml */
var _self="undefined"!=typeof window?window:"undefined"!=typeof WorkerGlobalScope&&self instanceof WorkerGlobalScope?self:
{},Prism=function(e){var n=/(?:^|\s)lang(?:uage)?-([\w-]+)(?=\s|$)/i,t=0,r={},a=
{manual:e.Prism&&e.Prism.manual,disableWorkerMessageHandler:e.Prism&&e.Prism.disableWorkerMessageHandler,util:
{encode:function e(n){return n instanceof i?new i(n.type,e(n.content),n.alias):Array.isArray(n)?
n.map(e):n.replace(/&/g,"&amp;").replace(/</g,"&lt;").replace(/\u00a0/g," ")},type:function(e){return
Object.prototype.toString.call(e).slice(8,-1)},objId:function(e){return e.__id||Object.defineProperty(e,"__id",
{value:++t}),e.__id},clone:function e(n,t){var r,i;switch(t=t||{},a.util.type(n))
{case"Object":if(i=a.util.objId(n),t[i])return t[i];for(var l in r={},t[i]=r,n)n.hasOwnProperty(l)&&(r[l]=e(n[l],t));return
r;case"Array":return i=a.util.objId(n),t[i]?t[i]:(r=[],t[i]=r,n.forEach((function(n,a){r[a]=e(n,t)})),r);default:return
n}},getLanguage:function(e){for(;e;){var t=n.exec(e.className);if(t)return
t[1].toLowerCase();e=e.parentElement}return"none"},setLanguage:function(e,t)
{e.className=e.className.replace(RegExp(n,"gi"),""),e.classList.add("language-"+t)},currentScript:function()
{if("undefined"==typeof document)return null;if(document.currentScript&&"SCRIPT"===document.currentScript.tagName)return
document.currentScript;try{throw new Error}catch(r){var e=(/at [^(\r\n]*\((.*):[^:]+:[^:]+\)$/i.exec(r.stack)||[])[1];if(e)
{var n=document.getElementsByTagName("script");for(var t in n)if(n[t].src==e)return n[t]}return null}}
...
...
...
```

M Missing or insecure Cross-Origin-Embedder-Policy (COEP) header 1

TOC

Issue 1 of 1

TOC

Missing or insecure Cross-Origin-Embedder-Policy (COEP) header

Severity:	Medium
Status:	Open
CVSS 3.1 Vector:	AV:N/AC:H/PR:N/UI:R/S:U/C:L/I:L/A:N
CVSS 3.1 Score:	4.2
CVSS 4.0 Vector:	AV:N/AC:H/AT:N/PR:N/UI:P/VC:L/VI:L/VA:N/SC:N/SI:N/SA:N/E:X
CVSS 4.0 Score:	2.3
URL:	https://uat1.apps.tbs-sct.gc.ca/
Entity:	uat1.apps.tbs-sct.gc.ca (Page)
Risk:	It is possible to gather sensitive information about the web application such as usernames, passwords, machine name and/or sensitive file locations
Cause:	Insecure web application programming or configuration
Fix:	Add or modify the "Cross-Origin-Embedder-Policy" (COEP) header to "require-corp"

Difference:

Reasoning: AppScan detected that the "Cross-Origin-Embedder-Policy" (COEP) header is either missing or set to an insecure value

Test Requests and Responses:

```
GET /apps/default.htm HTTP/1.1
Cookie: Culture=en;
TS01f9e613=01d93dcb0353b72dca4fccc7bd3ecc60d66ad160acd136950d09a733cf354bbe7d3d0ec5d3069ab7e6a06df55075072dc8d913bdb1
Accept-Language: en-US
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Referer: https://uat1.apps.tbs-sct.gc.ca/apps/?v=zg2MlsSqvmHJM0WAjtbQ6NOn9OZis57oiynRz5Q6ZaY
Host: uat1.apps.tbs-sct.gc.ca
User-Agent: Mozilla/5.0 (Windows NT 6.2; WOW64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/100.0.4896.127 Safari/537.36
Content-Length: 0


HTTP/1.1 200 OK
Content-Length: 7401
Content-Type: text/html
Date: Wed, 07 Oct 2026 16:07:54 GMT
Accept-Ranges: bytes
Access-Control-Allow-Headers: Origin, X-Requested-With, Content-Type, Accept
Access-Control-Allow-Methods: GET,PUT,POST,OPTIONS
Access-Control-Allow-Origin: https://www.youtube.com
Cache-Control: no-cache, no-store, must-revalidate, pre-check=0, post-check=0, max-age=0, s-maxage=0
ETag: "0fa2cb1e4e8d51:0"
Last-Modified: Fri, 21 Feb 2020 18:28:20 GMT
Pragma: no-cache
Strict-Transport-Security: max-age=31536000; includeSubDomains
Arr-Disable-Session-Affinity: true
X-Frame-Options: SAMEORIGIN
X-Original-Host: uat1.apps.tbs-sct.gc.ca
X-Content-Type-Options: nosniff
X-XSS-Protection: 1; mode=block
Content-Security-Policy: frame-ancestors https://uat1.apps.tbs-sct.gc.ca /
Public-Key-Pins: pin-sha256="K5cLRLJx5XMmt3FZ4juyw6w77/ZS+AP52Q/mK+UO3P0="; pin-
sha256="CzdPous1hY3sIkO55pUH7vklXyIHVZAl/UnprSQvpEI="; pin-sha256="ntPCN1f+CZzlQhaIE331czBRcAjdmi504yTaH4mK2Gw="; max-
age=2592000; report-uri="https://domain.com/report"

<!DOCTYPE html>

<html lang="en" xmlns="http://www.w3.org/1999/xhtml">
<head>
    <meta charset="utf-8" />
    <title>CBA Links</title>
    <link href="default/bootstrap/css/bootstrap.min.css" rel="stylesheet">
    <link href="default/bootstrap/css/bootstrap-theme.min.css" rel="stylesheet">
    <link href="default/bootstrap/css/app.css" rel="stylesheet">
</head>
<body style="height: 100%;">
    <header id="top" class="navbar navbar-static-top navbar-default" role="banner">
        <div class="container">
          <div class="navbar-header">
          <button class="navbar-toggle" type="button" data-toggle="collapse" data-target=".bs-navbar-collapse">
          <span class="sr-only">Toggle navigation</span>
          <span class="icon-bar"></span>
          <span class="icon-bar"></span>
          <span class="icon-bar"></span>
          </button>
          <a class="navbar-brand" href="default.htm">CBA Links</a>
          </div>
          <nav class="collapse navbar-collapse bs-navbar-collapse" role="navigation">
          <ul class="nav navbar-nav" role="tablist">
          <li class="active"><a href="#work-applications" role="tab" data-toggle="tab">Applications</a></li>
          <li><a href="#work-tools" role="tab" data-toggle="tab">Tools</a></li>
          <li><a href="#work-websites" role="tab" data-toggle="tab">Websites</a></li>
          </ul>
          <form class="navbar-form navbar-right visible-md visible-lg" role="search">
          <input type="text" class="form-control" id="search" placeholder="Search">
          </form>
          </nav>
        </div>
    </header>
    <div id="content">
        <div class="container">
          <div class="row">
          <div class="col-md-12">
          <div class="tab-content">
          <div class="tab-pane active" id="work-applications"></div>
          <div class="tab-pane" id="work-websites"></div>
          <div class="tab-pane" id="work-tools"></div>
          </div>
          <div class="btn-group">
          <button class="btn btn-default" onclick="$('div.collapse').collapse('show');">Expand All</button>
```

```
          <button class="btn btn-default" onclick="$('div.collapse').collapse('hide');">Collapse All</button>
          </div>
     <div class="panel panel-small panel-success mrgn-tp-md">
      <div class="panel-heading">
       <h5 class="panel-title"><a data-toggle="collapse" href="#version-info" style="display: block;">Version info: (v<span
id="version-number"></span>)<span class="glyphicon glyphicon-chevron-down pull-right"></span></a></h5>
      </div>
      <div class="panel-collapse collapse" id="version-info">
          <div class="panel-body">
          <p>v1.1.0: Moved the JSON object array outside of the default.js into their own JSON files.</p>
          <p>v0.1.1: You can now search by the applications' "title" properties (e.g. searching for "MAF" or "management
accountability framework" will highlight the "MAF5" & "MAF6" elements).</p>
          </div>
      </div>
     </div>

...
...
...
```

M Missing or insecure Cross-Origin-Opener-Policy (COOP) header 1

TOC

Issue 1 of 1

TOC

Missing or insecure Cross-Origin-Opener-Policy (COOP) header

Severity:	Medium
Status:	Open
CVSS 3.1 Vector:	AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:L/A:N
CVSS 3.1 Score:	4.8
CVSS 4.0 Vector:	AV:N/AC:H/AT:N/PR:N/UI:N/VC:L/VI:L/VA:N/SC:N/SI:N/SA:N/E:X
CVSS 4.0 Score:	6.3
URL:	https://uat1.apps.tbs-sct.gc.ca/
Entity:	uat1.apps.tbs-sct.gc.ca (Page)
Risk:	It is possible to gather sensitive information about the web application such as usernames, passwords, machine name and/or sensitive file locations
Cause:	Insecure web application programming or configuration
Fix:	Add or modify the "Cross-Origin-Opener-Policy" (COOP) header to "same-origin"

Difference:

Reasoning: AppScan detected that the "Cross-Origin-Opener-Policy" (COOP) header is either missing or set to an insecure value

Test Requests and Responses:

```
GET /apps/default.htm HTTP/1.1
Cookie: Culture=en;
TS01f9e613=01d93dcb0353b72dca4fccc7bd3ecc60d66ad160acd136950d09a733cf354bbe7d3d0ec5d3069ab7e6a06df55075072dc8d913bdb1
Accept-Language: en-US
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Referer: https://uat1.apps.tbs-sct.gc.ca/apps/?v=zg2MlsSqvmHJM0WAjtbQ6NOn9OZis57oiynRz5Q6ZaY
Host: uat1.apps.tbs-sct.gc.ca
User-Agent: Mozilla/5.0 (Windows NT 6.2; WOW64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/100.0.4896.127 Safari/537.36
Content-Length: 0


HTTP/1.1 200 OK
Content-Length: 7401
Content-Type: text/html
Date: Wed, 07 Oct 2026 16:07:54 GMT
Accept-Ranges: bytes
Access-Control-Allow-Headers: Origin, X-Requested-With, Content-Type, Accept
```

```
Access-Control-Allow-Methods: GET,PUT,POST,OPTIONS
Access-Control-Allow-Origin: https://www.youtube.com
Cache-Control: no-cache, no-store, must-revalidate, pre-check=0, post-check=0, max-age=0, s-maxage=0
ETag: "0fa2cb1e4e8d51:0"
Last-Modified: Fri, 21 Feb 2020 18:28:20 GMT
Pragma: no-cache
Strict-Transport-Security: max-age=31536000; includeSubDomains
Arr-Disable-Session-Affinity: true
X-Frame-Options: SAMEORIGIN
X-Original-Host: uat1.apps.tbs-sct.gc.ca
X-Content-Type-Options: nosniff
X-XSS-Protection: 1; mode=block
Content-Security-Policy: frame-ancestors https://uat1.apps.tbs-sct.gc.ca /
Public-Key-Pins: pin-sha256="K5cLRLJx5XMmt3FZ4juyw6w77/ZS+AP52Q/mK+UO3P0="; pin-
sha256="CzdPous1hY3sIkO55pUH7vklXyIHVZAl/UnprSQvpEI="; pin-sha256="ntPCN1f+CZzlQhaIE331czBRcAjdmi504yTaH4mK2Gw="; max-
age=2592000; report-uri="https://domain.com/report"

<!DOCTYPE html>

<html lang="en" xmlns="http://www.w3.org/1999/xhtml">
<head>
    <meta charset="utf-8" />
    <title>CBA Links</title>
    <link href="default/bootstrap/css/bootstrap.min.css" rel="stylesheet">
    <link href="default/bootstrap/css/bootstrap-theme.min.css" rel="stylesheet">
    <link href="default/bootstrap/css/app.css" rel="stylesheet">
</head>
<body style="height: 100%;">
    <header id="top" class="navbar navbar-static-top navbar-default" role="banner">
        <div class="container">
          <div class="navbar-header">
          <button class="navbar-toggle" type="button" data-toggle="collapse" data-target=".bs-navbar-collapse">
          <span class="sr-only">Toggle navigation</span>
          <span class="icon-bar"></span>
          <span class="icon-bar"></span>
          <span class="icon-bar"></span>
          </button>
          <a class="navbar-brand" href="default.htm">CBA Links</a>
          </div>
          <nav class="collapse navbar-collapse bs-navbar-collapse" role="navigation">
          <ul class="nav navbar-nav" role="tablist">
          <li class="active"><a href="#work-applications" role="tab" data-toggle="tab">Applications</a></li>
          <li><a href="#work-tools" role="tab" data-toggle="tab">Tools</a></li>
          <li><a href="#work-websites" role="tab" data-toggle="tab">Websites</a></li>
          </ul>
          <form class="navbar-form navbar-right visible-md visible-lg" role="search">
          <input type="text" class="form-control" id="search" placeholder="Search">
          </form>
          </nav>
        </div>
    </header>
    <div id="content">
        <div class="container">
          <div class="row">
          <div class="col-md-12">
          <div class="tab-content">
          <div class="tab-pane active" id="work-applications"></div>
          <div class="tab-pane" id="work-websites"></div>
          <div class="tab-pane" id="work-tools"></div>
          </div>
          <div class="btn-group">
          <button class="btn btn-default" onclick="$('div.collapse').collapse('show');">Expand All</button>
          <button class="btn btn-default" onclick="$('div.collapse').collapse('hide');">Collapse All</button>
          </div>
     <div class="panel panel-small panel-success mrgn-tp-md">
      <div class="panel-heading">
       <h5 class="panel-title"><a data-toggle="collapse" href="#version-info" style="display: block;">Version info: (v<span
id="version-number"></span>)<span class="glyphicon glyphicon-chevron-down pull-right"></span></a></h5>
      </div>
      <div class="panel-collapse collapse" id="version-info">
          <div class="panel-body">
          <p>v1.1.0: Moved the JSON object array outside of the default.js into their own JSON files.</p>
          <p>v0.1.1: You can now search by the applications' "title" properties (e.g. searching for "MAF" or "management
accountability framework" will highlight the "MAF5" & "MAF6" elements).</p>
          </div>
      </div>
     </div>

...
...
```

...

M Missing or insecure Cross-Origin-Resource-Policy (CORP) header 1

TOC

Issue 1 of 1

TOC

Missing or insecure Cross-Origin-Resource-Policy (CORP) header

Severity:	Medium
Status:	Open
CVSS 3.1 Vector:	AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:L/A:N
CVSS 3.1 Score:	4.8
CVSS 4.0 Vector:	AV:N/AC:H/AT:N/PR:N/UI:N/VC:L/VI:L/VA:N/SC:N/SI:N/SA:N/E:X
CVSS 4.0 Score:	6.3
URL:	https://uat1.apps.tbs-sct.gc.ca/
Entity:	uat1.apps.tbs-sct.gc.ca (Page)
Risk:	It is possible to gather sensitive information about the web application such as usernames, passwords, machine name and/or sensitive file locations
Cause:	Insecure web application programming or configuration
Fix:	Add or modify the "Cross-Origin-Resource-Policy" (CORP) header to "same-origin" or "same-site"

Difference:

Reasoning: AppScan detected that the "Cross-Origin-Resource-Policy" (CORP) header is either missing or set to an insecure value

Test Requests and Responses:

```
GET /apps/default.htm HTTP/1.1
Cookie: Culture=en;
TS01f9e613=01d93dcb0353b72dca4fccc7bd3ecc60d66ad160acd136950d09a733cf354bbe7d3d0ec5d3069ab7e6a06df55075072dc8d913bdb1
Accept-Language: en-US
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Referer: https://uat1.apps.tbs-sct.gc.ca/apps/?v=zg2MlsSqvmHJM0WAjtbQ6NOn9OZis57oiynRz5Q6ZaY
Host: uat1.apps.tbs-sct.gc.ca
User-Agent: Mozilla/5.0 (Windows NT 6.2; WOW64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/100.0.4896.127 Safari/537.36
Content-Length: 0


HTTP/1.1 200 OK
Content-Length: 7401
Content-Type: text/html
Date: Wed, 07 Oct 2026 16:07:54 GMT
Accept-Ranges: bytes
Access-Control-Allow-Headers: Origin, X-Requested-With, Content-Type, Accept
Access-Control-Allow-Methods: GET,PUT,POST,OPTIONS
Access-Control-Allow-Origin: https://www.youtube.com
Cache-Control: no-cache, no-store, must-revalidate, pre-check=0, post-check=0, max-age=0, s-maxage=0
ETag: "0fa2cb1e4e8d51:0"
Last-Modified: Fri, 21 Feb 2020 18:28:20 GMT
Pragma: no-cache
Strict-Transport-Security: max-age=31536000; includeSubDomains
Arr-Disable-Session-Affinity: true
X-Frame-Options: SAMEORIGIN
X-Original-Host: uat1.apps.tbs-sct.gc.ca
X-Content-Type-Options: nosniff
X-XSS-Protection: 1; mode=block
Content-Security-Policy: frame-ancestors https://uat1.apps.tbs-sct.gc.ca /
Public-Key-Pins: pin-sha256="K5cLRLJx5XMmt3FZ4juyw6w77/ZS+AP52Q/mK+UO3P0="; pin-
sha256="CzdPous1hY3sIkO55pUH7vklXyIHVZAl/UnprSQvpEI="; pin-sha256="ntPCN1f+CZzlQhaIE331czBRcAjdmi504yTaH4mK2Gw="; max-
age=2592000; report-uri="https://domain.com/report"

<!DOCTYPE html>
```

```
<html lang="en" xmlns="http://www.w3.org/1999/xhtml">
<head>
    <meta charset="utf-8" />
    <title>CBA Links</title>
    <link href="default/bootstrap/css/bootstrap.min.css" rel="stylesheet">
    <link href="default/bootstrap/css/bootstrap-theme.min.css" rel="stylesheet">
    <link href="default/bootstrap/css/app.css" rel="stylesheet">
</head>
<body style="height: 100%;">
    <header id="top" class="navbar navbar-static-top navbar-default" role="banner">
        <div class="container">
          <div class="navbar-header">
          <button class="navbar-toggle" type="button" data-toggle="collapse" data-target=".bs-navbar-collapse">
          <span class="sr-only">Toggle navigation</span>
          <span class="icon-bar"></span>
          <span class="icon-bar"></span>
          <span class="icon-bar"></span>
          </button>
          <a class="navbar-brand" href="default.htm">CBA Links</a>
          </div>
          <nav class="collapse navbar-collapse bs-navbar-collapse" role="navigation">
          <ul class="nav navbar-nav" role="tablist">
          <li class="active"><a href="#work-applications" role="tab" data-toggle="tab">Applications</a></li>
          <li><a href="#work-tools" role="tab" data-toggle="tab">Tools</a></li>
          <li><a href="#work-websites" role="tab" data-toggle="tab">Websites</a></li>
          </ul>
          <form class="navbar-form navbar-right visible-md visible-lg" role="search">
          <input type="text" class="form-control" id="search" placeholder="Search">
          </form>
          </nav>
        </div>
    </header>
    <div id="content">
        <div class="container">
          <div class="row">
          <div class="col-md-12">
          <div class="tab-content">
          <div class="tab-pane active" id="work-applications"></div>
          <div class="tab-pane" id="work-websites"></div>
          <div class="tab-pane" id="work-tools"></div>
          </div>
          <div class="btn-group">
          <button class="btn btn-default" onclick="$('div.collapse').collapse('show');">Expand All</button>
          <button class="btn btn-default" onclick="$('div.collapse').collapse('hide');">Collapse All</button>
          </div>
     <div class="panel panel-small panel-success mrgn-tp-md">
      <div class="panel-heading">
       <h5 class="panel-title"><a data-toggle="collapse" href="#version-info" style="display: block;">Version info: (v<span
id="version-number"></span>)<span class="glyphicon glyphicon-chevron-down pull-right"></span></a></h5>
      </div>
      <div class="panel-collapse collapse" id="version-info">
          <div class="panel-body">
          <p>v1.1.0: Moved the JSON object array outside of the default.js into their own JSON files.</p>
          <p>v0.1.1: You can now search by the applications' "title" properties (e.g. searching for "MAF" or "management
accountability framework" will highlight the "MAF5" & "MAF6" elements).</p>
          </div>
      </div>
     </div>

...
...
...
```

M Temporary File Download 4 TOC

Issue 1 of 4 TOC

Temporary File Download

Severity:	Medium
Status:	Open
CVSS 3.1 Vector:	AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:N/A:N
CVSS 3.1 Score:	5.3
CVSS 4.0 Vector:	AV:N/AC:L/AT:N/PR:N/UI:N/VC:L/VI:N/VA:N/SC:N/SI:N/SA:N/E:X
CVSS 4.0 Score:	6.9
URL:	https://uat1.apps.tbs-sct.gc.ca/gcfoundation/_content/GCFoundation.Components/js/foundation.min.js
Entity:	foundation.min.js (Page)
Risk:	It is possible to download temporary script files, which can expose the application logic and other sensitive information such as usernames and passwords
Cause:	Temporary files were left in production environment
Fix:	Remove old versions of files from the virtual directory

Difference: **Path** manipulated from: `/gcfoundation/_content/GCFoundation.Components/js/foundation.min.js` to: `/gcfoundation/_content/GCFoundation.Components/js/foundation.min.js.gz`

Reasoning: AppScan received a response status 200 OK, with a Content-Type that matches the requested file extenstion.

Test Requests and Responses:

```
This request/response contains binary content, which is not included in generated reports.
```

Issue 2 of 4

TOC

Temporary File Download

Severity:	Medium
Status:	Open
CVSS 3.1 Vector:	AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:N/A:N
CVSS 3.1 Score:	5.3
CVSS 4.0 Vector:	AV:N/AC:L/AT:N/PR:N/UI:N/VC:L/VI:N/VA:N/SC:N/SI:N/SA:N/E:X
CVSS 4.0 Score:	6.9
URL:	https://uat1.apps.tbs-sct.gc.ca/gcfoundation/js/custom-scripts.js
Entity:	custom-scripts.js (Page)
Risk:	It is possible to download temporary script files, which can expose the application logic and other sensitive information such as usernames and passwords
Cause:	Temporary files were left in production environment
Fix:	Remove old versions of files from the virtual directory

Difference: **Path** manipulated from: `/gcfoundation/js/custom-scripts.js` to: `/gcfoundation/js/custom-scripts.js.gz`

Reasoning: AppScan received a response status 200 OK, with a Content-Type that matches the requested file extenstion.

Test Requests and Responses:

```
This request/response contains binary content, which is not included in generated reports.
```

Issue 3 of 4

TOC

Temporary File Download

Severity:	Medium
Status:	Open
CVSS 3.1 Vector:	AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:N/A:N
CVSS 3.1 Score:	5.3
CVSS 4.0 Vector:	AV:N/AC:L/AT:N/PR:N/UI:N/VC:L/VI:N/VA:N/SC:N/SI:N/SA:N/E:X
CVSS 4.0 Score:	6.9
URL:	https://uat1.apps.tbs-sct.gc.ca/gcfoundation/_content/GCFoundation.Components/lib/quill/quill.js
Entity:	quill.js (Page)
Risk:	It is possible to download temporary script files, which can expose the application logic and other sensitive information such as usernames and passwords
Cause:	Temporary files were left in production environment
Fix:	Remove old versions of files from the virtual directory

Difference: **Path** manipulated from: `/gcfoundation/_content/GCFoundation.Components/lib/quill/quill.js` to:
`/gcfoundation/_content/GCFoundation.Components/lib/quill/quill.js.gz`

Reasoning: AppScan received a response status 200 OK, with a Content-Type that matches the requested file extenstion.

Test Requests and Responses:

```
This request/response contains binary content, which is not included in generated reports.
```

Issue 4 of 4

TOC

Temporary File Download

Severity:	Medium
Status:	Open
CVSS 3.1 Vector:	AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:N/A:N
CVSS 3.1 Score:	5.3
CVSS 4.0 Vector:	AV:N/AC:L/AT:N/PR:N/UI:N/VC:L/VI:N/VA:N/SC:N/SI:N/SA:N/E:X
CVSS 4.0 Score:	6.9
URL:	https://uat1.apps.tbs-sct.gc.ca/gcfoundation/_content/GCFoundation.Components/lib/prism/js/prism.js
Entity:	prism.js (Page)
Risk:	It is possible to download temporary script files, which can expose the application logic and other sensitive information such as usernames and passwords
Cause:	Temporary files were left in production environment
Fix:	Remove old versions of files from the virtual directory

Difference: **Path** manipulated from: `/gcfoundation/_content/GCFoundation.Components/lib/prism/js/prism.js` to:
`/gcfoundation/_content/GCFoundation.Components/lib/prism/js/prism.js.gz`

Reasoning: AppScan received a response status 200 OK, with a Content-Type that matches the requested file extenstion.

Test Requests and Responses:

```
This request/response contains binary content, which is not included in generated reports.
```

M Vulnerable Component 7

TOC

Vulnerable Component

Severity:	Medium
Status:	Open
CVSS 3.1 Vector:	AV:N/AC:H/PR:N/UI:R/S:C/C:H/I:L/A:N
CVSS 3.1 Score:	6.9
CVSS 4.0 Vector:	AV:N/AC:H/AT:N/PR:N/UI:P/VC:N/VI:N/VA:N/SC:H/SI:L/SA:N/E:X
CVSS 4.0 Score:	5.1
CVE:	CVE-2020-11022
URL:	https://uat1.apps.tbs-sct.gc.ca/apps/
Entity:	jQuery 1.11.1 (Component)
Risk:	It is possible for an attacker to use the web server to attack other sites, which increases his or her anonymity
Cause:	Latest patches or hotfixes for 3rd. party products were not installed
Fix:	Upgrade the component to the latest stable version

Difference:

Reasoning: AppScan found a vulnerable component

Test Requests and Responses:

```
GET /apps/?v=zg2MlsSqvmHJM0WAjtbQ6NOn9OZis57oiynRz5Q6ZaY HTTP/1.1
Host: uat1.apps.tbs-sct.gc.ca
Connection: keep-alive
sec-ch-ua-platform: "Windows"
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/149.0.0.0
Safari/537.36
sec-ch-ua: "Chromium";v="149", "Not)A;Brand";v="24"
sec-ch-ua-mobile: ?0
Accept: */*
Sec-Fetch-Site: same-origin
Sec-Fetch-Mode: no-cors
Sec-Fetch-Dest: script
Referer: https://uat1.apps.tbs-sct.gc.ca/gcfoundation/en/home
Accept-Language: en-US
Content-Length: 0
Cookie: Culture=en


HTTP/1.1 200 OK
Content-Length: 7401
Content-Type: text/html
Date: Wed, 07 Oct 2026 16:07:50 GMT
Accept-Ranges: bytes
Access-Control-Allow-Headers: Origin, X-Requested-With, Content-Type, Accept
Access-Control-Allow-Methods: GET,PUT,POST,OPTIONS
Access-Control-Allow-Origin: https://www.youtube.com
Cache-Control: no-cache, no-store, must-revalidate, pre-check=0, post-check=0, max-age=0, s-maxage=0
ETag: "0fa2cb1e4e8d51:0"
Last-Modified: Fri, 21 Feb 2020 18:28:20 GMT
Pragma: no-cache
Strict-Transport-Security: max-age=31536000; includeSubDomains
Arr-Disable-Session-Affinity: true
X-Frame-Options: SAMEORIGIN
X-Original-Host: uat1.apps.tbs-sct.gc.ca
X-Content-Type-Options: nosniff
X-XSS-Protection: 1; mode=block
Content-Security-Policy: frame-ancestors https://uat1.apps.tbs-sct.gc.ca /
Public-Key-Pins: pin-sha256="K5cLRLJx5XMmt3FZ4juyw6w77/ZS+AP52Q/mK+UO3P0="; pin-
sha256="CzdPous1hY3sIkO55pUH7vklXyIHVZA1/UnprSQvpEI="; pin-sha256="ntPCN1f+CZzlQhaIE331czBRcAjdmi504yTaH4mK2Gw="; max-
age=2592000; report-uri="https://domain.com/report"
Set-Cookie:
TS01f9e613=01d93dcb0353b72dca4fccc7bd3ecc60d66ad160acd136950d09a733cf354bbe7d3d0ec5d3069ab7e6a06df55075072dc8d913bdb1;
Path=/; Domain=.uat-infositeapps-backend.tbs-sct.ca; Secure; HttpOnly

<!DOCTYPE html>

<html lang="en" xmlns="http://www.w3.org/1999/xhtml">
```

```
<head>
    <meta charset="utf-8" />
    <title>CBA Links</title>
    <link href="default/bootstrap/css/bootstrap.min.css" rel="stylesheet">
    <link href="default/bootstrap/css/bootstrap-theme.min.css" rel="stylesheet">
    <link href="default/bootstrap/css/app.css" rel="stylesheet">
</head>
<body style="height: 100%;">
    <header id="top" class="navbar navbar-static-top navbar-default" role="banner">
        <div class="container">
          <div class="navbar-header">
          <button class="navbar-toggle" type="button" data-toggle="collapse" data-target=".bs-navbar-collapse">
          <span class="sr-only">Toggle navigation</span>
          <span class="icon-bar"></span>
          <span class="icon-bar"></span>
          <span class="icon-bar"></span>
          </button>
          <a class="navbar-brand" href="default.htm">CBA Links</a>
          </div>
          <nav class="collapse navbar-collapse bs-navbar-collapse" role="navigation">
          <ul class="nav navbar-nav" role="tablist">
          <li class="active"><a href="#work-applications" role="tab" data-toggle="tab">Applications</a></li>
          <li><a href="#work-tools" role="tab" data-toggle="tab">Tools</a></li>
          <li><a href="#work-websites" role="tab" data-toggle="tab">Websites</a></li>
          </ul>
          <form class="navbar-form navbar-right visible-md visible-lg" role="search">
          <input type="text" class="form-control" id="search" placeholder="Search">
          </form>
          </nav>
        </div>
    </header>
    <div id="content">
        <div class="container">
          <div class="row">
          <div class="col-md-12">
          <div class="tab-content">
          <div class="tab-pane active" id="work-applications"></div>
          <div class="tab-pane" id="work-websites"></div>
          <div class="tab-pane" id="work-tools"></div>
          </div>
          <div class="btn-group">
          <button class="btn btn-default" onclick="$('div.collapse').collapse('show');">Expand All</button>
          <button class="btn btn-default" onclick="$('div.collapse').collapse('hide');">Collapse All</button>
          </div>
     <div class="panel panel-small panel-success mrgn-tp-md">
      <div class="panel-heading">
       <h5 class="panel-title"><a data-toggle="collapse" href="#version-info" style="display: block;">Version info: (v<span
id="version-number"></span>)<span class="glyphicon glyphicon-chevron-down pull-right"></span></a></h5>
      </div>
      <div class="panel-collapse collapse" id="version-info">
          <div class="panel-body">
          <p>v1.1.0: Moved the JSON object array outside of the default.js into their own JSON files.</p>
          <p>v0.1.1
...
...
...
```

Vulnerable Component

Severity:	Medium
Status:	Open
CVSS 3.1 Vector:	AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N
CVSS 3.1 Score:	6.1
CVSS 4.0 Vector:	AV:N/AC:L/AT:N/PR:N/UI:P/VC:N/VI:N/VA:N/SC:L/SI:L/SA:N/E:X
CVSS 4.0 Score:	5.3
CVE:	CVE-2018-14040
URL:	https://uat1.apps.tbs-sct.gc.ca/apps/default/bootstrap/js/bootstrap.min.js
Entity:	Bootstrap 3.3.7 (Component)
Risk:	It is possible for an attacker to use the web server to attack other sites, which increases his or her anonymity
Cause:	Latest patches or hotfixes for 3rd. party products were not installed
Fix:	Upgrade the component to the latest stable version

Difference:

Reasoning: AppScan found a vulnerable component

Test Requests and Responses:

```
GET /apps/default/bootstrap/js/bootstrap.min.js HTTP/1.1
Cookie: Culture=en;
TS01f9e613=01d93dcb0353b72dca4fccc7bd3ecc60d66ad160acd136950d09a733cf354bbe7d3d0ec5d3069ab7e6a06df55075072dc8d913bdb1
Accept-Language: en-US
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Referer: https://uat1.apps.tbs-sct.gc.ca/apps/?v=zg2MlsSqvmHJM0WAjtbQ6NOn9OZis57oiynRz5Q6ZaY
Host: uat1.apps.tbs-sct.gc.ca
User-Agent: Mozilla/5.0 (Windows NT 6.2; WOW64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/100.0.4896.127 Safari/537.36
Content-Length: 0


HTTP/1.1 200 OK
Content-Length: 37051
Content-Type: application/x-javascript
Date: Wed, 07 Oct 2026 16:07:55 GMT
Accept-Ranges: bytes
Access-Control-Allow-Headers: Origin, X-Requested-With, Content-Type, Accept
Access-Control-Allow-Methods: GET,PUT,POST,OPTIONS
Access-Control-Allow-Origin: https://www.youtube.com
Cache-Control: no-cache, no-store, must-revalidate, pre-check=0, post-check=0, max-age=0, s-maxage=0
ETag: "0fa2cb1e4e8d51:0"
Last-Modified: Fri, 21 Feb 2020 18:28:20 GMT
Pragma: no-cache
Strict-Transport-Security: max-age=31536000; includeSubDomains
Arr-Disable-Session-Affinity: true
X-Frame-Options: SAMEORIGIN
X-Original-Host: uat1.apps.tbs-sct.gc.ca
X-Content-Type-Options: nosniff
X-XSS-Protection: 1; mode=block
Content-Security-Policy: frame-ancestors https://uat1.apps.tbs-sct.gc.ca /
Public-Key-Pins: pin-sha256="K5cLRLJx5XMmt3FZ4juyw6w77/ZS+AP52Q/mK+UO3P0="; pin-
sha256="CzdPous1hY3sIkO55pUH7vklXyIHVZAl/UnprSQvpEI="; pin-sha256="ntPCN1f+CZzlQhaIE331czBRcAjdmi504yTaH4mK2Gw="; max-
age=2592000; report-uri="https://domain.com/report"

/*!
 * Bootstrap v3.3.7 (http://getbootstrap.com)
 * Copyright 2011-2016 Twitter, Inc.
 * Licensed under the MIT license
 */
if("undefined"==typeof jQuery)throw new Error("Bootstrap's JavaScript requires jQuery");+function(a){"use strict";var
b=a.fn.jquery.split(" ")[0].split(".");if(b[0]<2&&b[1]<9||1==b[0]&&9==b[1]&&b[2]<1||b[0]>3)throw new Error("Bootstrap's
JavaScript requires jQuery version 1.9.1 or higher, but lower than version 4")}(jQuery),+function(a){"use strict";function
b(){var a=document.createElement("bootstrap"),b=
{WebkitTransition:"webkitTransitionEnd",MozTransition:"transitionend",OTransition:"oTransitionEnd
otransitionend",transition:"transitionend"};for(var c in b)if(void
0!==a.style[c])return{end:b[c]};return!1}a.fn.emulateTransitionEnd=function(b){var
c=!1,d=this;a(this).one("bsTransitionEnd",function(){c=!0});var e=function()
{c||a(d).trigger(a.support.transition.end)};return setTimeout(e,b),this},a(function()
{a.support.transition=b(),a.support.transition&&(a.event.special.bsTransitionEnd=
{bindType:a.support.transition.end,delegateType:a.support.transition.end,handle:function(b){if(a(b.target).is(this))return
```

```
b.handleObj.handler.apply(this,arguments)}})})}(jQuery),+function(a){"use strict";function b(b){return this.each(function()
{var c=a(this),e=c.data("bs.alert");e||c.data("bs.alert",e=new d(this)),"string"==typeof b&&e[b].call(c)})}var c='[data-
dismiss="alert"]',d=function(b)
{a(b).on("click",c,this.close)};d.VERSION="3.3.7",d.TRANSITION_DURATION=150,d.prototype.close=function(b){function c()
{g.detach().trigger("closed.bs.alert").remove()}var e=a(this),f=e.attr("data-target");f||
(f=e.attr("href"),f=f&&f.replace(/.*(?=#[^\s]*$)/,""));var g=a("#"===f?[]:f);b&&b.preventDefault(),g.length||
(g=e.closest(".alert")),g.trigger(b=a.Event("close.bs.alert")),b.isDefaultPrevented()||
(g.removeClass("in"),a.support.transition&&g.hasClass("fade")?
g.one("bsTransitionEnd",c).emulateTransitionEnd(d.TRANSITION_DURATION):c())};var
e=a.fn.alert;a.fn.alert=b,a.fn.alert.Constructor=d,a.fn.alert.noConflict=function(){return
a.fn.alert=e,this},a(document).on("click.bs.alert.data-api",c,d.prototype.close)}(jQuery),+function(a){"use strict";function
b(b){return this.each(function(){var d=a(this),e=d.data("bs.button"),f="object"==typeof b&&b;e||d.data("bs.button",e=new
c(this,f)),"toggle"==b?e.toggle():b&&e.setState(b)})}var c=function(b,d)
{this.$element=a(b),this.options=a.extend({},c.DEFAULTS,d),this.isLoading=!1};c.VERSION="3.3.7",c.DEFAULTS=
{loadingText:"loading..."},c.prototype.setState=function(b){var
c="disabled",d=this.$element,e=d.is("input")?"val":"html",f=d.data();b+="Text",null==f.resetText&&d.data("resetText",d[e]
()),setTimeout(a.proxy(function(){d[e](null==f[b]?this.options[b]:f[b]),"loadingText"==b?
(this.isLoading=!0,d.addClass(c).attr(c,c).prop(c,!0)):this.isLoading&&
(this.isLoading=!1,d.removeClass(c).removeAttr(c).prop(c,!1))},this),0)},c.prototype.toggle=function(){var
a=!0,b=this.$element.closest('[data-toggle="buttons"]');if(b.length){var
c=this.$element.find("input");"radio"==c.prop("type")?(c.prop("checked")&&
(a=!1),b.find(".active").removeClass("active"),this.$element.addClass("active")):"checkbox"==c.prop("type")&&
(c.prop("checked")!==this.$element.hasClass("active")&&
(a=!1),this.$element.toggleClass("active")),c.prop("checked",this.$element.hasClass("active")),a&&c.tri
...
...
...
```

Issue 3 of 7

TOC

Vulnerable Component

Severity:	Medium
Status:	Open
CVSS 3.1 Vector:	AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N
CVSS 3.1 Score:	6.1
CVSS 4.0 Vector:	AV:N/AC:L/AT:N/PR:N/UI:P/VC:N/VI:N/VA:N/SC:L/SI:L/SA:N/E:X
CVSS 4.0 Score:	5.3
CVE:	CVE-2018-14042
URL:	https://uat1.apps.tbs-sct.gc.ca/apps/default/bootstrap/js/bootstrap.min.js
Entity:	Bootstrap 3.3.7 (Component)
Risk:	It is possible for an attacker to use the web server to attack other sites, which increases his or her anonymity
Cause:	Latest patches or hotfixes for 3rd. party products were not installed
Fix:	Upgrade the component to the latest stable version

Difference:

Reasoning: AppScan found a vulnerable component

Test Requests and Responses:

```
GET /apps/default/bootstrap/js/bootstrap.min.js HTTP/1.1
Cookie: Culture=en;
TS01f9e613=01d93dcb0353b72dca4fccc7bd3ecc60d66ad160acd136950d09a733cf354bbe7d3d0ec5d3069ab7e6a06df55075072dc8d913bdb1
Accept-Language: en-US
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Referer: https://uat1.apps.tbs-sct.gc.ca/apps/?v=zg2MlsSqvmHJM0WAjtbQ6NOn9OZis57oiynRz5Q6ZaY
Host: uat1.apps.tbs-sct.gc.ca
User-Agent: Mozilla/5.0 (Windows NT 6.2; WOW64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/100.0.4896.127 Safari/537.36
Content-Length: 0


HTTP/1.1 200 OK
Content-Length: 37051
Content-Type: application/x-javascript
```

```
Date: Wed, 07 Oct 2026 16:07:55 GMT
Accept-Ranges: bytes
Access-Control-Allow-Headers: Origin, X-Requested-With, Content-Type, Accept
Access-Control-Allow-Methods: GET,PUT,POST,OPTIONS
Access-Control-Allow-Origin: https://www.youtube.com
Cache-Control: no-cache, no-store, must-revalidate, pre-check=0, post-check=0, max-age=0, s-maxage=0
ETag: "0fa2cb1e4e8d51:0"
Last-Modified: Fri, 21 Feb 2020 18:28:20 GMT
Pragma: no-cache
Strict-Transport-Security: max-age=31536000; includeSubDomains
Arr-Disable-Session-Affinity: true
X-Frame-Options: SAMEORIGIN
X-Original-Host: uat1.apps.tbs-sct.gc.ca
X-Content-Type-Options: nosniff
X-XSS-Protection: 1; mode=block
Content-Security-Policy: frame-ancestors https://uat1.apps.tbs-sct.gc.ca /
Public-Key-Pins: pin-sha256="K5cLRLJx5XMmt3FZ4juyw6w77/ZS+AP52Q/mK+UO3P0="; pin-
sha256="CzdPous1hY3sIkO55pUH7vklXyIHVZAl/UnprSQvpEI="; pin-sha256="ntPCN1f+CZzlQhaIE331czBRcAjdmi504yTaH4mK2Gw="; max-
age=2592000; report-uri="https://domain.com/report"

/*!
 * Bootstrap v3.3.7 (http://getbootstrap.com)
 * Copyright 2011-2016 Twitter, Inc.
 * Licensed under the MIT license
 */
if("undefined"==typeof jQuery)throw new Error("Bootstrap's JavaScript requires jQuery");+function(a){"use strict";var
b=a.fn.jquery.split(" ")[0].split(".");if(b[0]<2&&b[1]<9||1==b[0]&&9==b[1]&&b[2]<1||b[0]>3)throw new Error("Bootstrap's
JavaScript requires jQuery version 1.9.1 or higher, but lower than version 4")}(jQuery),+function(a){"use strict";function
b(){var a=document.createElement("bootstrap"),b=
{WebkitTransition:"webkitTransitionEnd",MozTransition:"transitionend",OTransition:"oTransitionEnd
otransitionend",transition:"transitionend"};for(var c in b)if(void
0!==a.style[c])return{end:b[c]};return!1}a.fn.emulateTransitionEnd=function(b){var
c=!1,d=this;a(this).one("bsTransitionEnd",function(){c=!0});var e=function()
{c||a(d).trigger(a.support.transition.end)};return setTimeout(e,b),this},a(function()
{a.support.transition=b(),a.support.transition&&(a.event.special.bsTransitionEnd=
{bindType:a.support.transition.end,delegateType:a.support.transition.end,handle:function(b){if(a(b.target).is(this))return
b.handleObj.handler.apply(this,arguments)}})})}(jQuery),+function(a){"use strict";function b(b){return this.each(function()
{var c=a(this),e=c.data("bs.alert");e||c.data("bs.alert",e=new d(this)),"string"==typeof b&&e[b].call(c)})}var c='[data-
dismiss="alert"]',d=function(b)
{a(b).on("click",c,this.close)};d.VERSION="3.3.7",d.TRANSITION_DURATION=150,d.prototype.close=function(b){function c()
{g.detach().trigger("closed.bs.alert").remove()}var e=a(this),f=e.attr("data-target");f||
(f=e.attr("href"),f=f&&f.replace(/.*(?=#[^\s]*$)/,""));var g=a("#"===f?[]:f);b&&b.preventDefault(),g.length||
(g=e.closest(".alert")),g.trigger(b=a.Event("close.bs.alert")),b.isDefaultPrevented()||
(g.removeClass("in"),a.support.transition&&g.hasClass("fade")?
g.one("bsTransitionEnd",c).emulateTransitionEnd(d.TRANSITION_DURATION):c())};var
e=a.fn.alert;a.fn.alert=b,a.fn.alert.Constructor=d,a.fn.alert.noConflict=function(){return
a.fn.alert=e,this},a(document).on("click.bs.alert.data-api",c,d.prototype.close)}(jQuery),+function(a){"use strict";function
b(b){return this.each(function(){var d=a(this),e=d.data("bs.button"),f="object"==typeof b&&b;e||d.data("bs.button",e=new
c(this,f)),"toggle"==b?e.toggle():b&&e.setState(b)})}var c=function(b,d)
{this.$element=a(b),this.options=a.extend({},c.DEFAULTS,d),this.isLoading=!1};c.VERSION="3.3.7",c.DEFAULTS=
{loadingText:"loading..."},c.prototype.setState=function(b){var
c="disabled",d=this.$element,e=d.is("input")?"val":"html",f=d.data();b+="Text",null==f.resetText&&d.data("resetText",d[e]
()),setTimeout(a.proxy(function(){d[e](null==f[b]?this.options[b]:f[b]),"loadingText"==b?
(this.isLoading=!0,d.addClass(c).attr(c,c).prop(c,!0)):this.isLoading&&
(this.isLoading=!1,d.removeClass(c).removeAttr(c).prop(c,!1))},this),0)},c.prototype.toggle=function(){var
a=!0,b=this.$element.closest('[data-toggle="buttons"]');if(b.length){var
c=this.$element.find("input");"radio"==c.prop("type")?(c.prop("checked")&&
(a=!1),b.find(".active").removeClass("active"),this.$element.addClass("active")):"checkbox"==c.prop("type")&&
(c.prop("checked")!==this.$element.hasClass("active")&&
(a=!1),this.$element.toggleClass("active")),c.prop("checked",this.$element.hasClass("active")),a&&c.tri
...
...
...
```

Vulnerable Component

Severity:	Medium
Status:	Open
CVSS 3.1 Vector:	AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N
CVSS 3.1 Score:	6.1
CVSS 4.0 Vector:	AV:N/AC:L/AT:N/PR:N/UI:P/VC:N/VI:N/VA:N/SC:L/SI:L/SA:N/E:X
CVSS 4.0 Score:	5.3
CVE:	CVE-2016-10735
URL:	https://uat1.apps.tbs-sct.gc.ca/apps/default/bootstrap/js/bootstrap.min.js
Entity:	Bootstrap 3.3.7 (Component)
Risk:	It is possible for an attacker to use the web server to attack other sites, which increases his or her anonymity
Cause:	Latest patches or hotfixes for 3rd. party products were not installed
Fix:	Upgrade the component to the latest stable version

Difference:

Reasoning: AppScan found a vulnerable component

Test Requests and Responses:

```
GET /apps/default/bootstrap/js/bootstrap.min.js HTTP/1.1
Cookie: Culture=en;
TS01f9e613=01d93dcb0353b72dca4fccc7bd3ecc60d66ad160acd136950d09a733cf354bbe7d3d0ec5d3069ab7e6a06df55075072dc8d913bdb1
Accept-Language: en-US
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Referer: https://uat1.apps.tbs-sct.gc.ca/apps/?v=zg2MlsSqvmHJM0WAjtbQ6NOn9OZis57oiynRz5Q6ZaY
Host: uat1.apps.tbs-sct.gc.ca
User-Agent: Mozilla/5.0 (Windows NT 6.2; WOW64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/100.0.4896.127 Safari/537.36
Content-Length: 0


HTTP/1.1 200 OK
Content-Length: 37051
Content-Type: application/x-javascript
Date: Wed, 07 Oct 2026 16:07:55 GMT
Accept-Ranges: bytes
Access-Control-Allow-Headers: Origin, X-Requested-With, Content-Type, Accept
Access-Control-Allow-Methods: GET,PUT,POST,OPTIONS
Access-Control-Allow-Origin: https://www.youtube.com
Cache-Control: no-cache, no-store, must-revalidate, pre-check=0, post-check=0, max-age=0, s-maxage=0
ETag: "0fa2cb1e4e8d51:0"
Last-Modified: Fri, 21 Feb 2020 18:28:20 GMT
Pragma: no-cache
Strict-Transport-Security: max-age=31536000; includeSubDomains
Arr-Disable-Session-Affinity: true
X-Frame-Options: SAMEORIGIN
X-Original-Host: uat1.apps.tbs-sct.gc.ca
X-Content-Type-Options: nosniff
X-XSS-Protection: 1; mode=block
Content-Security-Policy: frame-ancestors https://uat1.apps.tbs-sct.gc.ca /
Public-Key-Pins: pin-sha256="K5cLRLJx5XMmt3FZ4juyw6w77/ZS+AP52Q/mK+UO3P0="; pin-
sha256="CzdPous1hY3sIkO55pUH7vklXyIHVZAl/UnprSQvpEI="; pin-sha256="ntPCN1f+CZzlQhaIE331czBRcAjdmi504yTaH4mK2Gw="; max-
age=2592000; report-uri="https://domain.com/report"

/*!
 * Bootstrap v3.3.7 (http://getbootstrap.com)
 * Copyright 2011-2016 Twitter, Inc.
 * Licensed under the MIT license
 */
if("undefined"==typeof jQuery)throw new Error("Bootstrap's JavaScript requires jQuery");+function(a){"use strict";var
b=a.fn.jquery.split(" ")[0].split(".");if(b[0]<2&&b[1]<9||1==b[0]&&9==b[1]&&b[2]<1||b[0]>3)throw new Error("Bootstrap's
JavaScript requires jQuery version 1.9.1 or higher, but lower than version 4")}(jQuery),+function(a){"use strict";function
b(){var a=document.createElement("bootstrap"),b=
{WebkitTransition:"webkitTransitionEnd",MozTransition:"transitionend",OTransition:"oTransitionEnd
otransitionend",transition:"transitionend"};for(var c in b)if(void
0!==a.style[c])return{end:b[c]};return!1}a.fn.emulateTransitionEnd=function(b){var
c=!1,d=this;a(this).one("bsTransitionEnd",function(){c=!0});var e=function()
{c||a(d).trigger(a.support.transition.end)};return setTimeout(e,b),this},a(function()
{a.support.transition=b(),a.support.transition&&(a.event.special.bsTransitionEnd=
{bindType:a.support.transition.end,delegateType:a.support.transition.end,handle:function(b){if(a(b.target).is(this))return
```

```
b.handleObj.handler.apply(this,arguments)}})})}(jQuery),+function(a){"use strict";function b(b){return this.each(function()
{var c=a(this),e=c.data("bs.alert");e||c.data("bs.alert",e=new d(this)),"string"==typeof b&&e[b].call(c)})}var c='[data-
dismiss="alert"]',d=function(b)
{a(b).on("click",c,this.close)};d.VERSION="3.3.7",d.TRANSITION_DURATION=150,d.prototype.close=function(b){function c()
{g.detach().trigger("closed.bs.alert").remove()}var e=a(this),f=e.attr("data-target");f||
(f=e.attr("href"),f=f&&f.replace(/.*(?=#[^\s]*$)/,""));var g=a("#"===f?[]:f);b&&b.preventDefault(),g.length||
(g=e.closest(".alert")),g.trigger(b=a.Event("close.bs.alert")),b.isDefaultPrevented()||
(g.removeClass("in"),a.support.transition&&g.hasClass("fade")?
g.one("bsTransitionEnd",c).emulateTransitionEnd(d.TRANSITION_DURATION):c())};var
e=a.fn.alert;a.fn.alert=b,a.fn.alert.Constructor=d,a.fn.alert.noConflict=function(){return
a.fn.alert=e,this},a(document).on("click.bs.alert.data-api",c,d.prototype.close)}(jQuery),+function(a){"use strict";function
b(b){return this.each(function(){var d=a(this),e=d.data("bs.button"),f="object"==typeof b&&b;e||d.data("bs.button",e=new
c(this,f)),"toggle"==b?e.toggle():b&&e.setState(b)})}var c=function(b,d)
{this.$element=a(b),this.options=a.extend({},c.DEFAULTS,d),this.isLoading=!1};c.VERSION="3.3.7",c.DEFAULTS=
{loadingText:"loading..."},c.prototype.setState=function(b){var
c="disabled",d=this.$element,e=d.is("input")?"val":"html",f=d.data();b+="Text",null==f.resetText&&d.data("resetText",d[e]
()),setTimeout(a.proxy(function(){d[e](null==f[b]?this.options[b]:f[b]),"loadingText"==b?
(this.isLoading=!0,d.addClass(c).attr(c,c).prop(c,!0)):this.isLoading&&
(this.isLoading=!1,d.removeClass(c).removeAttr(c).prop(c,!1))},this),0)},c.prototype.toggle=function(){var
a=!0,b=this.$element.closest('[data-toggle="buttons"]');if(b.length){var
c=this.$element.find("input");"radio"==c.prop("type")?(c.prop("checked")&&
(a=!1),b.find(".active").removeClass("active"),this.$element.addClass("active")):"checkbox"==c.prop("type")&&
(c.prop("checked")!==this.$element.hasClass("active")&&
(a=!1),this.$element.toggleClass("active")),c.prop("checked",this.$element.hasClass("active")),a&&c.tri
...
...
...
```

Issue 5 of 7

TOC

Vulnerable Component

Severity:	Medium
Status:	Open
CVSS 3.1 Vector:	AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N
CVSS 3.1 Score:	6.1
CVSS 4.0 Vector:	AV:N/AC:L/AT:N/PR:N/UI:P/VC:N/VI:N/VA:N/SC:L/SI:L/SA:N/E:X
CVSS 4.0 Score:	5.3
CVE:	CVE-2018-20676
URL:	https://uat1.apps.tbs-sct.gc.ca/apps/default/bootstrap/js/bootstrap.min.js
Entity:	Bootstrap 3.3.7 (Component)
Risk:	It is possible for an attacker to use the web server to attack other sites, which increases his or her anonymity
Cause:	Latest patches or hotfixes for 3rd. party products were not installed
Fix:	Upgrade the component to the latest stable version

Difference:

Reasoning: AppScan found a vulnerable component

Test Requests and Responses:

```
GET /apps/default/bootstrap/js/bootstrap.min.js HTTP/1.1
Cookie: Culture=en;
TS01f9e613=01d93dcb0353b72dca4fccc7bd3ecc60d66ad160acd136950d09a733cf354bbe7d3d0ec5d3069ab7e6a06df55075072dc8d913bdb1
Accept-Language: en-US
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Referer: https://uat1.apps.tbs-sct.gc.ca/apps/?v=zg2MlsSqvmHJM0WAjtbQ6NOn9OZis57oiynRz5Q6ZaY
Host: uat1.apps.tbs-sct.gc.ca
User-Agent: Mozilla/5.0 (Windows NT 6.2; WOW64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/100.0.4896.127 Safari/537.36
Content-Length: 0


HTTP/1.1 200 OK
Content-Length: 37051
Content-Type: application/x-javascript
```

```
Date: Wed, 07 Oct 2026 16:07:55 GMT
Accept-Ranges: bytes
Access-Control-Allow-Headers: Origin, X-Requested-With, Content-Type, Accept
Access-Control-Allow-Methods: GET,PUT,POST,OPTIONS
Access-Control-Allow-Origin: https://www.youtube.com
Cache-Control: no-cache, no-store, must-revalidate, pre-check=0, post-check=0, max-age=0, s-maxage=0
ETag: "0fa2cb1e4e8d51:0"
Last-Modified: Fri, 21 Feb 2020 18:28:20 GMT
Pragma: no-cache
Strict-Transport-Security: max-age=31536000; includeSubDomains
Arr-Disable-Session-Affinity: true
X-Frame-Options: SAMEORIGIN
X-Original-Host: uat1.apps.tbs-sct.gc.ca
X-Content-Type-Options: nosniff
X-XSS-Protection: 1; mode=block
Content-Security-Policy: frame-ancestors https://uat1.apps.tbs-sct.gc.ca /
Public-Key-Pins: pin-sha256="K5cLRLJx5XMmt3FZ4juyw6w77/ZS+AP52Q/mK+UO3P0="; pin-
sha256="CzdPous1hY3sIkO55pUH7vklXyIHVZAl/UnprSQvpEI="; pin-sha256="ntPCN1f+CZzlQhaIE331czBRcAjdmi504yTaH4mK2Gw="; max-
age=2592000; report-uri="https://domain.com/report"

/*!
 * Bootstrap v3.3.7 (http://getbootstrap.com)
 * Copyright 2011-2016 Twitter, Inc.
 * Licensed under the MIT license
 */
if("undefined"==typeof jQuery)throw new Error("Bootstrap's JavaScript requires jQuery");+function(a){"use strict";var
b=a.fn.jquery.split(" ")[0].split(".");if(b[0]<2&&b[1]<9||1==b[0]&&9==b[1]&&b[2]<1||b[0]>3)throw new Error("Bootstrap's
JavaScript requires jQuery version 1.9.1 or higher, but lower than version 4")}(jQuery),+function(a){"use strict";function
b(){var a=document.createElement("bootstrap"),b=
{WebkitTransition:"webkitTransitionEnd",MozTransition:"transitionend",OTransition:"oTransitionEnd
otransitionend",transition:"transitionend"};for(var c in b)if(void
0!==a.style[c])return{end:b[c]};return!1}a.fn.emulateTransitionEnd=function(b){var
c=!1,d=this;a(this).one("bsTransitionEnd",function(){c=!0});var e=function()
{c||a(d).trigger(a.support.transition.end)};return setTimeout(e,b),this},a(function()
{a.support.transition=b(),a.support.transition&&(a.event.special.bsTransitionEnd=
{bindType:a.support.transition.end,delegateType:a.support.transition.end,handle:function(b){if(a(b.target).is(this))return
b.handleObj.handler.apply(this,arguments)}})})}(jQuery),+function(a){"use strict";function b(b){return this.each(function()
{var c=a(this),e=c.data("bs.alert");e||c.data("bs.alert",e=new d(this)),"string"==typeof b&&e[b].call(c)})}var c='[data-
dismiss="alert"]',d=function(b)
{a(b).on("click",c,this.close)};d.VERSION="3.3.7",d.TRANSITION_DURATION=150,d.prototype.close=function(b){function c()
{g.detach().trigger("closed.bs.alert").remove()}var e=a(this),f=e.attr("data-target");f||
(f=e.attr("href"),f=f&&f.replace(/.*(?=#[^\s]*$)/,""));var g=a("#"===f?[]:f);b&&b.preventDefault(),g.length||
(g=e.closest(".alert")),g.trigger(b=a.Event("close.bs.alert")),b.isDefaultPrevented()||
(g.removeClass("in"),a.support.transition&&g.hasClass("fade")?
g.one("bsTransitionEnd",c).emulateTransitionEnd(d.TRANSITION_DURATION):c())};var
e=a.fn.alert;a.fn.alert=b,a.fn.alert.Constructor=d,a.fn.alert.noConflict=function(){return
a.fn.alert=e,this},a(document).on("click.bs.alert.data-api",c,d.prototype.close)}(jQuery),+function(a){"use strict";function
b(b){return this.each(function(){var d=a(this),e=d.data("bs.button"),f="object"==typeof b&&b;e||d.data("bs.button",e=new
c(this,f)),"toggle"==b?e.toggle():b&&e.setState(b)})}var c=function(b,d)
{this.$element=a(b),this.options=a.extend({},c.DEFAULTS,d),this.isLoading=!1};c.VERSION="3.3.7",c.DEFAULTS=
{loadingText:"loading..."},c.prototype.setState=function(b){var
c="disabled",d=this.$element,e=d.is("input")?"val":"html",f=d.data();b+="Text",null==f.resetText&&d.data("resetText",d[e]
()),setTimeout(a.proxy(function(){d[e](null==f[b]?this.options[b]:f[b]),"loadingText"==b?
(this.isLoading=!0,d.addClass(c).attr(c,c).prop(c,!0)):this.isLoading&&
(this.isLoading=!1,d.removeClass(c).removeAttr(c).prop(c,!1))},this),0)},c.prototype.toggle=function(){var
a=!0,b=this.$element.closest('[data-toggle="buttons"]');if(b.length){var
c=this.$element.find("input");"radio"==c.prop("type")?(c.prop("checked")&&
(a=!1),b.find(".active").removeClass("active"),this.$element.addClass("active")):"checkbox"==c.prop("type")&&
(c.prop("checked")!==this.$element.hasClass("active")&&
(a=!1),this.$element.toggleClass("active")),c.prop("checked",this.$element.hasClass("active")),a&&c.tri
...
...
...
```

Vulnerable Component

Severity:	Medium
Status:	Open
CVSS 3.1 Vector:	AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N
CVSS 3.1 Score:	6.1
CVSS 4.0 Vector:	AV:N/AC:L/AT:N/PR:N/UI:P/VC:N/VI:N/VA:N/SC:L/SI:L/SA:N/E:X
CVSS 4.0 Score:	5.3
CVE:	CVE-2018-20677
URL:	https://uat1.apps.tbs-sct.gc.ca/apps/default/bootstrap/js/bootstrap.min.js
Entity:	Bootstrap 3.3.7 (Component)
Risk:	It is possible for an attacker to use the web server to attack other sites, which increases his or her anonymity
Cause:	Latest patches or hotfixes for 3rd. party products were not installed
Fix:	Upgrade the component to the latest stable version

Difference:

Reasoning: AppScan found a vulnerable component

Test Requests and Responses:

```
GET /apps/default/bootstrap/js/bootstrap.min.js HTTP/1.1
Cookie: Culture=en;
TS01f9e613=01d93dcb0353b72dca4fccc7bd3ecc60d66ad160acd136950d09a733cf354bbe7d3d0ec5d3069ab7e6a06df55075072dc8d913bdb1
Accept-Language: en-US
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Referer: https://uat1.apps.tbs-sct.gc.ca/apps/?v=zg2MlsSqvmHJM0WAjtbQ6NOn9OZis57oiynRz5Q6ZaY
Host: uat1.apps.tbs-sct.gc.ca
User-Agent: Mozilla/5.0 (Windows NT 6.2; WOW64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/100.0.4896.127 Safari/537.36
Content-Length: 0


HTTP/1.1 200 OK
Content-Length: 37051
Content-Type: application/x-javascript
Date: Wed, 07 Oct 2026 16:07:55 GMT
Accept-Ranges: bytes
Access-Control-Allow-Headers: Origin, X-Requested-With, Content-Type, Accept
Access-Control-Allow-Methods: GET,PUT,POST,OPTIONS
Access-Control-Allow-Origin: https://www.youtube.com
Cache-Control: no-cache, no-store, must-revalidate, pre-check=0, post-check=0, max-age=0, s-maxage=0
ETag: "0fa2cb1e4e8d51:0"
Last-Modified: Fri, 21 Feb 2020 18:28:20 GMT
Pragma: no-cache
Strict-Transport-Security: max-age=31536000; includeSubDomains
Arr-Disable-Session-Affinity: true
X-Frame-Options: SAMEORIGIN
X-Original-Host: uat1.apps.tbs-sct.gc.ca
X-Content-Type-Options: nosniff
X-XSS-Protection: 1; mode=block
Content-Security-Policy: frame-ancestors https://uat1.apps.tbs-sct.gc.ca /
Public-Key-Pins: pin-sha256="K5cLRLJx5XMmt3FZ4juyw6w77/ZS+AP52Q/mK+UO3P0="; pin-
sha256="CzdPous1hY3sIkO55pUH7vklXyIHVZAl/UnprSQvpEI="; pin-sha256="ntPCN1f+CZzlQhaIE331czBRcAjdmi504yTaH4mK2Gw="; max-
age=2592000; report-uri="https://domain.com/report"

/*!
 * Bootstrap v3.3.7 (http://getbootstrap.com)
 * Copyright 2011-2016 Twitter, Inc.
 * Licensed under the MIT license
 */
if("undefined"==typeof jQuery)throw new Error("Bootstrap's JavaScript requires jQuery");+function(a){"use strict";var
b=a.fn.jquery.split(" ")[0].split(".");if(b[0]<2&&b[1]<9||1==b[0]&&9==b[1]&&b[2]<1||b[0]>3)throw new Error("Bootstrap's
JavaScript requires jQuery version 1.9.1 or higher, but lower than version 4")}(jQuery),+function(a){"use strict";function
b(){var a=document.createElement("bootstrap"),b=
{WebkitTransition:"webkitTransitionEnd",MozTransition:"transitionend",OTransition:"oTransitionEnd
otransitionend",transition:"transitionend"};for(var c in b)if(void
0!==a.style[c])return{end:b[c]};return!1}a.fn.emulateTransitionEnd=function(b){var
c=!1,d=this;a(this).one("bsTransitionEnd",function(){c=!0});var e=function()
{c||a(d).trigger(a.support.transition.end)};return setTimeout(e,b),this},a(function()
{a.support.transition=b(),a.support.transition&&(a.event.special.bsTransitionEnd=
{bindType:a.support.transition.end,delegateType:a.support.transition.end,handle:function(b){if(a(b.target).is(this))return
```

```
b.handleObj.handler.apply(this,arguments)}})})}(jQuery),+function(a){"use strict";function b(b){return this.each(function()
{var c=a(this),e=c.data("bs.alert");e||c.data("bs.alert",e=new d(this)),"string"==typeof b&&e[b].call(c)})}var c='[data-
dismiss="alert"]',d=function(b)
{a(b).on("click",c,this.close)};d.VERSION="3.3.7",d.TRANSITION_DURATION=150,d.prototype.close=function(b){function c()
{g.detach().trigger("closed.bs.alert").remove()}var e=a(this),f=e.attr("data-target");f||
(f=e.attr("href"),f=f&&f.replace(/.*(?=#[^\s]*$)/,""));var g=a("#"===f?[]:f);b&&b.preventDefault(),g.length||
(g=e.closest(".alert")),g.trigger(b=a.Event("close.bs.alert")),b.isDefaultPrevented()||
(g.removeClass("in"),a.support.transition&&g.hasClass("fade")?
g.one("bsTransitionEnd",c).emulateTransitionEnd(d.TRANSITION_DURATION):c())};var
e=a.fn.alert;a.fn.alert=b,a.fn.alert.Constructor=d,a.fn.alert.noConflict=function(){return
a.fn.alert=e,this},a(document).on("click.bs.alert.data-api",c,d.prototype.close)}(jQuery),+function(a){"use strict";function
b(b){return this.each(function(){var d=a(this),e=d.data("bs.button"),f="object"==typeof b&&b;e||d.data("bs.button",e=new
c(this,f)),"toggle"==b?e.toggle():b&&e.setState(b)})}var c=function(b,d)
{this.$element=a(b),this.options=a.extend({},c.DEFAULTS,d),this.isLoading=!1};c.VERSION="3.3.7",c.DEFAULTS=
{loadingText:"loading..."},c.prototype.setState=function(b){var
c="disabled",d=this.$element,e=d.is("input")?"val":"html",f=d.data();b+="Text",null==f.resetText&&d.data("resetText",d[e]
()),setTimeout(a.proxy(function(){d[e](null==f[b]?this.options[b]:f[b]),"loadingText"==b?
(this.isLoading=!0,d.addClass(c).attr(c,c).prop(c,!0)):this.isLoading&&
(this.isLoading=!1,d.removeClass(c).removeAttr(c).prop(c,!1))},this),0)},c.prototype.toggle=function(){var
a=!0,b=this.$element.closest('[data-toggle="buttons"]');if(b.length){var
c=this.$element.find("input");"radio"==c.prop("type")?(c.prop("checked")&&
(a=!1),b.find(".active").removeClass("active"),this.$element.addClass("active")):"checkbox"==c.prop("type")&&
(c.prop("checked")!==this.$element.hasClass("active")&&
(a=!1),this.$element.toggleClass("active")),c.prop("checked",this.$element.hasClass("active")),a&&c.tri
...
...
...
```

Issue 7 of 7

TOC

Vulnerable Component

Severity:	Medium
Status:	Open
CVSS 3.1 Vector:	AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N
CVSS 3.1 Score:	6.1
CVSS 4.0 Vector:	AV:N/AC:L/AT:N/PR:N/UI:P/VC:N/VI:N/VA:N/SC:L/SI:L/SA:N/E:X
CVSS 4.0 Score:	5.3
CVE:	CVE-2019-8331
URL:	https://uat1.apps.tbs-sct.gc.ca/apps/default/bootstrap/js/bootstrap.min.js
Entity:	Bootstrap 3.3.7 (Component)
Risk:	It is possible for an attacker to use the web server to attack other sites, which increases his or her anonymity
Cause:	Latest patches or hotfixes for 3rd. party products were not installed
Fix:	Upgrade the component to the latest stable version

Difference:

Reasoning: AppScan found a vulnerable component

Test Requests and Responses:

```
GET /apps/default/bootstrap/js/bootstrap.min.js HTTP/1.1
Cookie: Culture=en;
TS01f9e613=01d93dcb0353b72dca4fccc7bd3ecc60d66ad160acd136950d09a733cf354bbe7d3d0ec5d3069ab7e6a06df55075072dc8d913bdb1
Accept-Language: en-US
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Referer: https://uat1.apps.tbs-sct.gc.ca/apps/?v=zg2MlsSqvmHJM0WAjtbQ6NOn9OZis57oiynRz5Q6ZaY
Host: uat1.apps.tbs-sct.gc.ca
User-Agent: Mozilla/5.0 (Windows NT 6.2; WOW64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/100.0.4896.127 Safari/537.36
Content-Length: 0


HTTP/1.1 200 OK
Content-Length: 37051
Content-Type: application/x-javascript
```

```
Date: Wed, 07 Oct 2026 16:07:55 GMT
Accept-Ranges: bytes
Access-Control-Allow-Headers: Origin, X-Requested-With, Content-Type, Accept
Access-Control-Allow-Methods: GET,PUT,POST,OPTIONS
Access-Control-Allow-Origin: https://www.youtube.com
Cache-Control: no-cache, no-store, must-revalidate, pre-check=0, post-check=0, max-age=0, s-maxage=0
ETag: "0fa2cb1e4e8d51:0"
Last-Modified: Fri, 21 Feb 2020 18:28:20 GMT
Pragma: no-cache
Strict-Transport-Security: max-age=31536000; includeSubDomains
Arr-Disable-Session-Affinity: true
X-Frame-Options: SAMEORIGIN
X-Original-Host: uat1.apps.tbs-sct.gc.ca
X-Content-Type-Options: nosniff
X-XSS-Protection: 1; mode=block
Content-Security-Policy: frame-ancestors https://uat1.apps.tbs-sct.gc.ca /
Public-Key-Pins: pin-sha256="K5cLRLJx5XMmt3FZ4juyw6w77/ZS+AP52Q/mK+UO3P0="; pin-
sha256="CzdPous1hY3sIkO55pUH7vklXyIHVZAl/UnprSQvpEI="; pin-sha256="ntPCN1f+CZzlQhaIE331czBRcAjdmi504yTaH4mK2Gw="; max-
age=2592000; report-uri="https://domain.com/report"

/*!
 * Bootstrap v3.3.7 (http://getbootstrap.com)
 * Copyright 2011-2016 Twitter, Inc.
 * Licensed under the MIT license
 */
if("undefined"==typeof jQuery)throw new Error("Bootstrap's JavaScript requires jQuery");+function(a){"use strict";var
b=a.fn.jquery.split(" ")[0].split(".");if(b[0]<2&&b[1]<9||1==b[0]&&9==b[1]&&b[2]<1||b[0]>3)throw new Error("Bootstrap's
JavaScript requires jQuery version 1.9.1 or higher, but lower than version 4")}(jQuery),+function(a){"use strict";function
b(){var a=document.createElement("bootstrap"),b=
{WebkitTransition:"webkitTransitionEnd",MozTransition:"transitionend",OTransition:"oTransitionEnd
otransitionend",transition:"transitionend"};for(var c in b)if(void
0!==a.style[c])return{end:b[c]};return!1}a.fn.emulateTransitionEnd=function(b){var
c=!1,d=this;a(this).one("bsTransitionEnd",function(){c=!0});var e=function()
{c||a(d).trigger(a.support.transition.end)};return setTimeout(e,b),this},a(function()
{a.support.transition=b(),a.support.transition&&(a.event.special.bsTransitionEnd=
{bindType:a.support.transition.end,delegateType:a.support.transition.end,handle:function(b){if(a(b.target).is(this))return
b.handleObj.handler.apply(this,arguments)}})})}(jQuery),+function(a){"use strict";function b(b){return this.each(function()
{var c=a(this),e=c.data("bs.alert");e||c.data("bs.alert",e=new d(this)),"string"==typeof b&&e[b].call(c)})}var c='[data-
dismiss="alert"]',d=function(b)
{a(b).on("click",c,this.close)};d.VERSION="3.3.7",d.TRANSITION_DURATION=150,d.prototype.close=function(b){function c()
{g.detach().trigger("closed.bs.alert").remove()}var e=a(this),f=e.attr("data-target");f||
(f=e.attr("href"),f=f&&f.replace(/.*(?=#[^\s]*$)/,""));var g=a("#"===f?[]:f);b&&b.preventDefault(),g.length||
(g=e.closest(".alert")),g.trigger(b=a.Event("close.bs.alert")),b.isDefaultPrevented()||
(g.removeClass("in"),a.support.transition&&g.hasClass("fade")?
g.one("bsTransitionEnd",c).emulateTransitionEnd(d.TRANSITION_DURATION):c())};var
e=a.fn.alert;a.fn.alert=b,a.fn.alert.Constructor=d,a.fn.alert.noConflict=function(){return
a.fn.alert=e,this},a(document).on("click.bs.alert.data-api",c,d.prototype.close)}(jQuery),+function(a){"use strict";function
b(b){return this.each(function(){var d=a(this),e=d.data("bs.button"),f="object"==typeof b&&b;e||d.data("bs.button",e=new
c(this,f)),"toggle"==b?e.toggle():b&&e.setState(b)})}var c=function(b,d)
{this.$element=a(b),this.options=a.extend({},c.DEFAULTS,d),this.isLoading=!1};c.VERSION="3.3.7",c.DEFAULTS=
{loadingText:"loading..."},c.prototype.setState=function(b){var
c="disabled",d=this.$element,e=d.is("input")?"val":"html",f=d.data();b+="Text",null==f.resetText&&d.data("resetText",d[e]
()),setTimeout(a.proxy(function(){d[e](null==f[b]?this.options[b]:f[b]),"loadingText"==b?
(this.isLoading=!0,d.addClass(c).attr(c,c).prop(c,!0)):this.isLoading&&
(this.isLoading=!1,d.removeClass(c).removeAttr(c).prop(c,!1))},this),0)},c.prototype.toggle=function(){var
a=!0,b=this.$element.closest('[data-toggle="buttons"]');if(b.length){var
c=this.$element.find("input");"radio"==c.prop("type")?(c.prop("checked")&&
(a=!1),b.find(".active").removeClass("active"),this.$element.addClass("active")):"checkbox"==c.prop("type")&&
(c.prop("checked")!==this.$element.hasClass("active")&&
(a=!1),this.$element.toggleClass("active")),c.prop("checked",this.$element.hasClass("active")),a&&c.tri
...
...
...
```

L Hidden Directory Detected 5 TOC

Issue 1 of 5 TOC

Hidden Directory Detected	
Severity:	Low
Status:	Open
CVSS 3.1 Vector:	AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:N/A:N
CVSS 3.1 Score:	3.7
CVSS 4.0 Vector:	AV:N/AC:H/AT:N/PR:N/UI:N/VC:L/VI:N/VA:N/SC:N/SI:N/SA:N/E:X
CVSS 4.0 Score:	6.3
URL:	https://uat1.apps.tbs-sct.gc.ca/gcfoundation/en/
Entity:	styles/ (Page)
Risk:	It is possible to retrieve information about the site's file system structure, which may help the attacker to map the web site
Cause:	The web server or application server are configured in an insecure way
Fix:	Issue a "404 - Not Found" response status code for a forbidden resource, or remove it completely

Difference: **Path** manipulated from: `/gcfoundation/en/home` to: `/gcfoundation/en/styles/`

Reasoning: The test tried to detect hidden directories/files on the server. The response status was 200 OK or 403 Forbidden. Status 200 indicates that the test succeeded in retrieving the content of the requested directory/file. Status 403 reveals the existence of it, even though access is not allowed.

Test Requests and Responses:

```
GET /gcfoundation/en/styles/ HTTP/1.1
Host: uat1.apps.tbs-sct.gc.ca
Connection: keep-alive
sec-ch-ua: "Chromium";v="149", "Not)A;Brand";v="24"
sec-ch-ua-mobile: ?0
sec-ch-ua-platform: "Windows"
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/149.0.0.0
Safari/537.36
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=0.8,application/signed-
exchange;v=b3;q=0.7
Sec-Fetch-Site: none
Sec-Fetch-Mode: navigate
Sec-Fetch-User: ?1
Sec-Fetch-Dest: document
Accept-Language: en-US
Content-Length: 0


HTTP/1.1 200 OK
Content-Type: text/html; charset=utf-8
Date: Wed, 07 Oct 2026 16:03:04 GMT
Access-Control-Allow-Headers: Origin, X-Requested-With, Content-Type, Accept
Access-Control-Allow-Methods: GET,PUT,POST,OPTIONS
Access-Control-Allow-Origin: https://www.youtube.com
Cache-Control: no-store, no-cache, must-revalidate, proxy-revalidate,no-cache, no-store, must-revalidate, pre-check=0, post-
check=0, max-age=0, s-maxage=0
Pragma: no-cache
Strict-Transport-Security: max-age=31536000; includeSubDomains
Request-Context: appId=cid-v1:d9502e2c-6169-4a5a-8581-4dac5503c92f
Content-Security-Policy: default-src 'none'; script-src 'self' cdn.design-system.canada.ca https://assets.adobedtm.com
https://cdn.jsdelivr.net 'nonce-DOdMgGy+dqLIged5nFOQqg=='; object-src 'none'; style-src 'self' cdn.design-system.canada.ca
cdnjs.cloudflare.com https://cdn.jsdelivr.net https://fonts.googleapis.com 'nonce-DOdMgGy+dqLIged5nFOQqg=='; font-src 'self'
cdnjs.cloudflare.com cdn.design-system.canada.ca https://fonts.gstatic.com; connect-src 'self' https://canada.sc.omtrdc.net
https://dpm.demdex.net http://localhost:* https://localhost:* ws://localhost:* wss://localhost:* https://cdn.design-
```

```
system.canada.ca https://cdn.design-system.alpha.canada.ca; img-src 'self' https://canada.sc.omtrdc.net
https://cm.everesttech.net data:; frame-src 'self' https://canada.demdex.net; frame-ancestors 'none'; upgrade-insecure-
requests;
Content-Security-Policy: frame-ancestors https://uat1.apps.tbs-sct.gc.ca /
X-XSS-Protection: 1; mode=block
X-XSS-Protection: 1; mode=block
X-Content-Type-Options: nosniff
X-Content-Type-Options: nosniff
Referrer-Policy: strict-origin-when-cross-origin
Permissions-Policy: geolocation=(), microphone=(), camera=()
Expect-CT: max-age=86400, enforce
Cross-Origin-Opener-Policy: same-origin
Cross-Origin-Resource-Policy: same-origin
Cross-Origin-Embedder-Policy: credentialless
X-Session-Timeout: 2
X-Session-Reminder: 1
Arr-Disable-Session-Affinity: true
X-Frame-Options: SAMEORIGIN
X-Original-Host: uat1.apps.tbs-sct.gc.ca
Public-Key-Pins: pin-sha256="K5cLRLJx5XMmt3FZ4juyw6w77/ZS+AP52Q/mK+UO3P0="; pin-
sha256="CzdPous1hY3sIkO55pUH7vklXyIHVZAl/UnprSQvpEI="; pin-sha256="ntPCN1f+CZzlQhaIE331czBRcAjdmi504yTaH4mK2Gw="; max-
age=2592000; report-uri="https://domain.com/report"
Transfer-Encoding: chunked
Set-Cookie: Culture=en; expires=Thu, 08 Oct 2026 16:03:04 GMT; path=/; secure; samesite=strict; httponly
Set-Cookie:
TS01f9e613=01d93dcb031446f44ed85c29b828b03649951e9e8540cf03546ad9e3a7f36907b701b2e3ae214cc6f33ec0fc1d951680c542d4ac21e3fe2bc
6dc5564e5d820a07844f4ff33; Path=/; Domain=.uat-infositeapps-backend.tbs-sct.ca; Secure; HttpOnly



<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="utf-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <meta name="csp-nonce" content="DOdMgGy&#x2B;dqLIged5nFOQqg==" />

 <meta name="description" content="GCFoundation - A comprehensive foundation for developing Government of Canada
applications">
 <meta name="keywords" content="GC Design System, FDCP, Government of Canada, ASP.NET Core">
 <meta name="author" content="TBS-SCT">
 <meta name="robots" content="index, follow">
 <meta property="og:title" content="GCFoundation">
 <meta property="og:description" content="A comprehensive foundation for developing Government of Canada applications">
 <meta property="og:type" content="website">


    <title>Styles - Utility Classes Documentation - GCFoundation</title>

 <link rel="preconnect" href="https://fonts.googleapis.com">
 <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
 <link href="https://fonts.googleapis.com/css2?
family=Lato:ital,wght@0,400;0,700;1,400;1,700&family=Noto+Sans:ital,wght@0,300;0,400;0,500;0,600;0,700;1,300;1,400;1,500;1,6
00;1,700&family=Noto+Sans+Mono:wght@100..900&display=swap" rel="stylesheet">
 <link rel="dns-prefetch" href="https://cdn.design-system.canada.ca">

    <link href="/gcfoundation/_content/GCFoundation.Components/images/favicon.ico" rel="icon" type="image/x-icon">

        <link rel="stylesheet" href="https://cdn.design-system.canada.ca/@gcds-core/components@1.3.1/dist/gcds/gcds.css"
nonce="DOdMgGy&#x2B;dqLIged5nFOQqg==" /
...
...
...
```

Issue 2 of 5

TOC

Hidden Directory Detected

Severity:	Low
Status:	Open
CVSS 3.1 Vector:	AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:N/A:N
CVSS 3.1 Score:	3.7
CVSS 4.0 Vector:	AV:N/AC:H/AT:N/PR:N/UI:N/VC:L/VI:N/VA:N/SC:N/SI:N/SA:N/E:X
CVSS 4.0 Score:	6.3
URL:	https://uat1.apps.tbs-sct.gc.ca/gcfoundation/
Entity:	home/ (Page)
Risk:	It is possible to retrieve information about the site's file system structure, which may help the attacker to map the web site
Cause:	The web server or application server are configured in an insecure way
Fix:	Issue a "404 - Not Found" response status code for a forbidden resource, or remove it completely

Difference: **Path** manipulated from: `/gcfoundation/_content/GCFoundation.Components/lib/prism/js/prism.js` to: `/gcfoundation/home/`

Reasoning: The test tried to detect hidden directories/files on the server. The response status was 200 OK or 403 Forbidden. Status 200 indicates that the test succeeded in retrieving the content of the requested directory/file. Status 403 reveals the existence of it, even though access is not allowed.

Test Requests and Responses:

```
GET /gcfoundation/home/?v=zg2MlsSqvmHJM0WAjtbQ6NOn9OZis57oiynRz5Q6ZaY HTTP/1.1
Host: uat1.apps.tbs-sct.gc.ca
Connection: keep-alive
sec-ch-ua-platform: "Windows"
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/149.0.0.0
Safari/537.36
sec-ch-ua: "Chromium";v="149", "Not)A;Brand";v="24"
sec-ch-ua-mobile: ?0
Accept: */*
Sec-Fetch-Site: same-origin
Sec-Fetch-Mode: no-cors
Sec-Fetch-Dest: script
Referer: https://uat1.apps.tbs-sct.gc.ca/gcfoundation/en/home
Accept-Language: en-US
Cookie: Culture=en
Content-Length: 0


HTTP/1.1 200 OK
Content-Type: text/html; charset=utf-8
Date: Wed, 07 Oct 2026 16:03:05 GMT
Access-Control-Allow-Headers: Origin, X-Requested-With, Content-Type, Accept
Access-Control-Allow-Methods: GET,PUT,POST,OPTIONS
Access-Control-Allow-Origin: https://www.youtube.com
Cache-Control: no-store, no-cache, must-revalidate, proxy-revalidate,no-cache, no-store, must-revalidate, pre-check=0, post-
check=0, max-age=0, s-maxage=0
Pragma: no-cache
Strict-Transport-Security: max-age=31536000; includeSubDomains
Request-Context: appId=cid-v1:d9502e2c-6169-4a5a-8581-4dac5503c92f
Content-Security-Policy: default-src 'none'; script-src 'self' cdn.design-system.canada.ca https://assets.adobedtm.com
https://cdn.jsdelivr.net 'nonce-FKGH2aMY0WQQgzHd6lhk7A=='; object-src 'none'; style-src 'self' cdn.design-system.canada.ca
cdnjs.cloudflare.com https://cdn.jsdelivr.net https://fonts.googleapis.com 'nonce-FKGH2aMY0WQQgzHd6lhk7A=='; font-src 'self'
cdnjs.cloudflare.com cdn.design-system.canada.ca https://fonts.gstatic.com; connect-src 'self' https://canada.sc.omtrdc.net
https://dpm.demdex.net http://localhost:* https://localhost:* ws://localhost:* wss://localhost:* https://cdn.design-
system.canada.ca https://cdn.design-system.alpha.canada.ca; img-src 'self' https://canada.sc.omtrdc.net
https://cm.everesttech.net data:; frame-src 'self' https://canada.demdex.net; frame-ancestors 'none'; upgrade-insecure-
requests;
Content-Security-Policy: frame-ancestors https://uat1.apps.tbs-sct.gc.ca /
X-XSS-Protection: 1; mode=block
X-XSS-Protection: 1; mode=block
X-Content-Type-Options: nosniff
X-Content-Type-Options: nosniff
Referrer-Policy: strict-origin-when-cross-origin
Permissions-Policy: geolocation=(), microphone=(), camera=()
Expect-CT: max-age=86400, enforce
Cross-Origin-Opener-Policy: same-origin
Cross-Origin-Resource-Policy: same-origin
Cross-Origin-Embedder-Policy: credentialless
X-Session-Timeout: 2
X-Session-Reminder: 1
```

```
Arr-Disable-Session-Affinity: true
X-Frame-Options: SAMEORIGIN
X-Original-Host: uat1.apps.tbs-sct.gc.ca
Public-Key-Pins: pin-sha256="K5cLRLJx5XMmt3FZ4juyw6w77/ZS+AP52Q/mK+UO3P0="; pin-
sha256="CzdPous1hY3sIkO55pUH7vklXyIHVZAl/UnprSQvpEI="; pin-sha256="ntPCN1f+CZzlQhaIE331czBRcAjdmi504yTaH4mK2Gw="; max-
age=2592000; report-uri="https://domain.com/report"
Transfer-Encoding: chunked
Set-Cookie:
TS01f9e613=01d93dcb032d1221078abfdc0da6615123089d4ff6da46aae0938c71863eb665adbc6b3acca91fbcd76c88100cf6f30c81ebec93ac;
Path=/; Domain=.uat-infositeapps-backend.tbs-sct.ca; Secure; HttpOnly



<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="utf-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <meta name="csp-nonce" content="FKGH2aMY0WQQgzHd6lhk7A==" />

 <meta name="description" content="GCFoundation - A comprehensive foundation for developing Government of Canada
applications">
 <meta name="keywords" content="GC Design System, FDCP, Government of Canada, ASP.NET Core">
 <meta name="author" content="TBS-SCT">
 <meta name="robots" content="index, follow">
 <meta property="og:title" content="GCFoundation">
 <meta property="og:description" content="A comprehensive foundation for developing Government of Canada applications">
 <meta property="og:type" content="website">


    <title>Build GC web applications with confidence - GCFoundation</title>

 <link rel="preconnect" href="https://fonts.googleapis.com">
 <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
 <link href="https://fonts.googleapis.com/css2?
family=Lato:ital,wght@0,400;0,700;1,400;1,700&family=Noto+Sans:ital,wght@0,300;0,400;0,500;0,600;0,700;1,300;1,400;1,500;1,6
00;1,700&family=Noto+Sans+Mono:wght@100..900&display=swap" rel="stylesheet">
 <link rel="dns-prefetch" href="https://cdn.design-system.canada.ca">

    <link href="/gcfoundation/_content/GCFoundation.Components/images/favicon.ico" rel="icon" type="image/x-icon">

        <link rel="stylesheet" href="https://cdn.design-system.canada.ca/@gcds-core/components@1.3.1/dist/gcds/gcds.css"
nonce="FKGH2aMY0WQQgzHd6lhk7A==" />
        <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.4.2/css/all.min.css" />
    <link rel="stylesheet" href="/gcfoundation/_content/GCFoundation.Components/
...
...
...
```

Issue 3 of 5

TOC

Hidden Directory Detected

Severity:	Low
Status:	Open
CVSS 3.1 Vector:	AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:N/A:N
CVSS 3.1 Score:	3.7
CVSS 4.0 Vector:	AV:N/AC:H/AT:N/PR:N/UI:N/VC:L/VI:N/VA:N/SC:N/SI:N/SA:N/E:X
CVSS 4.0 Score:	6.3
URL:	https://uat1.apps.tbs-sct.gc.ca/gcfoundation/
Entity:	styles/ (Page)
Risk:	It is possible to retrieve information about the site's file system structure, which may help the attacker to map the web site
Cause:	The web server or application server are configured in an insecure way
Fix:	Issue a "404 - Not Found" response status code for a forbidden resource, or remove it completely

Difference: **Path** manipulated from: `/gcfoundation/_content/GCFoundation.Components/lib/prism/js/prism.js` to: `/gcfoundation/styles/`

Reasoning: The test tried to detect hidden directories/files on the server. The response status was 200 OK or 403 Forbidden. Status 200 indicates that the test succeeded in retrieving the content of the requested directory/file. Status 403 reveals the existence of it, even though access is not allowed.

Test Requests and Responses:

```
GET /gcfoundation/styles/?v=zg2MlsSqvmHJM0WAjtbQ6NOn9OZis57oiynRz5Q6ZaY HTTP/1.1
Host: uat1.apps.tbs-sct.gc.ca
Connection: keep-alive
sec-ch-ua-platform: "Windows"
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/149.0.0.0
Safari/537.36
sec-ch-ua: "Chromium";v="149", "Not)A;Brand";v="24"
sec-ch-ua-mobile: ?0
Accept: */*
Sec-Fetch-Site: same-origin
Sec-Fetch-Mode: no-cors
Sec-Fetch-Dest: script
Referer: https://uat1.apps.tbs-sct.gc.ca/gcfoundation/en/home
Accept-Language: en-US
Cookie: Culture=en
Content-Length: 0


HTTP/1.1 200 OK
Content-Type: text/html; charset=utf-8
Date: Wed, 07 Oct 2026 16:03:15 GMT
Access-Control-Allow-Headers: Origin, X-Requested-With, Content-Type, Accept
Access-Control-Allow-Methods: GET,PUT,POST,OPTIONS
Access-Control-Allow-Origin: https://www.youtube.com
Cache-Control: no-store, no-cache, must-revalidate, proxy-revalidate,no-cache, no-store, must-revalidate, pre-check=0, post-
check=0, max-age=0, s-maxage=0
Pragma: no-cache
Strict-Transport-Security: max-age=31536000; includeSubDomains
Request-Context: appId=cid-v1:d9502e2c-6169-4a5a-8581-4dac5503c92f
Content-Security-Policy: default-src 'none'; script-src 'self' cdn.design-system.canada.ca https://assets.adobedtm.com
https://cdn.jsdelivr.net 'nonce-LBy409SiLA0DgjZdPJ6YeA=='; object-src 'none'; style-src 'self' cdn.design-system.canada.ca
cdnjs.cloudflare.com https://cdn.jsdelivr.net https://fonts.googleapis.com 'nonce-LBy409SiLA0DgjZdPJ6YeA=='; font-src 'self'
cdnjs.cloudflare.com cdn.design-system.canada.ca https://fonts.gstatic.com; connect-src 'self' https://canada.sc.omtrdc.net
https://dpm.demdex.net http://localhost:* https://localhost:* ws://localhost:* wss://localhost:* https://cdn.design-
system.canada.ca https://cdn.design-system.alpha.canada.ca; img-src 'self' https://canada.sc.omtrdc.net
https://cm.everesttech.net data:; frame-src 'self' https://canada.demdex.net; frame-ancestors 'none'; upgrade-insecure-
requests;
Content-Security-Policy: frame-ancestors https://uat1.apps.tbs-sct.gc.ca /
X-XSS-Protection: 1; mode=block
X-XSS-Protection: 1; mode=block
X-Content-Type-Options: nosniff
X-Content-Type-Options: nosniff
Referrer-Policy: strict-origin-when-cross-origin
Permissions-Policy: geolocation=(), microphone=(), camera=()
Expect-CT: max-age=86400, enforce
Cross-Origin-Opener-Policy: same-origin
Cross-Origin-Resource-Policy: same-origin
Cross-Origin-Embedder-Policy: credentialless
X-Session-Timeout: 2
X-Session-Reminder: 1
Arr-Disable-Session-Affinity: true
X-Frame-Options: SAMEORIGIN
X-Original-Host: uat1.apps.tbs-sct.gc.ca
Public-Key-Pins: pin-sha256="K5cLRLJx5XMmt3FZ4juyw6w77/ZS+AP52Q/mK+UO3P0="; pin-
sha256="CzdPous1hY3sIkO55pUH7vklXyIHVZAl/UnprSQvpEI="; pin-sha256="ntPCN1f+CZzlQhaIE331czBRcAjdmi504yTaH4mK2Gw="; max-
age=2592000; report-uri="https://domain.com/report"
Transfer-Encoding: chunked
Set-Cookie:
TS01f9e613=01d93dcb0321ce9992ebfc1f79552a0b41d82d6f35f25b213f3673dabce82488cea6d5bd6f036caaad1b5c31f11fbf1f2ad8f561d7;
Path=/; Domain=.uat-infositeapps-backend.tbs-sct.ca; Secure; HttpOnly



<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="utf-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <meta name="csp-nonce" content="LBy409SiLA0DgjZdPJ6YeA==" />

 <meta name="description" content="GCFoundation - A comprehensive foundation for developing Government of Canada
applications">
 <meta name="keywords" content="GC Design System, FDCP, Government of Canada, ASP.NET Core">
```

```
 <meta name="author" content="TBS-SCT">
 <meta name="robots" content="index, follow">
 <meta property="og:title" content="GCFoundation">
 <meta property="og:description" content="A comprehensive foundation for developing Government of Canada applications">
 <meta property="og:type" content="website">


    <title>Styles - Utility Classes Documentation - GCFoundation</title>

 <link rel="preconnect" href="https://fonts.googleapis.com">
 <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
 <link href="https://fonts.googleapis.com/css2?
family=Lato:ital,wght@0,400;0,700;1,400;1,700&family=Noto+Sans:ital,wght@0,300;0,400;0,500;0,600;0,700;1,300;1,400;1,500;1,6
00;1,700&family=Noto+Sans+Mono:wght@100..900&display=swap" rel="stylesheet">
 <link rel="dns-prefetch" href="https://cdn.design-system.canada.ca">

    <link href="/gcfoundation/_content/GCFoundation.Components/images/favicon.ico" rel="icon" type="image/x-icon">

        <link rel="stylesheet" href="https://cdn.design-system.canada.ca/@gcds-core/components@1.3.1/dist/gcds/gcds.css"
nonce="LBy409SiLA0DgjZdPJ6YeA==" />
        <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.4.2/css/all.min.css" />
    <link rel="stylesheet" href="/gcfoundation/_content/GCFoundation.Components/l
...
...
...
```

Issue 4 of 5

TOC

Hidden Directory Detected

Severity:	Low
Status:	Open
CVSS 3.1 Vector:	AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:N/A:N
CVSS 3.1 Score:	3.7
CVSS 4.0 Vector:	AV:N/AC:H/AT:N/PR:N/UI:N/VC:L/VI:N/VA:N/SC:N/SI:N/SA:N/E:X
CVSS 4.0 Score:	6.3
URL:	https://uat1.apps.tbs-sct.gc.ca/gcfoundation/
Entity:	template/ (Page)
Risk:	It is possible to retrieve information about the site's file system structure, which may help the attacker to map the web site
Cause:	The web server or application server are configured in an insecure way
Fix:	Issue a "404 - Not Found" response status code for a forbidden resource, or remove it completely

Difference: **Path** manipulated from: `/gcfoundation/_content/GCFoundation.Components/lib/prism/js/prism.js` to: `/gcfoundation/template/`

Reasoning: The test tried to detect hidden directories/files on the server. The response status was 200 OK or 403 Forbidden. Status 200 indicates that the test succeeded in retrieving the content of the requested directory/file. Status 403 reveals the existence of it, even though access is not allowed.

Test Requests and Responses:

```
GET /gcfoundation/template/?v=zg2MlsSqvmHJM0WAjtbQ6NOn9OZis57oiynRz5Q6ZaY HTTP/1.1
Host: uat1.apps.tbs-sct.gc.ca
Connection: keep-alive
sec-ch-ua-platform: "Windows"
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/149.0.0.0
Safari/537.36
sec-ch-ua: "Chromium";v="149", "Not)A;Brand";v="24"
sec-ch-ua-mobile: ?0
Accept: */*
Sec-Fetch-Site: same-origin
Sec-Fetch-Mode: no-cors
Sec-Fetch-Dest: script
Referer: https://uat1.apps.tbs-sct.gc.ca/gcfoundation/en/home
Accept-Language: en-US
Cookie: Culture=en
Content-Length: 0
```

```
HTTP/1.1 200 OK
Content-Type: text/html; charset=utf-8
Date: Wed, 07 Oct 2026 16:03:17 GMT
Access-Control-Allow-Headers: Origin, X-Requested-With, Content-Type, Accept
Access-Control-Allow-Methods: GET,PUT,POST,OPTIONS
Access-Control-Allow-Origin: https://www.youtube.com
Cache-Control: no-store, no-cache, must-revalidate, proxy-revalidate,no-cache, no-store, must-revalidate, pre-check=0, post-
check=0, max-age=0, s-maxage=0
Pragma: no-cache
Strict-Transport-Security: max-age=31536000; includeSubDomains
Request-Context: appId=cid-v1:d9502e2c-6169-4a5a-8581-4dac5503c92f
Content-Security-Policy: default-src 'none'; script-src 'self' cdn.design-system.canada.ca https://assets.adobedtm.com
https://cdn.jsdelivr.net 'nonce-kTNHAKjOL8hDedgO0lVq9g=='; object-src 'none'; style-src 'self' cdn.design-system.canada.ca
cdnjs.cloudflare.com https://cdn.jsdelivr.net https://fonts.googleapis.com 'nonce-kTNHAKjOL8hDedgO0lVq9g=='; font-src 'self'
cdnjs.cloudflare.com cdn.design-system.canada.ca https://fonts.gstatic.com; connect-src 'self' https://canada.sc.omtrdc.net
https://dpm.demdex.net http://localhost:* https://localhost:* ws://localhost:* wss://localhost:* https://cdn.design-
system.canada.ca https://cdn.design-system.alpha.canada.ca; img-src 'self' https://canada.sc.omtrdc.net
https://cm.everesttech.net data:; frame-src 'self' https://canada.demdex.net; frame-ancestors 'none'; upgrade-insecure-
requests;
Content-Security-Policy: frame-ancestors https://uat1.apps.tbs-sct.gc.ca /
X-XSS-Protection: 1; mode=block
X-XSS-Protection: 1; mode=block
X-Content-Type-Options: nosniff
X-Content-Type-Options: nosniff
Referrer-Policy: strict-origin-when-cross-origin
Permissions-Policy: geolocation=(), microphone=(), camera=()
Expect-CT: max-age=86400, enforce
Cross-Origin-Opener-Policy: same-origin
Cross-Origin-Resource-Policy: same-origin
Cross-Origin-Embedder-Policy: credentialless
X-Session-Timeout: 2
X-Session-Reminder: 1
Arr-Disable-Session-Affinity: true
X-Frame-Options: SAMEORIGIN
X-Original-Host: uat1.apps.tbs-sct.gc.ca
Public-Key-Pins: pin-sha256="K5cLRLJx5XMmt3FZ4juyw6w77/ZS+AP52Q/mK+UO3P0="; pin-
sha256="CzdPous1hY3sIkO55pUH7vklXyIHVZAl/UnprSQvpEI="; pin-sha256="ntPCN1f+CZzlQhaIE331czBRcAjdmi504yTaH4mK2Gw="; max-
age=2592000; report-uri="https://domain.com/report"
Transfer-Encoding: chunked
Set-Cookie:
TS01f9e613=01d93dcb03034b372dd5122b431dcd2ed421dc0090fecad944c2d7e9303f80636d310887665c36be3d3b26d633d2301b5f18c80deb;
Path=/; Domain=.uat-infositeapps-backend.tbs-sct.ca; Secure; HttpOnly



<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="utf-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <meta name="csp-nonce" content="kTNHAKjOL8hDedgO0lVq9g==" />

 <meta name="description" content="GCFoundation - A comprehensive foundation for developing Government of Canada
applications">
 <meta name="keywords" content="GC Design System, FDCP, Government of Canada, ASP.NET Core">
 <meta name="author" content="TBS-SCT">
 <meta name="robots" content="index, follow">
 <meta property="og:title" content="GCFoundation">
 <meta property="og:description" content="A comprehensive foundation for developing Government of Canada applications">
 <meta property="og:type" content="website">


    <title>Page Templates - GCFoundation</title>

 <link rel="preconnect" href="https://fonts.googleapis.com">
 <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
 <link href="https://fonts.googleapis.com/css2?
family=Lato:ital,wght@0,400;0,700;1,400;1,700&family=Noto+Sans:ital,wght@0,300;0,400;0,500;0,600;0,700;1,300;1,400;1,500;1,6
00;1,700&family=Noto+Sans+Mono:wght@100..900&display=swap" rel="stylesheet">
 <link rel="dns-prefetch" href="https://cdn.design-system.canada.ca">

    <link href="/gcfoundation/_content/GCFoundation.Components/images/favicon.ico" rel="icon" type="image/x-icon">

        <link rel="stylesheet" href="https://cdn.design-system.canada.ca/@gcds-core/components@1.3.1/dist/gcds/gcds.css"
nonce="kTNHAKjOL8hDedgO0lVq9g==" />
        <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.4.2/css/all.min.css" />
    <link rel="stylesheet" href="/gcfoundation/_content/GCFoundation.Components/lib/prism/css/prism.css
...
...
```

...

Issue 5 of 5

TOC

Hidden Directory Detected	
Severity:	Low
Status:	Open
CVSS 3.1 Vector:	AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:N/A:N
CVSS 3.1 Score:	3.7
CVSS 4.0 Vector:	AV:N/AC:H/AT:N/PR:N/UI:N/VC:L/VI:N/VA:N/SC:N/SI:N/SA:N/E:X
CVSS 4.0 Score:	6.3
URL:	https://uat1.apps.tbs-sct.gc.ca/
Entity:	apps/ (Page)
Risk:	It is possible to retrieve information about the site's file system structure, which may help the attacker to map the web site
Cause:	The web server or application server are configured in an insecure way
Fix:	Issue a "404 - Not Found" response status code for a forbidden resource, or remove it completely

Difference: **Path** manipulated from: `/gcfoundation/_content/GCFoundation.Components/lib/prism/js/prism.js` to: `/apps/`

Reasoning: The test tried to detect hidden directories/files on the server. The response status was 200 OK or 403 Forbidden. Status 200 indicates that the test succeeded in retrieving the content of the requested directory/file. Status 403 reveals the existence of it, even though access is not allowed.

Test Requests and Responses:

```
GET /apps/?v=zg2MlsSqvmHJM0WAjtbQ6NOn9OZis57oiynRz5Q6ZaY HTTP/1.1
Host: uat1.apps.tbs-sct.gc.ca
Connection: keep-alive
sec-ch-ua-platform: "Windows"
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/149.0.0.0
Safari/537.36
sec-ch-ua: "Chromium";v="149", "Not)A;Brand";v="24"
sec-ch-ua-mobile: ?0
Accept: */*
Sec-Fetch-Site: same-origin
Sec-Fetch-Mode: no-cors
Sec-Fetch-Dest: script
Referer: https://uat1.apps.tbs-sct.gc.ca/gcfoundation/en/home
Accept-Language: en-US
Cookie: Culture=en
Content-Length: 0


HTTP/1.1 200 OK
Content-Length: 7401
Content-Type: text/html
Date: Wed, 07 Oct 2026 16:03:24 GMT
Accept-Ranges: bytes
Access-Control-Allow-Headers: Origin, X-Requested-With, Content-Type, Accept
Access-Control-Allow-Methods: GET,PUT,POST,OPTIONS
Access-Control-Allow-Origin: https://www.youtube.com
Cache-Control: no-cache, no-store, must-revalidate, pre-check=0, post-check=0, max-age=0, s-maxage=0
ETag: "0fa2cb1e4e8d51:0"
Last-Modified: Fri, 21 Feb 2020 18:28:20 GMT
Pragma: no-cache
Strict-Transport-Security: max-age=31536000; includeSubDomains
Arr-Disable-Session-Affinity: true
X-Frame-Options: SAMEORIGIN
X-Original-Host: uat1.apps.tbs-sct.gc.ca
X-Content-Type-Options: nosniff
X-XSS-Protection: 1; mode=block
Content-Security-Policy: frame-ancestors https://uat1.apps.tbs-sct.gc.ca /
Public-Key-Pins: pin-sha256="K5cLRLJx5XMmt3FZ4juyw6w77/ZS+AP52Q/mK+UO3P0="; pin-
sha256="CzdPous1hY3sIkO55pUH7vklXyIHVZAl/UnprSQvpEI="; pin-sha256="ntPCN1f+CZzlQhaIE331czBRcAjdmi504yTaH4mK2Gw="; max-
age=2592000; report-uri="https://domain.com/report"
Set-Cookie:
```

```
TS01f9e613=01d93dcb03a8a9364403cb9d15c6b776ef4c3ecea084588b65ce9abfa7bccfb842fd07a96d5e9c585660ae189c97953d418f48f2dd;
Path=/; Domain=.uat-infositeapps-backend.tbs-sct.ca; Secure; HttpOnly

<!DOCTYPE html>

<html lang="en" xmlns="http://www.w3.org/1999/xhtml">
<head>
    <meta charset="utf-8" />
    <title>CBA Links</title>
    <link href="default/bootstrap/css/bootstrap.min.css" rel="stylesheet">
    <link href="default/bootstrap/css/bootstrap-theme.min.css" rel="stylesheet">
    <link href="default/bootstrap/css/app.css" rel="stylesheet">
</head>
<body style="height: 100%;">
    <header id="top" class="navbar navbar-static-top navbar-default" role="banner">
        <div class="container">
          <div class="navbar-header">
          <button class="navbar-toggle" type="button" data-toggle="collapse" data-target=".bs-navbar-collapse">
          <span class="sr-only">Toggle navigation</span>
          <span class="icon-bar"></span>
          <span class="icon-bar"></span>
          <span class="icon-bar"></span>
          </button>
          <a class="navbar-brand" href="default.htm">CBA Links</a>
          </div>
          <nav class="collapse navbar-collapse bs-navbar-collapse" role="navigation">
          <ul class="nav navbar-nav" role="tablist">
          <li class="active"><a href="#work-applications" role="tab" data-toggle="tab">Applications</a></li>
          <li><a href="#work-tools" role="tab" data-toggle="tab">Tools</a></li>
          <li><a href="#work-websites" role="tab" data-toggle="tab">Websites</a></li>
          </ul>
          <form class="navbar-form navbar-right visible-md visible-lg" role="search">
          <input type="text" class="form-control" id="search" placeholder="Search">
          </form>
          </nav>
        </div>
    </header>
    <div id="content">
        <div class="container">
          <div class="row">
          <div class="col-md-12">
          <div class="tab-content">
          <div class="tab-pane active" id="work-applications"></div>
          <div class="tab-pane" id="work-websites"></div>
          <div class="tab-pane" id="work-tools"></div>
          </div>
          <div class="btn-group">
          <button class="btn btn-default" onclick="$('div.collapse').collapse('show');">Expand All</button>
          <button class="btn btn-default" onclick="$('div.collapse').collapse('hide');">Collapse All</button>
          </div>
     <div class="panel panel-small panel-success mrgn-tp-md">
      <div class="panel-heading">
       <h5 class="panel-title"><a data-toggle="collapse" href="#version-info" style="display: block;">Version info: (v<span
id="version-number"></span>)<span class="glyphicon glyphicon-chevron-down pull-right"></span></a></h5>
      </div>
      <div class="panel-collapse collapse" id="version-info">
          <div class="panel-body">
          <p>v1.1.0: Moved the JSON object array outside of the defaul
...
...
...
```

L Query Parameter in SSL Request 4 TOC

Issue 1 of 4 TOC

Query Parameter in SSL Request

Severity:	Low
Status:	Open
CVSS 3.1 Vector:	AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:N/A:N
CVSS 3.1 Score:	3.7
CVSS 4.0 Vector:	AV:N/AC:H/AT:N/PR:N/UI:N/VC:L/VI:N/VA:N/SC:N/SI:N/SA:N/E:X
CVSS 4.0 Score:	6.3
URL:	https://uat1.apps.tbs-sct.gc.ca/gcfoundation/_content/GCFoundation.Components/js/foundation.min.js
Entity:	v (Parameter)
Risk:	It may be possible to steal sensitive data such as credit card numbers, social security numbers etc. that are sent unencrypted
Cause:	Query parameters were passed over SSL, and may contain sensitive information
Fix:	Always use SSL and POST (body) parameters when sending sensitive information.

Difference:

Reasoning: AppScan found parameters in the query part of the HTTP request, which was sent over SSL.

Test Requests and Responses:

```
GET /gcfoundation/_content/GCFoundation.Components/js/foundation.min.js?v=fEtRg-0wqK9rYR_gReOkR6hjZFde36YAfDH13jsOvC0
HTTP/1.1
Cookie: Culture=en;
TS01f9e613=01d93dcb0387661b857309196ce96e6ec89ffa8e10f5589b3e645725f4af621448361f05274ea429ba0189a113281853fbd88601a60ddd43c
4d57a3063149ad38664dbe8c1
Accept-Language: en-US
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Referer: https://uat1.apps.tbs-sct.gc.ca/gcfoundation/en/home
Host: uat1.apps.tbs-sct.gc.ca
User-Agent: Mozilla/5.0 (Windows NT 6.2; WOW64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/100.0.4896.127 Safari/537.36
Content-Length: 0


HTTP/1.1 200 OK
Content-Length: 54059
Content-Type: text/javascript
Date: Wed, 07 Oct 2026 16:07:54 GMT
Accept-Ranges: bytes
Access-Control-Allow-Headers: Origin, X-Requested-With, Content-Type, Accept
Access-Control-Allow-Methods: GET,PUT,POST,OPTIONS
Access-Control-Allow-Origin: https://www.youtube.com
Cache-Control: no-store, no-cache, must-revalidate, proxy-revalidate,no-cache, no-store, must-revalidate, pre-check=0, post-
check=0, max-age=0, s-maxage=0
ETag: "1dd374c9f43c92b"
Last-Modified: Sat, 29 Aug 2026 00:23:32 GMT
Pragma: no-cache
Strict-Transport-Security: max-age=31536000; includeSubDomains
Request-Context: appId=cid-v1:d9502e2c-6169-4a5a-8581-4dac5503c92f
Content-Security-Policy: default-src 'none'; script-src 'self' cdn.design-system.canada.ca https://assets.adobedtm.com
https://cdn.jsdelivr.net 'nonce-IK9ZaWB1Irp4yRx9srsJ3A=='; object-src 'none'; style-src 'self' cdn.design-system.canada.ca
cdnjs.cloudflare.com https://cdn.jsdelivr.net https://fonts.googleapis.com 'nonce-IK9ZaWB1Irp4yRx9srsJ3A=='; font-src 'self'
cdnjs.cloudflare.com cdn.design-system.canada.ca https://fonts.gstatic.com; connect-src 'self' https://canada.sc.omtrdc.net
https://dpm.demdex.net http://localhost:* https://localhost:* ws://localhost:* wss://localhost:* https://cdn.design-
system.canada.ca https://cdn.design-system.alpha.canada.ca; img-src 'self' https://canada.sc.omtrdc.net
https://cm.everesttech.net data:; frame-src 'self' https://canada.demdex.net; frame-ancestors 'none'; upgrade-insecure-
requests;
Content-Security-Policy: frame-ancestors https://uat1.apps.tbs-sct.gc.ca /
X-XSS-Protection: 1; mode=block
X-XSS-Protection: 1; mode=block
X-Content-Type-Options: nosniff
X-Content-Type-Options: nosniff
Referrer-Policy: strict-origin-when-cross-origin
Permissions-Policy: geolocation=(), microphone=(), camera=()
Expect-CT: max-age=86400, enforce
Cross-Origin-Opener-Policy: same-origin
Cross-Origin-Resource-Policy: same-origin
Cross-Origin-Embedder-Policy: credentialless
X-Session-Timeout: 2
X-Session-Reminder: 1
Arr-Disable-Session-Affinity: true
X-Frame-Options: SAMEORIGIN
X-Original-Host: uat1.apps.tbs-sct.gc.ca
```

```
Public-Key-Pins: pin-sha256="K5cLRLJx5XMmt3FZ4juyw6w77/ZS+AP52Q/mK+UO3P0="; pin-
sha256="CzdPous1hY3sIkO55pUH7vklXyIHVZAl/UnprSQvpEI="; pin-sha256="ntPCN1f+CZzlQhaIE331czBRcAjdmi504yTaH4mK2Gw="; max-
age=2592000; report-uri="https://domain.com/report"

function _typeof(e){return(_typeof="function"==typeof Symbol&&"symbol"==typeof Symbol.iterator?function(e){return typeof
e}:function(e){return e&&"function"==typeof Symbol&&e.constructor===Symbol&&e!==Symbol.prototype?"symbol":typeof e})
(e)}function _classCallCheck(e,t){if(!(e instanceof t))throw new TypeError("Cannot call a class as a function")}function
_defineProperties(e,t){for(var n=0;n<t.length;n++){var r=t[n];r.enumerable=r.enumerable||!1,r.configurable=!0,"value"in r&&
(r.writable=!0),Object.defineProperty(e,_toPropertyKey(r.key),r)}}function _createClass(e,t,n){return
t&&_defineProperties(e.prototype,t),n&&_defineProperties(e,n),Object.defineProperty(e,"prototype",{writable:!1}),e}function
_toPropertyKey(e){e=_toPrimitive(e,"string");return"symbol"==_typeof(e)?e:e+""}function _toPrimitive(e,t)
{if("object"!=_typeof(e)||!e)return e;var n=e[Symbol.toPrimitive];if(void 0===n)return("string"===t?String:Number)
(e);n=n.call(e,t||"default");if("object"!=_typeof(n))return n;throw new TypeError("@@toPrimitive must return a primitive
value.")}document.addEventListener("DOMContentLoaded",function(){var
t,e,n,r,i,a,o,l,s,c,u,d,f=document.querySelector('.modal-overlay[modal-id="session-extend-modal"]');f&&(t=new
FDCPModal(f),e=parseInt(f.dataset.sessionTimeout,10),n=parseInt(f.dataset.reminderTime,10),r=f.dataset.refresh,i=f.dataset.l
ogout,a=document.getElementById("session-countdown"),c=function(){clearTimeout(o),clearInterval(l),o=setTimeout(function()
{var e=new CustomEvent("foundation:session-reminder",{detail:
{remainingTime:60*n}});window.dispatchEvent(e),s=60*n,t.show(),u()},60*(e-n)*1e3)},u=function(){a&&
(a.textContent="".concat(s,"s"),l=setInterval(function(){--s<=0?
(clearInterval(l),window.location.href=i):a.textContent="".concat(s,"s")},1e3))},f=document.querySelector('[button-
id="session-extend-refresh-btn"]'),d=document.querySelector('[button-id="session-extend
...
...
...
```

Issue 2 of 4

TOC

Query Parameter in SSL Request

Severity:	Low
Status:	Open
CVSS 3.1 Vector:	AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:N/A:N
CVSS 3.1 Score:	3.7
CVSS 4.0 Vector:	AV:N/AC:H/AT:N/PR:N/UI:N/VC:L/VI:N/VA:N/SC:N/SI:N/SA:N/E:X
CVSS 4.0 Score:	6.3
URL:	https://uat1.apps.tbs-sct.gc.ca/gcfoundation/_content/GCFoundation.Components/lib/prism/js/prism.js
Entity:	v (Parameter)
Risk:	It may be possible to steal sensitive data such as credit card numbers, social security numbers etc. that are sent unencrypted
Cause:	Query parameters were passed over SSL, and may contain sensitive information
Fix:	Always use SSL and POST (body) parameters when sending sensitive information.

Difference:

Reasoning: AppScan found parameters in the query part of the HTTP request, which was sent over SSL.

Test Requests and Responses:

```
GET /gcfoundation/_content/GCFoundation.Components/lib/prism/js/prism.js?v=zg2MlsSqvmHJM0WAjtbQ6NOn9OZis57oiynRz5Q6ZaY
HTTP/1.1
Cookie: Culture=en;
TS01f9e613=01d93dcb0387661b857309196ce96e6ec89ffa8e10f5589b3e645725f4af621448361f05274ea429ba0189a113281853fbd88601a60ddd43c
4d57a3063149ad38664dbe8c1
Accept-Language: en-US
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Referer: https://uat1.apps.tbs-sct.gc.ca/gcfoundation/en/home
Host: uat1.apps.tbs-sct.gc.ca
User-Agent: Mozilla/5.0 (Windows NT 6.2; WOW64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/100.0.4896.127 Safari/537.36
Content-Length: 0


HTTP/1.1 200 OK
Content-Length: 26881
Content-Type: text/javascript
Date: Wed, 07 Oct 2026 16:07:54 GMT
Accept-Ranges: bytes
```

```
Access-Control-Allow-Headers: Origin, X-Requested-With, Content-Type, Accept
Access-Control-Allow-Methods: GET,PUT,POST,OPTIONS
Access-Control-Allow-Origin: https://www.youtube.com
Cache-Control: no-store, no-cache, must-revalidate, proxy-revalidate,no-cache, no-store, must-revalidate, pre-check=0, post-
check=0, max-age=0, s-maxage=0
ETag: "1dd34bd309c3401"
Last-Modified: Tue, 25 Aug 2026 18:11:46 GMT
Pragma: no-cache
Strict-Transport-Security: max-age=31536000; includeSubDomains
Request-Context: appId=cid-v1:d9502e2c-6169-4a5a-8581-4dac5503c92f
Content-Security-Policy: default-src 'none'; script-src 'self' cdn.design-system.canada.ca https://assets.adobedtm.com
https://cdn.jsdelivr.net 'nonce-nizYHZ1gLOVqJPxtxoufBQ=='; object-src 'none'; style-src 'self' cdn.design-system.canada.ca
cdnjs.cloudflare.com https://cdn.jsdelivr.net https://fonts.googleapis.com 'nonce-nizYHZ1gLOVqJPxtxoufBQ=='; font-src 'self'
cdnjs.cloudflare.com cdn.design-system.canada.ca https://fonts.gstatic.com; connect-src 'self' https://canada.sc.omtrdc.net
https://dpm.demdex.net http://localhost:* https://localhost:* ws://localhost:* wss://localhost:* https://cdn.design-
system.canada.ca https://cdn.design-system.alpha.canada.ca; img-src 'self' https://canada.sc.omtrdc.net
https://cm.everesttech.net data:; frame-src 'self' https://canada.demdex.net; frame-ancestors 'none'; upgrade-insecure-
requests;
Content-Security-Policy: frame-ancestors https://uat1.apps.tbs-sct.gc.ca /
X-XSS-Protection: 1; mode=block
X-XSS-Protection: 1; mode=block
X-Content-Type-Options: nosniff
X-Content-Type-Options: nosniff
Referrer-Policy: strict-origin-when-cross-origin
Permissions-Policy: geolocation=(), microphone=(), camera=()
Expect-CT: max-age=86400, enforce
Cross-Origin-Opener-Policy: same-origin
Cross-Origin-Resource-Policy: same-origin
Cross-Origin-Embedder-Policy: credentialless
X-Session-Timeout: 2
X-Session-Reminder: 1
Arr-Disable-Session-Affinity: true
X-Frame-Options: SAMEORIGIN
X-Original-Host: uat1.apps.tbs-sct.gc.ca
Public-Key-Pins: pin-sha256="K5cLRLJx5XMmt3FZ4juyw6w77/ZS+AP52Q/mK+UO3P0="; pin-
sha256="CzdPous1hY3sIkO55pUH7vklXyIHVZAl/UnprSQvpEI="; pin-sha256="ntPCN1f+CZzlQhaIE331czBRcAjdmi504yTaH4mK2Gw="; max-
age=2592000; report-uri="https://domain.com/report"

/* PrismJS 1.30.0
https://prismjs.com/download.html#themes=prism-twilight&languages=markup+css+clike+javascript+aspnet+csharp+cshtml */
var _self="undefined"!=typeof window?window:"undefined"!=typeof WorkerGlobalScope&&self instanceof WorkerGlobalScope?self:
{},Prism=function(e){var n=/(?:^|\s)lang(?:uage)?-([\w-]+)(?=\s|$)/i,t=0,r={},a=
{manual:e.Prism&&e.Prism.manual,disableWorkerMessageHandler:e.Prism&&e.Prism.disableWorkerMessageHandler,util:
{encode:function e(n){return n instanceof i?new i(n.type,e(n.content),n.alias):Array.isArray(n)?
n.map(e):n.replace(/&/g,"&amp;").replace(/</g,"&lt;").replace(/\u00a0/g," ")},type:function(e){return
Object.prototype.toString.call(e).slice(8,-1)},objId:function(e){return e.__id||Object.defineProperty(e,"__id",
{value:++t}),e.__id},clone:function e(n,t){var r,i;switch(t=t||{},a.util.type(n))
{case"Object":if(i=a.util.objId(n),t[i])return t[i];for(var l in r={},t[i]=r,n)n.hasOwnProperty(l)&&(r[l]=e(n[l],t));return
r;case"Array":return i=a.util.objId(n),t[i]?t[i]:(r=[],t[i]=r,n.forEach((function(n,a){r[a]=e(n,t)})),r);default:return
n}},getLanguage:function(e){for(;e;){var t=n.exec(e.className);if(t)return
t[1].toLowerCase();e=e.parentElement}return"none"},setLanguage:function(e,t)
{e.className=e.className.replace(RegExp(n,"gi"),""),e.classList.add("language-"+t)},currentScript:function()
{if("undefined"==typeof document)return null;if(document.currentScript&&"SCRIPT"===document.currentScript.tagName)return
document.currentScript;try{throw new Error}catch(r){var e=(/at [^(\r\n]*\((.*):[^:]+:[^:]+\)$/i.exec(r.stack)||[])[1];if(e)
{var n=document.getElementsByTagName("script");for(var t in n)if(n[t].src==e)return n[t]}return
null}},isActive:function(e,n,t){for(var r="no-"+n;e;){var
a=e.classList;if(a.contains(n))return!0;if(a.contains(r))return!1;e=e.parentElement}return!!t}},languages:
{plain:r,plaintext:r,text:r,txt:r,extend:function(
...
...
...
```

Query Parameter in SSL Request

Severity:	Low
Status:	Open
CVSS 3.1 Vector:	AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:N/A:N
CVSS 3.1 Score:	3.7
CVSS 4.0 Vector:	AV:N/AC:H/AT:N/PR:N/UI:N/VC:L/VI:N/VA:N/SC:N/SI:N/SA:N/E:X
CVSS 4.0 Score:	6.3
URL:	https://uat1.apps.tbs-sct.gc.ca/gcfoundation/js/custom-scripts.js
Entity:	v (Parameter)
Risk:	It may be possible to steal sensitive data such as credit card numbers, social security numbers etc. that are sent unencrypted
Cause:	Query parameters were passed over SSL, and may contain sensitive information
Fix:	Always use SSL and POST (body) parameters when sending sensitive information.

Difference:

Reasoning: AppScan found parameters in the query part of the HTTP request, which was sent over SSL.

Test Requests and Responses:

```
GET /gcfoundation/js/custom-scripts.js?v=1MqyrwtH4eq5jLTjR_eHqQumMrODsvOVueDLMtOVaNA HTTP/1.1
Cookie: Culture=en;
TS01f9e613=01d93dcb0387661b857309196ce96e6ec89ffa8e10f5589b3e645725f4af621448361f05274ea429ba0189a113281853fbd88601a60ddd43c
4d57a3063149ad38664dbe8c1
Accept-Language: en-US
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Referer: https://uat1.apps.tbs-sct.gc.ca/gcfoundation/en/home
Host: uat1.apps.tbs-sct.gc.ca
User-Agent: Mozilla/5.0 (Windows NT 6.2; WOW64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/100.0.4896.127 Safari/537.36
Content-Length: 0


HTTP/1.1 200 OK
Content-Length: 3948
Content-Type: text/javascript
Date: Wed, 07 Oct 2026 16:07:54 GMT
Accept-Ranges: bytes
Access-Control-Allow-Headers: Origin, X-Requested-With, Content-Type, Accept
Access-Control-Allow-Methods: GET,PUT,POST,OPTIONS
Access-Control-Allow-Origin: https://www.youtube.com
Cache-Control: no-store, no-cache, must-revalidate, proxy-revalidate,no-cache, no-store, must-revalidate, pre-check=0, post-
check=0, max-age=0, s-maxage=0
ETag: "1dd34e06bfc5c6c"
Last-Modified: Tue, 25 Aug 2026 22:23:58 GMT
Pragma: no-cache
Strict-Transport-Security: max-age=31536000; includeSubDomains
Request-Context: appId=cid-v1:d9502e2c-6169-4a5a-8581-4dac5503c92f
Content-Security-Policy: default-src 'none'; script-src 'self' cdn.design-system.canada.ca https://assets.adobedtm.com
https://cdn.jsdelivr.net 'nonce-x02jdLiA+czfLeszuynLRA=='; object-src 'none'; style-src 'self' cdn.design-system.canada.ca
cdnjs.cloudflare.com https://cdn.jsdelivr.net https://fonts.googleapis.com 'nonce-x02jdLiA+czfLeszuynLRA=='; font-src 'self'
cdnjs.cloudflare.com cdn.design-system.canada.ca https://fonts.gstatic.com; connect-src 'self' https://canada.sc.omtrdc.net
https://dpm.demdex.net http://localhost:* https://localhost:* ws://localhost:* wss://localhost:* https://cdn.design-
system.canada.ca https://cdn.design-system.alpha.canada.ca; img-src 'self' https://canada.sc.omtrdc.net
https://cm.everesttech.net data:; frame-src 'self' https://canada.demdex.net; frame-ancestors 'none'; upgrade-insecure-
requests;
Content-Security-Policy: frame-ancestors https://uat1.apps.tbs-sct.gc.ca /
X-XSS-Protection: 1; mode=block
X-XSS-Protection: 1; mode=block
X-Content-Type-Options: nosniff
X-Content-Type-Options: nosniff
Referrer-Policy: strict-origin-when-cross-origin
Permissions-Policy: geolocation=(), microphone=(), camera=()
Expect-CT: max-age=86400, enforce
Cross-Origin-Opener-Policy: same-origin
Cross-Origin-Resource-Policy: same-origin
Cross-Origin-Embedder-Policy: credentialless
X-Session-Timeout: 2
X-Session-Reminder: 1
Arr-Disable-Session-Affinity: true
X-Frame-Options: SAMEORIGIN
X-Original-Host: uat1.apps.tbs-sct.gc.ca
Public-Key-Pins: pin-sha256="K5cLRLJx5XMmt3FZ4juyw6w77/ZS+AP52Q/mK+UO3P0="; pin-
```

```
sha256="CzdPous1hY3sIkO55pUH7vklXyIHVZAl/UnprSQvpEI="; pin-sha256="ntPCN1f+CZzlQhaIE331czBRcAjdmi504yTaH4mK2Gw="; max-
age=2592000; report-uri="https://domain.com/report"

// Custom scripts for GCFoundationWeb
const GCFoundationWeb = {
    Version: "0.1.1",

    init: function () {
        this.initCreateCopyButton();
        this.initCopy();
        this.initTableActions();
        this.initDeleteModal();
    },
    initTableActions: function () {
        document.addEventListener("click", (e) => {
          const deleteBtn = e.target.closest('.delete');
          if (deleteBtn) {
          e.preventDefault();
          console.log("Delete clicked for row:", deleteBtn.row, "submisisonId:", deleteBtn.row?.submissionId);
          return;
          }

          const addBtn = e.target.closest('.add-submission');
          if (addBtn) {
          e.preventDefault();
          console.log("Add submission clicked");
          }
        });
    },
    initDeleteModal: function () {
        document.addEventListener("click", (e) => {
          const trigger = e.target.closest('.fdcp-modal-open');
          if (!trigger) return;

          const employeeId = trigger.getAttribute('data-employee-id');
          const employeeName = trigger.getAttribute('data-employee-name');
          const modalId = trigger.getAttribute('modal-id');

          const modal = document.querySelector(`dialog[modal-id="${modalId}"]`);
          if (!modal) return;

          const modalContent = modal.querySelector('.modal__body')
          if (!modalContent) return;

          const modalFooter = modal.querySelector('.modal__footer')
          if (!modalFooter) return;

          const submitBtn = modalFooter.querySelector('gcds-button[button-id=delete-employee]');
          if (submitBtn) {
          submitBtn['value'] = employeeId;
          }

          const nameTarget = modalContent.querySelector('strong[data-employee-name-display]');
          if (nameTarget) {

...
...
...
```

Query Parameter in SSL Request

Severity:	Low
Status:	Open
CVSS 3.1 Vector:	AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:N/A:N
CVSS 3.1 Score:	3.7
CVSS 4.0 Vector:	AV:N/AC:H/AT:N/PR:N/UI:N/VC:L/VI:N/VA:N/SC:N/SI:N/SA:N/E:X
CVSS 4.0 Score:	6.3
URL:	https://uat1.apps.tbs-sct.gc.ca/gcfoundation/_content/GCFoundation.Components/lib/quill/quill.js
Entity:	v (Parameter)
Risk:	It may be possible to steal sensitive data such as credit card numbers, social security numbers etc. that are sent unencrypted
Cause:	Query parameters were passed over SSL, and may contain sensitive information
Fix:	Always use SSL and POST (body) parameters when sending sensitive information.

Difference:

Reasoning: AppScan found parameters in the query part of the HTTP request, which was sent over SSL.

Test Requests and Responses:

```
GET /gcfoundation/_content/GCFoundation.Components/lib/quill/quill.js?v=9hV8cqybP1HN6tQmM1aIoCexJAXZ1qTardOKZ2stf_I HTTP/1.1
Cookie: Culture=en;
TS01f9e613=01d93dcb0387661b857309196ce96e6ec89ffa8e10f5589b3e645725f4af621448361f05274ea429ba0189a113281853fbd88601a60ddd43c
4d57a3063149ad38664dbe8c1
Accept-Language: en-US
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Referer: https://uat1.apps.tbs-sct.gc.ca/gcfoundation/en/home
Host: uat1.apps.tbs-sct.gc.ca
User-Agent: Mozilla/5.0 (Windows NT 6.2; WOW64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/100.0.4896.127 Safari/537.36
Content-Length: 0


HTTP/1.1 200 OK
Content-Length: 209274
Content-Type: text/javascript
Date: Wed, 07 Oct 2026 16:07:54 GMT
Accept-Ranges: bytes
Access-Control-Allow-Headers: Origin, X-Requested-With, Content-Type, Accept
Access-Control-Allow-Methods: GET,PUT,POST,OPTIONS
Access-Control-Allow-Origin: https://www.youtube.com
Cache-Control: no-store, no-cache, must-revalidate, proxy-revalidate,no-cache, no-store, must-revalidate, pre-check=0, post-
check=0, max-age=0, s-maxage=0
ETag: "1dd374c66099b7a"
Last-Modified: Sat, 29 Aug 2026 00:21:56 GMT
Pragma: no-cache
Strict-Transport-Security: max-age=31536000; includeSubDomains
Request-Context: appId=cid-v1:d9502e2c-6169-4a5a-8581-4dac5503c92f
Content-Security-Policy: default-src 'none'; script-src 'self' cdn.design-system.canada.ca https://assets.adobedtm.com
https://cdn.jsdelivr.net 'nonce-B6aSh/130+lUYhviWUaGRw=='; object-src 'none'; style-src 'self' cdn.design-system.canada.ca
cdnjs.cloudflare.com https://cdn.jsdelivr.net https://fonts.googleapis.com 'nonce-B6aSh/130+lUYhviWUaGRw=='; font-src 'self'
cdnjs.cloudflare.com cdn.design-system.canada.ca https://fonts.gstatic.com; connect-src 'self' https://canada.sc.omtrdc.net
https://dpm.demdex.net http://localhost:* https://localhost:* ws://localhost:* wss://localhost:* https://cdn.design-
system.canada.ca https://cdn.design-system.alpha.canada.ca; img-src 'self' https://canada.sc.omtrdc.net
https://cm.everesttech.net data:; frame-src 'self' https://canada.demdex.net; frame-ancestors 'none'; upgrade-insecure-
requests;
Content-Security-Policy: frame-ancestors https://uat1.apps.tbs-sct.gc.ca /
X-XSS-Protection: 1; mode=block
X-XSS-Protection: 1; mode=block
X-Content-Type-Options: nosniff
X-Content-Type-Options: nosniff
Referrer-Policy: strict-origin-when-cross-origin
Permissions-Policy: geolocation=(), microphone=(), camera=()
Expect-CT: max-age=86400, enforce
Cross-Origin-Opener-Policy: same-origin
Cross-Origin-Resource-Policy: same-origin
Cross-Origin-Embedder-Policy: credentialless
X-Session-Timeout: 2
X-Session-Reminder: 1
Arr-Disable-Session-Affinity: true
X-Frame-Options: SAMEORIGIN
X-Original-Host: uat1.apps.tbs-sct.gc.ca
Public-Key-Pins: pin-sha256="K5cLRLJx5XMmt3FZ4juyw6w77/ZS+AP52Q/mK+UO3P0="; pin-
```

```
sha256="CzdPous1hY3sIkO55pUH7vklXyIHVZAl/UnprSQvpEI="; pin-sha256="ntPCN1f+CZzlQhaIE331czBRcAjdmi504yTaH4mK2Gw="; max-
age=2592000; report-uri="https://domain.com/report"

/*! For license information please see quill.js.LICENSE.txt */
!function(t,e){"object"==typeof exports&&"object"==typeof module?module.exports=e():"function"==typeof define&&define.amd?
define([],e):"object"==typeof exports?exports.Quill=e():t.Quill=e()}(self,(function(){return function(){var t=
{9698:function(t,e,n){"use strict";n.d(e,{Ay:function(){return c},Ji:function(){return d},mG:function(){return
h},zo:function(){return u}});var r=n(6003),i=n(5232),s=n.n(i),o=n(3036),l=n(4850),a=n(5508);class c extends
r.BlockBlot{cache={};delta(){return null==this.cache.delta&&(this.cache.delta=h(this)),this.cache.delta}deleteAt(t,e)
{super.deleteAt(t,e),this.cache={}}formatAt(t,e,n,i){e<=0||(this.scroll.query(n,r.Scope.BLOCK)?
t+e===this.length()&&this.format(n,i):super.formatAt(t,Math.min(e,this.length()-t-1),n,i),this.cache={})}insertAt(t,e,n)
{if(null!=n)return super.insertAt(t,e,n),void(this.cache={});if(0===e.length)return;const
r=e.split("\n"),i=r.shift();i.length>0&&(t<this.length()-1||null==this.children.tail?
super.insertAt(Math.min(t,this.length()-1),i):this.children.tail.insertAt(this.children.tail.length(),i),this.cache={});let
s=this;r.reduce(((t,e)=>(s=s.split(t,!0),s.insertAt(0,e),e.length)),t+i.length)}insertBefore(t,e)
{const{head:n}=this.children;super.insertBefore(t,e),n instanceof o.A&&n.remove(),this.cache={}}length(){return
null==this.cache.length&&(this.cache.length=super.length()+1),this.cache.length}moveChildren(t,e)
{super.moveChildren(t,e),this.cache={}}optimize(t){super.optimize(t),this.cache={}}path(t){return
super.path(t,!0)}removeChild(t){super.removeChild(t),this.cache={}}split(t){let e=arguments.length>1&&void
0!==arguments[1]&&arguments[1];if(e&&(0===t||t>=this.length()-1)){const e=this.clone();return 0===t?
(this.parent.insertBefore(e,this),this):(this.parent.insertBefore(e,this.next),e)}const n=super.split(t,e);return
this.cache={},n}}c.blotName="
...
...
...
```


L Trusted types in scripts not enforced in CSP 1

TOC

Issue 1 of 1

TOC

Trusted types in scripts not enforced in CSP

Severity:	Low
Status:	Open
CVSS 3.1 Vector:	AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:N/A:N
CVSS 3.1 Score:	3.7
CVSS 4.0 Vector:	AV:N/AC:H/AT:N/PR:N/UI:N/VC:L/VI:N/VA:N/SC:N/SI:N/SA:N/E:X
CVSS 4.0 Score:	6.3
URL:	https://uat1.apps.tbs-sct.gc.ca/
Entity:	uat1.apps.tbs-sct.gc.ca (Page)
Risk:	It is possible to gather sensitive information about the web application such as usernames, passwords, machine name and/or sensitive file locations It is possible to persuade a naive user to supply sensitive information such as username, password, credit card number, social security number etc.
Cause:	Insecure web application programming or configuration
Fix:	Configure Content-Security-Policy with proper values

Difference:

Reasoning: Missing require-trusted-types-for 'script'

Test Requests and Responses:

```
GET /apps/default.htm HTTP/1.1
Cookie: Culture=en;
TS01f9e613=01d93dcb0353b72dca4fccc7bd3ecc60d66ad160acd136950d09a733cf354bbe7d3d0ec5d3069ab7e6a06df55075072dc8d913bdb1
Accept-Language: en-US
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Referer: https://uat1.apps.tbs-sct.gc.ca/apps/?v=zg2MlsSqvmHJM0WAjtbQ6NOn9OZis57oiynRz5Q6ZaY
Host: uat1.apps.tbs-sct.gc.ca
User-Agent: Mozilla/5.0 (Windows NT 6.2; WOW64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/100.0.4896.127 Safari/537.36
Content-Length: 0
```

```
HTTP/1.1 200 OK
Content-Length: 7401
Content-Type: text/html
Date: Wed, 07 Oct 2026 16:07:54 GMT
Accept-Ranges: bytes
Access-Control-Allow-Headers: Origin, X-Requested-With, Content-Type, Accept
Access-Control-Allow-Methods: GET,PUT,POST,OPTIONS
Access-Control-Allow-Origin: https://www.youtube.com
Cache-Control: no-cache, no-store, must-revalidate, pre-check=0, post-check=0, max-age=0, s-maxage=0
ETag: "0fa2cb1e4e8d51:0"
Last-Modified: Fri, 21 Feb 2020 18:28:20 GMT
Pragma: no-cache
Strict-Transport-Security: max-age=31536000; includeSubDomains
Arr-Disable-Session-Affinity: true
X-Frame-Options: SAMEORIGIN
X-Original-Host: uat1.apps.tbs-sct.gc.ca
X-Content-Type-Options: nosniff
X-XSS-Protection: 1; mode=block
Content-Security-Policy: frame-ancestors https://uat1.apps.tbs-sct.gc.ca /
Public-Key-Pins: pin-sha256="K5cLRLJx5XMmt3FZ4juyw6w77/ZS+AP52Q/mK+UO3P0="; pin-
sha256="CzdPous1hY3sIkO55pUH7vklXyIHVZAl/UnprSQvpEI="; pin-sha256="ntPCN1f+CZzlQhaIE331czBRcAjdmi504yTaH4mK2Gw="; max-
age=2592000; report-uri="https://domain.com/report"

<!DOCTYPE html>

<html lang="en" xmlns="http://www.w3.org/1999/xhtml">
<head>
    <meta charset="utf-8" />
    <title>CBA Links</title>
    <link href="default/bootstrap/css/bootstrap.min.css" rel="stylesheet">
    <link href="default/bootstrap/css/bootstrap-theme.min.css" rel="stylesheet">
    <link href="default/bootstrap/css/app.css" rel="stylesheet">
</head>
<body style="height: 100%;">
    <header id="top" class="navbar navbar-static-top navbar-default" role="banner">
        <div class="container">
          <div class="navbar-header">
          <button class="navbar-toggle" type="button" data-toggle="collapse" data-target=".bs-navbar-collapse">
          <span class="sr-only">Toggle navigation</span>
          <span class="icon-bar"></span>
          <span class="icon-bar"></span>
          <span class="icon-bar"></span>
          </button>
          <a class="navbar-brand" href="default.htm">CBA Links</a>
          </div>
          <nav class="collapse navbar-collapse bs-navbar-collapse" role="navigation">
          <ul class="nav navbar-nav" role="tablist">
          <li class="active"><a href="#work-applications" role="tab" data-toggle="tab">Applications</a></li>
          <li><a href="#work-tools" role="tab" data-toggle="tab">Tools</a></li>
          <li><a href="#work-websites" role="tab" data-toggle="tab">Websites</a></li>
          </ul>
          <form class="navbar-form navbar-right visible-md visible-lg" role="search">
          <input type="text" class="form-control" id="search" placeholder="Search">
          </form>
          </nav>
        </div>
    </header>
    <div id="content">
        <div class="container">
          <div class="row">
          <div class="col-md-12">
          <div class="tab-content">
          <div class="tab-pane active" id="work-applications"></div>
          <div class="tab-pane" id="work-websites"></div>
          <div class="tab-pane" id="work-tools"></div>
          </div>
          <div class="btn-group">
          <button class="btn btn-default" onclick="$('div.collapse').collapse('show');">Expand All</button>
          <button class="btn btn-default" onclick="$('div.collapse').collapse('hide');">Collapse All</button>
          </div>
     <div class="panel panel-small panel-success mrgn-tp-md">
      <div class="panel-heading">
       <h5 class="panel-title"><a data-toggle="collapse" href="#version-info" style="display: block;">Version info: (v<span
id="version-number"></span>)<span class="glyphicon glyphicon-chevron-down pull-right"></span></a></h5>
      </div>
      <div class="panel-collapse collapse" id="version-info">
          <div class="panel-body">
          <p>v1.1.0: Moved the JSON object array outside of the default.js into their own JSON files.</p>
          <p>v0.1.1: You can now search by the applications' "title" properties (e.g. searching for "MAF" or "management
```

```
accountability framework" will highlight the "MAF5" & "MAF6" elements).</p>

...
...
...
```

L Web Application Source Code Disclosure Pattern Found 1

TOC

Issue 1 of 1

TOC

Web Application Source Code Disclosure Pattern Found

Severity:	Low
Status:	Open
CVSS 3.1 Vector:	AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:N/A:N
CVSS 3.1 Score:	3.7
CVSS 4.0 Vector:	AV:N/AC:H/AT:N/PR:N/UI:N/VC:L/VI:N/VA:N/SC:N/SI:N/SA:N/E:X
CVSS 4.0 Score:	6.3
URL:	https://uat1.apps.tbs-sct.gc.ca/gcfoundation/_content/GCFoundation.Components/lib/prism/js/prism.js
Entity:	prism.js (Page)
Risk:	It is possible to retrieve the source code of server-side scripts, which may expose the application logic and other sensitive information such as usernames and passwords
Cause:	Temporary files were left in production environment Latest patches or hotfixes for 3rd. party products were not installed Debugging information was left by the programmer in web pages
Fix:	Remove source code files from your web-server and apply any relevant patches

Difference:

Reasoning: The response contains source code of script files, which may expose sensitive information about the site and the application logic.

Test Requests and Responses:

```
GET /gcfoundation/_content/GCFoundation.Components/lib/prism/js/prism.js?v=zg2MlsSqvmHJM0WAjtbQ6NOn9OZis57oiynRz5Q6ZaY
HTTP/1.1
Accept-Language: en-US
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Referer: https://uat1.apps.tbs-sct.gc.ca/gcfoundation/en/home
Host: uat1.apps.tbs-sct.gc.ca
User-Agent: Mozilla/5.0 (Windows NT 6.2; WOW64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/100.0.4896.127 Safari/537.36
Cookie: Culture=en;
TS01f9e613=01d93dcb0387661b857309196ce96e6ec89ffa8e10f5589b3e645725f4af621448361f05274ea429ba0189a113281853fbd88601a60ddd43c
4d57a3063149ad38664dbe8c1
Content-Length: 0


...
...
...=g.src,g.hasAttribute("data-manual")&&(a.manual=!0)),!a.manual){var
h=document.readyState;"loading"===h||"interactive"===h&&g&&g.defer?
document.addEventListener("DOMContentLoaded",f):window.requestAnimationFrame?
window.requestAnimationFrame(f):window.setTimeout(f,16)}return a}(_self);"undefined"!=typeof module&&module.exports&&
(module.exports=Prism),"undefined"!=typeof global&&(global.Prism=Prism);
Prism.languages.markup={comment:{pattern:/<!--(?:(?!<!--)[\s\S])*?-->/,greedy:!0},prolog:{pattern:/<\?[\s\S]+?\?
>/,greedy:!0},doctype:{pattern:/<!DOCTYPE(?:[^>"'[\]]|"[^"]*"|'[^']*')+(?:\[(?:[^<"'\]]|"[^"]*"|'[^']*'|<(?!!--)|<!--(?:[^-
]|-(?!->))*-->)*\]\s*)?>/i,greedy:!0,inside:{"internal-subset":{pattern:/(^[^\[]*\[)[\s\S]+(?
=\]>$)/,lookbehind:!0,greedy:!0,inside:null},string:{pattern:/"[^"]*"|'[^']*'/,greedy:!0},punctuation:/^<!|>$|
[[\]]/,"doctype-tag":/^DOCTYPE/i,name:/[^\s<>'"]+/}},cdata:{pattern:/<!\[CDATA\[[\s\S]*?\]\]>/i,greedy:!0},tag:
{pattern:/<\/?(?!\d)[^\s>\/=$<%]+(?:\s(?:\s*[^\s>\/=]+(?:\s*=\s*(?:"[^"]*"|'[^']*'|[^\s'">=]+(?=[\s>]))|(?=[\s/>])))+)?
\s*\/?>/,greedy:!0,inside:{tag:{pattern:/^<\/?[^\s>\/]+/,inside:{punctuation:/^<\/?/,namespace:/^[^\s>\/:]+:/}},"special-
attr":[],"attr-value":{pattern:/=\s*(?:"[^"]*"|'[^']*'|[^\s'">=]+)/,inside:{punctuation:[{pattern:/^=/,alias:"attr-equals"},
```

```
{pattern:/^(\s*)["']|["']$/,lookbehind:!0}]}},punctuation:/\/?>/,"attr-name":{pattern:/[^\s>\/]+/,inside:
{namespace:/^[^\s>\/:]+:/}}}},entity:[{pattern:/&[\da-z]{1,8};/i,alias:"named-entity"},/&#x?[\da-f]
{1,8};/i]},Prism.languages.markup.tag.inside["attr-
value"].inside.entity=Prism.languages.markup.entity,Prism.languages.markup.doctype.inside["internal-
subset"].inside=Prism.languages.markup,Prism.hooks.add("wrap",(function(a){"entity"===a.type&&
(a.attributes.title=a.content.replace(/&amp;/,"&"))})),Object.defineProperty(Prism.languages.markup.tag,"addInlined",
{value:function(a,e){var s={};s["language-"+e]={pattern
...
...
...
)",[E]),2),Z=n("\\{(?!\\{)(?:(?![}:])<<0>>)*<<1>>?\\}",[U,A]);function q(n,a){return{interpolation:{pattern:s("((?:^|[^{])
(?:\\{\\{)*)<<0>>",[n]),lookbehind:!0,inside:{"format-string":{pattern:s("(^\\{(?:(?![}:])<<0>>)*)<<1>>(?=\\}$)",
[a,A]),lookbehind:!0,inside:{punctuation:/^:/}},punctuation:/^\{|\}$/,expression:{pattern:/[\s\S]+/,alias:"language-
csharp",inside:e.languages.csharp}}},string:/[\s\S]+/}}e.languages.insertBefore("csharp","string",{"interpolation-string":
[{pattern:s('(^|[^\\])(?:\\$@|@\\$)"(?:""|\\\\[^]|\\{\\{|<<0>>|[^\\\\{"])*"',[P]),lookbehind:!0,greedy:!0,inside:q(P,F)},
{pattern:s('(^|[^@\\])\\$"(?:\\\\.|\\{\\{|<<0>>|[^\\\\"{])*"',[Z]),lookbehind:!0,greedy:!0,inside:q(Z,U)}],char:
{pattern:RegExp(_),greedy:!0}}),e.languages.dotnet=e.languages.cs=e.languages.csharp}(Prism);
Prism.languages.aspnet=Prism.languages.extend("markup",{"page-directive":{pattern:/<%\s*@.*%>/,alias:"tag",inside:{"page-
directive":{pattern:/<%\s*@\s*(?:Assembly|Control|Implements|Import|Master(?:Type)?
|OutputCache|Page|PreviousPageType|Reference|Register)?
|%>/i,alias:"tag"},rest:Prism.languages.markup.tag.inside}},directive:{pattern:/<%.*%>/,alias:"tag",inside:{directive:
{pattern:/<%\s*?[$=%#:]{0,2}|%>/,alias:"tag"},rest:Prism.languages.csharp}}}),Prism.languages.aspnet.tag.pattern=/<(?!%)\/?
[^\s>\/]+(?:\s+[^\s>\/=]+(?:=(?:("|')(?:\\[\s\S]|(?!\1)[^\\])*\1|[^\s'">=]+))?)*\s*\/?
>/,Prism.languages.insertBefore("inside","punctuation",
{directive:Prism.languages.aspnet.directive},Prism.languages.aspnet.tag.inside["attr-
value"]),Prism.languages.insertBefore("aspnet","comment",{"asp-comment":{pattern:/<%--[\s\S]*?--%>/,alias:
["asp","comment"]}}),Prism.languages.insertBefore("aspnet",Prism.languages.javascript?"script":"tag",{"asp-script":
{pattern:/(<script(?=.*runat=['"]?server\b)[^>]*>)[\s\S]*?(?=<\/script>)/i,lookbehind:!0,alias:
["asp","script"],inside:Prism.languages.csharp||{}}});
!function(e){function s(e,s){for(var a=0;a<s;a++)e=e.replace(/<self>/g,(function(){return"(?:"+e+")"}));return
e.replace(/<self>/g,"[^\\s\\S]").replace(/<str>/g,'(?:@(?!")|"(?:[^\r\n\\\\"]|\\\\.)*"|@"(?:[^\\\\"]|""|\\\\[^])*"
(?!")|\'(?:(?:[^\r\n\'\\\\]|\\\\.|\\\\[Uux][\\da-fA-F]{1,8})\'|(?=[^\\\\](?!\'))))').replace(/<comment>/g,"(?:/(?![/*])|//.*
[\r\n]|/\\*[^*]*(?:\\*(?!/)[^*]*)*\\*/)")}var a=s("\\((?:[^()'\"@/]|<str>|<comment>|<self>)*\\)",2),t=s("\\[(?:[^\\
[\\]'\"@/]|<str>|<comment>|<self>)*\\]",1),r=s("\\{(?:[^{}'\"@/]|<str>|<comment>|<self>)*\\}",2),n="@(?:await\\b\\s*)?(?:
(?!await\\b)\\w+\\b|"+a+")(?:[?!]?\\.\\w+\\b|(?:"+s("<(?:[^<>'\"@/]|<comment>|<self>)*>",1)+")?"+a+"|"+t+")*(?![?!\\.(\\[]|
<(?!/))",l="(?:\"[^\"@]*\"|'[^'@]*'|[^\\s'\"@>=]+(?=[\\s>])|[\"'][^\"'@]*(?:(?:@(?![\\w()])|"+n+")[^\"'@]*)+[\"'])",i="
(?:\\s(?:\\s*[^\\s>/=]+(?:\\s*=\\s*<tagAttrValue>|(?=[\\s/>])))+)?".replace(/<tagAttrValue>/,l),g="(?!\\d)
[^\\s>/=$<%]+"+i+"\\s*/?>",o="\\B@?(?:<([a-zA-Z][\\w:]*)"+i+"\\s*>(?:[^<]|</?(?!\\1\\b)"+g+"|"+s("<\\1"+i+"\\s*>(?:[^<]|</?
(?!\\1\\b)"+g+"|<self>)*</\\1\\s*>",2)+")*</\\1\\s*>|<"+g+")";e.languages.cshtml=e.languages.extend("markup",{});var c=
{pattern:/\S[\s\S]*/,alias:"language-csharp",inside:e.languages.insertBefore("csharp","string",{html:
{pattern:RegExp(o),greedy:!0,inside:e.languages.cshtml}},{csharp:e.languages.extend("csharp",{})})},p={pattern:RegExp("(^|
[^@])"+n),lookbehind:!0,greedy:!0,alias:"variable",inside:{keyword:/^@/,csharp:c}};e.languages.cshtml.tag.pattern=RegExp("
</?"+g),e.languages.cshtml.tag.inside["attr-
value"].pattern=RegExp("=\\s*"+l),e.languages.insertBefore("inside","punctuation",
{value:p},e.languages.cshtml.tag.inside["attr-value"]),e.languages.insertBefore("cshtml","prolog",{"razor-comment":
{pattern:/@\*[\s\S]*?\*@/,greedy:!0,alias:"comment"},block:{pattern:RegExp("(^|[^@])@(?:"+[r,"(?:code|functions)\\s*"+r,"
(?:for|foreach|l
...
...
...
```

Issue 1 of 1

TOC

Client-Side (JavaScript) Cookie References

Severity:	Informational
Status:	Open
CVSS 3.1 Vector:	AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:N
CVSS 3.1 Score:	0.0
CVSS 4.0 Vector:	AV:N/AC:L/AT:N/PR:N/UI:N/VC:N/VI:N/VA:N/SC:N/SI:N/SA:N/E:X
CVSS 4.0 Score:	0
URL:	https://uat1.apps.tbs-sct.gc.ca/gcfoundation/en/home
Entity:	!function(T,l,y){var S=T.location,k="script",D="instrumentationKey",C="ingestionendpoint",I="disable... (Page)
Risk:	The worst case scenario for this attack depends on the context and role of the cookies that are created at the client side
Cause:	Cookies are created at the client side
Fix:	Remove business and security logic from the client side

Difference:

Reasoning: AppScan found a reference to cookies in the JavaScript.

Test Requests and Responses:

```
GET /gcfoundation/en/home HTTP/1.1
Host: uat1.apps.tbs-sct.gc.ca
Connection: keep-alive
sec-ch-ua: "Chromium";v="149", "Not)A;Brand";v="24"
sec-ch-ua-mobile: ?0
sec-ch-ua-platform: "Windows"
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/149.0.0.0
Safari/537.36
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=0.8,application/signed-
exchange;v=b3;q=0.7
Sec-Fetch-Site: none
Sec-Fetch-Mode: navigate
Sec-Fetch-User: ?1
Sec-Fetch-Dest: document
Accept-Language: en-US
Content-Length: 0


HTTP/1.1 200 OK
Content-Type: text/html; charset=utf-8
Date: Wed, 07 Oct 2026 15:56:08 GMT
Access-Control-Allow-Headers: Origin, X-Requested-With, Content-Type, Accept
Access-Control-Allow-Methods: GET,PUT,POST,OPTIONS
Access-Control-Allow-Origin: https://www.youtube.com
Cache-Control: no-store, no-cache, must-revalidate, proxy-revalidate,no-cache, no-store, must-revalidate, pre-check=0, post-
check=0, max-age=0, s-maxage=0
Pragma: no-cache
Strict-Transport-Security: max-age=31536000; includeSubDomains
Request-Context: appId=cid-v1:d9502e2c-6169-4a5a-8581-4dac5503c92f
Content-Security-Policy: default-src 'none'; script-src 'self' cdn.design-system.canada.ca https://assets.adobedtm.com
https://cdn.jsdelivr.net 'nonce-DLT683qijvQegi1rvsa+Yw=='; object-src 'none'; style-src 'self' cdn.design-system.canada.ca
cdnjs.cloudflare.com https://cdn.jsdelivr.net https://fonts.googleapis.com 'nonce-DLT683qijvQegi1rvsa+Yw=='; font-src 'self'
cdnjs.cloudflare.com cdn.design-system.canada.ca https://fonts.gstatic.com; connect-src 'self' https://canada.sc.omtrdc.net
https://dpm.demdex.net http://localhost:* https://localhost:* ws://localhost:* wss://localhost:* https://cdn.design-
system.canada.ca https://cdn.design-system.alpha.canada.ca; img-src 'self' https://canada.sc.omtrdc.net
```

```
https://cm.everesttech.net data:; frame-src 'self' https://canada.demdex.net; frame-ancestors 'none'; upgrade-insecure-
requests;
Content-Security-Policy: frame-ancestors https://uat1.apps.tbs-sct.gc.ca /
X-XSS-Protection: 1; mode=block
X-XSS-Protection: 1; mode=block
X-Content-Type-Options: nosniff
X-Content-Type-Options: nosniff
Referrer-Policy: strict-origin-when-cross-origin
Permissions-Policy: geolocation=(), microphone=(), camera=()
Expect-CT: max-age=86400, enforce
Cross-Origin-Opener-Policy: same-origin
Cross-Origin-Resource-Policy: same-origin
Cross-Origin-Embedder-Policy: credentialless
X-Session-Timeout: 2
X-Session-Reminder: 1
Arr-Disable-Session-Affinity: true
X-Frame-Options: SAMEORIGIN
X-Original-Host: uat1.apps.tbs-sct.gc.ca
Public-Key-Pins: pin-sha256="K5cLRLJx5XMmt3FZ4juyw6w77/ZS+AP52Q/mK+UO3P0="; pin-
sha256="CzdPous1hY3sIkO55pUH7vklXyIHVZAl/UnprSQvpEI="; pin-sha256="ntPCN1f+CZzlQhaIE331czBRcAjdmi504yTaH4mK2Gw="; max-
age=2592000; report-uri="https://domain.com/report"
Transfer-Encoding: chunked
Set-Cookie: Culture=en; expires=Thu, 08 Oct 2026 15:56:08 GMT; path=/; secure; samesite=strict; httponly
Set-Cookie:
TS01f9e613=01d93dcb03fdc7ae5bf04a7c304324faaf2ab421aff5de6da85f29d52c2ae7bd8b0ce7570041bf1a2cbec3f7fb7ebbca701745a6906ad6e3c
0d26c3ce2eaca8aee33ff1343; Path=/; Domain=.uat-infositeapps-backend.tbs-sct.ca; Secure; HttpOnly



<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="utf-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <meta name="csp-nonce" content="DLT683qijvQegi1rvsa&#x2B;Yw==" />

 <meta name="description" content="GCFoundation - A comprehensive foundation for developing Government of Canada
applications">
 <meta name="keywords" content="GC Design System, FDCP, Government of Canada, ASP.NET Core">
 <meta name="author" content="TBS-SCT">
 <meta name="robots" content="index, follow">
 <meta property="og:title" content="GCFoundation">
 <meta property="og:description" content="A comprehensive foundation for developing Government of Canada applications">
 <meta property="og:type" content="website">


    <title>Build GC web applications with confidence - GCFoundation</title>

 <link rel="preconnect" href="https://fonts.googleapis.com">
 <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
 <link href="https://fonts.googleapis.com/css2?
family=Lato:ital,wght@0,400;0,700;1,400;1,700&family=Noto+Sans:ital,wght@0,300;0,400;0,500;0,600;0,700;1,300;1,400;1,500;1,6
00;1,700&family=Noto+Sans+Mono:wght@100..900&display=swap" rel="stylesheet">
 <link rel="dns-prefetch" href="https://cdn.design-system.canada.ca">

    <link href="/gcfoundation/_content/GCFoundation.Components/images/favicon.ico" rel="icon" type="image/x-icon">

        <link rel="stylesheet" href="https://cdn.design-system.canada.ca/@gcds-core/components@1.3.1/dist/gcds/gcds.css"
nonce="DLT683qijvQegi1rvsa&#x2B;Yw==" />
        <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs
...
...
...
```

I Missing "Referrer policy" Security Header 1 TOC

Issue 1 of 1

TOC

Missing "Referrer policy" Security Header

Severity:	Informational
Status:	Open
CVSS 3.1 Vector:	AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:N/E:X/RL:O/RC:C
CVSS 3.1 Score:	0.0
CVSS 4.0 Vector:	AV:N/AC:L/AT:N/PR:N/UI:N/VC:N/VI:N/VA:N/SC:N/SI:N/SA:N/E:X
CVSS 4.0 Score:	0
URL:	https://uat1.apps.tbs-sct.gc.ca/
Entity:	uat1.apps.tbs-sct.gc.ca (Page)
Risk:	It is possible to gather sensitive information about the web application such as usernames, passwords, machine name and/or sensitive file locations It is possible to persuade a naive user to supply sensitive information such as username, password, credit card number, social security number etc.
Cause:	Insecure web application programming or configuration
Fix:	Config your server to use the "Referrer Policy" header with secure policies

Difference:

Reasoning: AppScan detected that the Referrer Policy Response header is missing or with an insecure policy, which increases exposure to various cross-site injection attacks

Test Requests and Responses:

```
GET /apps/?v=zg2MlsSqvmHJM0WAjtbQ6NOn9OZis57oiynRz5Q6ZaY HTTP/1.1
Host: uat1.apps.tbs-sct.gc.ca
Connection: keep-alive
sec-ch-ua-platform: "Windows"
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/149.0.0.0
Safari/537.36
sec-ch-ua: "Chromium";v="149", "Not)A;Brand";v="24"
sec-ch-ua-mobile: ?0
Accept: */*
Sec-Fetch-Site: same-origin
Sec-Fetch-Mode: no-cors
Sec-Fetch-Dest: script
Referer: https://uat1.apps.tbs-sct.gc.ca/gcfoundation/en/home
Accept-Language: en-US
Content-Length: 0
Cookie: Culture=en


HTTP/1.1 200 OK
Content-Length: 7401
Content-Type: text/html
Date: Wed, 07 Oct 2026 16:07:50 GMT
Accept-Ranges: bytes
Access-Control-Allow-Headers: Origin, X-Requested-With, Content-Type, Accept
Access-Control-Allow-Methods: GET,PUT,POST,OPTIONS
Access-Control-Allow-Origin: https://www.youtube.com
Cache-Control: no-cache, no-store, must-revalidate, pre-check=0, post-check=0, max-age=0, s-maxage=0
ETag: "0fa2cb1e4e8d51:0"
Last-Modified: Fri, 21 Feb 2020 18:28:20 GMT
Pragma: no-cache
Strict-Transport-Security: max-age=31536000; includeSubDomains
Arr-Disable-Session-Affinity: true
X-Frame-Options: SAMEORIGIN
X-Original-Host: uat1.apps.tbs-sct.gc.ca
X-Content-Type-Options: nosniff
X-XSS-Protection: 1; mode=block
Content-Security-Policy: frame-ancestors https://uat1.apps.tbs-sct.gc.ca /
Public-Key-Pins: pin-sha256="K5cLRLJx5XMmt3FZ4juyw6w77/ZS+AP52Q/mK+UO3P0="; pin-
sha256="CzdPous1hY3sIkO55pUH7vklXyIHVZAl/UnprSQvpEI="; pin-sha256="ntPCN1f+CZzlQhaIE331czBRcAjdmi504yTaH4mK2Gw="; max-
age=2592000; report-uri="https://domain.com/report"
Set-Cookie:
TS01f9e613=01d93dcb0353b72dca4fccc7bd3ecc60d66ad160acd136950d09a733cf354bbe7d3d0ec5d3069ab7e6a06df55075072dc8d913bdb1;
Path=/; Domain=.uat-infositeapps-backend.tbs-sct.ca; Secure; HttpOnly

<!DOCTYPE html>

<html lang="en" xmlns="http://www.w3.org/1999/xhtml">
<head>
    <meta charset="utf-8" />
```

```
    <title>CBA Links</title>
    <link href="default/bootstrap/css/bootstrap.min.css" rel="stylesheet">
    <link href="default/bootstrap/css/bootstrap-theme.min.css" rel="stylesheet">
    <link href="default/bootstrap/css/app.css" rel="stylesheet">
</head>
<body style="height: 100%;">
    <header id="top" class="navbar navbar-static-top navbar-default" role="banner">
        <div class="container">
          <div class="navbar-header">
          <button class="navbar-toggle" type="button" data-toggle="collapse" data-target=".bs-navbar-collapse">
          <span class="sr-only">Toggle navigation</span>
          <span class="icon-bar"></span>
          <span class="icon-bar"></span>
          <span class="icon-bar"></span>
          </button>
          <a class="navbar-brand" href="default.htm">CBA Links</a>
          </div>
          <nav class="collapse navbar-collapse bs-navbar-collapse" role="navigation">
          <ul class="nav navbar-nav" role="tablist">
          <li class="active"><a href="#work-applications" role="tab" data-toggle="tab">Applications</a></li>
          <li><a href="#work-tools" role="tab" data-toggle="tab">Tools</a></li>
          <li><a href="#work-websites" role="tab" data-toggle="tab">Websites</a></li>
          </ul>
          <form class="navbar-form navbar-right visible-md visible-lg" role="search">
          <input type="text" class="form-control" id="search" placeholder="Search">
          </form>
          </nav>
        </div>
    </header>
    <div id="content">
        <div class="container">
          <div class="row">
          <div class="col-md-12">
          <div class="tab-content">
          <div class="tab-pane active" id="work-applications"></div>
          <div class="tab-pane" id="work-websites"></div>
          <div class="tab-pane" id="work-tools"></div>
          </div>
          <div class="btn-group">
          <button class="btn btn-default" onclick="$('div.collapse').collapse('show');">Expand All</button>
          <button class="btn btn-default" onclick="$('div.collapse').collapse('hide');">Collapse All</button>
          </div>
     <div class="panel panel-small panel-success mrgn-tp-md">
      <div class="panel-heading">
       <h5 class="panel-title"><a data-toggle="collapse" href="#version-info" style="display: block;">Version info: (v<span
id="version-number"></span>)<span class="glyphicon glyphicon-chevron-down pull-right"></span></a></h5>
      </div>
      <div class="panel-collapse collapse" id="version-info">
          <div class="panel-body">
          <p>v1.1.0: Moved the JSON object array outside of the default.js into their own JSON files.</p>
          <p>v0.1.1
...
...
...
```

I Non-Quantum-Resistant Cipher Suite[s] Detected 1 TOC

Issue 1 of 1

TOC

Non-Quantum-Resistant Cipher Suite[s] Detected

Severity:	Informational
Status:	Open
CVSS 3.1 Vector:	AV:N/AC:H/PR:N/UI:N/S:U/C:N/I:N/A:N
CVSS 3.1 Score:	0.0
CVSS 4.0 Vector:	AV:N/AC:H/AT:N/PR:N/UI:N/VC:N/VI:N/VA:N/SC:N/SI:N/SA:N/E:X
CVSS 4.0 Score:	0
URL:	https://uat1.apps.tbs-sct.gc.ca/gcfoundation/_content/GCFoundation.Components/lib/prism/js/prism.js
Entity:	uat1.apps.tbs-sct.gc.ca (Page)
Risk:	Hackers can store your encrypted data today and decrypt it all once quantum computers become powerful enough, retroactively exposing sensitive details.
Cause:	The web server or application server are configured in an insecure way
Fix:	Upgrade your server's TLS configuration to include quantum-resistant cipher suites

Difference:

Reasoning: AppScan determined that the site uses non-quantum-resistant cipher suites by successfully creating TLS connections using each of the cipher suites listed here.

Test Requests and Responses:

```
GET /gcfoundation/_content/GCFoundation.Components/lib/prism/js/prism.js?v=zg2MlsSqvmHJM0WAjtbQ6NOn9OZis57oiynRz5Q6ZaY
HTTP/1.1
Host: uat1.apps.tbs-sct.gc.ca
Connection: keep-alive
sec-ch-ua-platform: "Windows"
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/149.0.0.0
Safari/537.36
sec-ch-ua: "Chromium";v="149", "Not)A;Brand";v="24"
sec-ch-ua-mobile: ?0
Accept: */*
Sec-Fetch-Site: same-origin
Sec-Fetch-Mode: no-cors
Sec-Fetch-Dest: script
Referer: https://uat1.apps.tbs-sct.gc.ca/gcfoundation/en/home
Accept-Language: en-US
Cookie: Culture=en
Content-Length: 0


HTTP/1.1 200 OK
Content-Length: 26881
Content-Type: text/javascript
Date: Wed, 07 Oct 2026 15:46:13 GMT
Accept-Ranges: bytes
Access-Control-Allow-Headers: Origin, X-Requested-With, Content-Type, Accept
Access-Control-Allow-Methods: GET,PUT,POST,OPTIONS
Access-Control-Allow-Origin: https://www.youtube.com
Cache-Control: no-store, no-cache, must-revalidate, proxy-revalidate,no-cache, no-store, must-revalidate, pre-check=0, post-
check=0, max-age=0, s-maxage=0
ETag: "1dd34bd309c3401"
Last-Modified: Tue, 25 Aug 2026 18:11:46 GMT
Pragma: no-cache
Strict-Transport-Security: max-age=31536000; includeSubDomains
Request-Context: appId=cid-v1:d9502e2c-6169-4a5a-8581-4dac5503c92f
Content-Security-Policy: default-src 'none'; script-src 'self' cdn.design-system.canada.ca https://assets.adobedtm.com
https://cdn.jsdelivr.net 'nonce-A3UBQsYtHKhKnZZUdyxGcw=='; object-src 'none'; style-src 'self' cdn.design-system.canada.ca
cdnjs.cloudflare.com https://cdn.jsdelivr.net https://fonts.googleapis.com 'nonce-A3UBQsYtHKhKnZZUdyxGcw=='; font-src 'self'
cdnjs.cloudflare.com cdn.design-system.canada.ca https://fonts.gstatic.com; connect-src 'self' https://canada.sc.omtrdc.net
https://dpm.demdex.net http://localhost:* https://localhost:* ws://localhost:* wss://localhost:* https://cdn.design-
system.canada.ca https://cdn.design-system.alpha.canada.ca; img-src 'self' https://canada.sc.omtrdc.net
https://cm.everesttech.net data:; frame-src 'self' https://canada.demdex.net; frame-ancestors 'none'; upgrade-insecure-
requests;
Content-Security-Policy: frame-ancestors https://uat1.apps.tbs-sct.gc.ca /
X-XSS-Protection: 1; mode=block
X-XSS-Protection: 1; mode=block
X-Content-Type-Options: nosniff
X-Content-Type-Options: nosniff
Referrer-Policy: strict-origin-when-cross-origin
Permissions-Policy: geolocation=(), microphone=(), camera=()
Expect-CT: max-age=86400, enforce
Cross-Origin-Opener-Policy: same-origin
```

```
Cross-Origin-Resource-Policy: same-origin
Cross-Origin-Embedder-Policy: credentialless
X-Session-Timeout: 2
X-Session-Reminder: 1
Arr-Disable-Session-Affinity: true
X-Frame-Options: SAMEORIGIN
X-Original-Host: uat1.apps.tbs-sct.gc.ca
Public-Key-Pins: pin-sha256="K5cLRLJx5XMmt3FZ4juyw6w77/ZS+AP52Q/mK+UO3P0="; pin-
sha256="CzdPous1hY3sIkO55pUH7vklXyIHVZAl/UnprSQvpEI="; pin-sha256="ntPCN1f+CZzlQhaIE331czBRcAjdmi504yTaH4mK2Gw="; max-
age=2592000; report-uri="https://domain.com/report"
Set-Cookie:
TS01f9e613=01d93dcb0305fe9a6524a45d5dafe37c51dc39914481e1383b96770cb302dddc7698a0fcc22695bf1e86ce1eb399326ffa3d2097a4;
Path=/; Domain=.uat-infositeapps-backend.tbs-sct.ca; Secure; HttpOnly

/* PrismJS 1.30.0
https://prismjs.com/download.html#themes=prism-twilight&languages=markup+css+clike+javascript+aspnet+csharp+cshtml */
var _self="undefined"!=typeof window?window:"undefined"!=typeof WorkerGlobalScope&&self instanceof WorkerGlobalScope?self:
{},Prism=function(e){var n=/(?:^|\s)lang(?:uage)?-([\w-]+)(?=\s|$)/i,t=0,r={},a=
{manual:e.Prism&&e.Prism.manual,disableWorkerMessageHandler:e.Prism&&e.Prism.disableWorkerMessageHandler,util:
{encode:function e(n){return n instanceof i?new i(n.type,e(n.content),n.alias):Array.isArray(n)?
n.map(e):n.replace(/&/g,"&amp;").replace(/</g,"&lt;").replace(/\u00a0/g," ")},type:function(e){return
Object.prototype.toString.call(e).slice(8,-1)},objId:function(e){return e.__id||Object.defineProperty(e,"__id",
{value:++t}),e.__id},clone:function e(n,t){var r,i;switch(t=t||{},a.util.type(n))
{case"Object":if(i=a.util.objId(n),t[i])return t[i];for(var l in r={},t[i]=r,n)n.hasOwnProperty(l)&&(r[l]=e(n[l],t));return
r;case"Array":return i=a.util.objId(n),t[i]?t[i]:(r=[],t[i]=r,n.forEach((function(n,a){r[a]=e(n,t)})),r);default:return
n}},getLanguage:function(e){for(;e;){var t=n.exec(e.className);if(t)return
t[1].toLowerCase();e=e.parentElement}return"none"},setLanguage:function(e,t)
{e.className=e.className.replace(RegExp(n,"gi"),""),e.classList.add("language-"+t)},currentScript:function()
{if("undefined"==typeof document)return null;if(document.currentScript&&"SCRIPT"===document.currentScript.tagName)return
document.currentScript;try{throw new Error}catch(r){var e=(/at [^(\r\n]*\((.*):[^:]+:[^:]+\)$/i.exec(r.stack)||[])[1];if(e)
{var n=document.getElementsByTagName("script");for(var t in n)if(n[t].src==e)return n[t]}return
null}},isActive:function(e,n,t){for(var r="no-"+n;
...
...
...
```

Check whether the site uses the cipher suites listed here.

The following weak cipher suites are supported by the server:

Id	Name	SSL Version
49200	TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384	TLS 1.2
49199	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256	TLS 1.2

How to Fix

Required directives missing from the CSP

TOC

Cause:

Insecure web application programming or configuration

Risk:

The "Content-Security-Policy" header is designed to modify the way browsers render pages, and thus to protect from various cross-site injections, including Cross-Site Scripting. It is important to set the header value correctly, in a way that will not prevent proper operation of the web site.
Missing essential directives can leave a site vulnerable, as a result, attack vectors like XSS could be exploited.

Affected Products:

This issue may affect different types of products

Fix Recommendation:

General

One or more of the following directives are missing: script-src, object-src, base-uri. Add the missing directive[s] to your CSP to mitigate injection risks.
object-src should be set to 'none', base-uri should be set to 'none' or 'self'.

CWE:

1032
79
693
830
1021

External References:

MDN web docs - Content-Security-Policy

Check for SRI (Subresource Integrity) support

TOC

Cause:

Subresource Integrity is not supported.

Risk:

The user-agent doesn't verify scripts from third-party services. If the third-party service is compromised, the user is left unprotected. Scripts and link tags with sources from another domain do not support integrity checks. This vulnerability can be exploited if the service hosting the script is compromised.
Sample Script Element Not Supporting SRI:
<script src="https://example.com/example-framework.js" crossorigin="anonymous"></script>
Sample Script Element Supporting SRI:
<script src="https://example.com/example-framework.js" integrity="sha384-Li9vy3DqF8tnTXuiaAJuML3ky+er10rcgNR/VqsVpcw+ThHmYcwiB1pbOxEbzJr7" crossorigin="anonymous"></script>

Affected Products:

This issue may affect different types of products.

Fix Recommendation:

General

Add Subresource Integrity to every script/link with source not in your domain
W3C Subresource Integrity:
https://www.w3.org/TR/SRI/
SRI Hash Generator:
https://srihash.org
Sample Script Element Not Supporting SRI:
<script src="https://example.com/example-framework.js" crossorigin="anonymous"></script>
Sample Script Element Supporting SRI:
<script src="https://example.com/example-framework.js" integrity="sha384-oqVuAfXRKap7fdgcCY5uykM6+R9GqQ8K/uxy9rx7HNQlGYl1kPzQho1wx4JwY8wC" crossorigin="anonymous"></script>

CWE:

829
669
830
354
345

External References:

Vendor site
Explanation

Cookie with Insecure or Improper or Missing SameSite attribute

TOC

Cause:

Sensitive Cookie with Improper or Insecure or Missing SameSite Attribute

Risk:

Prevent Cookie information leakage by restricting cookies to first-party or same-site context
Attacks can extend to Cross-Site-Request-Forgery (CSRF) attacks if there are no additional protections in place (such as Anti-CSRF tokens).
The SameSite attribute controls how cookies are sent for cross-domain requests.
The attribute may have three values: 'Lax', 'Strict', or 'None'. If 'None' is used, a website may create a cross-domain POST HTTP request to another website, and the browser automatically adds cookies to this request.
This may lead to Cross-Site-Request-Forgery (CSRF) attacks if there are no additional protections in place (such as Anti-CSRF tokens).
Modes and their uses:
'Lax' mode: the cookie will only be sent with a top-level get request.
'Strict' mode; the cookie will not be sent with any cross-site usage even if the user follows a link to another website.
'None' mode: the cookie will be sent with the cross-site requests.
The attribute having: 'Lax' or 'None' must have 'Secure' Flag set and must be transferred over https.
Example - Set-Cookie: key=value; SameSite=Lax;Secure
Setting attribute to 'Strict' is the recommended option.
Example - Set-Cookie: key=value; SameSite=Strict

Affected Products:

This issue may affect different types of products.

Fix Recommendation:

General

[1] Review possible solutions for configuring SameSite Cookie attribute to recommended values.
[2] Restrict Cookies to a first-party or same-site context.
[3] Verify and set the SameSite attribute of your cookie to Strict, to ensure that the cookie will only be sent in a first-party context.
[4] Or, if you want to relax the restrictions of first-party context, then verify and set the SameSite attribute of the cookie to Lax with Secure Flag enabled and transferred over HTTPS.

CWE:

1275
284
923

External References:

WASC Threat Classification: Information Leakage
SameSite Cookies

Missing or insecure Cross-Origin-Embedder-Policy (COEP) header

TOC

Cause:

Insecure web application programming or configuration

Risk:

Embedding cross-origin resources like scripts or images without restrictions makes your site vulnerable to untrusted code execution and side-channel leaks. An attacker can include opaque third-party resources that don't use proper CORS headers, creating security holes even without direct script execution. This attack vector relies on silently pulling in third-party resources that bypass validation.
Without COEP, attackers can embed untrusted resources that bypass CORS enforcement, opening the door to data leaks and breaking cross-origin isolation required for secure APIs.

Affected Products:

This issue may affect different types of products.

Fix Recommendation:

General

Set the header "Cross-Origin-Embedder-Policy: require-corp" to enforce that only CORS-enabled or same-origin resources can be loaded.

CWE:

200

External References:

OWASP Secure Headers Project - COEP

Missing or insecure Cross-Origin-Opener-Policy (COOP) header

TOC

Cause:

Insecure web application programming or configuration

Risk:

Modern browsers allow windows and tabs to interact if they open each other, even when from different origins. This behavior can expose your site to cross-origin side-channel attacks, by allowing malicious sites to share a browsing context with yours. The attack vector involves the attacker opening your site in a new tab or iframe, and using shared references like 'window.opener'.
Without COOP, a malicious site can open your page in a new tab and exploit shared browsing context to perform side-channel attacks, potentially leaking cross-origin data like session tokens or sensitive content.

Affected Products:

This issue may affect different types of products.

Fix Recommendation:

General

Set the header "Cross-Origin-Opener-Policy: same-origin" to ensure your site runs in a separate browsing context group, isolating it from other origins.

CWE:
200

External References:
OWASP Secure Headers Project - COOP

Missing or insecure Cross-Origin-Resource-Policy (CORP) header

TOC

Cause:
Insecure web application programming or configuration

Risk:
Web applications often serve static resources like images, scripts, or APIs that aren't meant to be embedded or reused by other websites. Without protection, a malicious site can embed your resources and extract sensitive data, sometimes using timing attacks or leaking metadata via browser behavior. This happens when resources are not protected and are freely accessible cross-origin.
Without CORP, third-party sites can embed and misuse your private resources, enabling data leaks or piggybacking on authenticated sessions.

Affected Products:
This issue may affect different types of products.

Fix Recommendation:

General

Set the "Cross-Origin-Resource-Policy" header on resources to "same-origin" or "same-site" to prevent unauthorized embedding or reuse by third parties.

CWE:
200

External References:
OWASP Secure Headers Project - CORP

Temporary File Download

TOC

Cause:
Temporary files were left in production environment

Risk:
It is possible to download temporary script files, which can expose the application logic and other sensitive information such as usernames and passwords
Web servers usually associate Common Gateway Interface (CGI) filename extensions, such as .pl, with a handler, such as Perl. When a URL path ends with .pl, the filename designated in the path is sent to Perl for execution; the file contents are not returned to the browser. However, when the script files are edited in place, the editor may save a backup copy of the edited script with a new file extension, such as .bak, .sav, .old, ~, etc. The web server usually does not have a specific handler for these extensions. If the attacker requests one of these files, the file contents are sent directly to the browser.
It is important to remove these temporary files from under the virtual directory, as they may contain sensitive information that was used for debugging purposes, or they may reveal application logic that is different than the current logic, but may still be exploited.

Affected Products:

This issue may affect different types of products.

Fix Recommendation:

General

Do not keep backup/temporary versions of files underneath the virtual web server root. This usually happens when editing these files "in place" by editors. Instead, when updating the site, move or copy the files to a directory outside the virtual root, edit them there, and move (or copy) the files back to the virtual root. Make sure that only the files that are actually in use reside under the virtual root.

CWE:

531
200
668

External References:

WASC Threat Classification: Predictable Resource Location

Vulnerable Component

TOC

Cause:

A vulnerable component is used in the tested application.

Risk:

A vulnerable component may introduce all manners of vulnerabilities into the application

Fix Recommendation:

General

Upgrade to the latest version of the component. If the component has reached its End of Life (EOL), replace the component with a recent supported alternative. We highly recommend contacting the vendor of this product to see if a patch or fix has recently been made available.

CWE:

1395

External References:

CERT coordination center
Common Vulnerabilities and Exposures (CVE)

Hidden Directory Detected

TOC

Cause:

The web server or application server are configured in an insecure way

Risk:

It is possible to retrieve information about the site's file system structure, which may help the attacker to map the web site
The web application has exposed the presence of a directory in the site. Although the directory does not list its content, the information may help an attacker to develop further attacks against the site. For example, by knowing the directory name, an attacker can guess its content type and possibly file names that reside in it, or sub directories under it, and try to access them.
The more sensitive the content is, the more severe this issue may be.

Affected Products:

This issue may affect different types of products.

Fix Recommendation:

General

If the forbidden resource is not required, remove it from the site.
If possible, issue a "404 - Not Found" response status code instead of "403 - Forbidden". This change will obfuscate the presence of the directory in the site, and will prevent the site structure from being exposed.

CWE:

200
497

Query Parameter in SSL Request

TOC

Cause:

Query parameters were passed over SSL, and may contain sensitive information

Risk:

It may be possible to steal sensitive data such as credit card numbers, social security numbers etc. that are sent unencrypted
During the application test, it was detected that a request, which was sent over SSL, contained parameters that were transmitted in the Query part of an HTTP request.
When sending requests, the browser's history can be used to reveal the URLs, which contain the query parameter names and values.
Due to the sensitivity of encrypted requests, it is suggested to use HTTP POST (without parameters in the URL string) when possible, in order to avoid the disclosure of URLs and parameter values to others.

Affected Products:

This issue may affect different types of products

Fix Recommendation:

General

Make sure that sensitive information such as:
- Username
- Password
- Social Security number
- Credit Card number
- Driver's License number
- e-mail address
- Phone number
- Zip code

is always sent in the body part of an HTTP POST request.

CWE:

598
200
311
319

External References:

Financial Privacy: The Gramm-Leach Bliley Act
Health Insurance Portability and Accountability Act (HIPAA)
Sarbanes-Oxley Act
California SB1386

Trusted types in scripts not enforced in CSP

TOC

Cause:

Insecure web application programming or configuration

Risk:

The "Content-Security-Policy" header is designed to modify the way browsers render pages, and thus to protect from various cross-site injections, including Cross-Site Scripting. It is important to set the header value correctly, in a way that will not prevent proper operation of the web site.
Not using Trusted Types can allow attackers to inject scripts, as a result, this increases the risk of XSS vulnerabilities.

Affected Products:

This issue may affect different types of products

Fix Recommendation:

General

Consider using 'require-trusted-types-for' directive to prevent DOM-based XSS attacks.
Add "require-trusted-types-for 'script'" directive to your CSP to enforce Trusted Types for scripts.

CWE:

1032
79
693
830
1021

External References:

MDN web docs - Content-Security-Policy

Web Application Source Code Disclosure Pattern Found

TOC

Cause:

- Latest patches or hotfixes for 3rd. party products were not installed
- Temporary files were left in production environment
- Debugging information was left by the programmer in web pages

Risk:

It is possible to retrieve the source code of server-side scripts, which may expose the application logic and other sensitive information such as usernames and passwords
AppScan detected a response containing fragments of application source code.
Application source code should not be accessible to web users, as it may contain sensitive application information and back-end logic.
While such leakage does not necessarily represent a breach in security, it can give an attacker useful guidance for future exploitation. Leakage of sensitive information may carry various levels of risk and should be limited whenever possible.

Affected Products:

This issue may affect different types of products.

Fix Recommendation:

General

There are many ways a web application can be coaxed into revealing application source code.
To ensure that your application does not allow web users access to source code:
[1] Check that all system patches related to source code disclosure are installed.
[2] Check that no application source code is left in HTML comments.
[3] Check that all source code files are removed from the production environment.

CWE:

540
200

Client-Side (JavaScript) Cookie References

TOC

Cause:

Cookies are created at the client side

Risk:

The worst case scenario for this attack depends on the context and role of the cookies that are created at the client side
A cookie is a piece of information usually created by the Web server and stored in the Web browser.
The cookie contains information used by web applications mainly (but not only) to identify users and maintain their state.
AppScan detected that the JavaScript code at the client side is used to manipulate (either create or modify) the site's cookies.
It is possible for an attacker to view this code, understand its logic, and use it to compose his own cookies, or modify existing ones, based on this knowledge.
The damage an attacker may cause depends on how the application uses its cookies, or what information it stores in them.
Among other things, cookie manipulation may lead to session hijacking or privilege escalation.
Other vulnerabilities caused by cookie poisoning contain SQL injection and Cross-Site scripting.

Affected Products:

This issue may affect different types of products.

Fix Recommendation:

General

[1] Avoid placing business/security logic at the client side.
[2] Find and remove insecure client-side Javascript code which may pose a security threat to the site.

CWE:

602
693

External References:

WASC Threat Classification: Information Leakage

Missing "Referrer policy" Security Header

TOC

Cause:

Insecure web application programming or configuration

Risk:

It is possible to gather sensitive information about the web application such as usernames, passwords, machine name and/or sensitive file locations
It is possible to persuade a naive user to supply sensitive information such as username, password, credit card number, social security number etc.
The absence or improper values of Referrer Policy can cause URL leak itself, and even sensitive information contained in the URL will be leaked to the cross-site.
This is a part of ruleset to check if Referrer Policy is present and if so to test its configuration. The "Referer Policy" header defines what data is made available in the Referer header, and for navigation and iframes in the destination's (document.referrer). This header is designed to modify the way browsers render pages, and thus to prevent cross-domain Referer leakage. It is important to set the header value correctly, in a way that will not prevent proper operation of the web site.
Referer header is a request header that indicates the site which the traffic originated from. If there is no adequate prevention in place, the URL itself, and even sensitive information contained in the URL will be leaked to the cross-site.
"no-referrer-when-downgrade" and "unsafe-url" are the policies which leaks the Full Url for the ThirdParty Sites. The remaining policies are"no-referrer", "origin", "origin-when-cross-origin","same-origin", "strict-origin", "strict-origin-when-cross-origin.
Please refer the following links for more information.

Affected Products:

This issue may affect different types of products

Fix Recommendation:

General

Configure your server to send the "Referrer Policy" header.
It is recommended to configure Referrer Policy header with secure values for its directives as below:
"strict-origin-when-cross-origin" offers more privacy. With this policy, only the origin is sent in the Referer header of cross-origin requests.
For Google Chrome, see:
https://developers.google.com/web/updates/2020/07/referrer-policy-new-chrome-default
For Firefox, see:
https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Referrer-Policy.

CWE:

200
664
668

External References:

MDN web docs - Referrer-Policy

Non-Quantum-Resistant Cipher Suite[s] Detected

TOC

Cause:

The web server or application server are configured in an insecure way

Risk:

The security of today's internet relies on key exchange and digital signature algorithms that classical computers cannot break.
The problem is that future quantum computers will solve the underlying math easily, creating a "harvest now, decrypt later" risk where adversaries can decrypt today's intercepted data in the future.

Affected Products:

This issue may affect different types of products.

Fix Recommendation:

General

The solution is a global transition to the new post-quantum cryptographic (PQC) algorithms standardized by NIST.
The immediate mitigation strategy is to deploy these new quantum-resistant algorithms in a hybrid mode, combining them with classical ciphers to ensure robust protection against both current and future threats.

CWE:

327

External References:

What Is Post-Quantum Cryptography?

Application Data

Visited URLs 35

TOC

URL
https://uat1.apps.tbs-sct.gc.ca/gcfoundation/en/home
https://uat1.apps.tbs-sct.gc.ca/gcfoundation/_content/GCFoundation.Components/lib/prism/js/prism.js?v=zg2MlsSqvmHJM0WAjtbQ6NOn9OZis57oiynRz5Q6ZaY
https://uat1.apps.tbs-sct.gc.ca/gcfoundation/_content/GCFoundation.Components/js/foundation.min.js?v=fEtRg-0wqK9rYR_gReOkR6hjZFde36YAfDH13jsOvC0
https://uat1.apps.tbs-sct.gc.ca/gcfoundation/js/custom-scripts.js?v=1MqyrwtH4eq5jLTjR_eHqQumMrODsvOVueDLMtOVaNA
https://uat1.apps.tbs-sct.gc.ca/gcfoundation/_content/GCFoundation.Components/lib/quill/quill.js?v=9hV8cqybP1HN6tQmM1aloCexJAXZ1qTardOKZ2stf_I
https://uat1.apps.tbs-sct.gc.ca/gcfoundation/_content/GCFoundation.Components/lib/prism/js/prism.js?v=zg2MlsSqvmHJM0WAjtbQ6NOn9OZis57oiynRz5Q6ZaY
https://uat1.apps.tbs-sct.gc.ca/gcfoundation/_content/GCFoundation.Components/lib/quill/quill.js?v=9hV8cqybP1HN6tQmM1aloCexJAXZ1qTardOKZ2stf_I
https://uat1.apps.tbs-sct.gc.ca/gcfoundation/_content/GCFoundation.Components/js/foundation.min.js?v=fEtRg-0wqK9rYR_gReOkR6hjZFde36YAfDH13jsOvC0
https://uat1.apps.tbs-sct.gc.ca/gcfoundation/js/custom-scripts.js?v=1MqyrwtH4eq5jLTjR_eHqQumMrODsvOVueDLMtOVaNA
https://uat1.apps.tbs-sct.gc.ca/gcfoundation/en/styles/
https://uat1.apps.tbs-sct.gc.ca/gcfoundation/home/?v=zg2MlsSqvmHJM0WAjtbQ6NOn9OZis57oiynRz5Q6ZaY
https://uat1.apps.tbs-sct.gc.ca/gcfoundation/styles/?v=zg2MlsSqvmHJM0WAjtbQ6NOn9OZis57oiynRz5Q6ZaY
https://uat1.apps.tbs-sct.gc.ca/gcfoundation/template/?v=zg2MlsSqvmHJM0WAjtbQ6NOn9OZis57oiynRz5Q6ZaY
https://uat1.apps.tbs-sct.gc.ca/gcfoundation/_content/GCFoundation.Components/lib/prism/js/prism.js?v=zg2MlsSqvmHJM0WAjtbQ6NOn9OZis57oiynRz5Q6ZaY
https://uat1.apps.tbs-sct.gc.ca/gcfoundation/js/custom-scripts.js?v=1MqyrwtH4eq5jLTjR_eHqQumMrODsvOVueDLMtOVaNA
https://uat1.apps.tbs-sct.gc.ca/apps/?v=zg2MlsSqvmHJM0WAjtbQ6NOn9OZis57oiynRz5Q6ZaY
https://uat1.apps.tbs-sct.gc.ca/gcfoundation/_content/GCFoundation.Components/lib/quill/quill.js?v=9hV8cqybP1HN6tQmM1aloCexJAXZ1qTardOKZ2stf_I
https://uat1.apps.tbs-sct.gc.ca/gcfoundation/_content/GCFoundation.Components/js/foundation.min.js?v=fEtRg-0wqK9rYR_gReOkR6hjZFde36YAfDH13jsOvC0
https://uat1.apps.tbs-sct.gc.ca/gcfoundation/_content/GCFoundation.Components/lib/prism/js/prism.js?v=zg2MlsSqvmHJM0WAjtbQ6NOn9OZis57oiynRz5Q6ZaY
https://uat1.apps.tbs-sct.gc.ca/gcfoundation/_content/GCFoundation.Components/lib/quill/quill.js?v=9hV8cqybP1HN6tQmM1aloCexJAXZ1qTardOKZ2stf_I
https://uat1.apps.tbs-sct.gc.ca/gcfoundation/_content/GCFoundation.Components/js/foundation.min.js?v=fEtRg-0wqK9rYR_gReOkR6hjZFde36YAfDH13jsOvC0
https://uat1.apps.tbs-sct.gc.ca/gcfoundation/js/custom-scripts.js?v=1MqyrwtH4eq5jLTjR_eHqQumMrODsvOVueDLMtOVaNA
https://uat1.apps.tbs-sct.gc.ca/gcfoundation/_content/GCFoundation.Components/lib/prism/js/prism.js?v=zg2MlsSqvmHJM0WAjtbQ6NOn9OZis57oiynRz5Q6ZaY
https://uat1.apps.tbs-sct.gc.ca/gcfoundation/_content/GCFoundation.Components/lib/quill/quill.js?v=9hV8cqybP1HN6tQmM1aloCexJAXZ1qTardOKZ2stf_I
https://uat1.apps.tbs-sct.gc.ca/gcfoundation/_content/GCFoundation.Components/js/foundation.min.js?v=fEtRg-0wqK9rYR_gReOkR6hjZFde36YAfDH13jsOvC0
https://uat1.apps.tbs-sct.gc.ca/gcfoundation/js/custom-scripts.js?v=1MqyrwtH4eq5jLTjR_eHqQumMrODsvOVueDLMtOVaNA
https://uat1.apps.tbs-sct.gc.ca/gcfoundation/_content/GCFoundation.Components/lib/prism/js/prism.js?v=zg2MlsSqvmHJM0WAjtbQ6NOn9OZis57oiynRz5Q6ZaY
https://uat1.apps.tbs-sct.gc.ca/gcfoundation/_content/GCFoundation.Components/lib/quill/quill.js?v=9hV8cqybP1HN6tQmM1aloCexJAXZ1qTardOKZ2stf_I
https://uat1.apps.tbs-sct.gc.ca/gcfoundation/_content/GCFoundation.Components/js/foundation.min.js?v=fEtRg-0wqK9rYR_gReOkR6hjZFde36YAfDH13jsOvC0
https://uat1.apps.tbs-sct.gc.ca/gcfoundation/js/custom-scripts.js?v=1MqyrwtH4eq5jLTjR_eHqQumMrODsvOVueDLMtOVaNA
https://uat1.apps.tbs-sct.gc.ca/apps/default.htm
https://uat1.apps.tbs-sct.gc.ca/apps/default/bootstrap/v3.2.0/js/jquery-1.11.1.min.js
https://uat1.apps.tbs-sct.gc.ca/apps/default/bootstrap/js/bootstrap.min.js
https://uat1.apps.tbs-sct.gc.ca/apps/default/js/handlebars-v1.3.0.js
https://uat1.apps.tbs-sct.gc.ca/apps/default/js/default.js

Parameters 8

TOC

Name	Value	URL	Type

v	zg2MlsSqvmHJM0WAjtbQ6NOn9OZis57oiynRz5Q6ZaY	https://uat1.apps.tbs-sct.gc.ca/gcfoundation/styles/?v=zg2MlsSqvmHJM0WAjtbQ6NOn9OZis57oiynRz5Q6ZaY	Simple Link
v	zg2MlsSqvmHJM0WAjtbQ6NOn9OZis57oiynRz5Q6ZaY	https://uat1.apps.tbs-sct.gc.ca/gcfoundation/template/?v=zg2MlsSqvmHJM0WAjtbQ6NOn9OZis57oiynRz5Q6ZaY	Simple Link
v	zg2MlsSqvmHJM0WAjtbQ6NOn9OZis57oiynRz5Q6ZaY	https://uat1.apps.tbs-sct.gc.ca/gcfoundation/_content/GCFoundation.Components/lib/prism/js/prism.js?v=zg2MlsSqvmHJM0WAjtbQ6NOn9OZis57oiynRz5Q6ZaY	Simple Link
v	9hV8cqybP1HN6tQmM1aloCexJAXZ1qTardOKZ2stf_I	https://uat1.apps.tbs-sct.gc.ca/gcfoundation/_content/GCFoundation.Components/lib/quill/quill.js?v=9hV8cqybP1HN6tQmM1aloCexJAXZ1qTardOKZ2stf_I	Simple Link
v	zg2MlsSqvmHJM0WAjtbQ6NOn9OZis57oiynRz5Q6ZaY	https://uat1.apps.tbs-sct.gc.ca/gcfoundation/home/?v=zg2MlsSqvmHJM0WAjtbQ6NOn9OZis57oiynRz5Q6ZaY	Simple Link
v	zg2MlsSqvmHJM0WAjtbQ6NOn9OZis57oiynRz5Q6ZaY	https://uat1.apps.tbs-sct.gc.ca/apps/?v=zg2MlsSqvmHJM0WAjtbQ6NOn9OZis57oiynRz5Q6ZaY	Simple Link
v	fEtRg-0wqK9rYR_gReOkR6hjZFde36YAfDH13jsOvC0	https://uat1.apps.tbs-sct.gc.ca/gcfoundation/_content/GCFoundation.Components/js/foundation.min.js?v=fEtRg-0wqK9rYR_gReOkR6hjZFde36YAfDH13jsOvC0	Simple Link
v	1MqyrwtH4eq5jLTjR_eHqQumMrODsvOVueDLMtOVaNA	https://uat1.apps.tbs-sct.gc.ca/gcfoundation/js/custom-scripts.js?v=1MqyrwtH4eq5jLTjR_eHqQumMrODsvOVueDLMtOVaNA	Simple Link

Failed Requests 1

TOC

URL	Reason
https://uat1.apps.tbs-sct.gc.ca/a	Response Status '404' - Not Found

Filtered URLs 32

TOC

URL	Reason
https://cdn.design-system.canada.ca/@gcds-core/components@1.3.1/dist/gcds/gcds.esm.js	Untested Web Server
https://cdn.design-system.canada.ca/@gcds-core/components@1.3.1/dist/gcds/p-DQuL1Twl.js	Untested Web Server
https://cdn.design-system.canada.ca/@gcds-core/components@1.3.1/dist/gcds/p-Bsv67kBu.js	Untested Web Server
https://fonts.googleapis.com/	Untested Web Server
https://fonts.gstatic.com/	Untested Web Server
https://fonts.googleapis.com/css2?family=Lato:ital,wght@0,400;0,700;1,400;1,700&family=Noto+Sans:ital,wght@0,300;0,400;0,500;0,600;0,700;1,300;1,400;1,500;1,600;1,700&family=Noto+Sans+Mono:wght@100..900&display=swap	Untested Web Server
https://cdn.design-system.canada.ca/	Untested Web Server
https://uat1.apps.tbs-sct.gc.ca/gcfoundation/_content/GCFoundation.Components/images/favicon.ico	File Extension
https://cdn.design-system.canada.ca/@gcds-core/components@1.3.1/dist/gcds/gcds.css	Untested Web Server
https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.4.2/css/all.min.css	Untested Web Server
https://uat1.apps.tbs-sct.gc.ca/gcfoundation/_content/GCFoundation.Components/lib/prism/css/prism.css?v=g4HYlYEJ6YYkhYk0IK77E1Kn8J0ov2A83aOOwY5ipcs	File Extension
https://uat1.apps.tbs-sct.gc.ca/gcfoundation/_content/GCFoundation.Components/lib/quill/quill.snow.css?v=HHIlzROqkvrGOQMZvB5eRhgj2hcVGdOnaNtWFk-HFjY	File Extension
https://uat1.apps.tbs-sct.gc.ca/gcfoundation/_content/GCFoundation.Components/css/foundation.min.css?v=Wfgmdn3KRJsvN6-bbRCgn_NV-DKJmFBPQR7ZdlMjGvo	File Extension
https://uat1.apps.tbs-sct.gc.ca/gcfoundation/css/custom-styles.css?v=Pxpy0v79L9pwLv1uDXcTlD05LqAi6AlPFa533fVDhdI	File Extension
https://cdn.design-system.canada.ca/@gcds-core/css-shortcuts@1.2.0/dist/gcds-css-shortcuts.min.css	Untested Web Server
https://unsplash.com/photos/oMneOBYhJxY?utm_source=unsplash&utm_medium=referral&utm_content=creditShareLink	Untested Web Server
https://cdn.design-system.canada.ca/@gcds-core/components@1.3.1/dist/gcds/gcds.esm.js	Untested Web Server
https://uat1.apps.tbs-sct.gc.ca/apps/default/bootstrap/css/bootstrap.min.css	File Extension
https://uat1.apps.tbs-sct.gc.ca/apps/default/bootstrap/css/bootstrap-theme.min.css	File Extension
https://uat1.apps.tbs-sct.gc.ca/apps/default/bootstrap/css/app.css	File Extension
https://uat1.apps.tbs-sct.gc.ca/apps/?v=zg2MlsSqvmHJM0WAjtbQ6NOn9OZis57oiynRz5Q6ZaY	Similar DOM
https://uat1.apps.tbs-sct.gc.ca/apps/?v=zg2MlsSqvmHJM0WAjtbQ6NOn9OZis57oiynRz5Q6ZaY	Similar DOM
https://uat1.apps.tbs-sct.gc.ca/apps/?v=zg2MlsSqvmHJM0WAjtbQ6NOn9OZis57oiynRz5Q6ZaY	Similar DOM

https://uat1.apps.tbs-sct.gc.ca/apps/?v=zg2MlsSqvmHJM0WAjtbQ6NOn9OZis57oiynRz5Q6ZaY	Similar DOM
https://uat1.apps.tbs-sct.gc.ca/apps/?v=zg2MlsSqvmHJM0WAjtbQ6NOn9OZis57oiynRz5Q6ZaY	Similar DOM
https://uat1.apps.tbs-sct.gc.ca/apps/	Similar DOM
https://uat1.apps.tbs-sct.gc.ca/apps/?v=zg2MlsSqvmHJM0WAjtbQ6NOn9OZis57oiynRz5Q6ZaY	Similar DOM
https://uat1.apps.tbs-sct.gc.ca/apps/default.htm	Similar DOM
https://uat1.apps.tbs-sct.gc.ca/apps/default.htm	Similar DOM
https://uat1.apps.tbs-sct.gc.ca/apps/default.htm	Similar DOM
https://uat1.apps.tbs-sct.gc.ca/apps/default.htm	Similar DOM
https://uat1.apps.tbs-sct.gc.ca/apps/default.htm	Similar DOM

Comments 2

TOC

URL	Comment
https://uat1.apps.tbs-sct.gc.ca/gcfoundation/en/home	<!DOCTYPE html>
https://uat1.apps.tbs-sct.gc.ca/gcfoundation/en/home	Image credit: John Lee, https://unsplash.com/photos/oMneOBYhJxY?utm_source=unsplash&utm_medium=referral&utm_content=creditShareLink

JavaScripts 12

TOC

URL / Code

https://uat1.apps.tbs-sct.gc.ca/gcfoundation/_content/GCFoundation.Components/lib/prism/js/prism.js

```
/* PrismJS 1.30.0
https://prismjs.com/download.html#themes=prism-twilight&languages=markup+css+clike+javascript+aspnet+csharp+cshtml */
var _self="undefined"!=typeof window?window:"undefined"!=typeof WorkerGlobalScope&&self instanceof WorkerGlobalScope?self:
{},Prism=function(e){var n=/(?:^|\s)lang(?:uage)?-([\w-]+)(?=\s|$)/i,t=0,r={},a=
{manual:e.Prism&&e.Prism.manual,disableWorkerMessageHandler:e.Prism&&e.Prism.disableWorkerMessageHandler,util:{encode:function e(n)
{return n instanceof i?new i(n.type,e(n.content),n.alias):Array.isArray(n)?
n.map(e):n.replace(/&/g,"&amp;").replace(/</g,"&lt;").replace(/\u00a0/g," ")},type:function(e){return
Object.prototype.toString.call(e).slice(8,-1)},objId:function(e){return e.__id||Object.defineProperty(e,"__id",
{value:++t}),e.__id},clone:function e(n,t){var r,i;switch(t=t||{},a.util.type(n)){case"Object":if(i=a.util.objId(n),t[i])return
t[i];for(var l in r={},t[i]=r,n)n.hasOwnProperty(l)&&(r[l]=e(n[l],t));return r;case"Array":return i=a.util.objId(n),t[i]?t[i]:(r=
[],t[i]=r,n.forEach((function(n,a){r[a]=e(n,t)})),r);default:return n}},getLanguage:function(e){for(;e;){var
t=n.exec(e.className);if(t)return t[1].toLowerCase();e=e.parentElement}return"none"},setLanguage:function(e,t)
{e.className=e.className.replace(RegExp(n,"gi"),""),e.classList.add("language-"+t)},currentScript:function(){if("undefined"==typeof
document)return null;if(document.currentScript&&"SCRIPT"===document.currentScript.tagName)return document.currentScript;try{throw new
Error}catch(r){var e=(/at [^(\r\n]*\((.*):[^:]+:[^:]+\)$/i.exec(r.stack)||[])[1];if(e){var
n=document.getElementsByTagName("script");for(var t in n)if(n[t].src==e)return n[t]}return null}},isActive:function(e,n,t){for(var
r="no-"+n;e;){var a=e.classList;if(a.contains(n))return!0;if(a.contains(r))return!1;e=e.parentElement}return!!t}},languages:
{plain:r,plaintext:r,text:r,txt:r,extend:function(e,n){var t=a.util.clone(a.languages[e]);for(var r in n)t[r]=n[r];return
t},insertBefore:function(e,n,t,r){var i=(r=r||a.languages)[e],l={};for(var o in i)if(i.hasOwnProperty(o)){if(o==n)for(var s in
t)t.hasOwnProperty(s)&&(l[s]=t[s]);t.hasOwnProperty(o)||(l[o]=i[o])}var u=r[e];return r[e]=l,a.languages.DFS(a.languages,
(function(n,t){t===u&&n!=e&&(this[n]=l)})),l},DFS:function e(n,t,r,i){i=i||{};var l=a.util.objId;for(var o in
n)if(n.hasOwnProperty(o)){t.call(n,o,n[o],r||o);var s=n[o],u=a.util.type(s);"Object"!==u||i[l(s)]?"Array"!==u||i[l(s)]||
(i[l(s)]=!0,e(s,t,o,i)):(i[l(s)]=!0,e(s,t,null,i))}}},plugins:{},highlightAll:function(e,n)
{a.highlightAllUnder(document,e,n)},highlightAllUnder:function(e,n,t){var r={callback:t,container:e,selector:'code[class*="language-
"], [class*="language-"] code, code[class*="lang-"], [class*="lang-"] code'};a.hooks.run("before-
highlightall",r),r.elements=Array.prototype.slice.apply(r.container.querySelectorAll(r.selector)),a.hooks.run("before-all-elements-
highlight",r);for(var i,l=0;i=r.elements[l++];)a.highlightElement(i,!0===n,r.callback)},highlightElement:function(n,t,r){var
i=a.util.getLanguage(n),l=a.languages[i];a.util.setLanguage(n,i);var
o=n.parentElement;o&&"pre"===o.nodeName.toLowerCase()&&a.util.setLanguage(o,i);var s=
{element:n,language:i,grammar:l,code:n.textContent};function u(e){s.highlightedCode=e,a.hooks.run("before-
insert",s),s.element.innerHTML=s.highlightedCode,a.hooks.run("after-
highlight",s),a.hooks.run("complete",s),r&&r.call(s.element)}if(a.hooks.run("before-sanity-check",s),
(o=s.element.parentElement)&&"pre"===o.nodeName.toLowerCase()&&!o.hasAttribute("tabindex")&&o.setAttribute("tabindex","0"),!s.code)ret
urn a.hooks.run("complete",s),void(r&&r.call(s.element));if(a.hooks.run("before-highlight",s),s.grammar)if(t&&e.Worker){var c=new
Worker(a.filename);c.onmessage=function(e)
{u(e.data)},c.postMessage(JSON.stringify({language:s.language,code:s.code,immediateClose:!0}))}else
u(a.highlight(s.code,s.grammar,s.language));else u(a.util.encode(s.code))},highlight:function(e,n,t){var r=
{code:e,grammar:n,language:t};if(a.hooks.run("before-tokenize",r),!r.grammar)throw new Error('The language "'+r.language+'" has no
grammar.');return r.tokens=a.tokenize(r.code,r.grammar),a.hooks.run("after-
tokenize",r),i.stringify(a.util.encode(r.tokens),r.language)},tokenize:function(e,n){var t=n.rest;if(t){for(var r in
```

```
t)n[r]=t[r];delete n.rest}var a=new s;return u(a,a.head,e),o(e,a,n,a.head,0),function(e){for(var n=
[],t=e.head.next;t!==e.tail;)n.push(t.value),t=t.next;return n}(a)},hooks:{all:{},add:function(e,n){var t=a.hooks.all;t[e]=t[e]||
[],t[e].push(n)},run:function(e,n){var t=a.hooks.all[e];if(t&&t.length)for(var r,i=0;r=t[i++];)r(n)}},Token:i};function i(e,n,t,r)
{this.type=e,this.content=n,this.alias=t,this.length=0|(r||"").length}function l(e,n,t,r){e.lastIndex=n;var a=e.exec(t);if(a&&r&&a[1])
{var i=a[1].length;a.index+=i,a[0]=a[0].slice(i)}return a}function o(e,n,t,r,s,g){for(var f in t)if(t.hasOwnProperty(f)&&t[f]){var
h=t[f];h=Array.isArray(h)?h:[h];for(var d=0;d<h.length;++d){if(g&&g.cause==f+","+d)return...
```

https://uat1.apps.tbs-sct.gc.ca/gcfoundation/js/custom-scripts.js

```
// Custom scripts for GCFoundationWeb
const GCFoundationWeb = {
    Version: "0.1.1",

    init: function () {
        this.initCreateCopyButton();
        this.initCopy();
        this.initTableActions();
        this.initDeleteModal();
    },
    initTableActions: function () {
        document.addEventListener("click", (e) => {
          const deleteBtn = e.target.closest('.delete');
          if (deleteBtn) {
          e.preventDefault();
          console.log("Delete clicked for row:", deleteBtn.row, "submisisonId:", deleteBtn.row?.submissionId);
          return;
          }

          const addBtn = e.target.closest('.add-submission');
          if (addBtn) {
          e.preventDefault();
          console.log("Add submission clicked");
          }
        });
    },
    initDeleteModal: function () {
        document.addEventListener("click", (e) => {
          const trigger = e.target.closest('.fdcp-modal-open');
          if (!trigger) return;

          const employeeId = trigger.getAttribute('data-employee-id');
          const employeeName = trigger.getAttribute('data-employee-name');
          const modalId = trigger.getAttribute('modal-id');

          const modal = document.querySelector(`dialog[modal-id="${modalId}"]`);
          if (!modal) return;

          const modalContent = modal.querySelector('.modal__body')
          if (!modalContent) return;

          const modalFooter = modal.querySelector('.modal__footer')
          if (!modalFooter) return;

          const submitBtn = modalFooter.querySelector('gcds-button[button-id=delete-employee]');
          if (submitBtn) {
          submitBtn['value'] = employeeId;
          }

          const nameTarget = modalContent.querySelector('strong[data-employee-name-display]');
          if (nameTarget) {
          nameTarget.textContent = employeeName;
          }
        });
    },
    initCopy: function () {
        document.addEventListener("click", (e) => {
          const copyButton = e.target.closest('.code-copy-button');
          if (!copyButton) return;

          const container = copyButton.closest('pre') || copyButton.parentElement;
          const codeEl = container.querySelector('code');
          if (!codeEl) return;

          const text = codeEl.textContent;
          navigator.clipboard.writeText(text).then(() => {
          const originalText = copyButton.textContent;
          const successText = copyButton.dataset.successText || 'Copied!';
```

```
          copyButton.textContent = successText;
          setTimeout(() => {
          copyButton.textContent = originalText;
          }, 1000);
          });
        });
    },
    initCreateCopyButton: function () {
        const lang = document.documentElement.lang?.startsWith('fr') ? 'fr' : 'en';
        const strings = COPY_BUTTON_STRINGS[lang];

        document.querySelectorAll('pre:has(code)').forEach(pre => {
          if (pre.querySelector('.code-copy-button')) return;

          const button = document.createElement('gcds-button');
          button.setAttribute('button-role', 'secondary');
          button.classList.add('code-copy-button', 'mt-150');
          button.setAttribute('data-success-text', strings.copied);
          button.textContent = strings.copy;

          pre.appendChild(button);
        });
    }
};

const COPY_BUTTON_STRINGS = {
    en: { copy: 'Copy', copied: 'Copied!' },
    fr: { copy: 'Copier', copied: 'Copié!' }
};

// Initialize custom functionality when DOM is ready
document.addEventListener('DOMContentLoaded', function () {
    console.log('Custom scripts loaded for GCFoundationWeb');

    // Add any custom initialization here
    GCFoundationWeb.init();
});
```

https://uat1.apps.tbs-sct.gc.ca/gcfoundation/_content/GCFoundation.Components/js/foundation.min.js

```
function _typeof(e){return(_typeof="function"==typeof Symbol&&"symbol"==typeof Symbol.iterator?function(e){return typeof
e}:function(e){return e&&"function"==typeof Symbol&&e.constructor===Symbol&&e!==Symbol.prototype?"symbol":typeof e})(e)}function
_classCallCheck(e,t){if(!(e instanceof t))throw new TypeError("Cannot call a class as a function")}function _defineProperties(e,t)
{for(var n=0;n<t.length;n++){var r=t[n];r.enumerable=r.enumerable||!1,r.configurable=!0,"value"in r&&
(r.writable=!0),Object.defineProperty(e,_toPropertyKey(r.key),r)}}function _createClass(e,t,n){return
t&&_defineProperties(e.prototype,t),n&&_defineProperties(e,n),Object.defineProperty(e,"prototype",{writable:!1}),e}function
_toPropertyKey(e){e=_toPrimitive(e,"string");return"symbol"==_typeof(e)?e:e+""}function _toPrimitive(e,t)
{if("object"!=_typeof(e)||!e)return e;var n=e[Symbol.toPrimitive];if(void 0===n)return("string"===t?String:Number)
(e);n=n.call(e,t||"default");if("object"!=_typeof(n))return n;throw new TypeError("@@toPrimitive must return a primitive
value.")}document.addEventListener("DOMContentLoaded",function(){var t,e,n,r,i,a,o,l,s,c,u,d,f=document.querySelector('.modal-
overlay[modal-id="session-extend-modal"]');f&&(t=new
FDCPModal(f),e=parseInt(f.dataset.sessionTimeout,10),n=parseInt(f.dataset.reminderTime,10),r=f.dataset.refresh,i=f.dataset.logout,a=do
cument.getElementById("session-countdown"),c=function(){clearTimeout(o),clearInterval(l),o=setTimeout(function(){var e=new
CustomEvent("foundation:session-reminder",{detail:{remainingTime:60*n}});window.dispatchEvent(e),s=60*n,t.show(),u()},60*(e-
n)*1e3)},u=function(){a&&(a.textContent="".concat(s,"s"),l=setInterval(function(){--s<=0?
(clearInterval(l),window.location.href=i):a.textContent="".concat(s,"s")},1e3))},f=document.querySelector('[button-id="session-extend-
refresh-btn"]'),d=document.querySelector('[button-id="session-extend-logout-btn"]'),f&&f.addEventListener("click",function(){fetch(r,
{method:"POST",credentials:"include"}).then(function(){t.hide(),c()})}),d&&d.addEventListener("click",function()
{window.location.href=i}),c())});var FDCPAccordion=(()=>_createClass(function e(t)
{_classCallCheck(this,e),this.element=t,this.accordionId=t.id,this.detailsInGroup=Array.from(t.querySelectorAll("gcds-
details")),this.topExpandBtn=t.querySelector('[button-id="fdcp-accordion-top-expand-all-
button"]'),this.topCollapseBtn=t.querySelector('[button-id="fdcp-accordion-top-collapse-all-
button"]'),this.bottomExpandBtn=t.querySelector('[button-id="fdcp-accordion-bottom-expand-all-
button"]'),this.bottomCollapseBtn=t.querySelector('[button-id="fdcp-accordion-bottom-collapse-all-button"]'),this.bindEvents()},
[{key:"bindEvents",value:function(){var r=this;this.element.addEventListener("click",function(e){var
t,n;"true"!==r.element.dataset.bulkAction&&(t=e.target.closest("gcds-details"))&&r.detailsInGroup.includes(t)&&
(n=r.element.classList.contains("fdcp-accordion-not-always-open"),requestAnimationFrame(function()
{n&&t.hasAttribute("open")&&r.detailsInGroup.forEach(function(e)
{e!==t&&e.hasAttribute("open")&&e.removeAttribute("open")}))}))}),this.topExpandBtn&&this.topExpandBtn.addEventListener("click",functio
n(){return r.openAll()}),this.bottomExpandBtn&&this.bottomExpandBtn.addEventListener("click",function(){return
r.openAll()}),this.topCollapseBtn&&this.topCollapseBtn.addEventListener("click",function(){return
r.closeAll()}),this.bottomCollapseBtn&&this.bottomCollapseBtn.addEventListener("click",function(){return r.closeAll()})}},
{key:"openAll",value:function(){this.element.dataset.bulkAction="true",this.detailsInGroup.forEach(function(e){return
e.setAttribute("open","")}),delete this.element.dataset.bulkAction}},{key:"closeAll",value:function()
{this.element.dataset.bulkAction="true",this.detailsInGroup.forEach(function(e){return e.removeAttribute("open")}),delete
this.element.dataset.bulkAction}}]))(),initializeDependencies=(document.addEventListener("DOMContentLoaded",function()
{document.querySelectorAll(".fdcp-accordion").forEach(function(e){e.FDCPAccordionInstance||(e.FDCPAccordionInstance=new
```

```
FDCPAccordion(e))})}),window.FDCPAccordion=FDCPAccordion,document.addEventListener("DOMContentLoaded",function()
{document.querySelectorAll("[data-fdcp-collapse-toggle]").forEach(function(e){e.addEventListener("click",function(){var
e=this.getAttribute("data-fdcp-collapse-toggle"),e=document.getElementById(e),t="true"===this.getAttribute("aria-
expanded");this.setAttribute("aria-expanded",(!t).toString()),e&&e.classList.toggle("fdcp-
show",!t)})})})}),document.addEventListener("DOMContentLoaded",function(){initializeDependencies()}),function(){var r=new
Map;document.querySelectorAll("[data-dependencies]").forEach(function(n){try{JSON.parse(n.getAttribute("data-
dependencies")).forEach(function(e){var t=e.sourceQuestionId;r.has(t)||r.set(t,[]),r.get(t).push({targetId:n.getAttribute("input-
id")||n.getAttribute("select-id")||n.getAttribute("textarea-id")||n.getAttribute("radio-id")||n.getAttribute("ch...
```

https://uat1.apps.tbs-sct.gc.ca/gcfoundation/_content/GCFoundation.Components/lib/quill/quill.js

```
/*! For license information please see quill.js.LICENSE.txt */
!function(t,e){"object"==typeof exports&&"object"==typeof module?module.exports=e():"function"==typeof define&&define.amd?
define([],e):"object"==typeof exports?exports.Quill=e():t.Quill=e()}(self,(function(){return function(){var t={9698:function(t,e,n)
{"use strict";n.d(e,{Ay:function(){return c},Ji:function(){return d},mG:function(){return h},zo:function(){return u}});var
r=n(6003),i=n(5232),s=n.n(i),o=n(3036),l=n(4850),a=n(5508);class c extends r.BlockBlot{cache={};delta(){return
null==this.cache.delta&&(this.cache.delta=h(this)),this.cache.delta}deleteAt(t,e){super.deleteAt(t,e),this.cache={}}formatAt(t,e,n,i)
{e<=0||(this.scroll.query(n,r.Scope.BLOCK)?t+e===this.length()&&this.format(n,i):super.formatAt(t,Math.min(e,this.length()-t-
1),n,i),this.cache={})}insertAt(t,e,n){if(null!=n)return super.insertAt(t,e,n),void(this.cache={});if(0===e.length)return;const
r=e.split("\n"),i=r.shift();i.length>0&&(t<this.length()-1||null==this.children.tail?super.insertAt(Math.min(t,this.length()-
1),i):this.children.tail.insertAt(this.children.tail.length(),i),this.cache={});let s=this;r.reduce(((t,e)=>
(s=s.split(t,!0),s.insertAt(0,e),e.length)),t+i.length)}insertBefore(t,e){const{head:n}=this.children;super.insertBefore(t,e),n
instanceof o.A&&n.remove(),this.cache={}}length(){return null==this.cache.length&&
(this.cache.length=super.length()+1),this.cache.length}moveChildren(t,e){super.moveChildren(t,e),this.cache={}}optimize(t)
{super.optimize(t),this.cache={}}path(t){return super.path(t,!0)}removeChild(t){super.removeChild(t),this.cache={}}split(t){let
e=arguments.length>1&&void 0!==arguments[1]&&arguments[1];if(e&&(0===t||t>=this.length()-1)){const e=this.clone();return 0===t?
(this.parent.insertBefore(e,this),this):(this.parent.insertBefore(e,this.next),e)}const n=super.split(t,e);return this.cache=
{},n}}c.blotName="block",c.tagName="P",c.defaultChild=o.A,c.allowedChildren=[o.A,l.A,r.EmbedBlot,a.A];class u extends
r.EmbedBlot{attach(){super.attach(),this.attributes=new r.AttributorStore(this.domNode)}delta(){return(new(s())).insert(this.value(),
{...this.formats(),...this.attributes.values()})}format(t,e){const
n=this.scroll.query(t,r.Scope.BLOCK_ATTRIBUTE);null!=n&&this.attributes.attribute(n,e)}formatAt(t,e,n,r)
{this.format(n,r)}insertAt(t,e,n){if(null!=n)return void super.insertAt(t,e,n);const r=e.split("\n"),i=r.pop(),s=r.map((t=>{const
e=this.scroll.create(c.blotName);return e.insertAt(0,t),e})),o=this.split(t);s.forEach((t=>
{this.parent.insertBefore(t,o)})),i&&this.parent.insertBefore(this.scroll.create("text",i),o)}}function h(t){let e=!
(arguments.length>1&&void 0!==arguments[1])||arguments[1];return t.descendants(r.LeafBlot).reduce(((t,n)=>0===n.length()?
t:t.insert(n.value(),d(n,{},e))),new(s())).insert("\n",d(t))}function d(t){let e=arguments.length>1&&void 0!==arguments[1]?
arguments[1]:{},n=!(arguments.length>2&&void 0!==arguments[2])||arguments[2];return null==t?e:("formats"in t&&"function"==typeof
t.formats&&(e={...e,...t.formats()},n&&delete e["code-
token"]),null==t.parent||"scroll"===t.parent.statics.blotName||t.parent.statics.scope!==t.statics.scope?
e:d(t.parent,e,n))}u.scope=r.Scope.BLOCK_BLOT},3036:function(t,e,n){"use strict";var r=n(6003);class i extends r.EmbedBlot{static
value(){}optimize(){(this.prev||this.next)&&this.remove()}length(){return 0}value()
{return""}}i.blotName="break",i.tagName="BR",e.A=i},580:function(t,e,n){"use strict";var r=n(6003);class i extends
r.ContainerBlot{}e.A=i},4541:function(t,e,n){"use strict";var r=n(6003),i=n(5508);class s extends r.EmbedBlot{static
blotName="cursor";static className="ql-cursor";static tagName="span";static CONTENTS="\ufeff";static value(){}constructor(t,e,n)
{super(t,e),this.selection=n,this.textNode=document.createTextNode(s.CONTENTS),this.domNode.appendChild(this.textNode),this.savedLengt
h=0}detach(){null!=this.parent&&this.parent.removeChild(this)}format(t,e){if(0!==this.savedLength)return void super.format(t,e);let
n=this,i=0;for(;null!=n&&n.statics.scope!==r.Scope.BLOCK_BLOT;)i+=n.offset(n.parent),n=n.parent;null!=n&&
(this.savedLength=s.CONTENTS.length,n.optimize(),n.formatAt(i,s.CONTENTS.length,t,e),this.savedLength=0)}index(t,e){return
t===this.textNode?0:super.index(t,e)}length(){return this.savedLength}position()
{return[this.textNode,this.textNode.data.length]}remove(){super.remove(),this.parent=null}restore()
{if(this.selection.composing||null==this.parent)return null;const
t=this.selection.getNativeRange();for(;null!=this.domNode.lastChild&&this.domNode.lastChild!==this.textNode;)this.domNode.parentNode.i
nsertBefore(this.domNode.lastChild,this.domNode);const e=this.prev instanceof i.A?this.prev:null,n=e?e.length():0,r=this.next
instanceof i.A?this.next:null,o=r?r.text:"",{textNode:l}=this,a=l.data.split(s.CONTENTS).join("");let c;if(l.data=s.CONTENTS,e)c=e,
(a||r)&&(e.insertAt(e.length(),a+o),r&&r.remove());else if(r)c=r,r.insertAt(0,a);else{const t=document.createTextNode(a);c=thi...
```

https://uat1.apps.tbs-sct.gc.ca/gcfoundation/en/home

```
!function(T,l,y){var
S=T.location,k="script",D="instrumentationKey",C="ingestionendpoint",I="disableExceptionTracking",E="ai.device.",b="toLowerCase",w="cr
ossOrigin",N="POST",e="appInsightsSDK",t=y.name||"appInsights";(y.name||T[e])&&(T[e]=t);var n=T[t]||function(d){var g=!1,f=!1,m=
{initialize:!0,queue:[],sv:"5",version:2,config:d};function v(e,t){var n={},a="Browser";return n[E+"id"]=a[b]
(),n[E+"type"]=a,n["ai.operation.name"]=S&&S.pathname||"_unknown_",n["ai.internal.sdkVersion"]="javascript:snippet_"+
(m.sv||m.version),{time:function(){var e=new Date;function t(e){var t=""+e;return 1===t.length&&(t="0"+t),t}return
e.getUTCFullYear()+"-"+t(1+e.getUTCMonth())+"-
"+t(e.getUTCDate())+"T"+t(e.getUTCHours())+":"+t(e.getUTCMinutes())+":"+t(e.getUTCSeconds())+"."+
((e.getUTCMilliseconds()/1e3).toFixed(3)+"").slice(2,5)+"Z"}(),iKey:e,name:"Microsoft.ApplicationInsights."+e.replace(/-
/g,"")+"."+t,sampleRate:100,tags:n,data:{baseData:{ver:2}}}}var h=d.url||y.src;if(h){function a(e){var
t,n,a,i,r,o,s,c,u,p,l;g=!0,m.queue=[],f||(f=!0,t=h,s=function(){var e={},t=d.connectionString;if(t)for(var
n=t.split(";"),a=0;a<n.length;a++){var i=n[a].split("=");2===i.length&&(e[i[0][b]()]=i[1])}if(!e[C]){var r=e.endpointsuffix,o=r?
e.location:null;e[C]="https://"+(o?o+".":"")+"dc."+(r||"services.visualstudio.com")}return e}(),c=s[D]||d[D]||"",u=s[C],p=u?
u+"/v2/track":d.endpointUrl,(l=[]).push((n="SDK LOAD Failure: Failed to load Application Insights SDK script (See stack for
details)",a=t,i=p,(o=(r=v(c,"Exception")).data).baseType="ExceptionData",o.baseData.exceptions=
```

```
[{typeName:"SDKLoadFailed",message:n.replace(/\./g,"-"),hasFullStack:!1,stack:n+"\nSnippet failed to load ["+a+"] -- Telemetry is
disabled\nHelp Link: https://go.microsoft.com/fwlink/?linkid=2128109\nHost: "+(S&&S.pathname||"_unknown_")+"\nEndpoint:
"+i,parsedStack:[]}],r)),l.push(function(e,t,n,a){var i=v(c,"Message"),r=i.data;r.baseType="MessageData";var o=r.baseData;return
o.message='AI (Internal): 99 message:"'+("SDK LOAD Failure: Failed to load Application Insights SDK script (See stack for details)
("+n+")").replace(/\"/g,"")+'"',o.properties={endpoint:a},i}(0,0,t,p)),function(e,t){if(JSON){var n=T.fetch;if(n&&!y.useXhr)n(t,
{method:N,body:JSON.stringify(e),mode:"cors"});else if(XMLHttpRequest){var a=new
XMLHttpRequest;a.open(N,t),a.setRequestHeader("Content-type","application/json"),a.send(JSON.stringify(e))}}}(l,p))}function i(e,t)
{f||setTimeout(function(){!t&&m.core||a()},500)}var e=function(){var n=l.createElement(k);n.src=h;var
e=y[w];return!e&&""!==e||"undefined"==n[w]||(n[w]=e),n.onload=i,n.onerror=a,n.onreadystatechange=function(e,t)
{"loaded"!==n.readyState&&"complete"!==n.readyState||i(0,t)},n}();y.ld<0?l.getElementsByTagName("head")
[0].appendChild(e):setTimeout(function(){l.getElementsByTagName(k)
[0].parentNode.appendChild(e)},y.ld||0)}try{m.cookie=l.cookie}catch(p){}function t(e){for(;e.length;)!function(t){m[t]=function(){var
e=arguments;g||m.queue.push(function(){m[t].apply(m,e)})}}(e.pop())}var
n="track",r="TrackPage",o="TrackEvent";t([n+"Event",n+"PageView",n+"Exception",n+"Trace",n+"DependencyData",n+"Metric",n+"PageViewPerf
ormance","start"+r,"stop"+r,"start"+o,"stop"+o,"addTelemetryInitializer","setAuthenticatedUserContext","clearAuthenticatedUserContext"
,"flush"]),m.SeverityLevel={Verbose:0,Information:1,Warning:2,Error:3,Critical:4};var s=(d.extensionConfig||
{}).ApplicationInsightsAnalytics||{};if(!0!==d[I]&&!0!==s[I]){var c="onerror";t(["_"+c]);var u=T[c];T[c]=function(e,t,n,a,i){var
r=u&&u(e,t,n,a,i);return!0!==r&&m["_"+c]
({message:e,url:t,lineNumber:n,columnNumber:a,error:i}),r},d.autoExceptionInstrumented=!0}return m}(y.cfg);function a()
{y.onInit&&y.onInit(n)}(T[t]=n).queue&&0===n.queue.length?(n.queue.push(a),n.trackPageView({})):a()}(window,document,{
src: "https://js.monitor.azure.com/scripts/b/ai.2.min.js", // The SDK URL Source
crossOrigin: "anonymous",
cfg: { // Application Insights Configuration
    connectionString: 'InstrumentationKey=68e4a0b7-938a-41a6-9088-2e9ad1641336'
}});
```

https://uat1.apps.tbs-sct.gc.ca/apps/

```
       {{#each groups}}
       {{#startofrow}}
  <div class="row">
         {{/startofrow}}
         <div class="col-md-3">
         <div class="panel panel-info">
         <div class="panel-heading">
         <h4 class="panel-title">
         <a data-toggle="collapse" href="#{{id}}" {{#if title}} title="{{title}}" {{/if}} style="display: block;">
         {{{name}}}
         <span class="glyphicon glyphicon-chevron-down pull-right"></span>
         </a>
         </h4>
         </div>
         <div class="list-group panel-collapse collapse {{collapsed}}" id="{{id}}">

         {{#each links}}<a class="list-group-item" href="{{url}}" {{#if tooltip}} title="{{tooltip}}" {{/if}}>{{name}}</a>{{/each}}
         {{#if_or files description contacts firstInfoDoc }}
         <div class="panel-footer">
         <div class="btn-group">
         {{#if files}}
         {{#each files}}
         <a class="btn btn-primary" href="{{{url}}}">
         <span class="glyphicon glyphicon-folder-open mrgn-rght-sm"></span>
         {{name}}
         </a>
         {{/each}}
         {{/if}}
         {{#if description}}
         <button type="button" class="btn btn-info" data-toggle="popover" title="Additional Information" data-content="
{{description}}" data-trigger="focus">
         <span class="glyphicon glyphicon-info-sign"></span>
         </button>
         {{/if}}
         {{#if firstInfoDoc}}
         <a class="btn btn-info" title="First Info Link" href="{{firstInfoDoc}}">
         <span class="glyphicon glyphicon-file"></span>
         </a>
         {{/if}}
         {{#if contacts}}
         <button type="button" class="btn btn-info" data-toggle="popover" title="Contact Information" data-html="true"
         data-content='<ul class="list-unstyled">{{#each contacts}}<li><span class="glyphicon glyphicon-envelope"></span> <a
href="mailto:{{email}}?Subject={{../name}}">{{name}}</a></li>{{/each}}{{#iif contacts.length '>' 1}}<li><span class="glyphicon
glyphicon-list"></span> <a href="mailto:{{#each contacts}}{{email}};{{/each}}?Subject={{../name}}"><em>Contact All</em></a></li>
{{/iif}}</ul>'
         data-template='<div class="popover" role="tooltip"><div class="arrow"></div><h3 class="popover-title"></h3><div
class="popover-content"></div></div>'
         data-trigger="focus">
```

```
          <span class="glyphicon glyphicon-envelope"></span>
          </button>
          {{/if}}
          </div>
          </div>
          {{/if_or}}
          </div>
          </div>
          </div>
          {{#endofrow}}
  </div>
        {{/endofrow}}
        {{/each}}
```

https://uat1.apps.tbs-sct.gc.ca/apps/

```
$('div.collapse').collapse('show');
```

https://uat1.apps.tbs-sct.gc.ca/apps/

```
$('div.collapse').collapse('hide');
```

https://uat1.apps.tbs-sct.gc.ca/apps/default/js/handlebars-v1.3.0.js

```
/*!

 handlebars v1.3.0

Copyright (C) 2011 by Yehuda Katz

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.

@license
*/
/* exported Handlebars */
var Handlebars = (function() {
// handlebars/safe-string.js
var __module4__ = (function() {
  "use strict";
  var __exports__;
  // Build out our basic SafeString type
  function SafeString(string) {
    this.string = string;
  }

  SafeString.prototype.toString = function() {
    return "" + this.string;
  };

  __exports__ = SafeString;
  return __exports__;
})();
```

```
// handlebars/utils.js
var __module3__ = (function(__dependency1__) {
  "use strict";
  var __exports__ = {};
  /*jshint -W004 */
  var SafeString = __dependency1__;

  var escape = {
    "&": "&amp;",
    "<": "&lt;",
    ">": "&gt;",
    '"': "&quot;",
    "'": "&#x27;",
    "`": "&#x60;"
  };

  var badChars = /[&<>"'`]/g;
  var possible = /[&<>"'`]/;

  function escapeChar(chr) {
    return escape[chr] || "&amp;";
  }

  function extend(obj, value) {
    for(var key in value) {
      if(Object.prototype.hasOwnProperty.call(value, key)) {
        obj[key] = value[key];
      }
    }
  }

  __exports__.extend = extend;var toString = Object.prototype.toString;
  __exports__.toString = toString;
  // Sourced from lodash
  // https://github.com/bestiejs/lodash/blob/master/LICENSE.txt
  var isFunction = function(value) {
    return typeof value === 'function';
  };
  // fallback for older versions of Chrome and Safari
  if (isFunction(/x/)) {
    isFunction = function(value) {
      return typeof value === 'function' && toString.call(value) === '[object Function]';
    };
  }
  var isFunction;
  __exports__.isFunction = isFunction;
  var isArray = Array.isArray || function(value) {
    return (value && typeof value === 'object') ? toString.call(value) === '[object Array]' : false;
  };
  __exports__.isArray = isArray;

  function escapeExpression(string) {
    // don't escape SafeStrings, since they're already safe
    if (string instanceof SafeString) {
      return string.toString();
    } else if (!string && string !== 0) {
      return "";
    }

    // Force a string conversion as this will be done by the append regardless and
    // the regex test will do this transparently behind the scenes, causing issues if
    // an object's to string has escaped characters in it.
    string = "" + string;

    if(!possible.test(string)) { return string; }
    return string.replace(badChars, escapeChar);
  }

  __exports__.escapeExpression = escapeExpression;function isEmpty(value) {
    if (!value && value !== 0) {
      return true;
    } else if (isArray(value) && value.length === 0) {
      return true;
    } else {
      return false;
    }
  }

  __exports__.isEmpty = isEmpty;
  return __exports__;
```

```
})(__module4__);

// handlebars/exception.js
var __module5__ = (function() {
  "use strict";
  var __exports__;

  var errorProps = ['description', 'fileName', 'lineNumber', 'message', 'name', 'number', 'stack'];

  function Exception(message, node) {
    var line;
    if (node && node.firstLine) {
      line = node.firstLine;

      message += ' - ' + line + ':' + node.firstColumn;
    }

    var tmp = Error.prototype.constructor.call(this, message);

    // Unfortunately errors are not enumerable in Chrome (at least), so `for prop in tmp` doesn't work.
    for (var idx = 0; idx < errorProps.length; idx++) {
      this[errorProps[idx]] = tmp[errorProps[idx]];
    }

    if (line) {
      this.lineNumber = line;
      this.column = node.firstColumn;
    }
  }

  Exception.prototype = new Error();

  __exports__ = Exception;
  return __exports__;
})();

// handlebars/base.js
var __module2__ = (function(__dependency1__, __dependency2__) {
  "use strict";
  var __exports__ = {};
  var Utils = __dependency1__;
  var Exception = __dependency2__;

  var VERSION = "1.3.0";
  __exports__.VERSION...
```

https://uat1.apps.tbs-sct.gc.ca/apps/default/bootstrap/v3.2.0/js/jquery-1.11.1.min.js

```
/*! jQuery v1.11.1 | (c) 2005, 2014 jQuery Foundation, Inc. | jquery.org/license */
!function(a,b){"object"==typeof module&&"object"==typeof module.exports?module.exports=a.document?b(a,!0):function(a)
{if(!a.document)throw new Error("jQuery requires a window with a document");return b(a)}:b(a)}("undefined"!=typeof window?
window:this,function(a,b){var c=[],d=c.slice,e=c.concat,f=c.push,g=c.indexOf,h={},i=h.toString,j=h.hasOwnProperty,k=
{},l="1.11.1",m=function(a,b){return new m.fn.init(a,b)},n=/^[\s\uFEFF\xA0]+|[\s\uFEFF\xA0]+$/g,o=/^-ms-/,p=/-([\da-
z])/gi,q=function(a,b){return b.toUpperCase()};m.fn=m.prototype={jquery:l,constructor:m,selector:"",length:0,toArray:function(){return
d.call(this)},get:function(a){return null!=a?0>a?this[a+this.length]:this[a]:d.call(this)},pushStack:function(a){var
b=m.merge(this.constructor(),a);return b.prevObject=this,b.context=this.context,b},each:function(a,b){return
m.each(this,a,b)},map:function(a){return this.pushStack(m.map(this,function(b,c){return a.call(b,c,b)}))},slice:function(){return
this.pushStack(d.apply(this,arguments))},first:function(){return this.eq(0)},last:function(){return this.eq(-1)},eq:function(a){var
b=this.length,c=+a+(0>a?b:0);return this.pushStack(c>=0&&b>c?[this[c]]:[])},end:function(){return
this.prevObject||this.constructor(null)},push:f,sort:c.sort,splice:c.splice},m.extend=m.fn.extend=function(){var
a,b,c,d,e,f,g=arguments[0]||{},h=1,i=arguments.length,j=!1;for("boolean"==typeof g&&(j=g,g=arguments[h]||{},h++),"object"==typeof
g||m.isFunction(g)||(g={}),h===i&&(g=this,h--);i>h;h++)if(null!=(e=arguments[h]))for(d in e)a=g[d],c=e[d],g!==c&&(j&&c&&
(m.isPlainObject(c)||(b=m.isArray(c)))?(b?(b=!1,f=a&&m.isArray(a)?a:[]):f=a&&m.isPlainObject(a)?a:{},g[d]=m.extend(j,f,c)):void
0!==c&&(g[d]=c));return g},m.extend({expando:"jQuery"+(l+Math.random()).replace(/\D/g,""),isReady:!0,error:function(a){throw new
Error(a)},noop:function(){},isFunction:function(a){return"function"===m.type(a)},isArray:Array.isArray||function(a)
{return"array"===m.type(a)},isWindow:function(a){return null!=a&&a==a.window},isNumeric:function(a){return!m.isArray(a)&&a-
parseFloat(a)>=0},isEmptyObject:function(a){var b;for(b in a)return!1;return!0},isPlainObject:function(a){var
b;if(!a||"object"!==m.type(a)||a.nodeType||m.isWindow(a))return!1;try{if(a.constructor&&!j.call(a,"constructor")&&!j.call(a.constructo
r.prototype,"isPrototypeOf"))return!1}catch(c){return!1}if(k.ownLast)for(b in a)return j.call(a,b);for(b in a);return void
0===b||j.call(a,b)},type:function(a){return null==a?a+"":"object"==typeof a||"function"==typeof a?h[i.call(a)]||"object":typeof
a},globalEval:function(b){b&&m.trim(b)&&(a.execScript||function(b){a.eval.call(a,b)})(b)},camelCase:function(a){return
a.replace(o,"ms-").replace(p,q)},nodeName:function(a,b){return
a.nodeName&&a.nodeName.toLowerCase()===b.toLowerCase()},each:function(a,b,c){var d,e=0,f=a.length,g=r(a);if(c){if(g)
{for(;f>e;e++)if(d=b.apply(a[e],c),d===!1)break}else for(e in a)if(d=b.apply(a[e],c),d===!1)break}else if(g)
{for(;f>e;e++)if(d=b.call(a[e],e,a[e]),d===!1)break}else for(e in a)if(d=b.call(a[e],e,a[e]),d===!1)break;return a},trim:function(a)
{return null==a?"":(a+"").replace(n,"")},makeArray:function(a,b){var c=b||[];return null!=a&&(r(Object(a))?m.merge(c,"string"==typeof
a?[a]:a):f.call(c,a)),c},inArray:function(a,b,c){var d;if(b){if(g)return g.call(b,a,c);for(d=b.length,c=c?0>c?
```

```
Math.max(0,d+c):c:0;d>c;c++)if(c in b&&b[c]===a)return c}return-1},merge:function(a,b){var
c=+b.length,d=0,e=a.length;while(c>d)a[e++]=b[d++];if(c!==c)while(void 0!==b[d])a[e++]=b[d++];return
a.length=e,a},grep:function(a,b,c){for(var d,e=[],f=0,g=a.length,h=!c;g>f;f++)d=!b(a[f],f),d!==h&&e.push(a[f]);return
e},map:function(a,b,c){var d,f=0,g=a.length,h=r(a),i=[];if(h)for(;g>f;f++)d=b(a[f],f,c),null!=d&&i.push(d);else for(f in
a)d=b(a[f],f,c),null!=d&&i.push(d);return e.apply([],i)},guid:1,proxy:function(a,b){var c,e,f;return"string"==typeof b&&
(f=a[b],b=a,a=f),m.isFunction(a)?(c=d.call(arguments,2),e=function(){return
a.apply(b||this,c.concat(d.call(arguments)))},e.guid=a.guid=a.guid||m.guid++,e):void 0},now:function(){return+new
Date},support:k}),m.each("Boolean Number String Function Array Date RegExp Object Error".split(" "),function(a,b){h["[object
"+b+"]"]=b.toLowerCase()});function r(a){var
b=a.length,c=m.type(a);return"function"===c||m.isWindow(a)?!1:1===a.nodeType&&b?!0:"array"===c||0===b||"number"==typeof b&&b>0&&b-1 in
a}var s=function(a){var b,c,d,e,f,g,h,i,j,k,l,m,n,o,p,q,r,s,t,u="sizzle"+-new
Date,v=a.document,w=0,x=0,y=gb(),z=gb(),A=gb(),B=function(a,b){return a===b&&(l=!0),0},C="undefined",D=1<<31,E={}.hasOwnProperty,F=
[],G=F.pop,H=F.push,I=F.push,J=F.slice,K=F.indexOf||function(a){for(var b=0,c=this.length;c>b;b++)if(this[b]===a)return b;return-
1},L="checked|selected|async|autofocus|autoplay|controls|defer|disabled|hidden|ismap|loop|multiple|open|readonly|required|scoped",M="
[\\x20\\t\\r\\n\\f]",N="(?:\\\\.|[\\w-]|[^\\x00-\\xa0])+",O=N.replace("...
```

https://uat1.apps.tbs-sct.gc.ca/apps/default/js/default.js

```
var MAD = MAD ? (function () { alert("MAD already exists!"); })() : {
    version: "1.1.0",

    Source: "",
    Template: "",

    init: function () {
        this.Source = $("#group-template").html();
        this.Template = Handlebars.compile(this.Source);

        Handlebars.registerHelper("startofrow", function (options) { MAD.Counter++; return MAD.Counter % 4 === 1 ? options.fn(this) :
options.inverse(this); });
        Handlebars.registerHelper("endofrow", function (options) { return MAD.Counter % 4 === 0 || MAD.Counter === MAD.CountTotal ?
options.fn(this) : options.inverse(this); });
        Handlebars.registerHelper('if_or', function (elem1, elem2, elem3, elem4, options) {
          if (Handlebars.Utils.isEmpty(elem1) && Handlebars.Utils.isEmpty(elem2) && Handlebars.Utils.isEmpty(elem3) &&
Handlebars.Utils.isEmpty(elem4)) {
          return options.inverse(this);
          } else {
          return options.fn(this);
          }
        });

        Handlebars.registerHelper('iif', function (a, operator, b, opts) {
          var bool = false;
          switch (operator) {
          case '==':
          bool = a === b;
          break;
          case '>':
          bool = a > b;
          break;
          case '<':
          bool = a < b;
          break;
          default:
          throw "Unknown operator " + operator;
          }
          if (bool) {
          return opts.fn(this);
          } else {
          return opts.inverse(this);
          }
        });

        this.loadContent();

  $("#search").keyup(function () {
   var search = this.value.toLowerCase();
   $(".tab-pane .col-md-3").hide();
   $(".tab-pane .col-md-3").each(function (i,o) {
    var panel = $(o),
     title = $("a[title]", panel).attr("title") || "";
    if ($("h4.panel-title:contains('" + search + "')", panel).length || (title.toLowerCase().indexOf(search) > -1)) {
     panel.show();
    }
   });
  });
```

```
  $('[data-toggle=popover]').popover({
   container: 'body'
        });

        // Display version number.
        $("title").html("CBA Links v" + MAD.version);
        $("#version-number").html(MAD.version);
 },
    fillSection: function (id, arr) {
  MAD.Counter = 0;
  MAD.CountTotal = arr.groups.length;
  arr.groups.sort(function(a,b) { return a.name > b.name ? 1 : a.name < b.name ? -1 : 0; });
  $("#" + id).html(MAD.Template(arr));
    },
    loadContent: function () {
        // Apps.
        $.getJSON("content/default.apps.json", function (data) { MAD.fillSection("work-applications", data); });

        // Tools.
        $.getJSON("content/default.tools.json", function (data) { MAD.fillSection("work-tools", data); });

        // Websites.
        $.getJSON("content/default.websites.json", function (data) { MAD.fillSection("work-websites", data); });
    }
};

(function () {
    MAD.init();
})();

// jQuery extension to ":contains" content filter be case-insensitive.
$.expr[":"].contains = $.expr.createPseudo(function (arg) {
    return function (elem) {
        return $(elem).text().toUpperCase().indexOf(arg.toUpperCase()) >= 0;
    };
});
```

https://uat1.apps.tbs-sct.gc.ca/apps/default/bootstrap/js/bootstrap.min.js

```
/*!
 * Bootstrap v3.3.7 (http://getbootstrap.com)
 * Copyright 2011-2016 Twitter, Inc.
 * Licensed under the MIT license
 */
if("undefined"==typeof jQuery)throw new Error("Bootstrap's JavaScript requires jQuery");+function(a){"use strict";var
b=a.fn.jquery.split(" ")[0].split(".");if(b[0]<2&&b[1]<9||1==b[0]&&9==b[1]&&b[2]<1||b[0]>3)throw new Error("Bootstrap's JavaScript
requires jQuery version 1.9.1 or higher, but lower than version 4")}(jQuery),+function(a){"use strict";function b(){var
a=document.createElement("bootstrap"),b=
{WebkitTransition:"webkitTransitionEnd",MozTransition:"transitionend",OTransition:"oTransitionEnd
otransitionend",transition:"transitionend"};for(var c in b)if(void
0!==a.style[c])return{end:b[c]};return!1}a.fn.emulateTransitionEnd=function(b){var
c=!1,d=this;a(this).one("bsTransitionEnd",function(){c=!0});var e=function(){c||a(d).trigger(a.support.transition.end)};return
setTimeout(e,b),this},a(function(){a.support.transition=b(),a.support.transition&&(a.event.special.bsTransitionEnd=
{bindType:a.support.transition.end,delegateType:a.support.transition.end,handle:function(b){if(a(b.target).is(this))return
b.handleObj.handler.apply(this,arguments)}})})(jQuery),+function(a){"use strict";function b(b){return this.each(function(){var
c=a(this),e=c.data("bs.alert");e||c.data("bs.alert",e=new d(this)),"string"==typeof b&&e[b].call(c)})}var c='[data-
dismiss="alert"]',d=function(b)
{a(b).on("click",c,this.close)};d.VERSION="3.3.7",d.TRANSITION_DURATION=150,d.prototype.close=function(b){function c()
{g.detach().trigger("closed.bs.alert").remove()}var e=a(this),f=e.attr("data-target");f||(f=e.attr("href"),f=f&&f.replace(/.*(?=#
[^\s]*$)/,""));var g=a("#"===f?[]:f);b&&b.preventDefault(),g.length||
(g=e.closest(".alert")),g.trigger(b=a.Event("close.bs.alert")),b.isDefaultPrevented()||
(g.removeClass("in"),a.support.transition&&g.hasClass("fade")?
g.one("bsTransitionEnd",c).emulateTransitionEnd(d.TRANSITION_DURATION):c())};var
e=a.fn.alert;a.fn.alert=b,a.fn.alert.Constructor=d,a.fn.alert.noConflict=function(){return
a.fn.alert=e,this},a(document).on("click.bs.alert.data-api",c,d.prototype.close)}(jQuery),+function(a){"use strict";function b(b)
{return this.each(function(){var d=a(this),e=d.data("bs.button"),f="object"==typeof b&&b;e||d.data("bs.button",e=new
c(this,f)),"toggle"==b?e.toggle():b&&e.setState(b)})}var c=function(b,d)
{this.$element=a(b),this.options=a.extend({},c.DEFAULTS,d),this.isLoading=!1};c.VERSION="3.3.7",c.DEFAULTS=
{loadingText:"loading..."},c.prototype.setState=function(b){var
c="disabled",d=this.$element,e=d.is("input")?"val":"html",f=d.data();b+="Text",null==f.resetText&&d.data("resetText",d[e]
()),setTimeout(a.proxy(function(){d[e](null==f[b]?this.options[b]:f[b]),"loadingText"==b?
(this.isLoading=!0,d.addClass(c).attr(c,c).prop(c,!0)):this.isLoading&&
(this.isLoading=!1,d.removeClass(c).removeAttr(c).prop(c,!1))},this),0)},c.prototype.toggle=function(){var
a=!0,b=this.$element.closest('[data-toggle="buttons"]');if(b.length){var c=this.$element.find("input");"radio"==c.prop("type")?
(c.prop("checked")&&(a=!1),b.find(".active").removeClass("active"),this.$element.addClass("active")):"checkbox"==c.prop("type")&&
(c.prop("checked")!==this.$element.hasClass("active")&&
(a=!1),this.$element.toggleClass("active")),c.prop("checked",this.$element.hasClass("active")),a&&c.trigger("change")}else
```

```
this.$element.attr("aria-pressed",!this.$element.hasClass("active")),this.$element.toggleClass("active")};var
d=a.fn.button;a.fn.button=b,a.fn.button.Constructor=c,a.fn.button.noConflict=function(){return
a.fn.button=d,this},a(document).on("click.bs.button.data-api",'[data-toggle^="button"]',function(c){var
d=a(c.target).closest(".btn");b.call(d,"toggle"),a(c.target).is('input[type="radio"], input[type="checkbox"]')||
(c.preventDefault(),d.is("input,button")?
d.trigger("focus"):d.find("input:visible,button:visible").first().trigger("focus"))}).on("focus.bs.button.data-api
blur.bs.button.data-api",'[data-toggle^="button"]',function(b){a(b.target).closest(".btn").toggleClass("focus",/^focus(in)?
$/.test(b.type))})}(jQuery),+function(a){"use strict";function b(b){return this.each(function(){var
d=a(this),e=d.data("bs.carousel"),f=a.extend({},c.DEFAULTS,d.data(),"object"==typeof b&&b),g="string"==typeof b?
b:f.slide;e||d.data("bs.carousel",e=new c(this,f)),"number"==typeof b?e.to(b):g?e[g]():f.interval&&e.pause().cycle()})}var
c=function(b,c){this.$element=a(b),this.$indicators=this.$element.find(".carousel-
indicators"),this.options=c,this.paused=null,this.sliding=null,this.interval=null,this.$active=null,this.$items=null,this.options.keyb
oard&&this.$element.on("keydown.bs.carousel",a.proxy(this.keydown,this)),"hover"==this.options.pause&&!("ontouchstart"in
document.documentElement)&&this.$element.on("mouseenter.bs.carousel",a.proxy(this.pause,this)).on("mouseleave.bs.carousel",a.proxy(thi
s.cycle,this))};c.VERSION="3.3.7",c.TRANSITION_DURATION=600,c.DEFAULTS={interval:5e3,pause:"hover",wrap:!0,keyboard:!0},...
```

Cookies 2

TOC

Name	First Set	Domain	Secure	HTTP Only	Same Site	JS Stack Trace
Value	Requested URL		Expires			
Culture	https://uat1.apps.tbs-sct.gc.ca/gcfoundation/en/home	uat1.apps.tbs-sct.gc.ca	True	True	Strict	
en	https://uat1.apps.tbs-sct.gc.ca/gcfoundation/_content/GCFoundation.Components/lib/prism/js/prism.js?v=zg2MlsSqvmHJM0WAjtbQ6NOn9OZis57oiynRz5Q6ZaY		2026-10-08 4:07:51 PM			
TS01f9e613	https://uat1.apps.tbs-sct.gc.ca/gcfoundation/js/custom-scripts.js?v=1MqyrwtH4eq5jLTjR_eHqQumMrODsvOVueDLMtOVaNA	uat1.apps.tbs-sct.gc.ca	True	True		
01d93dcb0353b72dca4fccc7bd3ecc60d66ad160acd136950d09a733cf354bbe7d3d0ec5d3069ab7e6a06df55075072dc8d913bdb1	https://uat1.apps.tbs-sct.gc.ca/gcfoundation/_content/GCFoundation.Components/lib/prism/js/prism.js?v=zg2MlsSqvmHJM0WAjtbQ6NOn9OZis57oiynRz5Q6ZaY					

Components 3

TOC

Name	Version	URL
Bootstrap	3.3.7	https://uat1.apps.tbs-sct.gc.ca/apps/default/bootstrap/js/bootstrap.min.js
Bootstrap	3.2.0	https://uat1.apps.tbs-sct.gc.ca/apps/?v=zg2MlsSqvmHJM0WAjtbQ6NOn9OZis57oiynRz5Q6ZaY
jQuery	1.11.1	https://uat1.apps.tbs-sct.gc.ca/apps/?v=zg2MlsSqvmHJM0WAjtbQ6NOn9OZis57oiynRz5Q6ZaY