

Lower Columbia River Chinook ESU





Caption: Five year (2021−2025) geomean smoothed abundance as a percentage of recovery goals.
Error bars show approximate 95% confidence intervals.
Populations with no bars had no usable data.

Lower Columbia River Chinook ESU




Caption: Trend since ESA−listing (percent change in abundance per year). Error bars show 95% credible intervals. Populations with no bars had no usable data.


Lower Columbia River Chinook ESU
Data Updated 2026−10−15
Natural Origin Spawner Abundance
25000
20000
15000
10000
5000
0
2000
2010
2020
SPAWNINGYEAR
Observed Abundance
Cispus River − spring Chinook salmon
Coweeman River − fall Chinook salmon
Elochoman River − fall Chinook salmon
Grays and Chinook Rivers − fall Chinook salmon
Kalama River − fall Chinook salmon
Kalama River − spring Chinook salmon
Lewis River − fall Chinook salmon
Lewis River − late fall Chinook salmon
Lower Cowlitz River − fall Chinook salmon
Lower Gorge Tributaries − fall Chinook salmon
Mill, Abernathy, and Germany Creeks − fall Chinook salmon
North Fork Lewis River − spring Chinook salmon
Salmon Creek − fall Chinook salmon
Tilton River − spring Chinook salmon
Toutle River − fall Chinook salmon
Toutle River − spring Chinook salmon
Upper Cowlitz River − fall Chinook salmon
Upper Cowlitz River − spring Chinook salmon
Upper Gorge Tributaries − fall Chinook salmon
Washougal River − fall Chinook salmon
White Salmon River − fall Chinook salmon
White Salmon River − spring Chinook salmon




Caption: Observed (points) and smoothed (line) abundance since year of ESA−listing (vertical dashed line). Shaded band is the 95% interval for smoothed abundance. Horizontal dotted line is recovery goal.

Lower Columbia River Chinook ESU




Caption: Observed (points) and smoothed (line) abundance since year of ESA−listing (vertical dashed line). Shaded band is the 95% interval for smoothed abundance. Horizontal dotted line is recovery goal.

Lower Columbia River Chinook ESU




Caption: Observed (points) and smoothed (line) abundance since year of ESA−listing (vertical dashed line). Shaded band is the 95% interval for smoothed abundance. Horizontal dotted line is recovery goal.

Lower Columbia River Chinook ESU




Caption: Observed (points) and smoothed (line) abundance since year of ESA−listing (vertical dashed line). Shaded band is the 95% interval for smoothed abundance. Horizontal dotted line is recovery goal.

Lower Columbia River Chinook ESU




Caption: Observed (points) and smoothed (line) abundance since year of ESA−listing (vertical dashed line). Shaded band is the 95% interval for smoothed abundance. Horizontal dotted line is recovery goal.

Puget Sound Chinook ESU




Caption: Five year (2021−2025) geomean smoothed abundance as a percentage of recovery goals.
Error bars show approximate 95% confidence interva
Populations with no bars had no usable data.


Puget Sound Chinook ESU



Caption: Trend since ESA−listing (percent change in abundance per year). Error bars show 95% credible intervals. Populations with no bars had no usable data



Puget Sound Chinook ESU
Data Updated 2026−10−15
Natural Origin Spawner Abundance
20000
15000
10000
5000
0
2000
2010
2020
SPAWNINGYEAR
Observed Abundance
Cascade River − spring Chinook salmon
Cedar River − fall Chinook salmon
Dungeness River − summer Chinook salmon
Elwha River − fall Chinook salmon
Green River − fall Chinook salmon
Lower Sauk River − summer Chinook salmon
Lower Skagit River − fall Chinook salmon
Mid−Hood Canal − fall Chinook salmon
Nisqually River − fall Chinook salmon
North Fork Nooksack River (including Middle Fork Nooksack River) − spring Chinook salmon
North Fork Stillaguamish River − summer Chinook salmon
Puyallup River − fall Chinook salmon
Sammamish River − fall Chinook salmon
Skokomish River − fall Chinook salmon
Skykomish River − summer Chinook salmon
Snoqualmie River − fall Chinook salmon
South Fork Nooksack River − spring Chinook salmon
South Fork Stillaguamish River − fall Chinook salmon
Suiattle River − spring Chinook salmon
Upper Sauk River − spring Chinook salmon
Upper Skagit River − summer Chinook salmon
White River − spring Chinook salmon

Puget Sound Chinook ESU




Caption: Observed (points) and smoothed (line) abundance since year of ESA−listing (vertical dashed line). Shaded band is the 95% interval for smoothed abundance. Horizontal dotted line is recovery goal.

Puget Sound Chinook ESU




Caption: Observed (points) and smoothed (line) abundance since year of ESA−listing (vertical dashed line). Shaded band is the 95% interval for smoothed abundance. Horizontal dotted line is recovery goal.

Puget Sound Chinook ESU




Caption: Observed (points) and smoothed (line) abundance since year of ESA−listing (vertical dashed line). Shaded band is the 95% interval for smoothed abundance. Horizontal dotted line is recovery goal.

Puget Sound Chinook ESU



Caption: Observed (points) and smoothed (line) abundance since year of ESA−listing (vertical dashed line). Shaded band is the 95% interval for smoothed abundance. Horizontal dotted line is recovery goal.


Puget Sound Chinook ESU



SPAWNINGYEAR


Caption: Observed (points) and smoothed (line) abundance since year of ESA−listing (vertical dashed line). Shaded band is the 95% interval for smoothed abundance. Horizontal dotted line is recovery goal.

Snake River Fall Chinook ESU




Caption: Five year (2021−2025) geomean smoothed abundance as a percentage of recovery goals.
Error bars show approximate 95% confidence intervals.
Populations with no bars had no usable data.


Snake River Fall Chinook ESU



Caption: Trend since ESA−listing (percent change in abundance per year). Error bars show 95% credible intervals. Populations with no bars had no usable data.



Snake River Fall Chinook ESU
Data Updated 2026−10−15
Natural Origin Spawner Abundance
20000
10000
0
2000
2010
2020
SPAWNINGYEAR
Observed Abundance
Snake River − fall Chinook salmon

Snake River Fall Chinook ESU




Caption: Observed (points) and smoothed (line) abundance since year of ESA−listing (vertical dashed line). Shaded band is the 95% interval for smoothed abundance. Horizontal dotted line is recovery goal.

Snake River Spring/Summer Chinook ESU




Caption: Five year (2021−2025) geomean smoothed abundance as a percentage of recovery goals.
Error bars show approximate 95% confidence intervals.
Populations with no bars had no usable data.


Snake River Spring/Summer Chinook ESU



Caption: Trend since ESA−listing (percent change in abundance per year). Error bars show 95% credible intervals. Populations with no bars had no usable data.



Snake River Spring/Summer Chinook ESU
Data Updated 2026−10−15
Natural Origin Spawner Abundance
600
400
200
0
2000
2010
2020
SPAWNINGYEAR
Observed Abundance
Asotin Creek − spring Chinook salmon
Tucannon River − spring Chinook salmon

Snake River Spring/Summer Chinook ESU




Caption: Observed (points) and smoothed (line) abundance since year of ESA−listing (vertical dashed line). Shaded band is the 95% interval for smoothed abundance. Horizontal dotted line is recovery goal.

Upper Columbia River Spring Chinook ESU




Caption: Five year (2021−2025) geomean smoothed abundance as a percentage of recovery goals.
Error bars show approximate 95% confidence intervals.
Populations with no bars had no usable data.


Upper Columbia River Spring Chinook ESU



Caption: Trend since ESA−listing (percent change in abundance per year). Error bars show 95% credible intervals. Populations with no bars had no usable data.



Upper Columbia River Spring Chinook ESU
Data Updated 2026−10−15
Natural Origin Spawner Abundance
1500
1000
500
0
2000
2010
2020
SPAWNINGYEAR
Observed Abundance
Entiat River − spring Chinook salmon
Methow River − spring Chinook salmon
Wenatchee River − spring Chinook salmon

Upper Columbia River Spring Chinook ESU




Caption: Observed (points) and smoothed (line) abundance since year of ESA−listing (vertical dashed line). Shaded band is the 95% interval for smoothed abundance. Horizontal dotted line is recovery goal.

Columbia River Chum ESU




Caption: Five year (2021−2025) geomean smoothed abundance as a percentage of recovery goals.
Error bars show approximate 95% confidence intervals.
Populations with no bars had no usable data.


Columbia River Chum ESU



Caption: Trend since ESA−listing (percent change in abundance per year). Error bars show 95% credible intervals. Populations with no bars had no usable data.



Columbia River Chum ESU
Data Updated 2026−10−15
Natural Origin Spawner Abundance
30000
20000
10000
0
2000
2010
2020
SPAWNINGYEAR
Observed Abundance
Cowlitz River − fall Chum salmon
Cowlitz River − summer Chum salmon
Elochoman River − fall Chum salmon
Grays and Chinook Rivers − fall Chum salmon
Kalama River − fall Chum salmon
Lewis River − fall Chum salmon
Lower Gorge Tributaries − fall Chum salmon
Mill, Abernathy, and Germany Creeks − fall Chum salmon
Salmon Creek − fall Chum salmon
Upper Gorge Tributaries − fall Chum salmon
Washougal River − fall Chum salmon

Columbia River Chum ESU




Caption: Observed (points) and smoothed (line) abundance since year of ESA−listing (vertical dashed line). Shaded band is the 95% interval for smoothed abundance. Horizontal dotted line is recovery goal.

Columbia River Chum ESU




Caption: Observed (points) and smoothed (line) abundance since year of ESA−listing (vertical dashed line). Shaded band is the 95% interval for smoothed abundance. Horizontal dotted line is recovery goal.

Columbia River Chum ESU




Caption: Observed (points) and smoothed (line) abundance since year of ESA−listing (vertical dashed line). Shaded band is the 95% interval for smoothed abundance. Horizontal dotted line is recovery goal.

Hood Canal Summer Chum ESU




Caption: Five year (2021−2025) geomean smoothed abundance as a percentage of recovery goals.
Error bars show approximate 95% confidence intervals.
Populations with no bars had no usable data.


Hood Canal Summer Chum ESU



Caption: Trend since ESA−listing (percent change in abundance per year). Error bars show 95% credible intervals. Populations with no bars had no usable data.



Hood Canal Summer Chum ESU
Data Updated 2026−10−15
60000
40000
20000
0
Natural Origin Spawner Abundance
2000
2010
2020
SPAWNINGYEAR
Observed Abundance
Hood Canal − summer chum salmon
Strait of Juan de Fuca − summer chum salmon

Hood Canal Summer Chum ESU




Caption: Observed (points) and smoothed (line) abundance since year of ESA−listing (vertical dashed line). Shaded band is the 95% interval for smoothed abundance. Horizontal dotted line is recovery goal.

Lower Columbia River Coho ESU




Caption: Five year (2021−2025) geomean smoothed abundance as a percentage of recovery goals.
Error bars show approximate 95% confidence intervals.
Populations with no bars had no usable data.

Lower Columbia River Coho ESU



Caption: Trend since ESA−listing (percent change in abundance per year). Error bars show 95% credible intervals. Populations with no bars had no usable data.


Lower Columbia River Coho ESU



Observed Abundance


- Cispus River − early and late Coho salmon
- Coweeman River − late Coho salmon
- East Fork Lewis River − early and late Coho salmon
- Elochoman River − late Coho salmon
- Grays and Chinook Rivers − late Coho salmon
- Kalama River − late Coho salmon
- Lower Cowlitz River − late Coho salmon
- Lower Gorge Tributaries − late Coho salmon
- Mill, Abernathy, and Germany Creeks − late Coho salmon
- North Fork Lewis River − early and late Coho salmon
- North Fork Toutle River − early and late Coho salmon
- Salmon Creek − late Coho salmon
- South Fork Toutle River − early and late Coho salmon
- Tilton River − early and late Coho salmon
- Upper Cowlitz River − early and late Coho salmon
- Upper Gorge Tributaries − late Coho salmon
- Washougal River − late Coho salmon

Lower Columbia River Coho ESU




Caption: Observed (points) and smoothed (line) abundance since year of ESA−listing (vertical dashed line). Shaded band is the 95% interval for smoothed abundance. Horizontal dotted line is recovery goal.

Lower Columbia River Coho ESU




Caption: Observed (points) and smoothed (line) abundance since year of ESA−listing (vertical dashed line). Shaded band is the 95% interval for smoothed abundance. Horizontal dotted line is recovery goal.

Lower Columbia River Coho ESU




Caption: Observed (points) and smoothed (line) abundance since year of ESA−listing (vertical dashed line). Shaded band is the 95% interval for smoothed abundance. Horizontal dotted line is recovery goal.

Lower Columbia River Coho ESU




Caption: Observed (points) and smoothed (line) abundance since year of ESA−listing (vertical dashed line). Shaded band is the 95% interval for smoothed abundance. Horizontal dotted line is recovery goal.

Ozette Lake Sockeye ESU




Caption: Five year (2021−2025) geomean smoothed abundance as a percentage of recovery goals.
Error bars show approximate 95% confidence intervals.
Populations with no bars had no usable data.


Ozette Lake Sockeye ESU



Caption: Trend since ESA−listing (percent change in abundance per year). Error bars show 95% credible intervals. Populations with no bars had no usable data.



Ozette Lake Sockeye ESU
Data Updated 2026−10−15
Natural Origin Spawner Abundance
10000
5000
0
2000
2010
2020
SPAWNINGYEAR
Observed Abundance
Ozette Lake − sockeye salmon

Ozette Lake Sockeye ESU




Caption: Observed (points) and smoothed (line) abundance since year of ESA−listing (vertical dashed line). Shaded band is the 95% interval for smoothed abundance. Horizontal dotted line is recovery goal.

Lower Columbia River Steelhead DPS




Caption: Five year (2021−2025) geomean smoothed abundance as a percentage of recovery goals.
Error bars show approximate 95% confidence intervals.
Populations with no bars had no usable data.


Lower Columbia River Steelhead DPS



Caption: Trend since ESA−listing (percent change in abundance per year). Error bars show 95% credible intervals. Populations with no bars had no usable data.



Lower Columbia River Steelhead DPS
Data Updated 2026−10−15
Natural Origin Spawner Abundance
2000
1500
1000
500
0
2000
2010
2020
SPAWNINGYEAR
Observed Abundance
Cispus River − winter Steelhead
Coweeman River − winter Steelhead
East Fork Lewis River − summer Steelhead
East Fork Lewis River − winter Steelhead
Kalama River − summer Steelhead
Kalama River − winter Steelhead
Lower Cowlitz River − winter Steelhead
Lower Gorge Tributaries − winter Steelhead
North Fork Lewis River − summer Steelhead
North Fork Lewis River − winter Steelhead
North Fork Toutle River − winter Steelhead
Salmon Creek − winter Steelhead
South Fork Toutle River − winter Steelhead
Tilton River − winter Steelhead
Upper Cowlitz River − winter Steelhead
Upper Gorge Tributaries − winter Steelhead
Washougal River − summer Steelhead
Washougal River − winter Steelhead
Wind River − summer Steelhead

Lower Columbia River Steelhead DPS




Caption: Observed (points) and smoothed (line) abundance since year of ESA−listing (vertical dashed line). Shaded band is the 95% interval for smoothed abundance. Horizontal dotted line is recovery goal.

Lower Columbia River Steelhead DPS




Caption: Observed (points) and smoothed (line) abundance since year of ESA−listing (vertical dashed line). Shaded band is the 95% interval for smoothed abundance. Horizontal dotted line is recovery goal.

Lower Columbia River Steelhead DPS




Caption: Observed (points) and smoothed (line) abundance since year of ESA−listing (vertical dashed line). Shaded band is the 95% interval for smoothed abundance. Horizontal dotted line is recovery goal.

Lower Columbia River Steelhead DPS




Caption: Observed (points) and smoothed (line) abundance since year of ESA−listing (vertical dashed line). Shaded band is the 95% interval for smoothed abundance. Horizontal dotted line is recovery goal.

Middle Columbia River Steelhead DPS




Caption: Five year (2021−2025) geomean smoothed abundance as a percentage of recovery goals.
Error bars show approximate 95% confidence intervals.
Populations with no bars had no usable data.


Middle Columbia River Steelhead DPS



Caption: Trend since ESA−listing (percent change in abundance per year). Error bars show 95% credible intervals. Populations with no bars had no usable data.


Middle Columbia River Steelhead DPS
Data Updated 2026−10−15
Natural Origin Spawner Abundance
3000
2000
1000
0
2000
2010
2020
SPAWNINGYEAR
Observed Abundance
Klickitat River − summer and winter Steelhead
Naches River − summer Steelhead
Rock Creek − summer Steelhead
Satus Creek − summer Steelhead
Toppenish Creek − summer Steelhead
Touchet River − summer Steelhead
Walla Walla River − summer Steelhead
White Salmon River − summer Steelhead
Yakima River Upper Mainstem − summer Steelhead

Middle Columbia River Steelhead DPS




Caption: Observed (points) and smoothed (line) abundance since year of ESA−listing (vertical dashed line). Shaded band is the 95% interval for smoothed abundance. Horizontal dotted line is recovery goal.

Middle Columbia River Steelhead DPS




Caption: Observed (points) and smoothed (line) abundance since year of ESA−listing (vertical dashed line). Shaded band is the 95% interval for smoothed abundance. Horizontal dotted line is recovery goal.

Puget Sound Steelhead DPS




Caption: Five year (2021−2025) geomean smoothed abundance as a percentage of recovery goals.
Error bars show approximate 95% confidence intervals.
Populations with no bars had no usable data.

Puget Sound Steelhead DPS



Caption: Trend since ESA−listing (percent change in abundance per year). Error bars show 95% credible intervals. Populations with no bars had no usable data.


Puget Sound Steelhead DPS



Observed Abundance


- Baker River − summer and winter Steelhead
- Canyon Creek − summer Steelhead
- Cedar River − winter Steelhead
- Deer Creek − summer Steelhead
- Drayton Harbor Tributaries − winter Steelhead
- Dungeness River − summer and winter Steelhead
- East Hood Canal Tributaries − winter Steelhead
- East Kitsap Peninsula Tributaries − winter Steelhead
- Elwha River − winter Steelhead
- Green River − winter Steelhead
- Nisqually River − winter Steelhead
- Nookachamps Creek − winter Steelhead
- Nooksack River − winter Steelhead
- North Fork Skykomish River − summer Steelhead
- North Lake Washington and Lake Sammamish − winter Steelhead
- Pilchuck River − winter Steelhead
- Puyallup River/Carbon River − winter Steelhead
- Samish River and Bellingham Bay Tributaries − winter Steelhead
- Sauk River − summer and winter Steelhead
- Sequim/Discovery Bays Tributaries − winter Steelhead
- Skagit River − summer and winter Steelhead
- Skokomish River − winter Steelhead
- Snohomish/Skykomish Rivers − winter Steelhead
- Snoqualmie River − winter Steelhead
- South Fork Nooksack River − summer Steelhead
- South Hood Canal Tributaries − winter Steelhead
- South Puget Sound Tributaries − winter Steelhead
- Stillaguamish River − winter Steelhead
- Strait of Juan de Fuca Tributaries − winter Steelhead
- Tolt River − summer Steelhead
- West Hood Canal Tributaries − winter Steelhead
- White River − winter Steelhead

Puget Sound Steelhead DPS




Caption: Observed (points) and smoothed (line) abundance since year of ESA−listing (vertical dashed line). Shaded band is the 95% interval for smoothed abundance. Horizontal dotted line is recovery goal.

Puget Sound Steelhead DPS




Caption: Observed (points) and smoothed (line) abundance since year of ESA−listing (vertical dashed line). Shaded band is the 95% interval for smoothed abundance. Horizontal dotted line is recovery goal.

Puget Sound Steelhead DPS




Caption: Observed (points) and smoothed (line) abundance since year of ESA−listing (vertical dashed line). Shaded band is the 95% interval for smoothed abundance. Horizontal dotted line is recovery goal.

Puget Sound Steelhead DPS




Caption: Observed (points) and smoothed (line) abundance since year of ESA−listing (vertical dashed line). Shaded band is the 95% interval for smoothed abundance. Horizontal dotted line is recovery goal.

Puget Sound Steelhead DPS




Caption: Observed (points) and smoothed (line) abundance since year of ESA−listing (vertical dashed line). Shaded band is the 95% interval for smoothed abundance. Horizontal dotted line is recovery goal.

Puget Sound Steelhead DPS



Caption: Observed (points) and smoothed (line) abundance since year of ESA−listing (vertical dashed line). Shaded band is the 95% interval for smoothed abundance. Horizontal dotted line is recovery goal.


Puget Sound Steelhead DPS



SPAWNINGYEAR


Caption: Observed (points) and smoothed (line) abundance since year of ESA−listing (vertical dashed line). Shaded band is the 95% interval for smoothed abundance. Horizontal dotted line is recovery goal.

Snake River Basin Steelhead DPS




Caption: Five year (2021−2025) geomean smoothed abundance as a percentage of recovery goals.
Error bars show approximate 95% confidence intervals.
Populations with no bars had no usable data.


Snake River Basin Steelhead DPS



Caption: Trend since ESA−listing (percent change in abundance per year). Error bars show 95% credible intervals. Populations with no bars had no usable data.



Snake River Basin Steelhead DPS
Data Updated 2026−10−15
Natural Origin Spawner Abundance
3000
2000
1000
0
2000
2010
2020
SPAWNINGYEAR
Observed Abundance
Asotin Creek − summer Steelhead
Joseph Creek − summer Steelhead
Tucannon River − summer Steelhead

Snake River Basin Steelhead DPS




Caption: Observed (points) and smoothed (line) abundance since year of ESA−listing (vertical dashed line). Shaded band is the 95% interval for smoothed abundance. Horizontal dotted line is recovery goal.

Upper Columbia River Steelhead DPS




Caption: Five year (2021−2025) geomean smoothed abundance as a percentage of recovery goals.
Error bars show approximate 95% confidence intervals.
Populations with no bars had no usable data.


Upper Columbia River Steelhead DPS



Caption: Trend since ESA−listing (percent change in abundance per year). Error bars show 95% credible intervals. Populations with no bars had no usable data.


Upper Columbia River Steelhead DPS
Data Updated 2026−10−15
Natural Origin Spawner Abundance
1500
1000
500
0
2000
2010
2020
SPAWNINGYEAR
Observed Abundance
Entiat River − summer Steelhead
Methow River − summer Steelhead
Okanogan River − summer Steelhead
Wenatchee River − summer Steelhead

Upper Columbia River Steelhead DPS



Caption: Observed (points) and smoothed (line) abundance since year of ESA−listing (vertical dashed line). Shaded band is the 95% interval for smoothed abundance. Horizontal dotted line is recovery goal.