

Assignment3_Part_1.md

Assignment 3 - Part 1: Textbook problems

McGill University - ECSE 427: Operating Systems

Tristan Bouchard, 260747124

Question 1: P. 254 #4.

Consider a swapping system in which memory consists of the following hole sizes in memory order: 10 MB, 4 MB, 20 MB, 18 MB, 7 MB, 9 MB, 12 MB, and 15 MB. Which hole is taken for successive segment requests of

(a) 12 MB

(b) 10 MB

(c) 9 MB

for first fit? Now repeat the question for best fit, worst fit, and next fit.

With subsequent requests of the same memory size, here is the order in which each hole is filled based on the management strategy

Memory Request Size	First Fit	Best Fit	Worst Fit	Next Fit
a) - 12MB	20MB, 18MB, 12MB, 15MB	12MB, 15MB, 20MB	20MB, 18MB, 15MB	20MB, 18MB, 12MB, 15MB
b) - 10MB	10MB, 20MB, 18MB, 12MB, 15MB	10MB, 12MB, 15MB, 18MB, 20MB	20MB, 18MB, 15MB, 12MB	10MB, 20MB, 18MB, 12MB
c) - 9MB	10MB, 20MB, 18MB, 9MB, 12MB, 15MB	9MB, 10MB, 12MB, 15MB, 18MB, 20MB	20MB, 18MB, 15MB, 12MB, 10MB, 9MB	10MB, 20MB, 18MB, 9MB, 12MB, 15MB

Question 2: P. 254 # 7


Using the page table of Fig. 3-9, give the physical address corresponding to each of the following virtual addresses:

(a) 20

(b) 4100

(c) 8300

Based on figure 3-9 on page 197:



the physical addresses are:

Virtual Address	Physical Address
a) 20	$4096 * 2 + 20 = 8212$
b) 4100	4100
c) 8300	$(4096 * 6) + (8300 - 4096*2) = 24684$

Question 3: P. 257 #28

If FIFO page replacement is used with four page frames and eight pages, how many page faults will occur with the reference string 0172327103 if the four frames are initially empty? Now repeat this problem for LRU.

Assuming RAM structure contains 4 page frames, which are each the size of a page in physical memory For provided sequence 0172327103 in a system with four page frames and 8 pages:

FIFO: The queue presented in the diagram below is ordered as the first item in is the farthest to the right, sort-of like a shift register from left to right. The newest item in is appended on the left

Requested Page	Page Frame 0	Page Frame 1	Page Frame 2	Page Frame 3	FIFO Queue	Page Fault count
0	0	x	x	x	0	1
1	0	1	x	x	10	2
7	0	1	7	x	210	3
2	0	1	7	2	3210	4
3	3	1	7	2	0321	5
2	3	1	7	2	0321	5
3	3	1	7	2	0321	5
7	3	1	7	2	0321	5
1	3	1	7	2	0321	5
0	3	0	7	2	1032	6
3	3	0	7	2	1032	6

There are therefore 6 page faults caused using the FIFO page replacement strategy

LRU: The LRU list presented in the following table shows the least recently used at the end of the queue, to the far right. When page is used, it is jumped back to the front of the queue.

Requested Page	Page Frame 0	Page Frame 1	Page Frame 2	Page Frame 3	LRU List	Page Fault count
0	0	x	x	x	0	1
1	0	1	x	x	10	2
7	0	1	7	x	210	3
2	0	1	7	2	3210	4
3	3	1	7	2	0321	5
2	3	1	7	2	3021	5
3	3	1	7	2	0321	5
7	3	1	7	2	2031	5
1	3	1	7	2	1032	5
0	3	1	0	2	3102	6
3	3	0	7	2	1302	6

There are therefore 6 page faults caused using the LRU page replacement strategy

Question 4: P. 258 #38

Fragment A

```
for (int j = 0; j < 64; j++)
    for (int i = 0; i < 64; i++) X[i][j] = 0;
```

Fragment B

```
for (int i = 0; i < 64; i++)  
    for (int j = 0; j < 64; j++) X[i][j] = 0;
```

Given that the program used to manipulate the X array fills an entire page, and as such we only have the 3 remaining pages in RAM to store our data. Also, the Array is of size $64 \times 64 = 4096$ integers, which means $4096 \text{ words} / 128 \text{ (words/pages)} = 32$ pages to store.

Knowing that the memory is X array is stored in a row major form, meaning that $X[0][1]$ occupies the next memory spot after $X[0][0]$, it is obvious that Fragment A will generate more page faults, due to the fact that the inner loop iterates over the rows of the array. This requires fetching pages from the memory more frequently, as the array rows are farther away than array columns.

Now, for the number of page faults: given that a page contains 128 words and that the array contains 64 rows, each page of the array loaded contains 2 array rows.

Now, for *Fragment A*, this means that there will be a page fault every second time $X[i][j]$ is referenced, which results in $64 \text{ (columns)} * 64/2 \text{ (rows)} = 2048$ page faults.

For *Fragment B*, a page fault is caused every second iteration of the outer loop. This results in $64/2 = 32$ page faults.