VG100 — Introduction to Engineering

Project 1 Report (Team 16)

Rubric

- Game Design (10 pts)
- Code Quality (50 pts)
- Readme (15 pts)
- Personal work (20 pts)

1 Game Design

Not included in this report.

2 Code Quality

Your total score of this part is 24/50.

All related information is listed below:

1 point(s) deduction, hard-coded contents, in file Main.elm, lines 227-232.

```
227      [[1,2,3],[1,2,4],[1,2,5],[1,3,2],[1,3,4],[1,3,5],[1,4,2],[1,4,3],[1,4,5],[1,5,2],[1,5,3],[1,5,4]
228      ,[2,1,3],[2,1,4],[2,1,5],[2,3,1],[2,3,4],[2,3,5],[2,4,1],[2,4,3],[2,4,5],[2,5,1],[2,5,3],[2,5,4]
229      ,[3,1,2],[3,1,4],[3,1,5],[3,2,1],[3,2,4],[3,2,5],[3,4,1],[3,4,2],[3,4,5],[3,5,1],[3,5,2],[3,5,4]
230      ,[4,1,2],[4,1,3],[4,1,5],[4,2,1],[4,2,3],[4,2,5],[4,3,1],[4,3,2],[4,3,5],[4,5,1],[4,5,2],[4,5,3]
231      ,[5,1,2],[5,1,3],[5,1,4],[5,2,1],[5,2,3],[5,2,4],[5,3,1],[5,3,2],[5,3,4],[5,4,1],[5,4,2],[5,4,3]
232      ]
```

2 point(s) deduction, duplicate code and hard-coded contents, in file Main.elm, lines 259-502.

```
259  initBricks1 : List Brick
260  initBricks1 =
261      [   { position = ( 55, 298 ) , status = 1 }
262        , { position = ( 136, 298 ) , status = 1 }
263        , { position = ( 217, 298 ) , status = 1 }
264        , { position = ( 298, 298 ) , status = 1 }
265        , { position = ( 379, 298 ) , status = 2 }
266        , { position = ( 460, 298 ) , status = 4 }
267        , { position = ( 541, 298 ) , status = 2 }
268        , { position = ( 622, 298 ) , status = 1 }
```

...

```
493      , { position = ( 784, 236 ) , status = 0 }
494      , { position = ( 784, 205 ) , status = 0 }
495      , { position = ( 784, 174 ) , status = 2 }
496      , { position = ( 865, 236 ) , status = 2 }--col11
497      , { position = ( 865, 205 ) , status = 5 }
498      , { position = ( 865, 174 ) , status = 0 }
499      , { position = ( 865, 143 ) , status = 5 }
500      , { position = ( 865, 112 ) , status = 0 }
501      , { position = ( 865, 81 ) , status = 5 }
502      ]
```

1 point(s) deduction, too many nested List.append, use ++ instead, in file Main.elm, lines 529-560.

```
529              (List.append
530              (List.append
531              (List.append
532              (List.append
533              (List.append
534              [dispBackground --This box will be under white screen
535              , dispWhite
536              , dispWhite2 model
537              , dispCeiling
538              , dispRightWall
```

...

```
551              , displayPaddle model.paddle]
552               )
553               (displayBricks model.brick)
554               )
555               (displayItems model.items)
556               )
557               (displayBall model.ball)
558               )
559               (displayBall model.laserball)
560               )
```

2 point(s) deduction, duplicate code, in file Main.elm, lines 580-807.

```
580 dispBackground : Svg.Svg Msg
581 dispBackground =
582   Svg.image
583     [ x ”54”
584     , y ”49”
585     , width ”892”
586     , height ”551”
587     , xlinkHref ”https://s1.ax1x.com/2020/06/17/NAPkRJ.jpg”
588     ][]
589     --
```

...

```
798    if stageA 5 model then
799        Svg.image
800          [ x ”760”
801          , y ”200”
802          , width ”150”
803          , height ”150”
804          , xlinkHref ”https://s1.ax1x.com/2020/06/17/NEQIBT.png”
805          ][]
806    else
807        Svg.rect[][]
```

1 point(s) deduction, duplicate code, in file Main.elm, lines 894-1005.

```
894 stage1Button : Model -> Html Msg
895 stage1Button model  =
896        let
897            (txt , (x,y), msg) =
898                if model.gameStatus == (Playing<|NextStage) then
899                     (”Entrance Corridor”, (”970px”,”200px”) , ChooseStage(Stage1))
900                else
901                    (””, (”-100px”,”-100px”) , Backup)
902
903            (width,height) =
```

…

```
996                      (”160px”,”40px”)
997                 else
998                      (”0px”,”0px”)
999            color =
1000               if stageA 5 model then
1001                   ”#1B358E”
1002               else
1003                   ”#740505”
1004       in
1005        makeButton txt (x,y) (width,height) color (”18px”, ”#ffffff”) msg
```

1 point(s) deduction, duplicate code, in file Main.elm, lines 1007-1117.

```
1007   bonus1Button : Model -> Html Msg
1008   bonus1Button model  =
1009       let
1010           (txt , (x,y), msg) =
1011               if model.gameStatus == (Playing<|BonusSelection) then
1012                    (”Treasure 1”, (”970px”,”200px”) , ChooseBonus 1)
1013               else
1014                   (””, (”-100px”,”-100px”) , Backup)
1015
1016           (width,height) =
```

…

```
1108                     (”160px”,”40px”)
1109                else
1110                     (”0px”,”0px”)
1111           color =
1112               if bonusA 5 model then
1113                   ”#1B358E”
1114               else
1115                   ”#740505”
1116       in
1117        makeButton txt (x,y) (width,height) color (”18px”, ”#ffffff”) msg
```

1 point(s) deduction, duplicate code, in file Main.elm, lines 1173-1245.

```
1173           7 -> Svg.rect
1174               [ x <| String.fromFloat (brick.position |> Tuple.first)
1175               , y <| String.fromFloat (brick.position |> Tuple.second)
1176               , width ”80”
1177               , height ”30”
1178               , fill ”#679008”
1179            ]
1180            []
1181
1182        --short
```

…

```
1236            []
1237
1238        _ -> Svg.rect
1239            [ x <| String.fromFloat (brick.position |> Tuple.first)
1240            , y <| String.fromFloat (brick.position |> Tuple.second)
1241            , width ”80”
1242            , height ”30”
1243            , fill ”#ffb52b”
1244            ]
1245            []
```

1 point(s) deduction, duplicate code, in file Main.elm, lines 1250-1303.

```
1250        0 ->        -- effect: shorter paddle
1251            Svg.rect
1252                [ x <| String.fromFloat item.x
1253                , y <| String.fromFloat item.y
1254                , width  ”20”
1255                , height ”20”
1256                , fill ”#d94040”    --#d94040
1257                ]
1258                []
1259        1 ->        -- effect: longer paddle
```

…

```
1294                []
1295        _ ->        -- effect: none
1296            Svg.rect
1297                [ x <| String.fromFloat item.x
1298                , y <| String.fromFloat item.y
1299                , width  ”20”
1300                , height ”20”
1301                , fill ”#404040”    --#40404020
1302                ]
1303                []
```

1 point(s) deduction, duplicate code, in file Main.elm, lines 1428-1447.

```
1428        stage1 =
1429            if List.member 1 stage then
1430            ”Entrance Corridor/ ”
1431            else ””
1432        stage2 =
1433             if List.member 2 stage then
1434             ”Antechamber/ ”
1435             else ””
1436        stage3 =
1437            if List.member 3 stage then
```

```
1438            ”Annex/ ”
1439            else ””
1440        stage4 =
1441            if List.member 4 stage then
1442            ”Treasury/ ”
1443            else ””
1444        stage5 =
1445            if List.member 5 stage then
1446            ”Burial Chamber”
1447            else ””
```

1 point(s) deduction, too many if and else if, should use Type, in file Main.elm, lines 1453-1460.

```
1453    if model.extraballactivation then
1454    ”Extra Ball”
1455    else if model.fireballactivation then
1456    ”Fire Ball”
1457    else if model.laseractivation then
1458    ”Laser Ball”
1459    else
1460    ”Nothing”
```

1 point(s) deduction, too many if and else if, should use Type, in file Main.elm, lines 1506-1516.

```
1506        if model.twisttime >= 1  then
1507            String.fromInt (model.twisttime // 60)
1508        else if model.longertime >= 1  then
1509            String.fromInt (model.longertime // 60)
1510        else if model.shortertime >= 1  then
1511            String.fromInt (model.shortertime // 60)
1512        else if model.transparenttime >= 1  then
1513            String.fromInt (model.transparenttime // 60)
1514        else if model.biggertime >= 1  then
1515              String.fromInt (model.biggertime // 60)
1516        else ””
```

2 point(s) deduction, too long function with many duplicate code, in file Main.elm, lines 1529-2002.

```
1529 update msg model =
1530    case msg of
1531        Backup ->
1532            ( model , Cmd.none)
1533
1534        NewRandomBonus number ->
1535            let
1536                bonuslist =
1537                    case model.bonuslist of
1538                        [] ->
```

...

```
1993
1994                Stage5 ->
1995                     if checkStageAvailable 5 model.stage then
1996                    ( { model
1997                       | ball = initBall
```

```
1998                        , paddle = initPaddle
1999                        , paddleMove = NotMoving
2000                        , gameStatus = (Playing <| Waiting)
2001                        , score_init = model.score
2002                        , life_init = model.life
```

1 point(s) deduction, too long function, in file Main.elm, lines 2015-2136.

```
2015 calculatelaser : Ball -> Msg -> Model -> List Ball-> (Model, List Ball)
2016 calculatelaser ball _ model newlist=
2017     let
2018         bricks =
2019             model.brick
2020
2021         shouldDeleteHorizontalBrick =
2022             case Tuple.first (Tuple.second (clearBricks_Horizontal ball bricks)) of
2023                 0 -> False
2024                 _ -> True
```

...

```
2127         | brick = updateBricks
2128         , twisttime = twisttime
2129         , longertime = longertime
2130         , shortertime = shortertime
2131         , score = score + updateScores
2132         , life = life + maybeExtraLife
2133         , messageTime = messageTime
2134       }
2135     , list
2136     )
```

1 point(s) deduction, too long function, in file Main.elm, lines 2140-2306.

```
2140 calculate ball _ model newlist=
2141     let
2142         bricks =
2143             model.brick
2144
2145         shouldDeleteHorizontalBrick =
2146             case Tuple.first (Tuple.second (clearBricks_Horizontal ball bricks)) of
2147                 0 -> False
2148                 _ -> True
2149
```

...

```
2297         , shortertime = shortertime
2298         , transparenttime = transparenttime
2299         , biggertime = biggertime
2300         , score = score + updateScores
2301         , life = life + maybeExtraLife
2302         , messageTime = messageTime
2303       }
2304     , list
2305     )
2306
```

1 point(s) deduction, duplicate code, in file Main.elm, lines 2308-2336.

```
2308  twist : Model -> Ball -> Int -> Bool
2309  twist model ball num =
2310        if (Tuple.second (Tuple.second (clearBricks__Horizontal ball model.brick))).twist == True
2311                  || (Tuple.second (Tuple.second (clearBricks__Vertical ball model.brick))).twist == True
2312                  || (Tuple.second (Tuple.second (clearBricks__Corner ball model.brick))).twist == True
2313                  || Tuple.second (Tuple.second (clearItems ball model.items)) == 2 && num == 1 then
2314                  True
2315                  else
2316                  False
2317
```

...

```
2327
2328  shorter : Model -> Ball -> Int -> Bool
2329  shorter model ball num =
2330       if (Tuple.second (Tuple.second (clearBricks__Horizontal ball model.brick))).short == True
2331                  || (Tuple.second (Tuple.second (clearBricks__Vertical ball model.brick))).short == True
2332                  || (Tuple.second (Tuple.second (clearBricks__Corner ball model.brick))).short == True
2333                  || Tuple.second (Tuple.second (clearItems ball model.items)) == 0 && num == 1 then
2334                  True
2335                  else
2336                  False
```

1 point(s) deduction, duplicate code, in file Main.elm, lines 2627-2704.

```
2627  detectBrickHorizontalCollision : Ball -> List Brick -> Int -> Maybe Int
2628  detectBrickHorizontalCollision ball bricks num=
2629      case bricks of
2630          [] ->
2631              Nothing
2632          cell :: rest ->
2633              let
2634                  brick__x =
2635                      Tuple.first cell.position
2636                  brick__y =
```

...

```
2695                      ((ball.y - brick__y - 30)^2 + (ball.x - brick__x - 80)^2 <= (ball.r)^2) && (ball.y > brick__y + 30) && (ball.x >
                          ↪  brick__x + 80) && (ball.verticalSpeed < 0) && (ball.horizontalSpeed < 0)
2696                  status3 =
2697                      ((ball.y - brick__y - 30)^2 + (ball.x - brick__x)^2 <= (ball.r)^2) && (ball.y > brick__y + 30) && (ball.x < brick__x)
                          ↪  && (ball.verticalSpeed < 0) && (ball.horizontalSpeed > 0)
2698                  status4 =
2699                      ((ball.y - brick__y)^2 + (ball.x - brick__x - 80)^2 <= (ball.r)^2) && (ball.y < brick__y) && (ball.x > brick__x + 80)
                          ↪  && (ball.verticalSpeed > 0) && (ball.horizontalSpeed < 0)
2700              in
2701              if status1 || status2 || status3 || status4 then
2702                  Just num
2703              else
2704                  detectBrickCornerCollision ball rest (num+1)
```

1 point(s) deduction, should define Type instead of using int, in file Main.elm, lines 2736-2740.

```
2736                            0 -> (newbricks,(droppedbricks + 1,twistbricks))
2737                            7 -> (newbricks,(droppedbricks + 1,{twistbricks | extralife = True}))
2738                            6 -> (newbricks,(droppedbricks + 1,{twistbricks | short = True}))
2739                            5 -> (newbricks,(droppedbricks + 1,{twistbricks | long = True}))
2740                            4 -> (newbricks,(droppedbricks + 1,{twistbricks | twist = True}))
```

1 point(s) deduction, duplicate code, in file Main.elm, lines 2719-2808.

```
2719 clearBricks_Horizontal : Ball -> List Brick -> (List Brick, (Int, Brickfunction))
2720 clearBricks_Horizontal ball bricks =
2721     case detectBrickHorizontalCollision ball bricks 0 of
2722         Nothing ->
2723             (bricks, (0, { twist = False , long = False , short = False , extralife = False }))
2724         Just num ->
2725             let
2726                 before = List.take num bricks
2727                 after = List.drop (num+1) bricks
2728                 self = List.drop num bricks
```

...

```
2799                            6 -> (newbricks,(droppedbricks + 1,{twistbricks | short = True}))
2800                            5 -> (newbricks,(droppedbricks + 1,{twistbricks | long = True}))
2801                            4 -> (newbricks,(droppedbricks + 1,{twistbricks | twist = True}))
2802                            _ ->
2803                                let
2804                                    newbrick = {position = brick.position , status = brick.status - 1}
2805                                in
2806                                    (newbrick :: newbricks,(droppedbricks + 1, twistbricks))
2807
2808                    Nothing -> (newbricks,(droppedbricks , twistbricks))
```

2 point(s) deduction, elm-stuff in git repo.

5 point(s) deduction, all code in one file.

2 point(s) bonus, some comments found.

3 Readme

Not included in this report.

4 Personal work

Not included in this report.