# **Testing Report**

# MyStudyGroupPlanner

Version 1.1

#### Client

Katie Hirsch

#### Team 2

Aparna V. Kaliappan Ying Zhang Siqi Lin Sean Murren Tyler Campbell

4/12/2016

# MyStudyGroupPlanner Testing Report

## **Table of Contents**

<u>Page</u>

- 1. Changes in this Document
- 2. Introduction
  - 2.1. Purpose of This Document
  - 2.2. References
- 3. Testing Process
  - 3.1. Description
  - 3.2. Testing Sessions
  - 3.3. Impressions of the Process
- 4. Test Results

Appendix A - Agreement Between Customer and Contractor

Appendix B - Team Review Sign-off

Appendix C - Document Contributions

#### 1. Changes in This Document

Appendices A and B have been added. All sections of this document have been added to.

#### 2. Introduction

#### 2.1. Purpose of This Document

This document is intended for the system administrators, the software development team and other users who need a comprehensive overview of the testing phase. Testing cases, testing results and revision after testing will be explained in this document.

#### 2.2. References

Use cases in the System Requirement Specification Document

## 3. Testing Process

#### 3.1. Description

The uses cases described in the SRS documentation influence each spirals. Team members were assigned use cases and were then tasked with testing them for completion. The tests of the use cases were done by going through the "action" section of each use case and ensuring each step was completed successfully.

#### 3.2. Testing Sessions

| Date      | Location | Time Started | Time Ended | Tester(s)                      | Use Cases<br>Covered    |
|-----------|----------|--------------|------------|--------------------------------|-------------------------|
| 4/13/2016 | School   | 4:00pm       | 5:00pm     | Tyler Campbell                 | Logging in              |
| 4/13/2016 | School   | 8:00pm       | 9:00pm     | Tyler Campbell                 | Registering<br>New User |
| 4/13/2016 | School   | 10:00pm      | 11:00pm    | Sean Murren,<br>Tyler Campbell | Group<br>Creation       |

#### 3.3. Impressions of the Process

We are currently still in the development phase of our application, and are still working on implementing some of the features in our application. Thus, we have only done some basic testing of our code so far. Most of this testing has been done independently. For the next spiral, we plan to spend more time testing the code in small groups of 2 or 3 members, so that we can quickly debug our code and test all possible use case conditions.

The best modular unit in our code is our authentication system because it correctly allows users to login and register with our application. It does some validation of user input.

The worst modular unit in our code is the chat system because it does not yet integrate well with our database or any of the web pages. We are still in the process of finding a good chat API that will integrate with our existing technology stack and application setup.

#### 4. Test Results

#### 4.1. Testing Suite

| UseCase                                | Logging into Application  |
|--|---|
| Valid Situation                        | User enters their email and password into their respected fields clicks the "log in" button and they are redirected to the home page. |
| Invalid Situation                      | User enters valid credentials and is not redirected to the homepage   |
| Purpose                                | To test the ability to log into the application   |
| Expected Result for Valid Situation    | The user is redirected to the Welcome screen and their name is displayed in the navbar  |
| Expected Results for invalid Situation | The user enters incorrect credentials and they remain on the login page   |
| Boundary Conditions                    | Invalid Log in credentials result in no error message   |

| UseCase | Create Account |
|---------|----------------|
|---------|----------------|

| Valid Situation                        | User enters in their name, email and password. They click the register button and they are logged in to the application |
|--|---|
| Invalid Situation                      | User enters invalid fields and is not logged into the application   |
| Purpose                                | To test the ability to create an account  |
| Expected Result for Valid Situation    | The user is redirected to the Welcome screen and their name is displayed in the navbar                                  |
| Expected Results for invalid Situation | The user enters invalid credentials or already in use credentials and they remain on the login page                     |
| Boundary Conditions                    | Invalid credentials result in no error message  |

| UseCase                                | Create group  |
|--|---|
| Valid Situation                        | A logged in user, selects the create group tab, enters valid group data, and clicks the create button |
| Invalid Situation                      | User does not enter in valid information and is not logged in   |
| Purpose                                | To test the ability to create a group   |
| Expected Result for Valid Situation    | Group create appears on the page. On a page refresh, new group will appear                            |
| Expected Results for invalid Situation | Group was not created appears   |

| UseCase           | User Leaves a group  |
|-------------------|--|
| Valid Situation   | User clicks the Leave group button and they will no longer be able to access the group |
| Invalid Situation | User clicks Leave group button and is still able to access group                       |

| Purpose                                | To test the ability to leave a group   |
|--|--|
| Expected Result for Valid Situation    | The user is redirected to the Welcome screen and group is no longer shown in their "current groups" list |
| Expected Results for invalid Situation | The User is redirected to the Welcome page but the group they left is still in their created group page  |

| UseCase                                | User joins a searched for group   |
|--|---|
| Valid Situation                        | User joins a group that appears from the search results                                       |
| Invalid Situation                      | User attempts to join a private group or non-open group                                       |
| Purpose                                | To test the ability to join a searched for group  |
| Expected Result for Valid Situation    | The user is redirected to that group page and their user name is in the list of group members |
| Expected Results for invalid Situation | The user is not redirected to that group's page   |
| Boundary Conditions                    | Error message appears when user is trying join non-open group                                 |

| UseCase         | User joins a group by group-id   |
|-----------------|--|
| Valid Situation | User selects the "join group" tab, enters a valid group id, and selects join |

| Invalid Situation                      | User enters invalid group id and cannot join group  |
|--|---|
| Purpose                                | To test the ability to join a group by id   |
| Expected Result for Valid Situation    | The user is redirected to that group page and their user name is in the list of group members |
| Expected Results for invalid Situation | The user is not redirected to that group's page   |
| Boundary Conditions                    | Error message appears when user enters non-valid Groupid                                      |

| UseCase                                | Remove user from Group   |
|--|--|
| Valid Situation                        | A user with "remove Permissions" clicks the remove button next to a different user |
| Invalid Situation                      | A user does not have "remove Permissions" and the remove button is not available   |
| Purpose                                | To test the ability to remove users from groups                                    |
| Expected Result for Valid Situation    | Selected user is removed from the group  |
| Expected Results for invalid Situation | Selected user is not removed from the group  |
| Boundary Conditions                    | Remove button is grayed out if user is not allowed to remove group member          |

| UseCase         | Group creator Changes group permissions                                  |
|-----------------|--|
| Valid Situation | The owner of the group clicks on the button to add permissions to a user |

| Invalid Situation                      | User does not have the option to change the permission of a user   |
|--|--|
| Purpose                                | To test the ability to change the permissions of a user  |
| Expected Result for Valid Situation    | The group creator successfully changes the permissions of a user and they are perform the awarded group function (remove user, create meeting, etc.) |
| Expected Results for invalid Situation | The user is not able to change a different user's permissions  |
| Boundary Conditions                    | Change permissions button is grayed out if the user is not the group creator   |

| UseCase                                | Admin View Report   |
|--|---|
| Valid Situation                        | An administrative user is able to navigate to the "admin Home" page and view the report tab |
| Invalid Situation                      | User is not an admin and is not able to go to the admin home page                           |
| Purpose                                | To test the ability for an admin to view reports  |
| Expected Result for Valid Situation    | The Admin is presented with a list of all reports in the application                        |
| Expected Results for invalid Situation | The non-admin user will be redirected to the home page                                      |

| UseCase         | Admin adds information                            |
|-----------------|---|
| Valid Situation | The Admin in the Admin Home page selects the "add |

|  | study location" tab and enters data into the fields that appear    |
|--|--|
| Invalid Situation                      | User is not an admin and is not able to get to the Admin home page |
| Purpose                                | To test the ability to change the admin to add study locations     |
| Expected Result for Valid Situation    | User is not an admin and is not able to view the Admin home page   |
| Expected Results for invalid Situation | The user is not able to access the Admin page                      |

| UseCase                                | Admin searches for user  |
|--|--|
| Valid Situation                        | The Admin in the Admin Home page selects the "Search" tab and enters in a username               |
| Invalid Situation                      | User is not an admin and is not able to get to the Admin home page                               |
| Purpose                                | To test the ability for the admin to search for users  |
| Expected Result for Valid Situation    | The admin successfully adds a building location and is able to see them when they add a meeting. |
| Expected Results for invalid Situation | User is not an admin and is not able to view the Admin home page                                 |
| Boundary Conditions                    | No user is displayed if there are no users by that user name                                     |

| UseCase                                | Admin Delete a user's account   |
|--|---|
| Valid Situation                        | The Admin in the Admin Home page searches for a user and clicks the Delete button |
| Invalid Situation                      | User is not an admin and is not able to get to the Admin home page                |
| Purpose                                | To test the ability for the admin to delete users                                 |
| Expected Result for Valid Situation    | The user is deleted and is not longer able to log in                              |
| Expected Results for invalid Situation | User is not an admin and is not able to view the Admin home page                  |
| Boundary Conditions                    | User is not deleted if there is no user by that name in the database              |

| UseCase                                | Admin Deactivates User account  |
|--|---|
| Valid Situation                        | The Admin in the Admin Home page searches for a user and clicks the deactivate button |
| Invalid Situation                      | User is not an admin and is not able to get to the Admin home page                    |
| Purpose                                | To test the ability for the admin to deactivate users                                 |
| Expected Result for Valid Situation    | The selected user's account is deactivated and they are not able to log in            |
| Expected Results for invalid Situation | User is not an admin and is not able to view the Admin home page                      |
| Boundary Conditions                    | No user is displayed if there are no users by that user name                          |

| UseCase                                | Admin resets User account   |
|--|---|
| Valid Situation                        | The Admin in the Admin Home page searches for a user and clicks the "Reset Password" button |
| Invalid Situation                      | User is not an admin and is not able to get to the Admin home page                          |
| Purpose                                | To test the ability for the admin to reset user's passwords                                 |
| Expected Result for Valid Situation    | The selected user's password is reset to default "password"                                 |
| Expected Results for invalid Situation | User is not an admin and is not able to view the Admin home page                            |
| Boundary Conditions                    | No user is displayed if there are no users by that user name                                |

| UseCase                                | Admin Deletes all groups   |
|--|--|
| Valid Situation                        | The Admin in the Admin Home goes to the Delete tab, and clicks the delete button |
| Invalid Situation                      | User is not an admin and is not able to get to the Admin home page               |
| Purpose                                | To test the ability for the admin to delete all groups                           |
| Expected Result for Valid Situation    | There are no longer any groups within the database                               |
| Expected Results for invalid Situation | User is not an admin and is not able to view the Admin home page                 |

| UseCase         | Sign out of application                            |
|-----------------|--|
| Valid Situation | The user clicks the logout button in the top right |

|  | corner  |
|--|---|
| Invalid Situation                      | The user is not logged in and cannot see the logout button  |
| Purpose                                | To test the ability for the a user to log out   |
| Expected Result for Valid Situation    | The user is redirected to the login page and can only access the login page and the register page |
| Expected Results for invalid Situation | User stays on the login page because there is not logout button                                   |

| UseCase                                | Schedule a meeting   |
|--|--|
| Valid Situation                        | A user in a group selects the create meeting button and enters in the corresponding meeting data |
| Invalid Situation                      | A user is not in any groups and cannot access the group page                                     |
| Purpose                                | To test the ability for the admin to create meetings   |
| Expected Result for Valid Situation    | A meeting is create and the user is able to see it in the meetings section of the group page     |
| Expected Results for invalid Situation | User is not part of a group and cannot view created meeting                                      |
| Boundary Conditions                    | Meeting information is invalid and meeting is not created  |

| lseCase |
|---------|
|---------|

| Valid Situation                        | User receives a meeting request is prompted to accept or deny             |
|--|---|
| Invalid Situation                      | User does not receive a meeting request                                   |
| Purpose                                | To test the ability for the admin to respond to meeting request           |
| Expected Result for Valid Situation    | Meeting is accepted and shown on the user's homepage                      |
| Expected Results for invalid Situation | User was not invite to a meeting and is not able to respond               |
| Boundary Conditions                    | User declines meeting request and meeting doesn't appear on the home page |

| UseCase                                | Submit a report   |
|--|---|
| Valid Situation                        | The user is on the group page, clicks on the report button next to a user, enters in the required comments, and clicks submit |
| Invalid Situation                      | User is not part of a group   |
| Purpose                                | To test the ability for the user to submit a report   |
| Expected Result for Valid Situation    | A report is submitted and the admin can view it in the admin page   |
| Expected Results for invalid Situation | User was not part of a group and is unable to submit reports  |
| Boundary Conditions                    | User does not have permissions to report a user (admin)   |

| UseCase                                | Chat within a group   |
|--|---|
| Valid Situation                        | User is in the group page, can see the chat window, types something into the chat window, and presses enter |
| Invalid Situation                      | User is not part of a group   |
| Purpose                                | To test the ability for users within a group to chat  |
| Expected Result for Valid Situation    | Every user within that group can see what the previous user typed in as well as what they typed in          |
| Expected Results for invalid Situation | User is not in group and cannot participate in chat   |
| Boundary Conditions                    | User cannot join a group to participate (admin)   |

| UseCase                                | User Searches for a group  |
|--|--|
| Valid Situation                        | User on the homepage clicks the "search", enters in desired fields, and clicks the search button |
| Invalid Situation                      | The class type or section the user is looking for is not presetn                                 |
| Purpose                                | To test the ability for a user to search for a group   |
| Expected Result for Valid Situation    | The user is presented with a list of classes   |
| Expected Results for invalid Situation | User will not be able to see the non-existing class they are looking for                         |

| UseCase         | Send message to a group member                          |
|-----------------|---|
| Valid Situation | A user selects Notify User in the nav-bar, is selects a |

|  | user and a message and hits send                            |
|--|---|
| Invalid Situation                      | User is not logged in and cannot see notify user            |
| Purpose                                | To test the ability of users to send messages to each other |
| Expected Result for Valid Situation    | User selected above receives a message                      |
| Expected Results for invalid Situation | User is not logged in and does not receive message          |
| Boundary Conditions                    | User does not exist and will not receive message            |

| UseCase                                | User views message received                                 |
|--|---|
| Valid Situation                        | User navigates to their inbox and clicks on the new message |
| Invalid Situation                      | User does not have a new message                            |
| Purpose                                | To test the ability for the user to receive messages        |
| Expected Result for Valid Situation    | The user received a message from another user               |
| Expected Results for invalid Situation | There are no new messages in the user's inbox               |
| Boundary Conditions                    | User is not logged in and cannot view messages              |

| UseCase         | Admin creates an account  |
|-----------------|---|
| Valid Situation | The Admin in the Admin Home page selects the create admin account button, enters in information |

|  | and clicks create  |
|--|--|
| Invalid Situation                      | User is not an admin and is not able to get to the Admin home page |
| Purpose                                | To test the ability for the admin to create other admins           |
| Expected Result for Valid Situation    | An admin is created and is able to be logged in                    |
| Expected Results for invalid Situation | User is not an admin and is not able to view the Admin home page   |
| Boundary Conditions                    | Admin already exists and is not created                            |

| UseCase                                | View meetings on the calendar  |
|--|--|
| Valid Situation                        | If a user has an upcoming meeting, on their meeting calendar in the homepage, the date should be highlighted |
| Invalid Situation                      | User does not have any meetings they are attending   |
| Purpose                                | To test the ability for the user to view meetings in the calendar  |
| Expected Result for Valid Situation    | Days of Upcoming meetings are highlighted red past meetings are highlighted yellow on the calendar           |
| Expected Results for invalid Situation | User does not see any highlighted days on the calendar   |
| Boundary Conditions                    | User is not logged in and cannot see calendar  |

| UseCase                                | View meeting details  |
|--|---|
| Valid Situation                        | User clicks on meeting from the homepage                                      |
| Invalid Situation                      | User does not have any meetings they are attending                            |
| Purpose                                | To test the ability for the user to view meeting details                      |
| Expected Result for Valid Situation    | User is presented with a popup telling all details about meetings             |
| Expected Results for invalid Situation | User has not meetings and is therefore not able to see information about them |
| Boundary Conditions                    | User is not logged in and cannot see calendar                                 |

| UseCase                                | The user clicks on a specific date containing a meeting.                      |
|--|---|
| Valid Situation                        | User clicks on a day on the calendar  |
| Invalid Situation                      | User is not on the homepage   |
| Purpose                                | To test the ability for the user to view meeting for each day                 |
| Expected Result for Valid Situation    | All the meetings for the selected day appear under the calendar               |
| Expected Results for invalid Situation | User has not meetings and is therefore not able to see information about them |
| Boundary Conditions                    | User is not logged in and cannot see calendar                                 |

| UseCase | Send a message to the whole group |
|---------|-----------------------------------|
|         |                                   |

| Valid Situation                        | User clicks the "send message to whole group" button, enters in message, and hits submit |
|--|--|
| Invalid Situation                      | User is not part of a group  |
| Purpose                                | To test the ability for the user to send message to the whole group                      |
| Expected Result for Valid Situation    | A message appears in every member of the groups' inbox                                   |
| Expected Results for invalid Situation | Users are not part of the group and do not receive message                               |
| Boundary Conditions                    | User sending the message does not receive a message                                      |

| UseCase                                | Leave the chat                                   |
|--|--|
| Valid Situation                        | User selects the close button for the chat       |
| Invalid Situation                      | User is not part of a group                      |
| Purpose                                | To test the ability for the user to leave a chat |
| Expected Result for Valid Situation    | User no longer sees the chat messages appear     |
| Expected Results for invalid Situation | User is not in a group and cannot see the chat   |
| Boundary Conditions                    | User is an admin and cannot join a group         |

| UseCase         | Admin deletes information   |
|-----------------|---|
| Valid Situation | Admin clicks on the delete tab in the Admin home page, selects a study location from the drop downs |

|  | and hits delete  |
|--|--|
| Invalid Situation                      | User is not an admin and cannot view home page                       |
| Purpose                                | To test the ability for the admin to delete study locations          |
| Expected Result for Valid Situation    | The deleted Study location no longer appears when creating a meeting |
| Expected Results for invalid Situation | No change user is not admin  |

| UseCase                                | Change a meeting   |
|--|--|
| Valid Situation                        | Group leader selects a meeting from the group page, makes a change, and selects update |
| Invalid Situation                      | User is not group leader   |
| Purpose                                | To test the ability for the group leader to change meeting details                     |
| Expected Result for Valid Situation    | Meeting details are updated on the group page  |
| Expected Results for invalid Situation | No change user cannot update   |
| Boundary Conditions                    | User is not part of the group  |

| UseCase | Group leader is on the group page |
|---------|-----------------------------------|
|         |                                   |

| Valid Situation                        | User with the group creator role of a group navigates to a group                              |
|--|---|
| Invalid Situation                      | User is not a group creator   |
| Purpose                                | To test the ability for the group creators to view group pages                                |
| Expected Result for Valid Situation    | Group creator has options on their group page to make meetings, promote users, and kick users |
| Expected Results for invalid Situation | User does not have any group creator fields   |
| Boundary Conditions                    | User is an admin and cannot join groups   |

| UseCase                                | Join a video chat                                     |
|--|---|
| Valid Situation                        | User selects the join group chat button               |
| Invalid Situation                      | User is not in a group                                |
| Purpose                                | To test the ability for the user to join a video chat |
| Expected Result for Valid Situation    | Video is placed in a video chat with the group        |
| Expected Results for invalid Situation | User is not isn group and cannot join a video chat    |
| Boundary Conditions                    | User is an admin and cannot join a group              |

| UseCase           | Create profile  |
|-------------------|---|
| Valid Situation   | User clicks on their user name in the navbar , adds information and hits create |
| Invalid Situation | User is not logged in   |

| Purpose                                | To test the ability for the user to create their profile |
|--|--|
| Expected Result for Valid Situation    | User can select their profile and edit options about it  |
| Expected Results for invalid Situation | User is not logged in and cannot click on their name     |
| Boundary Conditions                    | User is an admin and does not have a profile             |

| UseCase                                | Edit profile  |
|--|---|
| Valid Situation                        | User clicks on their user name in the navbar            |
| Invalid Situation                      | User is not logged in                                   |
| Purpose                                | To test the ability for the user to edit their profile  |
| Expected Result for Valid Situation    | User can select their profile and edit options about it |
| Expected Results for invalid Situation | User is not logged in and cannot click on their name    |
| Boundary Conditions                    | User is an admin and does not have a profile            |

| UseCase           | delete profile                               |
|-------------------|--|
| Valid Situation   | Group creator clicks the delete group button |
| Invalid Situation | User is not group creator                    |

| Purpose                                | To test the ability for the group creator to delete their group |
|--|---|
| Expected Result for Valid Situation    | Group is deleted  |
| Expected Results for invalid Situation | User is not a group creator and cannot delete group             |
| Boundary Conditions                    | Admins cannot join groups                                       |


| UseCase                                | User joins a closed group                                   |
|--|---|
| Valid Situation                        | User searches for closed group, enters code, and click join |
| Invalid Situation                      | User does not have code                                     |
| Purpose                                | To test the ability for the user to join a closed group     |
| Expected Result for Valid Situation    | Notification is sent to group creator                       |
| Expected Results for invalid Situation | User is not placed into group                               |
| Boundary Conditions                    | User admin cannot join group                                |

| UseCase           | Handle closed group request                    |
|-------------------|--|
| Valid Situation   | Group creator receives notification for a join |
| Invalid Situation | User is not group creator                      |


| Purpose                                | To test the ability for the group creator can handle a group request |
|--|--|
| Expected Result for Valid Situation    | User is placed in group  |
| Expected Results for invalid Situation | User cannot allow a user into a group                                |
| Boundary Conditions                    | User admin cannot join group   |

## 4.2. Test Results

# 4.2.1 Use Case: Logging in Valid Situation:




Web page displays Log In Screen




User enters correct credential and is redirected to the home page

#### Invalid Situation:




User enters valid credentials and is not redirected to the homepage

4.2.2 Use case: Create Account




User enters in their name, email and password.




They click the register button and they are logged in to the application

**Invalid Situation** 




User enters invalid fields and is not logged into the application


# 4.2.3 Use case: Create Group Valid Situation



A logged in user, selects the create group tab, enters valid group data, and clicks the create button




A group is successfully created. Invalid Situation




User enters invalid information

4.2.4 Use case: Sign out of application Valid Situation




User clicks the logout button in the top right corner




User has successfully signed out of the application


**Invalid Situation:** 




User is not logged in

# 4.2.5 Use Case: Schedule a meeting Valid Situation






A user in a group selects the create meeting button



enters in the corresponding meeting data

**Invalid Situation:** 



A user is not in any groups and cannot access the group page

Not all use cases are done at this stage, cannot be tested.

## Appendix A - Agreement Between Customer and Contractor

| The customer and the development team agree that the MyStudyGroupPlanner application ha |
|---|
| undergone all of the tests described in this Testing Report.                            |

In the case that there are any future changes to the requirements outlined in this document, the development team will make these changes and provide the customer with updated hardcopy and softcopy versions to be read, approved, and signed.

| hardcopy and softcopy versions to be read, appro |      |  |
|--|------|--|
| Customer Comments:                               |      |  |
|  |      |  |
|  |      |  |
|  |      |  |
|  |      |  |
|  |      |  |
|  |      |  |
|  |      |  |
|  |      |  |
|  |      |  |
| Customer Signature                               |      |  |
|  |      |  |
| Print Name                                       | Date |  |
| Signature  | -    |  |
|  |      |  |

# **Development Team Signatures** Date **Print Name** Signature Print Name Date Signature **Print Name** Date Signature Print Name Date Signature Print Name Date Signature

## **Appendix B - Team Review Sign-off**

All members of the MyStudyGroupPlanner development team have reviewed this document and agree on its content and format. Any disagreements about this document are documented below.

| Development Team Signatures |             |
|-----------------------------|-------------|
| Print Name                  | Date        |
|                             | <u></u>     |
| Signature                   |             |
| <u>Comments</u> :           |             |
|                             |             |
|                             |             |
| Print Name                  | Date        |
|                             |             |
| Signature                   |             |
| <u>Comments</u> :           |             |
|                             |             |
|                             |             |
| Print Name                  | Date        |
|                             | <del></del> |
| Signature                   |             |
| Comments:                   |             |

| Print Name        | Date     |
|-------------------|----------|
|                   |          |
| Signature         |          |
| <u>Comments</u> : |          |
|                   |          |
|                   |          |
|                   | <u> </u> |
| Print Name        | Date     |
|                   |          |
| Signature         |          |
| <u>Comments</u> : |          |

# **Appendix C – Document Contributions**

- Tyler Campbell
  - O Testing suite
- Aparna Kaliappan
  - O Appendices A and B
  - O Section 3.3
- Ying Zhang
  - O Introduction
  - O Test Results
- Siqi Lin
  - O None
- Sean Murren
  - O None