



TICO PRO-SPOTTER				
S/N:		HYDRAULIC SYSTEM - ELECTRONIC CONTROL - 42098 TANK - 9.5" STROKE CYL		72194
ITEM	PART #	QTY/M	DESCRIPTION	TASK
	72194-B1	REF	HYD SYSTEM - ELECTRONIC CONTROL	
1	61962	1	PUMP - 20 GPM, STEER PRIORITY	
2	60212	1	GASKET - PUMP	
3	80175	2	BOLT - SOCKET HD, M10 X 1.5 X 30MM LG @ PUMP	
4	42019	1	STR ADAPTER - 1" ORB TO 1-1/4 JIC, TANK TO PUMP	
5	40471	1	STR ADAPTER - 3/4" O-RING TO 3/4" JIC, PUMP TO VALVE	
6	42006	1	STR ADAPTER - 1/2" O-RING TO 1/2" JIC, PUMP TO STEERING GEAR	
7	42098	1	TANK, HYDRAULIC	
8	82418	6	BOLT, HEX, 1/2-13 X 2" LG	
9	85104	8	WASHER, 1/2" FLAT	
10	85027	4	NUT, 1/2-13 NYLOCK	
11	30174	1	SPACER - HYDRAULIC TANK	
12	40823	1	ELBOW, 90°, 3/8" TUBE TO 3/8" NPT	
13	11004	3 FT	TUBING, NYLON, AIR BRAKE, BLACK, 3/8" DIA	
14	40593	1	P-CLAMP	
15	82371	3	BOLT, HEX, 5/16-18 X 1" LG	
16	85090	4	WASHER, 5/16" FLAT	
17	85024	1	NUT, 5/16-18 NYLOCK	
18	40806	2	NIPPLE - CLOSE, 1-1/4" NPT	
19	40805	1	ELBOW, 90°, STREET 1-1/4" FEM TO 1-1/4" FEM	
20	40218	1	BALL VALVE, 1-1/4" NPT	
21	40984	1	ELBOW, 45°, 1-1/4" NPT TO 1-1/4" JIC	
22	41278	1	HOSE ASS'Y, 1-1/4" X 85-1/2" HOSE, 90-3/4" OAL, TANK TO PUMP	
23	60556-2	1	FILTER HEAD	
24	60556-1	1	FILTER	
25	1026037	1	SEAL	
26	85134	2	5/16" LOCKWASHER	
27	40963	2	ELBOW, 90°, 1-1/4" PIPE TO 1" JIC	
28	41120	2	NIPPLE - CLOSE, 1" NPT	
29	41119	1	ELBOW, 90°, STREET 1" FEM PIPE, BOTH ENDS	
30	40146	1	1" SHUT-OFF VALVE	
31	40961	1	STR ADAPTER - 1" PIPE TO 1" JIC	
32	41218	1	HOSE ASS'Y - 1" X 25" HOSE, 30-1/16" OAL, FILTER TO TANK	
REV	DATE	BY		SHEET
				1 OF 2
TICO MANUFACTURING - RIDGELAND, SC 29936				

TICO PRO-SPOTTER				
S/N:		HYDRAULIC SYSTEM - ELECTRONIC CONTROL - 42098 TANK - 9.5" STROKE CYL		72194
ITEM	PART #	QTY/M	DESCRIPTION	TASK
33	30288	2	CYLINDER 5" - 9.5" STROKE	
34	30187-12	2	PIN - UPPER	
35	85093	8	WASHER, 1/2" FLAT	
36	40460	4	ELBOW, 90° - 1/2" ORB TO 1/2" JIC	
37	50050	2	TEE - BULKHEAD, 5/8" JIC	
38	50050-2	2	NUT, 7/8-14	
39	41230	2	HOSE ASS'Y - 1/2" X 22" HOSE, 24-15/16" OAL, TEE TO CYL., EXTEND	
40	41231	2	HOSE ASS'Y - 1/2" X 25" HOSE, 27-15/16" OAL, TEE TO CYL., RETRACT	
41	41232	2	HOSE ASS'Y - 5/8" X 42" HOSE, 45-1/8" OAL, TEE TO VALVE	
42	42172	1	ELECTRONIC DIRECTIONAL CONTROL VALVE	
43	80171	2	CAPSCREW - SOCKET HD, 3/8" X 2" LG	
44	85091	6	WASHER, 3/8" FLAT	
45	85025	6	NUT, 3/8-16 NYLOCK	
46	41187	2	ELBOW, 90° - SWIVEL, 3/4" ORB TO 5/8 JIC	
47	10624	1	ELBOW, 90° - 3/4" JIC TO 3/4" ORB	
48	40748	1	HOSE ASS'Y - 1" X 64" HOSE, 68-1/2" OAL, VALVE TO FILTER	
49	10623	1	ELBOW, 90° - 3/4" ORB TO 1" JIC	
50	41239	1	HOSE ASS'Y - 3/4" X 73-1/2" HOSE, 77-5/8" OAL, VALVE TO PUMP	
51	61758-3	1	MOUNT PLATE - VALVE	
52	82429	2	BOLT, HEX 1/2-13 X 2-1/4" LG	
53	40472	2	FITTING - 90°, 1/8" NPT(M) - #4 JIC(M)	
54	42083	1	TEE - JIC, #4	
55	40320	1	HOSE ASS'Y - #4, STR/STR, 28 1/4" OAL, TANK/TEE	
56	41103	1	HOSE ASS'Y - #4, STR/STR, 9 1/4" OAL, TEE/VALVE	
57	41058	1	HOSE ASS'Y - #4, STR/90°, 14 9/16" OAL, TEE/VALVE	
58	20100	2	U-BOLT, 3/8" DIA X 2" ID X 3-5/8" OAL	
REV	DATE	BY		SHEET
				2 OF 2



8 A 9B GC BG5F9-B-B7<9G HC 00F5B7 9G 897 A 5@ L'L'.....'S'S' L'L'L'.....'S'S' L'L'L'L'.....'S'S'S' 5B: I 05F.....'S'Y' :F57 HC B5@.....'S'Y' &'		B5A 9	85H9	 H7 C #PFA-B5@G9F J 7 9 ** 7 M0F 9G9F-B: 9 8F F-B: 9 05B82G7 &--' * fl (' L'+%+!&&&
BHFDF9H: 9C A 9F 7 HC 00F5B7 B: D9F: 5GA 9%(') A 1%- ( A 5H9F 5@		8F5K B	>?	
H-9G 6-97 HA 5H9F G-C K B 5B8 8907 F498-B H-4B8F5K-B 5B88 5BM C H-9F-B: CFA 5HC B 5B7 9B-B 7C B897 HC B H-9F 9K H-2 G D'C D'F 94F5MDFC D'F H5B8-B <90B-B GF-7 H7 C B-B 9B 7 9 6MMCI "		7<97 798		
500F- <HGC 5BMBJ 9B HC B GZ 890- B G9H 5B9A 5F7G9H 5B9 B5A 9G5B8 7C DM- <H8 67 0C 9B 5F9F90F J 9B HC H7 C HFA B5@ G9F J 7 9G-B7 "		5DDFC J 98		
8C BCHG7 5008F5K B:				HN09.
<MB 'GVGHPA				
GN9		8K ;	"BC "	F9J
7		+&% (!6%		
G7 5 @. % *		G<99H%C : %		