TICO PRO-SPOTTER						
5/N:			HYRAULIC SYSTEM-70K, 30 GPM, CABLE CONTROL	71615		
ITEM	PART #	QTY/M	DESCRIPTION	TASK		
	71545-C1	REF	HYD SYSTEM			
1	60943	1	PUMP-16 GPM	4		
2	60943-1	REF	GASKET-PUMP	4		
3	82418	2	BOLT HEX HD-1/2-13NC X 2LG	4		
4	85137	2	L'WASHER-1/2	4		
5	85115	6	WASHER, FLAT 1/2	7		
6	90921	1	SUPPORT-PTO	4		
7	40465	1	FITTING-90°, 1" "O'-RING/#12 JIC, SUCTION	4		
8	10624	2	FITTING-90°, 3/4" "O'-RING/#12 JIC, PRESSURE	4		
9	42059	1	TANK-HYD NON-VENTED CAP	7		
10	30174	1	SPACER-TANK MOUNT	7		
11	85104	4	WASHER-1/2	7		
12	85027	4	NUT-NYLOCK 1/2-13NC	7		
13	40823	1	FITTING, BRASS 3/8 TUBE, 3/8NPT-90°	7		
14	11004	3 ft	TUBING-NYLON AIR BRAKE 3/8 BK	7		
15		1	P-CLAMP	7		
16	82371	3	BOLT HEX HD-5/16-18NC X 1"LG	7		
17	85024	1	NUT NYLOCK-5/16NC	7		
18	60549	3	REDUCER-1 1/4 NPT TO 3/4 NPT	7		
19	40815	2	NIPPLE-3/4 NPT	7		
20	40845	2	ELBOW-90°, 3/4 NPT	7		
21	40146	1	VALVE-SHUT OFF-1" NPT	7		
22	40471	1	FITTING-STR, 3/4 NPT/#12 JIC	7		
23	41117	1	REDUCER-1 1/4 NPT TO 1 NPT	7		
24	41120	2	NIPPLE-1 NPT	7		
25	40932	1	ELBOW-90°, 1 NPT TO 1"JIC	7		
26	40128	1	VALVE-SHUT OFF-1 1/4" NPT	7		
27	60556-2	1	BASE-FILTER, HYD	7		
28	60556-1	1	FILTER, HYD	7		
29	1026037	1	SEAL	7		
30	85112	2	WASHER-5/16	7		
31	85134	2	L-WASHER-5/16	7		
32	40933	1	FITTING-90°, 1 1/4" NPT/#16 JIC	7		
33	41125	1	HOSE, HYD 1" X 25.5"LG SUCTION, TANK TO PUMP	7		
34	41179	1	HOSE, HYD 3/4" X 24"LG, TANK TO FILTER	7		
35	41180	1	HOSE, HYD 3/4" X 67"LG, FILTER TO CONTROL VALVE	7		
REV	DATE	BY		SHEEET		
С	11/12/2011	RWC		1 OF 2		

TICO PRO-SPOTTER						
/N:			HYRAULIC SYSTEM-70K, 30 GPM, CABLE CONTROL	71615		
ITEN A	DART #	OTV /8.6	T DESCRIPTION	TACK		
ITEM	PART #	QTY/M	DESCRIPTION	TASK		
36	60555-SB	1	VALVE-DIRECTION CONTROL - CABLE	7		
37	80171	2	SOC HD SCREW, 3/8 x 2 Lg	7		
38	85113	2	WASHER-3/8	4		
39	85025	4	LOCKNUT-3/8-16NC	4		
40	10623	2	FITTING - 90° DEG - 3/4 ORING TO #16 JIC	4		
41	42014	2	FITTING-STR, 3/4" ORING TO #12 JIC	4		
42	41065	1	FITTING, 90 DEGREE, 3/4" ORING TO #16 JIC	4		
43	41187	2	ELBOW, 90 DEGREE SWIVEL, 3/4" ORB X #10 JIC	4		
44	61758-3	1	MOUNT PLATE - VALVE	7		
45	82429	2	BOLT, HEX 1/2-13 x 2-1/4 Lg	7		
			, , ,			
46	50050	2	TEE, BULKHEAD - 5/8 JIC	4		
47	50050-2	2	NUT, 7/8-14 THD	4		
48	50050-1	4	ADAPTER-5/8 JIC TO 1/2 JIC	7		
49	30148-1	2	CYLINDER-5" HYD, 15' STROKE	5		
50	30187-12	2	PIN - UPPER CYLINDER	5		
51	82482	2	BOLT, HEX 3/8-16 x 3-1/2 Lg	7		
52	40460	4	FITTING-90°, 1/2 "O"-RING TO 1/2 JIC	5		
53	41219	1	HOSE, HYD 1" X 28-1/2"LG, VALVE TO PUMP	4		
54	41182	2	HOSE, HYD 5/8" X 24"LG, VALVE TO TEE	7		
55	41173	2	HOSE, HYD 1/2" X 27"LG, CYL TO TEE	7		
56	41174	2	HOSE, HYD 1/2" X 29 3/4"LG, CYL TO TEE	7		
57	NA			7		
58	41101	1	HOSE, HYD 1 1/4" X 29 1/4 OAL TANK TO PUMP	7		
59	40748	1	HOSE, HYD 1" X 68 1/2 OAL FILTER TO VALVE	7		
60	41218	1	HOSE HYD 1" X 30 OAL TANK TO FILTER	7		
			NOTE: SET VALVE PRESSURE RELIEF @ 2800 PSI			
REV	DATE	ВҮ		SHEEET		
C	11/12/2011	RWC		2 OF 2		

