



TICO PRO-SPOTTER				
S/N:		ENG & TRANS, QSB 160HP RDS 3000		71937
ITEM	PART #	QTY/M	DESCRIPTION	TASK
	71977-A1	REF	ENGINE & TRANSMISSION	
NOT SHOWN	62119	1	ENGINE, QSB 6.7-160 HP 2200 RPM, 12V, AC, BLK HTR, DELCO	
NOT SHOWN	60799-15	1	TRANS., ALLISON 3000 SERIES, TC-415	
3	61938	1	TCM, 1st-5th SPEED, 1950 SHIFT CAL	
4	90892	1	SHIFTER-TRANSMISSION PUSH BUTTON	
5	62210	1	ENGINE CRADLE - QSB3	
6	42070	2	SPACER - CRADLE	
7	82530	2	BOLT, HEX 3/4-10 X 4-1/2 LG	
8	82552	2	BOLT, HEX 3/4-10 X 5 LG	
9	85095	8	WASHER, FLAT 3/4	
10	85029	4	LOCKNUT, 3/4-10 NYLOK	
11	60809	1	MOUNTING PLATE FRONT ENGINE MOUNT	
12	82474	2	BOLT, HEX 5/8-11 X 3-1/4 LG	
13	60113	2	WASHER, BOOM	
14	60814	4	ISOLATOR FRT ENG MOUNT DUEL SYS	
15	10971	2	SPACER-FRT ENG MOUNT	
16	80342	1	BOLT-DRILLED HD-M16 X 2 X 45mm, 10.9 SHCS	
17	60981	1	MOUNT-REAR ENGINE LH	
18	60982	1	MOUNT-REAR ENGINE RH	
19	80240	12	BOLT, M12 X 1.5 X 35mm, 10.9	
20	82530	2	BOLT, HEX 3/4-10 X 4-1/2 LG	
21	85095	2	WASHER, 3/4 FLAT	
22	60740	2	WASHER, 3/4 REAR ENGINE MOUNT	
23	60136	2	ISOLATOR - REAR ENGINE	
24	60740-1	2	WASHER, 3/4 REAR ENGINE MOUNT	
25	85029	2	LOCKNUT, 3/4-10 NYLOK	
26	60799-6	6	BOLT KIT, FLEX PL-TORQ CONV, 10MM X 1.5 X 30, HEX HD, 10.9	
27	60799-7	12	BOLT, 10MM X 1.75 X 30, SERRATED FLANGE HD, 10.9	
28	60747	1	ACCELERATOR PEDAL - MODIFIED	
29	90632	1	MOUNTING PLATE - ELECTRIC THROTTLE	
30	83318	2	SC HC SCREW 3/8-16 X 3 1/2" LG	
31	85091	2	WASHER, 3/8 FLAT	
32	85025	2	LOCKNUT, 3/8-16 NYLOK	
33	85090	2	WASHER, 5/16 FLAT	
34	85024	2	LOCKNUT, 5/16-18 NYLOK	
REV	DATE	BY		SHEET
				1 OF 2


TICO PRO-SPOTTER				
S/N:		ENG & TRANS, QSB 160HP RDS 3000		71937
ITEM	PART #	QTY/M	DESCRIPTION	
35	61574	1	TRANS - DIPSTICK	
36	12091	1	SPACER - DIPSTICK CLIP	
37	40593	4	P-CLAMP	
38	82426	1	BOLT, HEX, 5/16-18 X 2-1/4 LG	
39	85134	2	LOCKWASHER, 5/16	
40	60956	3	BRKT, TRANS HOSE	
41	82371	3	BOLT, HEX 5/16-18 X 1" LG	
42	85013	3	NUT, HEX 5/16-18	
43	40467	1	FITTING - BRANCH TEE, 1/4NPT	
44	60061	1	PRESSURE STAT - 10 PSI	
45	91068	1	SENSOR - OIL PRESS GAUGE	
46	91069	1	SENSOR - WATER TEMP GAUGE	
47	NOT APPLICABLE			
48	40844	1	ELBOW, STREET, 3/8 MPT TO 3/8 FPT	
49	40751	1	REDUCER, 1/2 MPT TO 3/8 FPT	
NOT SHOWN	41178	96"	HEATER HOSE, SILICONE 5/8" X 96" LG	
NOT SHOWN	41254	2	CLAMP - THERMOPLASTIC, 13/16" THRU 15/16" (5/8" I.D.)	
NOT SHOWN	41026	2	HOSE, HYD TRANS TO COOLER	
NOT SHOWN	61513	1	WIRE HARNESS - TRANSMISSION/ABS	
NOT SHOWN	91222	1	CABLE, GROUND, ALTERNATOR TO STARTER, 33" LG	
NOT SHOWN	91221	1	CABLE, POSITIVE, ALTERNATOR TO STARTER, 38" LG	
NOT SHOWN	91134	1	WIRE - 6 GA GROUND, ENG/FRAME	
NOT SHOWN	61680	1	HARNESS - QSB ENGINE	
NOT SHOWN	62136	1	HARNESS - BATTERY SENSING	
REV	DATE	BY		
				SHEET
				2 OF 2





895-09  
G75@%.\*




895-08  
G75@%.\*



895-07  
G75@%.\*



895-05  
G75@%.\*



895-06  
G75@%.\*

BC H9. 9B; B95B8 HF5BGA GGB BCHGCK B

8A 9BGC BG5F9-B B7<9G HC 00F5B7 9G 897 A 5@ L'L'.....'S'S' L'L'L'.....'S'S' L'L'L'L'.....'S'S'S' 5B: I 05F.....'S'Y' :F57 HC B5@.....'S'Y' &	8A 9BGC BG5F9-B B7<9G HC 00F5B7 9G 897 A 5@ L'L'.....'S'S' L'L'L'.....'S'S' L'L'L'L'.....'S'S'S' 5B: I 05F.....'S'Y' :F57 HC B5@.....'S'Y' &	B5A 9 K <7 ., #S, #B&	85H9 ., #S, #B&	8C BCHG7 500 8F5K B:	H7 C #BFA-B 5@G9F J 7 9 ** 7 M0F 9G9F-B: 9 8F F-B: 9 05B 82G7 &- '* fl (' L'+%+!&&&
BHFD9H: 9C A 9F 7 HC 00F5B7 B: D9F: 5GA 9%() A 1%-( A 5H9F 5@ H-7 7B 9GG	H-9G 6-97 HA 5H9F G-CK B 5B8 8907 F498-B H-6B F5K-B 5B8 5BM CH 9F-B: CFA 5HC B 5B7 9B-B 7C B897 HC B H-9F 9K H-2 G DFC OF 945 FMDFC D9F H5B8 G1C 69 <90B-B GF-7 H7 C B- 09B 7 9 6MMCI" 500F- <HGHC 5BM 8J 9B HC B G2 890- B G1H 589A 5F7 G2 H 589 B5A 9G 5B8 7 C DM- <H8 67 0C 9B 5F 9F 90F J 9B HC H7 C HFA B 5@ G9F J 7 9G-B 7	8C BCHG7 500 8F5K B:	H7 C #BFA-B 5@G9F J 7 9 ** 7 M0F 9G9F-B: 9 8F F-B: 9 05B 82G7 &- '* fl (' L'+%+!&&&	8C BCHG7 500 8F5K B:	H7 C #BFA-B 5@G9F J 7 9 ** 7 M0F 9G9F-B: 9 8F F-B: 9 05B 82G7 &- '* fl (' L'+%+!&&&
GN9 7	8K ; "BC" +% ++!5%	F9J 9%	G75@%.*	G-99H% C : %	