

| TICO PRO-SPOTTER | | | | |
|--|----------|--|--|--------|
| S/N: | | HYDRAULIC SYSTEM - ELECTRONIC CONTROL- 20 GPM - 42098 TANK | | 71806 |
| ITEM | PART # | QTY/M | DESCRIPTION | TASK |
| | 72194-B1 | REF | HYD SYSTEM - ELECTRONIC CONTROL | |
| 1 | 61962 | 1 | PUMP, 20 GPM, STEER PRIORITY | |
| 2 | 60212 | 1 | GASKET, PUMP | |
| 3 | 80175 | 2 | BOLT, SOC HD, M10 X 1.5 X 30 MM LG, AT PUMP | |
| 4 | 42019 | 1 | ADAPTER, STR, 1" ORB TO 1 1/4 JIC, PUMP SUCTION | |
| 5 | 40471 | 1 | ADAPTER, STR, 3/4" O-RING X 3/4" JIC | |
| 6 | 42006 | 1 | ADAPTER, STR, 1/2" O-RING X 1/2" JIC | |
| 7 | 42098 | 1 | TANK, HYDRAULIC | |
| 8 | 82418 | 6 | BOLT, HEX, 1/2-13 X 2 LG | |
| 9 | 85104 | 8 | WASHER, FLAT, 1/2" | |
| 10 | 85027 | 4 | NUT, NYLOCK, 1/2-13 | |
| 11 | 30174 | 1 | SPACER, HYDRAULIC TANK | |
| 12 | 40823 | 1 | ELBOW, 90°, 3/8" TUBE X 3/8" NPT | |
| 13 | 11004 | 3 FT | TUBING, NYLON, 3/8" DIA, AIR BRAKE, BLACK | |
| 14 | 40593 | 1 | P-CLAMP | |
| 15 | 82371 | 3 | BOLT, HEX, 5/16-18 X 1" LG | |
| 16 | 85090 | 4 | WASHER, FLAT, 5/16" | |
| 17 | 85024 | 1 | NUT, NYLOCK, 5/16-18 | |
| 18 | 40816 | 2 | NIPPLE, CLOSE, 1 1/4" NPT | |
| 19 | 40805 | 1 | ELBOW, 90°, STREET, 1 1/4" FEM TO 1 1/4" FEM | |
| 20 | 40218 | 1 | VALVE, BALL, 1 1/4" NPT | |
| 21 | 40984 | 1 | ELBOW, 45°, 1 1/4" JIC X 1 1/4" NPT | |
| 22 | 41278 | 1 | HOSE ASS'Y, 1 1/4" X 85 1/2" HOSE, 90 3/4" OAL, TANK TO PUMP | |
| 23 | 60556-2 | 1 | FILTER HEAD | |
| 24 | 60556-1 | 1 | FILTER | |
| 25 | 1026037 | 1 | SEAL | |
| 26 | 85134 | 2 | LOCKWASHER, 5/16" | |
| 27 | 40963 | 2 | ELBOW, 90°, 1-1/4" PIPE X 1" JIC | |
| 28 | 41120 | 2 | NIPPLE, CLOSE, 1" NPT | |
| 29 | 41119 | 1 | ELBOW, 90°, STREET, 1" FEM PIPE, BOTH ENDS | |
| 30 | 40146 | 1 | VALVE, SHUT-OFF, 1" | |
| 31 | 40961 | 1 | ADAPTER, STR, 1" PIPE X 1" JIC | |
| 32 | 41218 | 1 | HOSE ASS'Y, 1" X 25" HOSE, 30 1/16" OAL, FILTER TO TANK | |
| REV | DATE | BY | | SHEET |
| | | | | 1 OF 2 |
| TICO MANUFACTURING - RIDGELAND, SC 29936 | | | | |









TICO PRO-SPOTTER



S/N:

HYDRAULIC SYSTEM - ELECTRONIC CONTROL- 20 GPM - 42098 TANK

71806

| ITEM | PART # | QTY/M | DESCRIPTION | TASK |
|------|----------|-------|--|--------|
| | | | | |
| 33 | 30148-1 | 2 | CYLINDER, 5" - 15" STROKE | |
| 34 | 30187-12 | 2 | PIN, UPPER | |
| 35 | 85093 | 8 | WASHER, FLAT, 1/2" | |
| 36 | 40460 | 4 | ELBOW, 90°, 1/2" ORB X 1/2" JIC | |
| | | | | |
| 37 | 50050 | 2 | TEE, BULKHEAD, 5/8" JIC | |
| 38 | 50050-2 | 2 | NUT, 7/8-14 | |
| 39 | 41230 | 2 | HOSE ASS'Y, 1/2" X 22" HOSE, 24 15/16" OAL, TEE TO CYL., EXTEND | |
| 40 | 41231 | 2 | HOSE ASS'Y, 1/2" X 25" HOSE, 27 15/16" OAL, TEE TO CYL., RETRACT | |
| 41 | 41232 | 2 | HOSE ASS'Y, 5/8" X 42" HOSE, 45 1/8" OAL, TEE TO VALVE | |
| | | | | |
| 42 | 42172 | 1 | VALVE, ELECTRONIC DIRECTIONAL CONTROL | |
| 43 | 80171 | 2 | CAPSCREW, SOC HD, 3/8" X 2" LG | |
| 44 | 85091 | 2 | WASHER, FLAT, 3/8" | |
| 45 | 85025 | 2 | NUT, NYLOCK, 3/8-16 | |
| 46 | 41187 | 2 | ELBOW, 90°, 3/4" ORB X 5/8 JIC, SWIVEL | |
| 47 | 10624 | 1 | ELBOW, 90°, 3/4" JIC X 3/4" ORB | |
| 48 | 40748 | 1 | HOSE ASS'Y, 1" X 64" HOSE, 68 1/2" OAL, VALVE TO FILTER | |
| 49 | 10623 | 1 | ELBOW, 90°, 3/4" ORB X 1" JIC | |
| 50 | 41239 | 1 | HOSE ASS'Y, 3/4" X 73 1/2" HOSE, 77 5/8" OAL, VALVE TO PUMP | |
| | | | | |
| 51 | 61758-3 | 1 | MOUNT PLATE, VALVE | |
| 52 | 82429 | 2 | BOLT, HEX, 1/2-13 X 2 1/4" LG | |
| | | | | |
| 53 | 40472 | 2 | FITTING, 90°, 1/8" NPT(M) X #4 JIC(M) | |
| 54 | 42083 | 1 | TEE, JIC, #4 | |
| 55 | 40320 | 1 | HOSE ASS'Y, #4, STR/STR, 28 1/4" OAL, TANK/TEE | |
| 56 | 41103 | 1 | HOSE ASS'Y, #4, STR/STR, 9 1/4" OAL, TEE/VALVE | |
| 57 | 41058 | 1 | HOSE ASS'Y, #4, STR/90°, 14 9/16" OAL, TEE/VALVE | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| REV | DATE | BY | | SHEET |
| | | | | 2 OF 2 |



| | | | |
|---|--|---|---|
| 8A 98 GC BG5F9 B 87 <9G HC 0#5B79G 897 A 5@ | B5A 9 85H9 |   | H7 C #PFA B 5@ 09F J 7 ** 7 M9F 9G9F G: 9 8F* F 0# : 985 B7G &- - 3* fl (t %+!&&& |
| 2F5K B 7 <97 98 5 D9FC J 98 | >? - 0#8 885% | | HH99 |
| 5B: 1 0#F.....(S)* : F57 HC B5@ : t %9& & | 8C B CHG7 0#9 8F5K B: | < M8 GVGH9A | |
| 0#H9F9F9: 9C A 9H-7 HC 0#F5B7 B: D9F: 5G A 9H()A %-(A 5H9F 0# | H-9 G 6-97 HA 5H9F G-C K B 5B8: 8 9G7 F 69B : HA G-8F5K B: 5B8 5BM CH-9 F G: CFA 5HC B 5B8 5B7 98 B: 7 C 5B97 HC B HA 9F0# H-2 G D F C D 9#6F M9FC D9F H 5B8 GHC 69 <98 B GH F7 H7 C B: 98B7 9 6M C I 5 0#H: +CHC 5BMA 9 98B B92 8 9G: B 9H7 5B9A 9 57G2H 589 B5A 9G5B87 C DM: <H6 67 0# 98B 5F9F 98F 9 98 HC H7 C H9A B 5@ 9H J 7 9G 87 | G#9 8K ; "BC" 7 G7 5@ %* | F9J +&% (!6% G< 99H%C: % |
| H-7 B9G0 | | | |