TICO PRO-SPOTTER						
/N:			HYRAULIC SYSTEM-70K, 16 GPM, ELEC CONTROL	71545		
ITEM	PART #	QTY/M	DESCRIPTION	TASK		
	71545-C1	REF	HYD SYSTEM			
1	60943	1	PUMP-16 GPM	4		
2	60943-1	REF	GASKET-PUMP	4		
3	82418	2	BOLT HEX HD-1/2-13NC X 2LG	4		
4	85137	2	L'WASHER-1/2	4		
5	85115	6	WASHER, FLAT 1/2	7		
6	90921	1	SUPPORT-PTO	4		
7	60558	1	FITTING-90°, 1" "O'-RING/#16 JIC, SUCTION	4		
8	10624	2	FITTING-90°, 3/4" "O'-RING/#12 JIC, PRESSURE	4		
9	42059	1	TANK-HYD NON-VENTED CAP	7		
10	30174	1	SPACER-TANK MOUNT	7		
11	85104	4	WASHER-1/2	7		
12	85027	4	NUT-NYLOCK 1/2-13NC	7		
13	40823	1	FITTING, BRASS 3/8 TUBE, 3/8NPT-90°	7		
14	11004	3 ft	TUBING-NYLON AIR BRAKE 3/8 BK	7		
15		1	P-CLAMP	7		
16	82371	3	BOLT HEX HD-5/16-18NC X 1"LG	7		
17	85024	1	NUT NYLOCK-5/16NC	7		
18	60549	3	REDUCER-1 1/4 NPT TO 3/4 NPT	7		
19	40815	2	NIPPLE-3/4 NPT	7		
20	40845	2	ELBOW-90°, 3/4 NPT	7		
21	40147	1	VALVE-SHUT OFF-3/4 NPT	7		
22	40471	1	FITTING-STR, 3/4 NPT/#12 JIC	7		
23	41117	1	REDUCER-1 1/4 NPT TO 1 NPT	7		
24	41120	2	NIPPLE-1 NPT	7		
25	40932	1	ELBOW-90°, 1 NPT TO 1"JIC	7		
26	40146	1	VALVE-SHUT OFF-1 NPT	7		
		<u> </u>		-		
27	60556-2	1	BASE-FILTER, HYD	7		
28	60556-1	1	FILTER, HYD	7		
29	1026037	1	SEAL	7		
30	85112	2	WASHER-5/16	7		
31	85134	2	L-WASHER-5/16	7		
32	10622	2	FITTING-90°, 3/4 NPT/#12 JIC	7		
33	41125	1	HOSE, HYD 1" X 25.5"LG SUCTION, TANK TO PUMP	7		
34	41179	1	HOSE, HYD 3/4" X 24"LG, TANK TO FILTER	7		
35	41175	1	HOSE, HYD 3/4" X 67"LG, FILTER TO CONTROL VALVE	7		
REV	DATE	BY		SHEEET		
С	11/12/2011	RWC		1 OF 2		

TICO PRO-SPOTTER						
/N:			HYRAULIC SYSTEM-70K, 16 GPM, ELEC CONTROL	71545		
				1		
ITEM	PART #	QTY/M	DESCRIPTION	TASK		
26	64.620		VALVE DIDECTION CONTROL COLEMON	7		
36	61630	1	VALVE-DIRECTION CONTROL - SOLENOID	7		
37	80171	2	SOC HD SCREW, 3/8 x 2 Lg			
38 39	85113 85025	4	WASHER-3/8 LOCKNUT-3/8-16NC	4		
40	40637	1	ELBOW - 45° DEG - 3/4 ORING TO 1" JIC	4		
41	40858	1	PIPE PLUG 1/8-27 NPT	4		
42	40838	2	ELBOW, 90 DEGREE, 1/4" JIC to 1/8 PIPE	4		
43	41188	2	ELBOW, 90 DEGREE SWIVEL, 1/2" ORB X #10 JIC	4		
44	61758-3	1	MOUNT PLATE - VALVE	7		
45	82429	2	BOLT, HEX 1/2-13 x 2-1/4 Lg	7		
40	02423		DOL1, 112 13 X 2 1/4 Lg	,		
46	50050	2	TEE, BULKHEAD - 5/8 JIC	4		
47	50050-2	2	NUT, 7/8-14 THD	4		
48	50050-1	4	ADAPTER-5/8 JIC TO 1/2 JIC	7		
			, , , , , , , , , , , , , , , , , , , ,			
49	30148-1	2	CYLINDER-5" HYD, 15' STROKE	5		
50	30187-12	2	PIN - UPPER CYLINDER	5		
51	82482	2	BOLT, HEX 3/8-16 x 3-1/2 Lg	7		
52	40460	4	FITTING-90°, 1/2 "O"-RING TO 1/2 JIC	5		
53	41181	1	HOSE, HYD 3/4" X 20-1/2"LG, VALVE TO PUMP	4		
54	41182	2	HOSE, HYD 5/8" X 24"LG, VALVE TO TEE	7		
55	41173	2	HOSE, HYD 1/2" X 27"LG, CYL TO TEE	7		
56	41174	2	HOSE, HYD 1/2" X 29 3/4"LG, CYL TO TEE	7		
57	42083	1	TEE-JIC, NO.4	7		
58	40320	1	HOSE ASS'S- NO.4, STR/STR, 28 1/4 OAL, TANK/TEE	7		
59	41103	1	HOSE ASS'Y- NO 4, STR/STR, 9 1/4 OAL, TEE/VALVE	7		
60	41058	1	HOSE ASS'Y- NO 4, STR/90°,14 9/16 OAL, TEE/VALVE	7		
			NOTE: SET VALVE PRESSURE RELIEF @ 2000 PSI			
REV	DATE	ВҮ		SHEEET		
С	11/12/2011	RWC		2 OF 2		

