

Acunetix

by Invicti

18/03/2026 01:35 PM (UTC-04:00)

Detailed Scan Report

[Go to the report on Acunetix 360.](#)

<https://glsc.gov.gy/>

Scan Time : 13/03/2026 11:40 PM
Scan Duration : 02:00:00:31
Description : glsc.gov.gy
Total Requests : 59,494
Average Speed : 0.3 r/s

Risk Level:
HIGH

5
IDENTIFIED

0
CONFIRMED

0
CRITICAL

1
HIGH


0
MEDIUM

2
LOW


0
BEST PRACTICE

2
INFORMATION

Identified Vulnerabilities



Confirmed Vulnerabilities



Vulnerability Summary

CONFIRM	VULNERABILITY	METHOD	URL	PARAMETER	PARAMETER TYPES
	 Out-of-date Version (Next.js React Framework)	GET	https://glsc.gov.gy/	No Parameters	No Parameter Types
	 Missing X-Content-Type-Options Header	GET	https://glsc.gov.gy/	No Parameters	No Parameter Types
	 Version Disclosure (Next.js React Framework)	GET	https://glsc.gov.gy/	No Parameters	No Parameter Types
	 Email Address Disclosure	GET	https://glsc.gov.gy/	No Parameters	No Parameter Types
	 Next.js React Framework Identified	GET	https://glsc.gov.gy/	No Parameters	No Parameter Types

1. Out-of-date Version (Next.js React Framework)

⬆ HIGH

1

Acunetix 360 identified the target web site is using the Next.js React Framework and detected that it is out of date.

Impact

Since this is an old version of the software, it may be vulnerable to attacks.

⬆ Next.js Uncontrolled Resource Consumption Vulnerability

A denial of service vulnerability exists in Next.js versions with Partial Prerendering (PPR) enabled when running in minimal mode. The PPR resume endpoint accepts unauthenticated POST requests with the `Next-Resume: 1` header and processes attacker-controlled postponed state data. Two closely related vulnerabilities allow an attacker to crash the server process through memory exhaustion: 1. **Unbounded request body buffering**: The server buffers the entire POST request body into memory using `Buffer.concat()` without enforcing any size limit, allowing arbitrarily large payloads to exhaust available memory. 2. **Unbounded decompression (zipbomb)**: The resume data cache is decompressed using `inflateSync()` without limiting the decompressed output size. A small compressed payload can expand to hundreds of megabytes or gigabytes, causing memory exhaustion. Both attack vectors result in a fatal V8 out-of-memory error (`FATAL ERROR: Reached heap limit Allocation failed - JavaScript heap out of memory`) causing the Node.js process to terminate. The zipbomb variant is particularly dangerous as it can bypass reverse proxy request size limits while still causing large memory allocation on the server. To be affected you must have an application running with `experimental.ppr: true` or `cacheComponents: true` configured along with the NEXT_PRIVATE_MINIMAL_MODE=1 environment variable. Strongly consider upgrading to 15.6.0-canary.61 or 16.1.5 to reduce risk and prevent availability issues in Next applications.`

Affected Versions

16.1.0 to 16.1.4

External References

- [CVE-2025-59472](https://cve.mitre.org/cve/2025/59472)

Exploits

Vulnerabilities

1.1. <https://glsc.gov.gy/>

Identified Version

- 16.1.1

Latest Version

- 16.1.6

Vulnerability Database

- Result is based on 03/10/2026 15:00:00 vulnerability database content.

Certainty



Request

Response

Request

GET / HTTP/1.1

Host: glsc.gov.gy

Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/webp,image/apng,*/*;q=0.8

Accept-Language: en-us,en;q=0.5

Cache-Control: no-cache

User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/79.0.3945.0 Safari/537.36

Response

Response Time (ms) : 384.4028

Total Bytes Received : 360

Body Length : 0

Is Compressed : No

HTTP/1.1 200 OK

Alt-Svc: h3=":443"; ma=2592000, h3-29=":443"; ma=2592000

Server: Sucuri/Cloudproxy

Connection: keep-alive

X-Powered-By-Plesk: PleskWin

X-Sucuri-ID: 14027

Last-Modified: Thu, 05 Feb 2026 15:07:05 GMT

Content-Type: text/html

Transfer-Encoding: chunked

Date: Sat, 14 Mar 2026 03:43:44 GMT

ETag: "1dc96b116cac8a7"

X-Sucuri-Cache: HIT

```
<!DOCTYPE html><!--Ons442xZu4Ms9CnrbVuFL--><html lang="en"><head><meta charset="utf-8"/><meta
name="viewport" content="width=device-width, initial-scale=1"/><link rel="preload" as="image" href="/img/glsc-
logo.png"/><link rel="preload" as="image" href="/img/slider/hy-e1490019724954.png"/><link rel="preload"
as="image" href="/img/maps/admin_regions.jpg"/><link rel="preload" as="image" href="/img/icons8-land-50.png"/>
<link rel="preload" as="image" href="/img/stakeholders/OP_LOGO.png"/><link rel="preload" as="image"
href="/img/stakeholders/CHPA-logo.png"/><link rel="preload" as="image" href="/img/stakeholders/EPA_LOGO.png"/>
<link rel="preload" as="image" href="/img/stakeholders/GGMC_LOGO.png"/><link rel="preload" as="image"
href="/img/stakeholders/GFC_LOGO.png"/><link rel="preload" as="image" href="/img/stakeholders/NRE_LOGO.png"/>
<link rel="stylesheet" href="/_next/static/chunks/d165d2ba40af9a4d.css" data-precedence="next"/><link
rel="preload" as="script" fetchPriority="low" href="/_next/static/chunks/66a8c16702b8a250.js"/><script
src="/_next/static/chunks/37354bc2f135015d.js" async=""></script><script
src="/_next/static/chunks/3514ede3783e585b.js" async=""></script><script
src="/_next/static/chunks/31b91ea3c1c3b671.js" async=""></script><script
src="/_next/static/chunks/5cedbe3d28acc407.js" async=""></script><script src="/_next/static/chunks/turbopack-
4198c031e477e679.js" async=""></script><script src="/_next/static/chunks/a244b32ac26cab11.js" async="">
</script><script src="/_next/static/chunks/ff1a16fafef87110.js" async=""></script><script
src="/_next/static/chunks/b20fb0df60270162.js" async=""></script><script sr
...
```

Remedy

Please upgrade your installation of the framework to the latest stable version.

Remedy References

- [Next.js Official Website](#)
- [Next.js Releases](#)



CLASSIFICATION

PCI DSS v3.2	6.2
OWASP 2013	A9
OWASP 2017	A9
CWE	1035 , 937
CAPEC	310
HIPAA	164.308(a)(1)(i)
OWASP Proactive Controls	C1
ISO27001	
ASVS 4.0	1.14.3
NIST SP 800-53	CM-6
DISA STIG	V-16836
OWASP Top Ten 2021	A06
OWASP Top 10 2025	A03
PCI DSS v4.0	6.3.3

2. Version Disclosure (Next.js React Framework)

▼ LOW

1

Acunetix 360 identified a version disclosure (Next.js React Framework) in the target web server's HTTP response.

This information can help an attacker gain a greater understanding of the systems in use and potentially develop further attacks targeted at the specific version of Next.js.

Impact

An attacker might use the disclosed information to harvest specific security vulnerabilities for the version identified.

Vulnerabilities

2.1. <https://glsc.gov.gy/>

Identified Version

- 16.1.1

Certainty



Request

Response

Request

GET / HTTP/1.1
Host: glsc.gov.gy
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/webp,image/apng,*/*;q=0.8
Accept-Language: en-us,en;q=0.5
Cache-Control: no-cache
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/79.0.3945.0 Safari/537.36

Response

Response Time (ms) : 384.4028

Total Bytes Received : 360

Body Length : 0

Is Compressed : No

HTTP/1.1 200 OK

Alt-Svc: h3=":443"; ma=2592000, h3-29=":443"; ma=2592000

Server: Sucuri/Cloudproxy

Connection: keep-alive

X-Powered-By-Plesk: PleskWin

X-Sucuri-ID: 14027

Last-Modified: Thu, 05 Feb 2026 15:07:05 GMT

Content-Type: text/html

Transfer-Encoding: chunked

Date: Sat, 14 Mar 2026 03:43:44 GMT

ETag: "1dc96b116cac8a7"

X-Sucuri-Cache: HIT

```
<!DOCTYPE html><!--Ons442xZu4Ms9CnrbVuFL--><html lang="en"><head><meta charset="utf-8"/><meta
name="viewport" content="width=device-width, initial-scale=1"/><link rel="preload" as="image" href="/img/glsc-
logo.png"/><link rel="preload" as="image" href="/img/slider/hy-e1490019724954.png"/><link rel="preload"
as="image" href="/img/maps/admin_regions.jpg"/><link rel="preload" as="image" href="/img/icons8-land-50.png"/>
<link rel="preload" as="image" href="/img/stakeholders/OP_LOGO.png"/><link rel="preload" as="image"
href="/img/stakeholders/CHPA-logo.png"/><link rel="preload" as="image" href="/img/stakeholders/EPA_LOGO.png"/>
<link rel="preload" as="image" href="/img/stakeholders/GGMC_LOGO.png"/><link rel="preload" as="image"
href="/img/stakeholders/GFC_LOGO.png"/><link rel="preload" as="image" href="/img/stakeholders/NRE_LOGO.png"/>
<link rel="stylesheet" href="/_next/static/chunks/d165d2ba40af9a4d.css" data-precedence="next"/><link
rel="preload" as="script" fetchPriority="low" href="/_next/static/chunks/66a8c16702b8a250.js"/><script
src="/_next/static/chunks/37354bc2f135015d.js" async=""></script><script
src="/_next/static/chunks/3514ede3783e585b.js" async=""></script><script
src="/_next/static/chunks/31b91ea3c1c3b671.js" async=""></script><script
src="/_next/static/chunks/5cedbe3d28acc407.js" async=""></script><script src="/_next/static/chunks/turbopack-
4198c031e477e679.js" async=""></script><script src="/_next/static/chunks/a244b32ac26cab11.js" async="">
</script><script src="/_next/static/chunks/ff1a16fafef87110.js" async=""></script><script
src="/_next/static/chunks/b20fb0df60270162.js" async=""></script><script sr
...
```

Remedy

Configure your web server to prevent information leakage from its HTTP response.

External References

- [Next.js Official Website](#)



CLASSIFICATION

OWASP 2013	A5
OWASP 2017	A6
CWE	205
CAPEC	170
WASC	13
HIPAA	164.306(a) , 164.308(a)
OWASP Proactive Controls	N/A
ISO27001	
ASVS 4.0	14.3.3
NIST SP 800-53	AC-22
DISA STIG	V-16814
OWASP API Top Ten 2019	API7
OWASP Top Ten 2021	A05
OWASP Top 10 2025	A02

3. Missing X-Content-Type-Options Header

✓ LOW

1

Acunetix 360 detected a missing X-Content-Type-Options header which means that this website could be at risk of a MIME-sniffing attacks.

Impact

MIME type sniffing is a standard functionality in browsers to find an appropriate way to render data where the HTTP headers sent by the server are either inconclusive or missing.

This allows web browsers such as Google Chrome to perform MIME-Sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the intended content type.

The problem arises once a website allows users to upload content which is then published on the web server. If an attacker can carry out XSS (Cross-site Scripting) attack by manipulating the content in a way to be accepted by the web application and rendered as HTML by the browser, it is possible to inject code in e.g. an image file and make the victim execute it by viewing the image.

Vulnerabilities

3.1. <https://glsc.gov.gy/>

Certainty



Request

Response

Request

GET / HTTP/1.1
Host: glsc.gov.gy
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/webp,image/apng,*/*;q=0.8
Accept-Language: en-us,en;q=0.5
Cache-Control: no-cache
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/79.0.3945.0 Safari/537.36

Response

Response Time (ms) : 384.4028

Total Bytes Received : 360

Body Length : 0

Is Compressed : No

HTTP/1.1 200 OK

Alt-Svc: h3=":443"; ma=2592000, h3-29=":443"; ma=2592000

Server: Sucuri/Cloudproxy

Connection: keep-alive

X-Powered-By-Plesk: PleskWin

X-Sucuri-ID: 14027

Last-Modified: Thu, 05 Feb 2026 15:07:05 GMT

Content-Type: text/html

Transfer-Encoding: chunked

Date: Sat, 14 Mar 2026 03:43:44 GMT

ETag: "1dc96b116cac8a7"

X-Sucuri-Cache: HIT

```
<!DOCTYPE html><!--Ons442xZu4Ms9CnrbVuFL--><html lang="en"><head><meta charset="utf-8"/><meta
name="viewport" content="width=device-width, initial-scale=1"/><link rel="preload" as="image" href="/img/glsc-
logo.png"/><link rel="preload" as="image" href="/img/slider/hy-e1490019724954.png"/><link rel="preload"
as="image" href="/img/maps/admin_regions.jpg"/><link rel="preload" as="image" href="/img/icons8-land-50.png"/>
<link rel="preload" as="image" href="/img/stakeholders/OP_LOGO.png"/><link rel="preload" as="image"
href="/img/stakeholders/CHPA-logo.png"/><link rel="preload" as="image" href="/img/stakeholders/EPA_LOGO.png"/>
<link rel="preload" as="image" href="/img/stakeholders/GGMC_LOGO.png"/><link rel="preload" as="image"
href="/img/stakeholders/GFC_LOGO.png"/><link rel="preload" as="image" href="/img/stakeholders/NRE_LOGO.png"/>
<link rel="stylesheet" href="/_next/static/chunks/d165d2ba40af9a4d.css" data-precedence="next"/><link
rel="preload" as="script" fetchPriority="low" href="/_next/static/chunks/66a8c16702b8a250.js"/><script
src="/_next/static/chunks/37354bc2f135015d.js" async=""></script><script
src="/_next/static/chunks/3514ede3783e585b.js" async=""></script><script
src="/_next/static/chunks/31b91ea3c1c3b671.js" async=""></script><script
src="/_next/static/chunks/5cedbe3d28acc407.js" async=""></script><script src="/_next/static/chunks/turbopack-
4198c031e477e679.js" async=""></script><script src="/_next/static/chunks/a244b32ac26cab11.js" async="">
</script><script src="/_next/static/chunks/ff1a16fafef87110.js" async=""></script><script
src="/_next/static/chunks/b20fb0df60270162.js" async=""></script><script sr
...
```

Remedy

Add the X-Content-Type-Options header with a value of "nosniff" to inform the browser to trust what the site has sent is the appropriate content-type, and to not attempt "sniffing" the real content-type.

X-Content-Type-Options: nosniff

External References

- [X-Content-Type-Options HTTP Header](#)



CLASSIFICATION

OWASP 2013	A5
OWASP 2017	A6
CWE	16
WASC	15
ISO27001	
ASVS 4.0	14.4.1
NIST SP 800-53	CM-6
DISA STIG	V-16786
OWASP API Top Ten 2019	API7
OWASP Top Ten 2021	A05
OWASP API Top 10 2023	API8
OWASP Top 10 2025	A02

4. Email Address Disclosure

 INFORMATION

1

Acunetix 360 identified an Email Address Disclosure.

Impact

Email addresses discovered within the application can be used by both spam email engines and also brute-force tools. Furthermore, valid email addresses may lead to social engineering attacks.

Vulnerabilities

4.1. <https://glsc.gov.gy/>

Email Address(es)

- region4office@glsc.gov.gy

Certainty



Request

Response

Request

```
GET / HTTP/1.1
Host: glsc.gov.gy
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/webp,image/apng,*/*;q=0.8
Accept-Language: en-us,en;q=0.5
Cache-Control: no-cache
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/79.0.3945.0 Safari/537.36
```

Response

Response Time (ms) : 384.4028

Total Bytes Received : 360

Body Length : 0

Is Compressed : No

```
...
2" d="M3 8l7.89 4.26a2 2 0 002.22 0L21 8M5 19h14a2 2 0 002-2V7a2 2 0 00-2-2H5a2 2 0 00-2 2v10a2 2 0 002 2z">
</path></svg></div><div><h6 class="font-semibold mb-1 text-white">Email</h6><a
href="mailto:region4office@glsc.gov.gy" class="text-white/80 hover:text-white transition-colors text-
sm">region4office@glsc.gov.gy</a></div></div><div class="flex items-start gap-4"><div class="w-10 h-10 bg-
white/10 backdrop-blur-sm rounded-full flex items-center justify-center flex-shrink-0"><svg class="w-5 h-5 text-white"
fill
...
```

Remedy

Use generic email addresses such as contact@ or info@ for general communications and remove user/people-specific email addresses from the website; should this be required, use submission forms for this purpose.

External References

- [Wikipedia - Email Spam](#)



CLASSIFICATION

CWE	200
-----	---------------------

CAPEC	118
-------	---------------------

WASC	13
------	--------------------

OWASP Proactive Controls	C7
--------------------------	--------------------

ISO27001	
----------	--

ASVS 4.0	14.3.3
----------	------------------------

NIST SP 800-53	AC-22
----------------	-----------------------

DISA STIG	V-16814
-----------	-------------------------

CVSS 3.0 SCORE

Base	0 (None)
------	----------

Temporal	0 (None)
----------	----------

Environmental	0 (None)
---------------	----------

CVSS Vector String

CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:N
--

CVSS 3.1 SCORE

Base	0 (None)
------	----------

Temporal	0 (None)
----------	----------

CVSS 3.1 SCORE

Environmental

0 (None)

CVSS Vector String

CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:N

5. Next.js React Framework Identified

 INFORMATION

1

Acunetix 360 identified the Next.js React framework.

Impact

This issue is reported as additional information only. There is no direct impact arising from this issue.

Vulnerabilities

5.1. <https://glsc.gov.gy/>

Certainty



Request

Response

Request

GET / HTTP/1.1
Host: glsc.gov.gy
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/webp,image/apng,*/*;q=0.8
Accept-Language: en-us,en;q=0.5
Cache-Control: no-cache
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/79.0.3945.0 Safari/537.36

Response

Response Time (ms) : 384.4028

Total Bytes Received : 360

Body Length : 0

Is Compressed : No

HTTP/1.1 200 OK

Alt-Svc: h3=":443"; ma=2592000, h3-29=":443"; ma=2592000

Server: Sucuri/Cloudproxy

Connection: keep-alive

X-Powered-By-Plesk: PleskWin

X-Sucuri-ID: 14027

Last-Modified: Thu, 05 Feb 2026 15:07:05 GMT

Content-Type: text/html

Transfer-Encoding: chunked

Date: Sat, 14 Mar 2026 03:43:44 GMT

ETag: "1dc96b116cac8a7"

X-Sucuri-Cache: HIT

```
<!DOCTYPE html><!--Ons442xZu4Ms9CnrbVuFL--><html lang="en"><head><meta charset="utf-8"/><meta
name="viewport" content="width=device-width, initial-scale=1"/><link rel="preload" as="image" href="/img/glsc-
logo.png"/><link rel="preload" as="image" href="/img/slider/hy-e1490019724954.png"/><link rel="preload"
as="image" href="/img/maps/admin_regions.jpg"/><link rel="preload" as="image" href="/img/icons8-land-50.png"/>
<link rel="preload" as="image" href="/img/stakeholders/OP_LOGO.png"/><link rel="preload" as="image"
href="/img/stakeholders/CHPA-logo.png"/><link rel="preload" as="image" href="/img/stakeholders/EPA_LOGO.png"/>
<link rel="preload" as="image" href="/img/stakeholders/GGMC_LOGO.png"/><link rel="preload" as="image"
href="/img/stakeholders/GFC_LOGO.png"/><link rel="preload" as="image" href="/img/stakeholders/NRE_LOGO.png"/>
<link rel="stylesheet" href="/_next/static/chunks/d165d2ba40af9a4d.css" data-precedence="next"/><link
rel="preload" as="script" fetchPriority="low" href="/_next/static/chunks/66a8c16702b8a250.js"/><script
src="/_next/static/chunks/37354bc2f135015d.js" async=""></script><script
src="/_next/static/chunks/3514ede3783e585b.js" async=""></script><script
src="/_next/static/chunks/31b91ea3c1c3b671.js" async=""></script><script
src="/_next/static/chunks/5cedbe3d28acc407.js" async=""></script><script src="/_next/static/chunks/turbopack-
4198c031e477e679.js" async=""></script><script src="/_next/static/chunks/a244b32ac26cab11.js" async="">
</script><script src="/_next/static/chunks/ff1a16fafef87110.js" async=""></script><script
src="/_next/static/chunks/b20fb0df60270162.js" async=""></script><script sr
...
```

External References

- [Next.js Official Website](#)



CLASSIFICATION

OWASP 2017	A6
------------	--------------------

CWE	205
-----	---------------------

WASC	13
------	--------------------

OWASP Proactive Controls	C7
--------------------------	--------------------

ISO27001	
----------	--

ASVS 4.0	14.3.3
----------	------------------------

NIST SP 800-53	AC-22
----------------	-----------------------

DISA STIG	V-16814
-----------	-------------------------

OWASP API Top Ten 2019	API7
------------------------	----------------------

OWASP Top Ten 2021	A05
--------------------	---------------------

OWASP Top 10 2025	A02
-------------------	---------------------

CVSS 3.0 SCORE

Base	5.3 (Medium)
------	--------------

Temporal	5.1 (Medium)
----------	--------------

Environmental	5.1 (Medium)
---------------	--------------

CVSS Vector String

CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:N/A:N/E:H/RL:O/RC:C
--

CVSS 3.1 SCORE

Base	5.3 (Medium)
Temporal	5.1 (Medium)
Environmental	5.1 (Medium)

CVSS Vector String

CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:N/A:N/E:H/RL:O/RC:C

Show Scan Detail

Enabled Security Checks

: Active Checks,
ActiveMQ OpenWire RCE,
Apache Struts S2-045 RCE,
Apache Struts S2-046 RCE,
Arbitrary Files (IAST),
Backup Files,
BREACH Attack,
Code Evaluation,
Code Evaluation (IAST),
Code Evaluation (Out of Band),
Command Injection,
Command Injection (Blind),
Command Injection (IAST),
Configuration Analyzer (IAST),
Content Security Policy,
Content-Type Sniffing,
Cookie,
Cross-Origin Resource Sharing (CORS),
Cross-Site Request Forgery,
Cross-site Scripting,
Cross-site Scripting (Blind),
Cross-site Scripting (DOM based),
Custom DOM XSS,
Drupal Remote Code Execution,
Expression Language Injection,
File Upload,
GraphQL Library Detection,
Header Analyzer,
Heartbleed,
HSTS,

HTML Content,
HTTP Header Injection,
HTTP Header Injection (IAST),
HTTP Methods,
HTTP Status,
HTTP.sys (CVE-2015-1635),
IFrame Security,
Insecure JSONP Endpoint,
Insecure Reflected Content,
JavaScript Libraries,
JSON Web Token,
LDAP Injection (IAST),
Local File Inclusion,
Local File Inclusion (IAST),
Log4j Code Evaluation (Out of Band),
Login Page Identifier,
Mail Header Injection (IAST),
Malware Analyzer,
Mixed Content,
MongoDB Injection (Blind),
MongoDB Injection (Boolean),
MongoDB Injection (Error Based),
MongoDB Injection (IAST),
MongoDB Injection (Operator),
Open Redirection,
Oracle EBS RCE,
Oracle WebLogic Remote Code Execution,
Passive Checks,
Referrer Policy,
Reflected File Download,
RegreSSHion Attack,
Remote File Inclusion,
Remote File Inclusion (Out of Band),
Reverse Proxy Detection,
RoR Code Execution,
Security Assertion Markup Language (SAML),
Sensitive Data,
Server-Side Request Forgery (DNS),
Server-Side Request Forgery (IP Combinations),
Server-Side Request Forgery (Pattern Based),
Server-Side Template Injection,
Server-Side Template Injection (IAST),
Signatures,
Singular Checks,
Software Composition Analysis (SCA),
Spring4Shell Remote Code Execution,
SQL Injection (Blind),
SQL Injection (Boolean),
SQL Injection (Error Based),
SQL Injection (IAST),
SQL Injection (Out of Band),
SSL,
Static Resources (All Paths),
Static Resources (Only Root Path),
TorchServe Management,
Unicode Transformation (Best-Fit Mapping),
VmWare Aria RCE,

WAF Identifier,
Web App Fingerprint,
Web Cache Deception,
WebDAV,
Windows Short Filename,
Wordpress Plugin Detection,
Wordpress Theme Detection,
XML External Entity,
XML External Entity (Out of Band),
XML External Entity Injection (IAST),
XPath Injection (IAST)

URL Rewrite Mode : Heuristic

Detected URL Rewrite Rule(s) : None

Excluded URL Patterns : gtm\js
WebResource\axd
ScriptResource\axd

Authentication : None

Authentication Profile :

Scheduled : Yes

Additional Website(s) : None

Scan Profile : Default

Scan Policy : [Extensive security Checks updated](#)

Report Policy : [Default Report Policy](#)

Scope : Entered Path and Below

Scan Type : Full

Max Scan Duration : 48 hour(s)
