

CRC Cyber Lab

[CMMC Level 1 Physical Protection \(PE\) Labs — Student Completion Guide](#)

[Table of Contents](#)

[Before You Begin](#)

[How to Connect to the Lab Environment](#)

[How to Open Your Lab Artifacts](#)

[Understanding Your Pod](#)

[Module 1: Physical Access Authorization](#)

[Module 2: Visitor Escort and Temporary Badges](#)

[Module 3: Audit Logs and Incident Response](#)

[Quick Reference: Where to Find Things](#)

[Tips and Common Mistakes](#)

[Lab Completion Checklist](#)

CMMC Level 1 Physical Protection (PE) Labs — Student Completion Guide

This guide provides step-by-step instructions for completing all 6 Physical Protection labs. Each lab gives you real physical-security records — employee rosters, badge logs, visitor logs, camera notes, alarm exports — and asks you to find who should not have access, what happened, and what action is required.

Table of Contents

1. [Before You Begin](#)
 2. [How to Connect to the Lab Environment](#)
 3. [How to Open Your Lab Artifacts](#)
 4. [Understanding Your Pod](#)
 5. [Module 1: Physical Access Authorization \(Labs M1-L1 – M1-L2\)](#)
 6. [Module 2: Visitor Escort and Temporary Badges \(Labs M2-L1 – M2-L2\)](#)
 7. [Module 3: Audit Logs and Incident Response \(Labs M3-L1 – M3-L2\)](#)
 8. [Quick Reference: Where to Find Things](#)
 9. [Tips and Common Mistakes](#)
 10. [Lab Completion Checklist](#)
-

Before You Begin

What You Need

- Your **Pod number** (your instructor will assign this, e.g., Pod01, Pod05, Pod12)
- Your **Guacamole login credentials** — your username and lab password are shown in the portal at <https://my.digitalrcc.com> under **Start Here → Lab Access**
- A computer with a web browser (Chrome, Firefox, or Edge) — no special software needed

What You Will Be Doing

These labs are **document- and log-analysis labs**. There is no firewall to configure and no Active Directory to edit. You will read the seeded records in your artifacts folder, correlate them against each other (a badge swipe with a roster, a visitor sign-in with a camera observation, an alarm with a badge event), and then write your findings and required actions into the response CSV for each lab.

Everything you are graded on is **what you type into the response CSV**, so be precise with IDs and spelling.

CMMC Context

These labs align with **CMMC Level 1 Physical Protection (PE)** requirements:

- **PE.L1-3.10.1** — Limit physical access to organizational information systems, equipment, and the respective operating environments to authorized individuals
- **PE.L1-3.10.3** — Escort visitors and monitor visitor activity
- **PE.L1-3.10.4** — Maintain audit logs of physical access
- **PE.L1-3.10.5** — Control and manage physical access devices

They also reference **ACS-POL-PE-002**, the visitor escort policy included in your artifacts.

How to Connect to the Lab Environment

You will connect to the lab through **Apache Guacamole** — a web-based remote desktop gateway. There is nothing to install; everything runs in your web browser.

Step 1: Open the Guacamole Gateway

1. Open your web browser (Chrome, Firefox, or Edge)
2. Go to: <https://guac.01.digitalrcc.com/#/>
3. You will see a login screen

Step 2: Log In with Your Student Credentials

1. Enter your **Username** — this matches your pod number:
 - Pod 01 → `student01`
 - Pod 05 → `student05`
 - Pod 12 → `student12`
 - (and so on — the number matches your assigned pod)
2. Enter your **Password** — sign in to the portal at <https://my.digitalrcc.com>, open **Start Here**, and under **Lab Access** click **Show my lab password**
3. Click **Login**

Step 3: Connect to Your Pod Server

Connection Name	What It Is
PODXX-SRV	Your pod server — use this for all PE labs

This is the only connection you get: every PE lab is done on this desktop. The server is joined to the `acs-p01.local` domain, so you never sign in to a domain controller.

1. Click on **PODXX-SRV** (where XX is your pod number, e.g., **POD03-SRV**)
2. The remote desktop session opens directly in your browser — no extra login is needed
3. Wait a few seconds for the Windows Server desktop to appear

Tip: Press **Ctrl+Alt+Shift** to open the Guacamole side menu (to return Home or switch connections).

Step 4: Check Your Lab Progress

Option 1: Click the "Check Your Progress — Pod XX" banner at the top of the Guacamole interface.

Option 2: Go directly to <https://training.digitalrcc.com/pod/XX> (replace XX with your pod number).

How to Open Your Lab Artifacts

1. Open **File Explorer** on the server desktop (folder icon on the taskbar, or **Windows + E**)
2. Navigate to: **C:\CyberLab\PodXX\PE-Artifacts** (e.g., C:\CyberLab\Pod03\PE-Artifacts\)

Alternative method using PowerShell:

1. Press **Windows key + R**, type `powershell`, press Enter
2. Run: `explorer "C:\CyberLab\Pod03\PE-Artifacts"` (replace `03` with your pod number)

What You Will See

Files are named by lab, so everything for a lab is grouped together:

Naming pattern	What it is
PE-Lab-Instructions.txt	Short summary of all six labs
PE-M1-L1_*, PE-M1-L2_*, ...	Evidence and answer files for that lab
_LAB_READY_PE-M1-L1.txt	Marker confirming the lab was seeded

Each lab has exactly **one answer file** you fill in (the "response CSV"):

Lab	Answer file
M1-L1	PE-M1-L1_AccessReview.csv
M1-L2	PE-M1-L2_AccessDecision.csv
M2-L1	PE-M2-L1_EscortReview.csv
M2-L2	PE-M2-L2_VisitorLog.csv
M3-L1	PE-M3-L1_DiscrepancyReview.csv
M3-L2	PE-M3-L2_BadgeInventory.csv and PE-M3-L2_IncidentReport.csv

Important: Preserve the original evidence files. Fill in the answer files in place — do not rename them, do not change the header row, and do not delete the `_LAB_READY_` markers.

Editing the CSV Files

Either:

- Right-click → Open with → **Notepad**, and type your values between the commas, or
- Open with **Excel**, fill in the cells, then **Save as CSV** (same file name, same `.csv` type)

If a value you type contains a comma, wrap it in double quotes:

`"Disable badge, remove access list entry".`

Three rules that keep a CSV readable by the grader:

- **One record per line.** Never press Enter inside a cell — the part after the line break becomes a broken row and the rest of your answer is lost. In Notepad, turn on Format → Word Wrap so a long sentence wraps on screen without adding a line break.
- **Do not add columns.** Put everything in the columns that are already in the header row; an extra value on the end shifts the row and it stops matching.
- **Edit the existing row.** Change the seeded row in place rather than appending a second row for the same badge or subject.

Understanding Your Pod

Everything in your pod is prefixed with your pod number. If you are **Pod 03**, your prefix is **P03**:

- Artifacts folder: `C:\CyberLab\Pod03\PE-Artifacts\`
- Employee badges: `B-P03-101`, `B-P03-102`, `B-P03-104`, `B-P03-115`, ...
- Temporary visitor badges: `TEMP-P03-011` ... `TEMP-P03-014`
- Replacement badge stock: `B-P03-215`

Employee IDs (`EMP-101`, `CTR-209`), event IDs (`E-1001`, `BC-5003`, `ALM-9007`, `EVT-6112`) and visitor IDs (`V-3002`) are the **same in every pod** — only badge IDs carry your prefix.

The People in Your Scenario

ID	Name	Role
EMP-101	Alex Chen	IT — approved for unescorted server-room access
EMP-102	Jordan Lee	Facilities — approved for unescorted server-room access, common escort
EMP-103	Priya Shah	Contracts
EMP-104	Taylor Reed	Finance — terminated 2026-05-28

ID	Name	Role
CTR-209	Morgan Blake	Vendor contractor — no approval on file
EMP-115	Dana Brooks	Employee who reported a lost badge

Throughout this guide, replace **XX** with your pod number and **PXX** with your pod prefix.

Module 1: Physical Access Authorization

Lab M1-L1: Physical Access Review

Difficulty: Beginner | **Time:** 20 minutes | **Type:** Document analysis

Scenario

ACS Consulting must review who holds physical access to the facility and to the server room. HR and Facilities keep separate lists, and they have drifted apart. Find the people who still hold access they should not have.

What You Need

- PE-M1-L1_EmployeeRoster.csv — employment status and termination dates
- PE-M1-L1_BadgeRoster.csv — which badges are active
- PE-M1-L1_ServerRoomAccessList.csv — who is approved for the server room, and by whom
- Answer file: PE-M1-L1_AccessReview.csv

Steps

1. **Open all three evidence files** side by side (Excel makes comparison easier)
2. **Compare the employee roster to the badge roster:**
 - Taylor Reed (EMP-104) is **Terminated** with a termination date of 2026-05-28
 - Yet badge B-PXX-104 is still **Active** and still on the server-room access list — that access should have been removed at termination
3. **Check the approval column on the server-room access list:**
 - Morgan Blake (CTR-209) has **Unescorted** server-room access with **no approval on file**
 - Physical access to a restricted area must be approved by an authorized approver; unapproved access is unauthorized regardless of whether the badge works
4. **Fill in PE-M1-L1_AccessReview.csv.** Both rows are already created for you:

SubjectId	Finding	RequiredAction
EMP-104	Unauthorized	Must include disable , remove or revoke — e.g. Disable badge B-PXX-104 and remove from server room access list
CTR-209	Unauthorized	Must include remove , revoke or escort — e.g. Remove unescorted access; require escorted access until approval is documented

The **Finding** column must say the access was **unauthorized**; wording around it is fine (Unauthorized, Unauthorized access, Unauthorized - terminated).

Completion Criteria

☐

Both EMP-104 and CTR-209 are found **unauthorized**

☐

EMP-104's action calls for badge disablement / access removal

☐

CTR-209's action calls for access removal, revocation, or escorted access

☐

All three evidence files are still present

Why This Matters

PE.L1-3.10.1 requires that physical access be limited to **authorized** individuals. A terminated employee with a working badge and an unapproved contractor are the two most common findings in a real assessment.

Lab M1-L2: Server Room Access Decisions

Difficulty: Beginner | **Time:** 25 minutes | **Type:** Log correlation

Scenario

Four people badged into the server room over two days. Using the same rosters and approval list, decide whether each entry was authorized.

What You Need

- PE-M1-L2_BadgeLog.csv — badge events E-1001 ... E-1004
- PE-M1-L2_ServerRoomLog.csv — the stated purpose of each visit and whether an escort was recorded
- PE-M1-L2_EmployeeRoster.csv and PE-M1-L2_ServerRoomAccessList.csv
- Answer file: PE-M1-L2_AccessDecision.csv

Steps

1. **Work event by event.** For each event ID, ask three questions:

- Was the person employed and active on that date?
- Are they on the server-room access list with approval?
- Was an escort required, and was one present?

2. **Analyze the events:**

Event	Person	Analysis
E-1001	Alex Chen (EMP-101)	Active employee, approved unescorted, legitimate purpose → authorized
E-1002	Taylor Reed (EMP-104)	Terminated 2026-05-28 , badged in on 2026-06-03 → unauthorized
E-1003	Jordan Lee (EMP-102)	Active employee, approved unescorted, UPS inspection → authorized
E-1004	Morgan Blake (CTR-209)	Contractor with no approval on file and no escort recorded → unauthorized

3. **Fill in PE-M1-L2_AccessDecision.csv.** All four rows exist already:

Column	What to enter
Authorized	Yes for E-1001 and E-1003; No for E-1002 and E-1004
Reason	A specific reason for every row — name the record that supports it

Examples:

```
E-1001,Yes,Active IT employee approved for unescorted server room access
E-1002,No,Badge used 2026-06-03 after termination on 2026-05-28
E-1003,Yes,Active facilities employee approved for unescorted access
E-1004,No,Contractor has no approval on file and no escort was recorded
```

Completion Criteria

☐

E-1001 and E-1003 are marked authorized (Yes)

☐

E-1002 and E-1004 are marked unauthorized (No)

☐

Every row has a non-empty Reason

☐

Badge log, server-room log and rosters are still present

Why This Matters

Access logs only satisfy PE.L1-3.10.4 if someone actually reviews them. Correlating a badge swipe against employment status and approvals is that review.

Module 2: Visitor Escort and Temporary Badges

Lab M2-L1: Unescorted Visitor Investigation

Difficulty: Intermediate | **Time:** 25 minutes | **Type:** Multi-source investigation

Scenario

An HVAC repair vendor visited the facility. Security later reviewed the camera footage and something looks wrong. Determine which visitor entered a restricted area without an escort and what must happen next.

What You Need

- PE-M2-L1_VisitorLog.csv — visitors V-3001 ... V-3003 with escort assignments
- PE-M2-L1_RepairTicket.txt — the approved work window and required escort
- PE-M2-L1_CameraObservation.txt — camera SR-02 observations
- PE-M2-L1_EscortPolicy.txt — ACS-POL-PE-002
- Answer file: PE-M2-L1_EscortReview.csv

Steps

1. **Read the escort policy first.** Visitors must sign in, display a temporary badge, and remain under **continuous escort** in restricted areas; unescorted visitor activity must be reported and documented.
2. **Read the repair ticket:** ticket FAC-PXX-4421 for Cooling Repair technician Kevin Ross, approved window 2026-06-05 11:00–12:30, **required escort: EMP-102 Jordan Lee.**
3. **Check the visitor log:**
 - V-3001 Sam Ortega — escort EMP-101 recorded
 - V-3002 Kevin Ross — **EscortId is blank**, badge TEMP-PXX-012, in 11:05, out 12:20
 - V-3003 Renee Park — escort EMP-102 recorded
4. **Corroborate with the camera observation:** at 11:18 and 11:44 the visitor wearing TEMP-PXX-012 is in the server-room corridor **alone**, with no escort visible. That badge belongs to V-3002.
5. **Fill in PE-M2-L1_EscortReview.csv** (row V-3002 already exists):

Column	What to enter
Finding	Must state the visitor was unescorted / entered without escort — e.g. Entered the restricted server room corridor unescorted
RequiredAction	Must include report , incident , remove or escort — e.g. Report as a physical security incident and require escorted access for future vendor visits
Evidence	At least 15 characters citing the seeded records — e.g. Visitor log V-3002 has no EscortId; camera SR-02 shows TEMP-PXX-012 alone at 11:18 and 11:44

Completion Criteria

☐

V-3002 is identified as unescorted

☐

A corrective action is documented (report/incident/removal/escort requirement)

☐

Evidence cites the specific records (visitor log and camera observation)

☐

All four evidence files are still present

Why This Matters

PE.L1-3.10.3 requires escorting visitors **and** monitoring their activity. The camera note is what turns a blank field in a log into a documented finding.

Lab M2-L2: Temporary Badge Lifecycle

Difficulty: Beginner | **Time:** 20 minutes | **Type:** Records completion

Scenario

Casey Morgan of Power Systems is arriving to inspect the UPS batteries. You are the badge officer. Run the full temporary-badge lifecycle: issue the badge, assign an escort, record sign-in and sign-out, and confirm the badge came back.

What You Need

- PE-M2-L2_TemporaryBadgeInventory.csv — temporary badge stock TEMP-PXX-011 ... TEMP-PXX-014
- Answer file: PE-M2-L2_VisitorLog.csv

Steps

1. **Open PE-M2-L2_TemporaryBadgeInventory.csv** and note which badges are available. The visitor log is pre-populated with badge TEMP-PXX-014 — leave that value in place.
2. **Open PE-M2-L2_VisitorLog.csv** and complete the row for Casey Morgan:

Column	What to enter
TemporaryBadgeId	Leave as TEMP-PXX-014
EscortId	EMP-102 (Jordan Lee — Facilities, appropriate for a UPS inspection)
SignIn	A date/time, e.g. 2026-06-08 09:15
SignOut	A date/time after sign-in, e.g. 2026-06-08 10:40
BadgeReturned	Yes

3. **Keep the inventory consistent (good practice):** update TEMP-PXX-014 in the badge inventory to show it was issued to Casey Morgan and returned, with matching times. The inventory must still exist for the lab to pass.
4. **Sanity-check your times:** sign-out must be later than sign-in, and both must parse as real date/times (YYYY-MM-DD HH:MM is safest).

Completion Criteria

- ☐ TemporaryBadgeId is TEMP-PXX-014
- ☐ EscortId is EMP-102
- ☐ SignIn and SignOut are valid times, with sign-out after sign-in
- ☐ BadgeReturned is Yes
- ☐ PE-M2-L2_TemporaryBadgeInventory.csv is still present

Why This Matters

PE.L1-3.10.5 requires you to control and manage physical access devices. An unreturned temporary badge is an uncontrolled key to your facility.

Module 3: Audit Logs and Incident Response

Lab M3-L1: Reconcile the Physical Access Logs

Difficulty: Intermediate | **Time:** 30 minutes | **Type:** Log reconciliation

Scenario

It is the monthly physical access log review. You have the badge controller export, the visitor sign-in sheet, and the alarm log for 2026-06-06. Two things in these records do not reconcile. Find and document both.

What You Need

- PE-M3-L1_BadgeControllerExport.csv — events BC-5001 ... BC-5004
- PE-M3-L1_VisitorSignInSheet.csv — Casey Morgan's visit
- PE-M3-L1_AlarmLog.csv — alarms ALM-9006, ALM-9007
- Answer file: PE-M3-L1_DiscrepancyReview.csv

Steps

1. **Build a timeline** from the badge export and the sign-in sheet:
 - Visitor sign-in sheet: Casey Morgan in **15:50**, out **16:10**, badge TEMP-PXX-014 **returned = Yes**
 - BC-5001 15:55 Main Lobby — consistent with the visit
 - BC-5002 16:18 Server Room — already after sign-out, and in a restricted area
 - BC-5003 **18:42 Server Room** — hours after the visitor signed out and returned the badge
 - BC-5004 21:58 Server Room, employee badge B-PXX-101
2. **Discrepancy 1 (D-01, source event BC-5003)**: a temporary visitor badge that was recorded as returned was used to enter the server room at 18:42. Either the badge was not actually returned or it was cloned/misused — it must be contained and investigated.
3. **Check the alarm log**:
 - ALM-9006 17:02 Loading Dock, door held open — **resolved** by security, so it reconciles
 - ALM-9007 22:14 Server Room, **forced door**, resolution states **no corresponding badge event** — someone entered without presenting a credential
4. **Discrepancy 2 (D-02, source event ALM-9007)**: a forced-door alarm on the server room with no matching badge event.
5. **Fill in PE-M3-L1_DiscrepancyReview.csv** (both rows already exist with the SourceEvent values filled in):

DiscrepancyId	Finding must state	RequiredAction must include
D-01 (BC-5003)	that the badge was used after sign-out / after it was returned (mentioning the 18:42 time is a good way to be explicit)	disable, investigate or revoke

DiscrepancyId	Finding must state	RequiredAction must include
D-02 (ALM-9007)	a forced door with no badge / an unmatched event	investigate, incident or review

Examples:

D-01,BC-5003,Temporary badge TEMP-PXX-014 was used at the server room at 18:42 after it was returned at 16:10,Disable the badge and investigate how it was used after return
D-02,ALM-9007,Forced door alarm at the server room with no badge event to match it,Investigate as a physical security incident and review camera footage

Do not change the SourceEvent values.

Completion Criteria

☐

D-01 identifies badge use after sign-out/return and calls for disablement or investigation

☐

D-02 identifies the forced door with no matching badge event and calls for investigation/incident handling

☐

SourceEvent values remain BC-5003 and ALM-9007

☐

All three evidence files are still present

Why This Matters

PE.L1-3.10.4 requires audit logs of physical access — but logs are only useful if reconciled. Correlating badge, visitor, and alarm data is how real physical intrusions get caught.

Lab M3-L2: Lost Badge Incident Response

Difficulty: Intermediate | **Time:** 30 minutes | **Type:** Incident response

Scenario

Dana Brooks reported her badge lost at 10:00 on 2026-06-07. Later that day her badge was used — including at the server room. You are the responder: contain the lost badge, issue a replacement, and write the incident report.

What You Need

- PE-M3-L2_LostBadgeReport.txt — the initial report (LBR-PXX-115)
- PE-M3-L2_AccessEventsAfterLoss.csv — events EVT-6111, EVT-6112

- Answer files: `PE-M3-L2_BadgeInventory.csv` **and** `PE-M3-L2_IncidentReport.csv`

Steps

1. **Read the lost badge report:** badge B-PXX-115, employee Dana Brooks (EMP-115), reported lost 2026-06-07 10:00 to Security Operations.
2. **Review the post-loss access events:**
 - EVT-6111 09:42 Main Lobby — **before** the badge was reported lost
 - EVT-6112 **11:12 Server Room** — **after** the loss report, and in a restricted area. This is the event your incident report must cite.
3. **Contain and re-issue in `PE-M3-L2_BadgeInventory.csv`:**

BadgeId	What to set
B-PXX-115	Status → Disabled (or Revoked) — change this row, do not add a second B-PXX-115 row
B-PXX-215	Status → Active, EmployeeId → EMP-115 (name stays Dana Brooks; add an issue date)

4. **Complete `PE-M3-L2_IncidentReport.csv`** (row IR-PXX-115 already exists):

Column	What to enter
LostBadgeId	Leave as B-PXX-115
PostLossEventId	EVT-6112
ContainmentAction	Must include disable or revoke — e.g. Disabled badge B-PXX-115 in the badge controller
ReplacementBadgeId	Leave as B-PXX-215
ReportedBy	Your name
Summary	At least 25 characters — what was lost, what happened after, what you did

Example summary:

Badge B-PXX-115 was reported lost at 10:00 and then used at the server room at 11:12 (EVT-6112); the badge was disabled, replacement B-PXX-215 was issued to EMP-115, and the server room access is under investigation.

Completion Criteria

☐

B-PXX-115 is Disabled or Revoked

☐

B-PXX-215 is Active and assigned to EMP-115



Incident report cites EVT-6112 and documents disablement/revocation



ReportedBy is filled in and Summary is a full description



Lost badge report and post-loss events file are still present

Why This Matters

PE.L1-3.10.5 requires control of physical access devices. A lost badge is a live key until it is disabled — and the access that occurred after the loss must be investigated and documented.

Quick Reference: Where to Find Things

Task	Where to Go
Open the artifacts folder	C:\CyberLab\PodXX\PE-Artifacts\
Read the lab summary	PE-Lab-Instructions.txt
Edit a CSV as text	Right-click → Open with → Notepad
Edit a CSV as a spreadsheet	Open with Excel , then Save as CSV (same name)
Open PowerShell	Windows + R → powershell
Preview a CSV in PowerShell	Import-Csv "C:\CyberLab\PodXX\PE-Artifacts\PE-M1-L2_BadgeLog.csv" Format-Table
Check your lab progress	https://training.digitalrcc.com/pod/XX

Key IDs Across the Labs

ID	Meaning
EMP-104 / B-PXX-104	Terminated employee whose badge is still active
CTR-209	Contractor with no server-room approval on file
E-1002, E-1004	The two unauthorized server-room events
V-3002	The unescorted visitor (Kevin Ross)
TEMP-PXX-014	Temporary badge used in M2-L2 and M3-L1
BC-5003	Badge event after the visitor badge was returned
ALM-9007	Forced-door alarm with no matching badge event
B-PXX-115 / B-PXX-215	Lost badge / its replacement
EVT-6112	Post-loss server-room access with the lost badge

Tips and Common Mistakes

Mistake	Solution
Leaving the Reason/Evidence column blank	Every finding needs a written justification — blank rows fail
One-word evidence	Cite the specific file and value (e.g. visitor log V-3002 has no EscortId)
Typing findings in the wrong row	Match on the ID column (SubjectId, EventId, DiscrepancyId) — do not reorder rows
Changing the header row or column names	Keep the header exactly as seeded
Overwriting seeded IDs (SourceEvent, LostBadgeId)	Leave pre-filled ID columns alone; only fill the blank cells
Using "N/A" or "OK" as a finding	Use the expected values: Authorized/Unauthorized, Yes/No
Sign-out earlier than sign-in	Check your times in M2-L2
Forgetting the second file in M3-L2	Both the badge inventory and the incident report must be completed
Saving as .xlsx	Save as CSV with the original file name
Unquoted commas inside a value	Wrap the whole value in double quotes
Deleting evidence or _LAB_READY_ files	The checker requires them to be present

Getting Unstuck

- **Excel changed my dates.** Format the cell as text or edit the file in Notepad instead
- **Verification says a file was not found.** You probably renamed or moved the answer file — restore the original name
- **Verification says the wrong value.** Read the failure reason on your progress page; it names the exact row and expectation
- **Artifacts missing or damaged?** Ask your instructor to reseed the PE family for your pod

Lab Completion Checklist

Lab	Name	Status
M1-L1	Physical Access Review	☐
M1-L2	Server Room Access Decisions	☐
M2-L1	Unescorted Visitor Investigation	☐

Lab	Name	Status
M2-L2	Temporary Badge Lifecycle	☐
M3-L1	Reconcile the Physical Access Logs	☐
M3-L2	Lost Badge Incident Response	☐

After completing each lab:

1. Confirm your answer CSVs are saved in C:\CyberLab\PodXX\PE-Artifacts\ with their original names
2. Confirm all seeded evidence files are still present
3. Check your status at <https://training.digitalrcc.com/pod/XX>

This guide was created for the Digital Resilience Community Clinic (DRCC) Cyber Range.
CMMC Level 1 — Physical Protection (PE) Module