

[← Wiki Home](#)

[Back to Edit](#)

[Send to Printer](#)

[Print 1-4 Saved Plans](#)

CARD 1

CARD 3

CARD 2

CARD 4

Anesthetic Care Plan

Print Preview

Print Now

Save Plan

Load Plan

Delete Plan

Print 1-4 Saved Plans

Clear All Data

Patient Demographics

Initials

Gender

- ▼

Age

Allergies

NKDA or list allergies

Height (ft)

- ▼

Height (in)

- ▼

Height (cm)

Weight (kg)

Weight (lbs)

BMI

Sched Time

Length (minutes)

Surgical Date

Tomorrow ▼

Surgery Type

Positioning

Select... ▼

Insufflation

☐ Yes ☐ No

+ Add surgery / position

Fasted

☐ Yes ☐ No

Smoker

☐ Yes ☐ No

Pacer

☐ Yes ☐ No

Past Medical History

☐ HTN

☐ HLD

☐ GERD

☐ DM

☐ A-fib

☐ CAD

☐ CHF

☐ CKD

☐ COPD

☐ Asthma

☐ OSA

☐ Obesity

☐ Hypothyroid

☐ Stroke/TIA

☐ Seizures

☐ Anemia

☐ Liver Disease

☐ Chronic Pain

☐ Dep/Anxi

☐ Cancer

PMH item

×

+ Add more

Prescribed Medications

Select Medication... ▼

Today AM ▼

Delete

+ Add more

Labs

BMP

Na

K

Cl

BUN

Cr

Glu

Mg

—

—

—

—

—

—

—

Alb

AST

ALT

—

—

—

Additional Chemistries

iCa

Ca

—

—

CBC

WBC

HGB

HCT

PLT

—

—

—

—

Coagulation

PT / INR

aPTT

PT

/

INR

—

Blood Gas

None

ABG

VBG

Preoperative History

METS <4:

☐ Yes ☐ No

PONV / Motion Sickness:

☐ Yes ☐ No

Family Hx Anes Complications:

☐ Yes ☐ No

Malignant Hyperthermia Hx:

☐ Yes ☐ No

Pseudocholinesterase Def:

☐ Yes ☐ No

Airway Exam

Mallampati:

☐ 1 ☐ 2 ☐ 3 ☐ 4

Thyromental Distance:

☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5 ☐ 6+

Interincisor Distance:

☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5 ☐ 6 ☐ 7+

Mandibular Protrusion:

☐ 1 ☐ 2 ☐ 3

Atlanto-occipital mobility:

☐ No limit ☐ Limited

Extras

Access & Equipment

- ☐ 2nd PIV ☐ Central Line ☐ Art Line ☐ Bilateral BP cuff ☐ OG Tube
- ☐ Bair Hugger

Anesthetic Plan

Anesthesia Type

Select... ▼

APFEL & PONV

APFEL Score: 0/4 (Risk: <10%)**Recommendation:** 0-1 antiemetic**Selected:** 0 (target: 0)

PONV Antiemetic Selections

Select prophylaxis medications (TIVA counts as 1 when checked on the Anesthetic Plan page).

[+ Add](#)

Fluid & Blood Plan

Fluid Type

☐ Albumin

4-2-1 Fluid Calculator

Weight (kg)

NPO Time (hrs)

Surgical Trauma

[Calculate Fluid](#)

Allowable Blood Loss (ABL)

Patient Type

Start HCT (%)

Target HCT (%)

[Calculate ABL](#)[Print Preview](#)[Print Now](#)[Save Plan](#)[Load Plan](#)[Delete Plan](#)[Print 1-4 Saved Plans](#)[Clear All Data](#)