

Team Vis Architecture

```
Client GUI implements ActionListener
Timer gameTime();
New Visualizer(gameTime);
actionPerformed {
    if(beginning of turn OR user toggles view)
        either UpdateFull()
        or UpdateMini() //depending on full screen/small
```

STARVATIONEVASION.SIMVIS.CONTROLLER

SimParser

Data type to store simulation information, not sure what that will look like yet

infoDataType parse()

```
{
    //get data from Client
    //return parsed data
}
```

GlobalCoordinatePlane

```
// coordinate system to be
//utilized throughout
final double X_MIN, Y_MIN,
X_MAX, Y_MAX
ArrayList<Event>
currentEvents;
void addEvent(Event e)
{
    //will add an event to the
    //globe (in other words, add
    //to currentEvents)
}
```

Visualizer implements ActionListener

```
//should be the ONLY class client
//ever has to instantiate
//will handle data distribution to
//parser, Model, and Visualize
Queue events;
boolean fullScreenMode
Timer gameTime
void updateFull()
{ //parse simData
  //fullScreenMode = true;
  // events = EventQueue.buildQueue
  (parsed data)
  // updateModel();
}
```

void updateMini()

```
{
    //parse
    // fullScreenMode = false
    // events = EventQueue.buildQueue
    (parsed data)
    // updateModel();
}
```

void actionPerformed()

```
{ //repaint();
}
```

Event Interface

Enum Mode // MINI or FULL

//relevant data to event

EventQueue

Queue events;
getEvents(parsedData);

buildQueue(parsedData);
//build a queue of Events //for
Model to process and //Visual
to render