

SigmaStar Camera Timer 使用参考



© 2019 SigmaStar Technology Corp. All rights reserved.

SigmaStar Technology makes no representations or warranties including, for example but not limited to, warranties of merchantability, fitness for a particular purpose, non-infringement of any intellectual property right or the accuracy or completeness of this document, and reserves the right to make changes without further notice to any products herein to improve reliability, function or design. No responsibility is assumed by SigmaStar Technology arising out of the application or use of any product or circuit described herein; neither does it convey any license under its patent rights, nor the rights of others.

SigmaStar is a trademark of SigmaStar Technology Corp. Other trademarks or names herein are only for identification purposes only and owned by their respective owners.



{Product Description} {Document Name + Version}

REVISION HISTORY

Revision No.	Description	Date
{000001}	• {Initial release}	{07/28/2018}



{Product Description} {Document Name + Version}

TABLE OF CONTENTS

REV	REVISION HISTORY				
		F CONTENTS			
		总明			
		Enable Timer			
		Set Maximum			
2.	REGI	STER TABLE	错误!未定义	く书签。	
	2.1.	TIMERO Register (Bank = 30)	错误!未定》	く书签。	
	2.2.	TIMER1 Register (Bank = 30)	错误!未定》	く书签。	
	23	TIMER2 Register (Bank = 30)	错误I未定义	/ 书祭。	



{Product Description} {Document Name + Version}


1. 使用说明

1.1. Enable Timer

- 1. Enable Timer engine set "TIMER_EN" to 1
- 2. Trigger counter set" TIMER_TRIG" to 1.
- 3. Read timer from register "TIMER_CAP[31:0]"

1.2. Set Maximum

- 1. Set the value to "TIMER_MAX[31:0]".
- 2. Enable timer
- 3. If counter over the "TIMER_MAX[31:0]", then "TIMER_HIT" will assert.





2. REGISTER TABLE

2.1. TIMERO Register (Bank = 30)

TIMERO Register (Bank = 30)						
Index (Absolute)	Mnemonic	Bit	Description			
10h	REG3020	7:0	Default: 0x00	Access : R/W		
(3020h)	-	7:2	Reserved.			
	TIMER_TRIG	1	set: Enable timer counting one time (from 0 to max, then stop). clear: By reset itself OR set reg_timer_en.			
	TIMER_EN	0	set: Enable timer counting rolled (from 0 to max, then rolled). clear: By reset itself OR set reg_timer_trig.			
10h	REG3021	7:0	Default : 0x00	Access : R/W		
(3021h)	-	7:1	Reserved.			
	TIMER_INT_EN	0	set: Enable interrupt. clear: By reset itself.			
11h	REG3022	7:0	Default : 0x00	Access : RO		
(3022h)	-	7:1	Reserved.			
	TIMER_HIT	0	assert: When counter enabled and matches reg_timer_max. deassert: By write 1 OR set reg_timer_en, reg_timer_once, reg_timer_max.			
12h	REG3024	7:0	Default : 0xFF	Access : R/W		
(3024h)	TIMER_MAX[7:0]	7:0	Timer maximum value.			
12h	REG3025	7:0	Default : 0xFF	Access : R/W		
(3025h)	TIMER_MAX[15:8]	7:0	See description of '3024h'.			
13h	REG3026	7:0	Default : 0xFF	Access : R/W		
(3026h)	TIMER_MAX[23:16]	7:0	See description of '3024h'.			
13h	REG3027	7:0	Default : 0xFF	Access : R/W		
(3027h)	TIMER_MAX[31:24]	7:0	See description of '3024h'.			
14h	REG3028	7:0	Default : 0x00	Access : RO		
(3028h)	TIMER_CAP[7:0]	7:0	Timer current value.			



{Product Description} {Document Name + Version}

TIMERO Register (Bank = 30)						
Index (Absolute)	Mnemonic	Bit	Description			
			Note: With non-32-bit-data system, please read from LSB.			
14h	REG3029	7:0	Default : 0x00	Access : RO		
(3029h)	TIMER_CAP[15:8]	7:0	See description of '3028h'.			
15h	REG302A	7:0	Default : 0x00	Access : RO		
(302Ah)	TIMER_CAP[23:16]	7:0	See description of '3028h'.			
15h (302Bh)	REG302B	7:0	Default : 0x00	Access : RO		
	TIMER_CAP[31:24]	7:0	See description of '3028h'.			



{Product Description} {Document Name + Version}

2.2. TIMER1 Register (Bank = 30)

TIMER1 Re	gister (Bank = 30)				
Index (Absolute)	Mnemonic	Bit	Description		
20h	REG3040	7:0	Default : 0x00	Access : R/W	
(3040h)	-	7:2	Reserved.		
	TIMER_TRIG	1	set: Enable timer counting one time (from 0 to max, then stop). clear: By reset itself OR set reg_timer_en.		
	TIMER_EN	0	set: Enable timer counting rolled (from 0 to max, then rolled). clear: By reset itself OR set reg_timer_trig.		
20h	REG3041	7:0	Default: 0x00	Access : R/W	
(3041h)	-	7:1	Reserved.		
	TIMER_INT_EN	0	set: Enable interrupt. clear: By reset itself.		
21h	REG3042	7:0	Default : 0x00	Access : RO	
(3042h)	-	7:1	Reserved.		
	TIMER_HIT	0	assert: When counter enabled and matches reg_timer_max. deassert: By write 1 OR set reg_timer_en, reg_timer_once, reg_timer_max.		
22h	REG3044	7:0	Default : 0xFF	Access : R/W	
(3044h)	TIMER_MAX[7:0]	7:0	Timer maximum value.		
22h	REG3045	7:0	Default : 0xFF	Access : R/W	
(3045h)	TIMER_MAX[15:8]	7:0	See description of '3044h'.		
23h	REG3046	7:0	Default : 0xFF	Access: R/W	
(3046h)	TIMER_MAX[23:16]	7:0	See description of '3044h'.		
23h	REG3047	7:0	Default : 0xFF	Access: R/W	
(3047h)	TIMER_MAX[31:24]	7:0	See description of '3044h'.		
24h	REG3048	7:0	Default: 0x00	Access : RO	
(3048h)	TIMER_CAP[7:0]	7:0	Timer current value. Note: With non-32-bit-data system, please read from LSB.		
24h	REG3049	7:0	Default : 0x00	Access : RO	
(3049h)	TIMER_CAP[15:8]	7:0	7:0 See description of '3048h'.		
25h	REG304A	7:0	7:0 Default: 0x00 Access: RO		



{Product Description} {Document Name + Version}

TIMER1 Register (Bank = 30)					
Index (Absolute)					
(304Ah)	TIMER_CAP[23:16]	7:0	See description of '3048h'.		
25h	REG304B	7:0	Default : 0x00 Access : RO		
(304Bh)	TIMER_CAP[31:24]	7:0	See description of '3048h'.		



{Product Description} {Document Name + Version}

2.3. TIMER2 Register (Bank = 30)

TIMER2 Re	gister (Bank = 30)			
Index (Absolute)	Mnemonic	Bit	Description	
30h	REG3060	7:0	Default : 0x00	Access : R/W
(3060h)	-	7:2	Reserved.	
	TIMER_TRIG	1	set: Enable timer counting one time (from 0 to max, then stop). clear: By reset itself OR set reg_timer_en.	
	TIMER_EN	0	set: Enable timer counting rolled (from 0 to max, then rolled). clear: By reset itself OR set reg_timer_trig.	
30h	REG3061	7:0	Default : 0x00	Access : R/W
(3061h)	-	7:1	Reserved.	
	TIMER_INT_EN	0	set: Enable interrupt. clear: By reset itself.	
31h	REG3062	7:0	Default : 0x00	Access : RO
(3062h)	-	7:1	Reserved.	
	TIMER_HIT	0	assert: When counter enabled and matches reg_timer_max. deassert: By write 1 OR set reg_timer_en, reg_timer_once, reg_timer_max.	
32h	REG3064	7:0	Default : 0xFF	Access : R/W
(3064h)	TIMER_MAX[7:0]	7:0	Timer maximum value.	•
32h	REG3065	7:0	Default : 0xFF	Access : R/W
(3065h)	TIMER_MAX[15:8]	7:0	See description of '3064h'.	
33h	REG3066	7:0	Default : 0xFF	Access : R/W
(3066h)	TIMER_MAX[23:16]	7:0	See description of '3064h'.	
33h	REG3067	7:0	Default : 0xFF	Access : R/W
(3067h)	TIMER_MAX[31:24]	7:0	See description of '3064h'.	
34h	REG3068	7:0	Default : 0x00	Access : RO
(3068h)	TIMER_CAP[7:0]	7:0	Timer current value. Note: With non-32-bit-data system, please read from LSB.	
34h	REG3069	7:0	Default : 0x00	Access : RO
(3069h)	TIMER_CAP[15:8]	7:0	7:0 See description of '3068h'.	
35h	REG306A	7:0	Default: 0x00	Access : RO



{Product Description} {Document Name + Version}

TIMER2 Register (Bank = 30)					
Index (Absolute)	Mnemonic	Bit	Description		
(306Ah)	TIMER_CAP[23:16]	7:0	See description of '3068h'.		
35h	REG306B	7:0	Default : 0x00 Access : RO		
(306Bh)	TIMER_CAP[31:24]	7:0	7:0 See description of '3068h'.		