Behaviours to promote before each visit

For sequencing Care Group lessons against the indicators in the CBIO+ Home Visit Register (Kenya configuration). Each behaviour is listed in the period when it should be promoted, so that the household has heard it before the visit at which it is measured. The column **Promote prior to CHW visit # / child age** gives the scheduled CHW visit (1 to 10) by which promotion should already have happened, with the age of the child or the stage of pregnancy at that visit. Visit 1 takes place at registration and records the starting level, so a behaviour that is first measured at visit 1 shows the next CHW visit that measures it.

#	Behaviour to promote	Promote during	Promote prior to CHW visit # / child age	Measured at (question set)	Lesson block
A. Enrolment to 31 weeks of pregnancy (before the early-pregnancy question set)					
1	Start antenatal care early and attend every contact	From enrolment, throughout pregnancy	**Visit 2 · 34 weeks of pregnancy**	Early pregnancy; late pregnancy (contacts on the card)	1
2	Take iron-folic acid every day	From enrolment, throughout pregnancy	**Visit 2 · 34 weeks of pregnancy**	Early pregnancy; late pregnancy	1
3	Get two tetanus (Td) doses	From enrolment; before 28 weeks	**Visit 2 · 34 weeks of pregnancy**	Early pregnancy; late pregnancy (doses on the card)	1
4	Have an HIV test in this pregnancy	At enrolment	**Visit 1 · first pregnancy visit, at registration (the only visit that measures it)**	Early pregnancy (card)	1
5	Sleep under a treated net every night (pregnant woman)	From enrolment	**Visit 2 · 34 weeks of pregnancy**	Early pregnancy; late pregnancy	5
6	Know the danger signs in pregnancy and go to the facility at once	From enrolment, repeated	**Visit 2 · 34 weeks of pregnancy**	Early and late pregnancy (names 3 signs); danger-sign check at every visit	1
7	Eat an extra meal each day and a varied diet	From enrolment	**Visit 2 · 34 weeks of pregnancy**	Early pregnancy; late pregnancy (extra meal or snack yesterday); woman's MUAC at early pregnancy	1
8	Keep a handwashing place with soap and water; wash at key times	Before enrolment visit, then repeated	**Visit 5 · day 7; again before visits 8 and 10**	Early pregnancy; day 7; 6 months; 18 months (observed)	6
9	Treat drinking water or use a safe source	Before enrolment visit, then before 6 months	**Visit 8 · 6 months**	Early pregnancy; 6 months	6
10	Use a latrine	Before enrolment visit, then repeated	**Visit 8 · 6 months; again before visit 10**	Early pregnancy; 6 months; 18 months	6
B. 24 to 36 weeks of pregnancy (before the late-pregnancy question set and the birth)					
11	Make a birth plan: choose the facility, arrange transport, save money, name a companion	24 to 34 weeks	**Visit 2 · 34 weeks of pregnancy**	Late pregnancy (items ready)	2
12	Give birth in a health facility with a skilled attendant	24 weeks to birth	**Visit 3 · day 1-2**	Birth record	2
13	Dry the baby, keep skin-to-skin, delay the first bath 24 hours	28 weeks to birth	**Visit 3 · day 1-2**	Birth record; day 1-2; day 3	2
14	Put the baby to the breast within 1 hour; give colostrum	28 weeks to birth	**Visit 3 · day 1-2**	Birth record	3
15	Clean cord care: chlorhexidine, nothing else on the cord	28 weeks to birth	**Visit 3 · day 1-2**	Birth record; day 1-2; day 3; day 7	2
16	Know newborn danger signs and seek care the same day	28 weeks to birth, repeated in week 1	**Visit 3 · day 1-2**	Day 1-2; day 3; day 7 (danger-sign check); referrals that reach the facility	2

#	Behaviour to promote	Promote during	Promote prior to CHW visit # / child age	Measured at (question set)	Lesson block
17	Know danger signs for the mother after birth	28 weeks to birth	**Visit 3 · day 1-2**	Day 1-2; day 3; day 7; 6 weeks	2
18	Mother and baby checked by a health worker within 48 hours	28 weeks to birth	**Visit 4 · day 3**	Day 3	2
C. Birth to 6 weeks (before the day 1-2, 3, 7 and 6-week question sets)					
19	Give only breast milk: no water, tea, porridge or other milk	Late pregnancy; every visit to 6 months	**Visit 3 · day 1-2**	Day 1-2; day 3; day 7; 6 weeks; 14 weeks	3
20	Kangaroo care day and night for a small or early baby	At birth, for small babies	**Visit 3 · day 1-2**	Day 1-2; day 3; day 7	2
21	Take the baby for BCG and polio at birth, then vaccines at 6, 10 and 14 weeks	Late pregnancy; weeks 1 to 5	**Visit 5 · day 7 (birth doses); visits 6 and 7 (later doses)**	Day 7; 6 weeks; 14 weeks (card)	5
22	Baby sleeps under a treated net every night	From birth	**Visit 5 · day 7**	Day 7; 14 weeks; 6, 9 and 18 months	5
23	Start a modern family planning method by 6 weeks	Late pregnancy; weeks 1 to 6	**Visit 6 · 6 weeks**	6 weeks; 14 weeks; 6, 9 and 18 months	7
D. 6 weeks to 5 months (before the 14-week and 6-month question sets)					
24	Know child danger signs and seek care the same day	Weeks 4 to 10, then repeated	**Visit 6 · 6 weeks**	6 weeks onward (danger-sign check); referrals that reach the facility	4
25	Give ORS and zinc for diarrhoea; keep feeding	Weeks 6 to 14	**Visit 7 · 14 weeks**	6 weeks onward, whenever diarrhoea in the last 2 weeks is reported	4
26	Take a child with cough and fast or difficult breathing to a health worker	Weeks 6 to 14	**Visit 7 · 14 weeks**	6 weeks onward, whenever reported	4
27	Have a child with fever tested for malaria the same or next day	Weeks 6 to 14	**Visit 7 · 14 weeks**	6 weeks onward, whenever fever is reported	4
28	Continue only breast milk until 6 months	Weeks 6 to 24	**Visit 7 · 14 weeks**	6 weeks; 14 weeks	3
29	Start soft foods at 6 months, not before	Months 4 to 6	**Visit 8 · 6 months**	6 months	8
30	Bring the child for vitamin A at 6 months, then every 6 months	Months 4 to 6	**Visit 9 · 9 months; again before visit 10**	9 months; 18 months (card)	5
E. 6 to 17 months (before the 9-month and 18-month question sets)					
31	Feed at least 5 of 8 food groups each day; right amount and frequency for age	Months 6 to 9, repeated to 18	**Visit 9 · 9 months; again before visit 10**	9 months; 18 months (food groups yesterday); MUAC at 6, 9, 18 months	8
32	Continue breastfeeding to 24 months	Months 6 to 18	**Visit 9 · 9 months; again before visit 10**	9 months; 18 months	8
33	Take the child for measles-rubella at 9 and 18 months	Months 7 to 9; months 16 to 18	**Visit 9 · 9 months (first dose); Visit 10 · 18 months (second dose)**	9 months; 18 months (card)	5
34	Keep the handwashing place and latrine in use; put child faeces in the latrine	Months 4 to 6; months 15 to 18	**Visit 8 · 6 months; again before visit 10**	6 months; 18 months (handwashing place, latrine, child's last stool)	6

Suggested lesson blocks

A Care Group meets as one group, but its households are at different stages: some women are pregnant while others have a child of 18 months. The table above therefore cannot be followed as a single calendar. Two things together cover it. First, the group lessons run in the block order below, which places the periods with the most deaths first (pregnancy, birth and the first week, then breastfeeding and care of the sick child). Second, at each fortnightly home visit the volunteer repeats the behaviours for that household's own stage, using the 'Promote during' and 'Promote prior to CHW visit' columns. The block order is a proposal for discussion.

Block	Theme	Content	Behaviours
1	Healthy pregnancy	Antenatal care, iron-folic acid, tetanus doses, HIV test, diet, danger signs in pregnancy	1-4, 6, 7
2	Birth and the first week	Birth plan, facility delivery, drying and skin-to-skin, cord care, kangaroo care, newborn and maternal danger signs, check within 48 hours	11-13, 15-18, 20
3	Breastfeeding	Breast within 1 hour, only breast milk to 6 months	14, 19, 28
4	When a child is sick	Danger signs, ORS and zinc, care for fast breathing, malaria test for fever	24-27
5	Preventing illness	Vaccines on time, vitamin A, treated nets	5, 21, 22, 30, 33
6	Water, sanitation and hygiene	Handwashing place with soap, safe water, latrine, child faeces into the latrine	8-10, 34
7	Family planning	Method started by 6 weeks; spacing of at least 2 years	23
8	Feeding from 6 months	Soft foods at 6 months, food groups, continued breastfeeding	29, 31, 32

When each question set is asked

The CHW asks a question set once, at her scheduled visit. The Care Group Volunteer asks the same set at every fortnightly visit while the woman or child is in the matching stage, so most behaviours are measured several times.

Question set	Asked by the CHW at	Asked by the Care Group Volunteer every 2 weeks while the woman or child is at
Early pregnancy	Visit 1 · pregnancy visit 1	Enrolment to 31 weeks of pregnancy
Late pregnancy	Visit 2 · pregnancy visit 2	32 weeks to birth
Birth record	Recorded once, when the birth is reported	At birth
Day 1-2	Visit 3	Days 0 to 2
Day 3	Visit 4	Days 3 to 5
Day 7	Visit 5	Days 6 to 27
6 weeks	Visit 6	4 to 9 weeks
14 weeks	Visit 7	10 weeks to 5 months
6 months	Visit 8	6 to 8 months
9 months	Visit 9	9 to 17 months
18 months	Visit 10	18 to 23 months

Notes. (1) The questions for behaviour 7 (extra meal or snack yesterday) and behaviour 34 (child's last stool put in a latrine) were added to the app in version 0.3.1. (2) Illness behaviours 25 to 27 are measured only in households that report the illness in the last 2 weeks, so their denominators are small in any one Care Group. (3) The malaria vaccine and yellow fever vaccine are not in this configuration; they apply only in designated Kenyan counties.