


NOTE: IT SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR TO VERIFY LOCATIONS AND ELEVATIONS OF EXISTING UTILITIES PRIOR TO COMMENCEMENT OF ANY CONSTRUCTION.

DIGSAFE IS TO BE NOTIFIED 72 WORKING HOURS IN ADVANCE OF CONSTRUCTION.

DIGSAFE 1-888-344-7233


CHKD.:




HOLLISTON, MA 01746 P: 508-429-1100 F: 508-429-7160 www.GLMengineering.com

PREPARED FOR: SALVATORE VINCI 65 BAY COLONY DRIVE WESTWOOD, MA 02090

SHEET: 1 OF 3 PLAN #: 27,465





LEACHING CHAMBER SIZING:

*Leaching Chamber Storage Volume sizing based on 2 inch of rainfall over the proposed roof area.

STORAGE VOLUME REQUIRED: PROPOSED BUILDING AREA: 3300 s.f.

Volume = 3300 s.f x 2 in. = 550 cu.ft.TOTAL VOLUME REQUIRED = 550 cu.ft.

STORAGE VOLUME PROVIDED:

*Proposed 5-Leaching Galley's with 30" stone

VOLUME OF GALLEY'S (5-galley's):

 $5x(42\text{"W} \times 42\text{"W} \times 43\text{"H}) = 221.5 \text{ cu.ft.}$ VOLUME OF STONE:


1,135.8 cf (field) - 294.4 cf (displacement) = 841.5 cf Stone x 40%voids = 336.6

TOTAL STORAGE VOLUME PROVIDE = 558 cu.ft.


PROPOSED PRECAST LEACHING GALLEY'S

Provide 5 — Precast Galley's With 30" stone around perimeter as shown

ALL ROOF AREA SHALL BE CONNECTED TO THE RECHARGE SYSTEM



- 1. CONCRETE: 4,000 PSI MINIMUM AFTER 28 DAYS. 2. DESIGNED FOR H-20 LOADING.
- 3. GALLEY AVAILABLE IN BOTH END AND CENTER SECTIONS. CENTER SECTIONS HAVE LARGE OPENING IN BOTH THE BACK AND FRONT SIDES.
- 4. INLETS TO BE PRECAST ACCORDING TO PLAN
- 5. GALLEYS TO BE PLACED AGAINST ONE ANOTHER AS INDICATED ON THE GRADING PLAN ON A STONE BASE, WITH
- 2 FEET OF STONE ALL AROUND.
- 6. STONE SHALL MEET SECTION M2.01.2 OF THE MHD SPECIFICATIONS.




SEWER MANHOLE CONNECTION DETAIL


NOT TO SCALE

___ GRADE REF. M.H. FRAME & COVER — M.H. STEPS REF. -____ 1.5" or 2"PVC TRUE OUTION BALL VALVE 1.5" or 2"HOSE QUICK 1.5" or 2" DIA. PVC FORCE MAIN 1.5" or 2" PVC TEE 1'-0" GRAVEL BEDDING REF.

> INLINE FLUSHING MANHOLE NOT TO SCALE



N.T.S.



DETAILS




NOTE: IT SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR TO VERIFY LOCATIONS AND ELEVATIONS OF EXISTING UTILITIES PRIOR TO COMMENCEMENT OF ANY CONSTRUCTION.

DIGSAFE IS TO BE NOTIFIED 72 WORKING HOURS IN ADVANCE OF CONSTRUCTION.

DIGSAFE 1-888-344-7233

REVISIONS FLD.: BY OTHERS DATE DESCRIPTION DRW.: 7/3/2/ SEWER CHKD .:



GLM Engineering Consultants, Inc.

19 EXCHANGE STREET HOLLISTON, MA 01746 P: 508-429-1100 F: 508-429-7160 www.GLMengineering.com

PROPOSED SITE PLAN OF LAND LOT 2B - MILL STREET WESTWOOD, MASSACHUSETTS

PREPARED FOR: SALVATORE VINCI 65 BAY COLONY DRIVE WESTWOOD, MA 02090

JOB No. 11,074 DATE: NOV 2, 2018 SCALE: 1"=30' SHEET: 3 OF 3

PLAN#: 27,465