

## Karon Catrone

---

**From:** Brian Donahoe <bdonahoe@goldmanenvironmental.com>  
**Sent:** Tuesday, April 27, 2021 10:36 AM  
**To:** Karon Catrone  
**Subject:** RE: 42 Mill Street

Hi Karon, as discussed I have reviewed the package of information submitted to me by the applicant. The submittal does not change any of the design or regulatory parameter except for the relocation of the access driveway onto the applicant property. So the report originally submitted reflects my interpretation of the regulations and the changed conditions due to the water flow blockage and the beaver dam. Also the floodplain map per Mass GIS is not changed in the re-submittal. I will need an increase in the budget to cover the review and attendance at the next hearing. I estimate that will require \$1,000. Let me know if you have any questions. Thanks.

Brian Donahoe, Vice President  
Environmental Services & Engineering  
Goldman Environmental Consultants, Inc.  
60 Brooks Drive  
Braintree, MA 02184  
Mobile: 617-947-0957  
Office: 781-356-9140 x 114  
Fax: 781-356-9147

**From:** Karon Catrone <kcatrone@townhall.westwood.ma.us>  
**Sent:** Monday, April 26, 2021 11:03 AM  
**To:** Brian Donahoe <bdonahoe@goldmanenvironmental.com>  
**Subject:** 42 Mill Street

Hi Brian,

Just checking in on the status of the review for 42 Mill Street in Westwood. Are you waiting for information from the applicant?

FYI – the hearing was scheduled for 4/28/21 but the date was changed to 5/5/21 at 7 pm due to an election on 4/28.

Karon

***The Attorney General has determined that email correspondences are public records unless the content of the email falls with one of the stated exemptions under the Public Records Laws***

***The Attorney General has determined that email correspondences are public records unless the content of the email falls with one of the stated exemptions under the Public Records Laws***