

CBSE Class 10 Mathematics — Real Numbers

Time Allowed: 3 Hours

Maximum Marks: 80

General Instructions:

1. This question paper contains *questions.Allquestionsarecompulsory.*
1. Questions are grouped into sections A through E.
2. Use of calculators is NOT permitted.

Section A: Multiple Choice & Assertion-Reason (1 mark each)

1. The HCF of the smallest prime number and the smallest composite number is:
(A) (A) 2
(B) (B) 1
(C) (C) 4
(D) (D) 8
2. If two positive integers a and b are written as $a = x^3y^2$ and $b = xy^3$, where x, y are prime numbers, then the $\text{HCF}(a, b)$ is:
(A) (A) xy
(B) (B) xy^3
(C) (C) xy^2
(D) (D) x^2y^2
3. The decimal expansion of the rational number $\frac{13}{125}$ will terminate after how many decimal places?
(A) (A) 2
(B) (B) 3
(C) (C) 4
(D) (D) 1
4. If the $\text{LCM}(26, 169) = 338$, then $\text{HCF}(26, 169)$ is:
(A) (A) 26
(B) (B) 13
(C) (C) 39
(D) (D) 1

5. The product of a non-zero rational and an irrational number is always:
- (A) (A) rational
 - (B) (B) integer
 - (C) (C) irrational
 - (D) (D) one
6. Assertion (A): The HCF of 12 and 18 is 6. Reason (R): For any two positive integers a and b , $HCF(a, b) \times LCM(a, b) = a \times b$.
- (A) (A) Both Assertion (A) and Reason (R) are true and Reason (R) is the correct explanation of Assertion (A)
 - (B) (B) Both Assertion (A) and Reason (R) are true but Reason (R) is NOT the correct explanation of Assertion (A)
 - (C) (C) Assertion (A) is true but Reason (R) is false
 - (D) (D) Assertion (A) is false but Reason (R) is true
7. Assertion (A): $\sqrt{3}$ is an irrational number. Reason (R): The square root of any positive integer is always an irrational number.
- (A) (A) Both Assertion (A) and Reason (R) are true and Reason (R) is the correct explanation of Assertion (A)
 - (B) (B) Both Assertion (A) and Reason (R) are true but Reason (R) is NOT the correct explanation of Assertion (A)
 - (C) (C) Assertion (A) is true but Reason (R) is false
 - (D) (D) Assertion (A) is false but Reason (R) is true
8. Assertion (A): The number 0.375 is a terminating decimal. Reason (R): A rational number p/q terminates if the prime factorization of q is of the form $2^n 5^m$, where n, m are non-negative integers.
- (A) (A) Both Assertion (A) and Reason (R) are true and Reason (R) is the correct explanation of Assertion (A)
 - (B) (B) Both Assertion (A) and Reason (R) are true but Reason (R) is NOT the correct explanation of Assertion (A)
 - (C) (C) Assertion (A) is true but Reason (R) is false
 - (D) (D) Assertion (A) is false but Reason (R) is true
9. Assertion (A): The HCF of two consecutive natural numbers is 1. Reason (R): Any two consecutive natural numbers are co-prime.
- (A) (A) Both Assertion (A) and Reason (R) are true and Reason (R) is the correct explanation of Assertion (A)
 - (B) (B) Both Assertion (A) and Reason (R) are true but Reason (R) is NOT the correct explanation of Assertion (A)
 - (C) (C) Assertion (A) is true but Reason (R) is false

(D) (D) Assertion (A) is false but Reason (R) is true

10. Assertion (A): The product of a non-zero rational and an irrational number is always irrational. Reason (R): $\sqrt{2}$ is an irrational number.

(A) (A) Both Assertion (A) and Reason (R) are true and Reason (R) is the correct explanation of Assertion (A)

(B) (B) Both Assertion (A) and Reason (R) are true but Reason (R) is NOT the correct explanation of Assertion (A)

(C) (C) Assertion (A) is true but Reason (R) is false

(D) (D) Assertion (A) is false but Reason (R) is true

Section C: Short Answer I (3 marks each)

1. Find the HCF of 1260 and 7344 using the Euclid's division algorithm.
2. Show that any positive odd integer is of the form $4q + 1$ or $4q + 3$, where q is some integer.
3. Check whether 12^n can end with the digit 0 for any natural number n .
4. Given that $\text{HCF}(306, 657) = 9$, find $\text{LCM}(306, 657)$.
5. Without performing long division, state whether $\frac{17}{8}$ has a terminating or non-terminating repeating decimal expansion.

Section D: Long Answer (4-5 marks each)

1. Prove that $3 + 2\sqrt{5}$ is an irrational number, given that $\sqrt{5}$ is an irrational number.
2. Find the HCF and LCM of 96 and 404 by the prime factorization method and verify that $\text{HCF} \times \text{LCM} = \text{product of the two numbers}$.
3. Without performing long division, state whether $\frac{129}{2^2 \times 5^7 \times 7^5}$ has a terminating or non-terminating repeating decimal expansion. Justify your answer.
4. Use Euclid's division lemma to show that the square of any positive integer is either of the form $3m$ or $3m + 1$ for some integer m .
5. There is a circular path around a sports field. Sonia takes 18 minutes to drive one round of the field, while Ravi takes 12 minutes for the same. If they both start at the same point and at the same time, and go in the same direction, after how many minutes will they meet again at the starting point?
6. Prove that $\sqrt{5}$ is an irrational number. Hence, show that $3 + 2\sqrt{5}$ is also irrational.
7. Two tankers contain 850 litres and 680 litres of petrol respectively. Find the maximum capacity of a container which can measure the petrol of either tanker in exact number of times.

8. Show that any positive odd integer is of the form $4q + 1$ or $4q + 3$, where q is some integer.
9. Find the smallest number which when divided by 28 and 32 leaves remainders 8 and 12 respectively.