

Exploration of Agentic AI Platforms and Security Hardening

Intern: Tan Dan Feng

Digital Division

Supervisor: Toh Leong Seng



RESTRICTED

Adoption of Agentic AI

Baran (2025), Dhivya (2026), Morales (2026)

Hacker Uses Claude and ChatGPT to Breach Multiple Government Agencies



By **Dhivya** April 11, 2026



Add as a preferred
source on Google



Follow us on
Google News

Baran (2025), Dhivya (2026), Morales (2026)

Hacker Uses Claude and ChatGPT to Breach Multiple Government Agencies



By Dhivya April 11, 2026



Add as a preferred
source on Google



Follow us on
Google News

\$40 million worth of crypto stolen from Step Finance — hackers compromise executives' devices to gain illicit access

News

By Jowi Morales Published February 5, 2026

Baran (2025), Dhivya (2026), Morales (2026)

Hacker Uses Claude and ChatGPT to Breach Multiple Government Agencies



By Dhivya April 11, 2026



Add as a preferred source on Google



Follow us on Google News

\$40 million worth of crypto stolen from Step Finance — hackers compromise executives' devices to gain illicit access

News

By Jowi Morales Published February 5, 2026

0-Click Microsoft 365 Copilot Vulnerability Let Attackers Exfiltrates Sensitive Data Abusing Teams



By Guru Baran June 12, 2025



Add as a preferred source on Google



Follow us on Google News

Baran (2025), Dhivya (2026), Morales (2026)

Hacker Uses Claude and ChatGPT to Breach Multiple Government Agencies



By Dhivya April 11, 2026



Add as a preferred source on Google



Follow us on Google News

- AI Weaponisation

\$40 million worth of crypto stolen from Step Finance — hackers compromise executives' devices to gain illicit access

News

By Jowi Morales Published February 5, 2026

0-Click Microsoft 365 Copilot Vulnerability Let Attackers Exfiltrates Sensitive Data Abusing Teams



By Guru Baran June 12, 2025



Add as a preferred source on Google



Follow us on Google News

Baran (2025), Dhivya (2026), Morales (2026)

Hacker Uses Claude and ChatGPT to Breach Multiple Government Agencies



By Dhivya April 11, 2026



Add as a preferred source on Google



Follow us on Google News

- AI Weaponisation

- Unauthorised Access

\$40 million worth of crypto stolen from Step Finance — hackers compromise executives' devices to gain illicit access

News

By Jowi Morales Published February 5, 2026

0-Click Microsoft 365 Copilot Vulnerability Let Attackers Exfiltrates Sensitive Data Abusing Teams



By Guru Baran June 12, 2025



Add as a preferred source on Google



Follow us on Google News

Baran (2025), Dhivya (2026), Morales (2026)

Hacker Uses Claude and ChatGPT to Breach Multiple Government Agencies



By Dhivya April 11, 2026



Add as a preferred source on Google



Follow us on Google News

- AI Weaponisation

- Unauthorised Access

\$40 million worth of crypto stolen from Step Finance — hackers compromise executives' devices to gain illicit access

News

By Jowi Morales Published February 5, 2026

0-Click Microsoft 365 Copilot Vulnerability Let Attackers Exfiltrates Sensitive Data Abusing Teams



By Guru Baran June 12, 2025



Add as a preferred source on Google



Follow us on Google News

- Prompt Injection
- Data Exfiltration

Baran (2025), Dhivya (2026), Morales (2026)

Problem Statement

The background of the slide features a network of icons connected by lines. The icons include a person, a gear, a monitor with a line graph, a document with a checkmark, a lightbulb, and a bar chart. The word 'AUTOMATION' is prominently displayed in the upper right area of the network.

How can we **harness the benefits** of agentic AI while ensuring that these platforms are **properly sandboxed** and **hardened**?

Project Overview

Problem Statement: How can we **harness the benefits** of agentic AI while ensuring that these platforms are **properly sandboxed and hardened**?

Problem Statement: How can we **harness the benefits** of agentic AI while ensuring that these platforms are **properly sandboxed and hardened**?

1. Framework Evaluation



- Compared Hermes Agent and OpenClaw
- Hermes Agent chosen as foundation agent

Problem Statement: How can we **harness the benefits** of agentic AI while ensuring that these platforms are **properly sandboxed and hardened**?

1. Framework Evaluation



- Compared Hermes Agent and OpenClaw
- Hermes Agent chosen as foundation agent

2. System Design



- Integrating Open WebUI with Hermes Agent
- Hermes Wrapper
- MCP Connectors

Problem Statement: How can we **harness the benefits** of agentic AI while ensuring that these platforms are **properly sandboxed and hardened**?

1. Framework Evaluation



- Compared Hermes Agent and OpenClaw
- Hermes Agent chosen as foundation agent

2. System Design



- Integrating Open WebUI with Hermes Agent
- Hermes Wrapper
- MCP Connectors

3. Use Case Development



- Software Engineering Workflow (VS Code Extension)
- Productivity Workflow (Automate emails, Meeting Prep, Generating Deliverables)

Problem Statement: How can we **harness the benefits** of agentic AI while ensuring that these platforms are **properly sandboxed and hardened**?

1. Framework Evaluation



- Compared Hermes Agent and OpenClaw
- Hermes Agent chosen as foundation agent

2. System Design



- Integrating Open WebUI with Hermes Agent
- Hermes Wrapper
- MCP Connectors

3. Use Case Development



- Software Engineering Workflow (VS Code Extension)
- Productivity Workflow (Automate emails, Meeting Prep, Generating Deliverables)

4. Security Hardening



- Best Practices
- 5-Layered Security Architecture

Evaluation of Agent Frameworks



Hermes Agent



OpenClaw



Hermes Agent



OpenClaw



open source


Open-source frameworks



Hermes Agent



OpenClaw



Open-source frameworks


Support autonomous tool execution



Hermes Agent




OpenClaw



Open-source frameworks



Support autonomous tool execution




Support workflow automation



Hermes Agent



OpenClaw



Different Design Philosophies

Open-source frameworks

Support autonomous tool execution

Support workflow automation



Hermes Agent



Architecture

- Stateful
- **Stores** context and reasoning

- Stateless
- Requires **additional mechanisms** to maintain context

Evaluation of Agent Frameworks



Hermes Agent



Architecture

- Stateful
- **Stores** context and reasoning

- Stateless
- Requires **additional mechanisms** to maintain context

Memory & Skills

- **Persistent** memory system
- **Evolving** skills framework

- **External** memory system
- **Manually** curated skills



Hermes Agent



Architecture

- Stateful
- **Stores** context and reasoning

- Stateless
- Requires **additional mechanisms** to maintain context

Memory & Skills


- **Persistent** memory system
- **Evolving** skills framework

- **External** memory system
- **Manually** curated skills

Security Posture

- **Secure by default**
- User isolation, controlled execution environments, credential boundaries

- **Manual hardening** required
- Level of security dependent on settings configured



Hermes Agent



OpenClaw

Hermes Agent



1 CVE*

contained and mitigated



0 malicious skills

in Hermes registry

OpenClaw



> 138 CVEs


In under 5 months



> 1400 skills flagged

~20% of ClawHub ecosystem

* CVE: Common Vulnerabilities and Exposures



Hermes Agent



OpenClaw

Hermes Agent



1 CVE*

contained and mitigated



0 malicious skills

in Hermes registry

OpenClaw



> 138 CVEs

In under 5 months



> 1400 skills flagged

~20% of ClawHub ecosystem

Hermes provides a **stronger** autonomous capabilities, extensibility, and security posture.

* CVE: Common Vulnerabilities and Exposures

The Need for a Wrapper



Hermes Agent

- A **command line interface** (CLI) tool

Ol Open WebUI


- Expects **OpenAI-compatible** REST endpoint

The Need for a Wrapper



Hermes Agent


- A **command line interface** (CLI) tool




Open WebUI

- Expects **OpenAI-compatible** REST endpoint

A wrapper is needed to **translate** user requests from Open WebUI into Hermes




** **Model Context Protocol (MCP) Servers:** Connectors that allow AI agents to securely interact with external tools and data sources.*



Response returned: Hermes Agent → Wrapper → OpenWebUI → User

A user first **crafts** his message prompt


** **Model Context Protocol (MCP) Servers:** Connectors that allow AI agents to securely interact with external tools and data sources.*



Response returned: Hermes Agent → Wrapper → OpenWebUI → User

Message prompt **sent** to Open WebUI user interface


** **Model Context Protocol (MCP) Servers:** Connectors that allow AI agents to securely interact with external tools and data sources.*



Response returned: Hermes Agent → Wrapper → OpenWebUI → User

Wrapper **authenticates** user using his API key and routes request to his assigned container


** **Model Context Protocol (MCP) Servers:** Connectors that allow AI agents to securely interact with external tools and data sources.*




Response returned: Hermes Agent → Wrapper → OpenWebUI → User

Hermes receives these requests and **decides on the skill** to handle the request

** **Model Context Protocol (MCP) Servers:** Connectors that allow AI agents to securely interact with external tools and data sources.*




* *Model Context Protocol (MCP) Servers: Connectors that allow AI agents to securely interact with external tools and data sources.*



When **external** information or actions are needed, Hermes calls the relevant **MCP servers**


** **Model Context Protocol (MCP) Servers:** Connectors that allow AI agents to securely interact with external tools and data sources.*



Response returned: Hermes Agent → Wrapper → OpenWebUI → User

The agent reaches the language model via LiteLLM, which **routes** inference to Azure AI Foundry

** **Model Context Protocol (MCP) Servers:** Connectors that allow AI agents to securely interact with external tools and data sources.*



The completed response will be **displayed** to users on the Open WebUI interface


** **Model Context Protocol (MCP) Servers:** Connectors that allow AI agents to securely interact with external tools and data sources.*

Security Hardening of Wrapper

The wrapper acts as a **security chokepoint** for agent execution as all requests passes through the wrapper.

Security Hardening of Wrapper

The wrapper acts as a **security chokepoint** for agent execution as all requests passes through the wrapper.




Identity-Based Routing

- Validates user identity using API keys
- Requests are only mapped to assigned containers

Security Hardening of Wrapper

The wrapper acts as a **security chokepoint** for agent execution as all requests passes through the wrapper.



Identity-Based Routing


- Validates user identity using API keys
- Requests are only mapped to assigned containers



Container Whitelisting

- Execution restricted to Hermes-* containers only

The wrapper acts as a **security chokepoint** for agent execution as all requests passes through the wrapper.



Identity-Based Routing

- Validates user identity using API keys
- Requests are only mapped to assigned containers



Container Whitelisting


- Execution restricted to Hermes-* containers only



Request Validation

- **Rate-limiting:** 20 requests/min for each IP
- **Input Sanitisation:** Control characters removed
- **Payload Size Restriction:** Max 32,000 characters

The wrapper acts as a **security chokepoint** for agent execution as all requests passes through the wrapper.



Identity-Based Routing

- Validates user identity using API keys
- Requests are only mapped to assigned containers



Container Whitelisting

- Execution restricted to Hermes-* containers only



Request Validation

- **Rate-limiting:** 20 requests/min for each IP
- **Input Sanitisation:** Control characters removed
- **Payload Size Restriction:** Max 32,000 characters



Output Sanitisation

- No escape sequences or injected terminal control codes are returned to the client

Demo: Provisioning Flow for First Time Users

Sign up to Open WebUI

Name

Enter Your Full Name

Email

Enter Your Email

Please fill out this field.

Password

Enter Your Password

Create Account

Already have an account? [Sign in](#)

- 1



New User Signs Up
- 2



Auto-Provision Container
- 3



Generate API Key
- 4



Deliver via Welcome Chat
- 5



Request Authenticated

Use Case 1: Software Engineering Workflow

Stage 1: Design

hermes-agent ▾ +

Use the dso-design-advisor skill. I want to design a peer-tutoring platform for students

oi hermes-agent

Great, skill loaded. Let's get into it.

A peer-tutoring platform for students -- great domain to design. Let me ask two opening questions to ground the architecture:

1. Who are the students? A single school or university, multiple institutions, or open to anyone? This matters a lot for tenant isolation and auth strategy.
2. What's the core interaction -- async (students post a question, tutors respond later) or synchronous (live sessions, video/chat in real time)? Or both?

The platform will be deployed within a **single polytechnic** and supports approximately **5,000 students**. Students are the primary users, while teachers have administrative access to view session logs and flag inappropriate sessions for review. Authentication should integrate with the polytechnic's existing **Microsoft Entra ID**.

The main workflow is **synchronous peer tutoring**. Students submit tutoring requests by specifying the subject, topic, and urgency level. Available peer tutors can claim these requests, after which both users communicate through a built-in real-time chat platform with optional file sharing. After each session, both parties can provide ratings and feedback.

Use Case 1: Software Engineering Workflow

Stage 2: Interviewer

hermes-agent

Use the dso-adversarial-design-interview skill. Analyse the peer-tutoring system that you have just suggested

oi

hermes-agent
Good. I have the full design. Now starting the adversarial interview. I will ask focused questions one or two at a time and work through the main threat surfaces.

Understood -- you're building a peer-tutoring platform on a modular Node.js monolith backed by PostgreSQL, Redis, and MinIO, with Entra ID SSO for all auth. Let me start interrogating.

First question:
Your design stores the access token in memory only (via MSAL.js) -- good call on avoiding

Stage 2: Interviewer

OFFICIAL (OPEN) | SENSITIVE NORMAL

DSO Adversarial Design Review

Threat model produced during structured adversarial design interview

SYSTEM	DESIGN TYPE	INTERVIEW DATE	STATUS
Peer Tutoring System	Software	2026-07-26	DRAFT - Awaiting Review

DESIGN SUMMARY



A web-based peer-tutoring platform for approximately 5,000 students at a single polytechnic. Students submit tutoring requests (topic, urgency); peer tutors claim requests and conduct sessions via a built-in real-time chat with file sharing. Teachers hold administrative access to session logs and can flag sessions for review. Authentication is via Microsoft Entra ID (Azure AD) SSO. The backend is a Node.js modular monolith backed by PostgreSQL, Redis (Socket.IO pub/sub adapter), and MinIO (on-premises S3-compatible file storage).

TRUST BOUNDARIES IDENTIFIED

- Browser / MSAL.js • Entra ID token endpoint (OAuth2 PKCE boundary)
- Browser • Node.js API (JWT-authenticated HTTPS REST + Socket.IO WebSocket)
- Node.js student path • PostgreSQL student pool (RLS-enforced role)
- Node.js admin path • PostgreSQL admin pool (RLS-bypassing role, admin module only)
- Node.js • Redis (internal Docker / Kubernetes network only; TLS between services)
- Node.js • MinIO (file metadata vs binary object boundary; presigned URL scope)
- Node.js admin module • Append-only audit log (write-only DB role; external SIEM replica)
- Student-facing routes • Admin service modules (structural import boundary in codebase)


Use Case 1: Software Engineering Workflow

Stage 3: Hermes Guardian



Use Case 1: Software Engineering Workflow

Stage 3: Hermes Guardian



```

1  const fs = require('fs')
2
3  const emergencyLabel = process.env.EMERGENCY_LABEL || 'emergency';
4
5  /**
6   * @param {import('probot').Probot} app
7   */
8  module.exports = (app) => {
9    //console.log("Yay! The app was loaded!");
10
11    // Resolve this app's own bot login once per process via GitHub App self-introspection.
12    // Used by isAuthorized to allowlist exactly the app's own bot (which legitimately
13    // re-enters its own labeled event) while keeping every other bot subject to AUTHORIZED_TEAM.
14    let cachedAppBotLogin;
15    async function getAppBotLogin() {
16      if (cachedAppBotLogin !== undefined) return cachedAppBotLogin;
17      try {
18        const appOctokit = await app.auth();
19        const { data } = await appOctokit.rest.apps.getAuthenticated();
20        cachedAppBotLogin = `${data.slug}[bot]`;
21        console.log(`Detected app bot login: ${cachedAppBotLogin}`);
22      } catch (e) {
23        console.log(`Could not detect app bot login (${e.message}). The self-trigger label flow will be blocked by AUTHORIZED_TEAM.`);
24      }
25      return cachedAppBotLogin;
26    }
27
28    app.on("pull_request.labeled", async (context) => {
29      let authorized = await isAuthorized(context.payload.sender.login, context.payload.organization.login, context.octokit, getAppBotLogin)
30      if (context.payload.label.name == emergencyLabel
31          && context.payload.pull_request.merged == false
32          && authorized) {
33        // emergency label exists and pull request is not merged, so do stuff...
34        console.log(`${emergencyLabel} label detected`);

```

Use Case 1: Software Engineering Workflow

Stage 3: Hermes Guardian

File

Edit

Selection

View

Go

Run

hermes-guardian

Update

Welcome

TS extension.ts

probot.py

mailpit-calendar.json

C: > Users > TDanFeng > Downloads > probot.py

1

const fs = require('fs')

2

3

const emergencyLabel = process.env.EMERGENCY_LABEL // 'emergency';

4

5

/**

6

* @param {import('probot').Probot} app

7

*/

8

module.exports = (app) => {

9

//console.log("Yay! The app was loaded!");

10

11

// Resolve this app's own bot login once per process via GitHub App self-introspection.

12

// Used by isAuthorized to allowlist exactly the app's own bot (which legitimately

13

// re-enters its own labeled event) while keeping every other bot subject to AUTHORIZED_TEAM.

14

let cachedAppBotLogin;

15

async function getAppBotLogin() {

16

if (cachedAppBotLogin !== undefined) return cachedAppBotLogin;

17

try {

18

const appOctokit = await app.auth();

19

const { data } = await appOctokit.rest.apps.getAuthenticated();

20

cachedAppBotLogin = `\${data.slug}[bot]`;

21

console.log(`Detected app bot login: \${cachedAppBotLogin}`);

22

} catch (e) {

23

console.log(`Could not detect app bot login (\${e.message}). The self-trigger label flow will be blocked !

24

}`);

25

return cachedAppBotLogin;

26

}

27

28

app.on("pull_request.labeled", async (context) => {

29

let authorized = await isAuthorized(context.payload.sender.login, context.payload.organization.login, context.octokit

30

if (context.payload.label.name == emergencyLabel

31

&& context.payload.pull_request.merged == false

32

&& authorized) {

33

label exists and pull request is not merged, so do stuff...

34

console.log(`\${emergencyLabel} label detected`);

DSO Guardian

CVE-

2022-

27665

F5

CVE-

2025-

1040

RECOMMENDED ACTIONS

Finding

Severity

F1

Critical

F2

High

F3

High

Stage 4: Compliance Mapper

File Edit Selection View Go Run

hermes-guardian

1 Update

Welcome TS extension.ts probot.py X mailpit-calendar.json

C: > Users > TDanFeng > Downloads > probot.py

```

1  const fs = require('fs')
2
3  const emergencyLabel = process.env.EMERGENCY_LABEL // 'emergency';
4
5  /**
6   * @param {import('probot').Probot} app
7   */
8  module.exports = (app) => {
9    //console.log("Yay! The app was loaded!");
10
11    // Resolve this app's own bot login once per process via GitHub App self-introspection.
12    // Used by isAuthorized to allowlist exactly the app's own bot (which legitimately
13    // re-enters its own labeled event) while keeping every other bot subject to AUTHORIZED_TEAM.
14    let cachedAppBotLogin;
15    async function getAppBotLogin() {
16      if (cachedAppBotLogin !== undefined) return cachedAppBotLogin;
17      try {
18        const appOctokit = await app.auth();
19        const { data } = await appOctokit.rest.apps.getAuthenticated();
20        cachedAppBotLogin = `${data.slug}[bot]`;
21        console.log(`Detected app bot login: ${cachedAppBotLogin}`);
22      } catch (e) {
23        console.log(`Could not detect app bot login (${e.message}). The self-trigger label flow will be blocked l
24      }
25      return cachedAppBotLogin;
26    }
27
28    app.on("pull_request.labeled", async (context) => {
29      let authorized = await isAuthorized(context.payload.sender.login, context.payload.organization.login, context.octokit
30      if (context.payload.label.name == emergencyLabel
31        && context.payload.pull_request.merged == false
32        && authorized) {
33        // emergency label exists and pull request is not merged, so do stuff...

```

DSO Guardian — c:\Users\

F2 High

F3 High

F4 High

F5 Medium

F6 Low


F7 Low

ADMINISTRATIVE

Next review date: 2026-08-25

Use Case 1: Software Engineering Workflow

Stage 5: Table-Top Generator




```

1  const fs = require('fs')
2
3  const emergencyLabel = process.env.EMERGENCY_LABEL // 'emergency';
4
5  /**
6   * @param {import('probot').Probot} app
7   */
8  module.exports = (app) => {
9    //console.log("Yay! The app was loaded!");
10
11    // Resolve this app's own bot login once per process via GitHub App self-introspection.
12    // Used by isAuthorized to allowlist exactly the app's own bot (which legitimately
13    // re-enters its own labeled event) while keeping every other bot subject to AUTHORIZED_TEAM.
14    let cachedAppBotLogin;
15    async function getAppBotLogin() {
16      if (cachedAppBotLogin !== undefined) return cachedAppBotLogin;
17      try {
18        const appOctokit = await app.auth();
19        const { data } = await appOctokit.rest.apps.getAuthenticated();
20        cachedAppBotLogin = `${data.slug}[bot]`;
21        console.log(`Detected app bot Login: ${cachedAppBotLogin}`);
22      } catch (e) {
23        console.log(`Could not detect app bot Login (${e.message}). The self-trigger label flow will be blocked by AUTHORIZED_TEAM.`);
24      }
25      return cachedAppBotLogin;
26    }
27
28    app.on("pull_request.labeled", async (context) => {
29      let authorized = await isAuthorized(context.payload.sender.login, context.payload.organization.login, context.octokit, getAppBotLogin)
30      if (context.payload.label.name == emergencyLabel
31          && context.payload.pull_request.merged == false
32          && authorized) {
33        // emergency label exists and pull request is not merged, so do stuff...
34        console.log(`${emergencyLabel} label detected`);

```

Use Case 1: Software Engineering Workflow

Stage 6: Feedback Digest




```
1  const fs = require('fs')
2
3  const emergencyLabel = process.env.EMERGENCY_LABEL || 'emergency';
4
5  /**
6   * @param {import('probot').Probot} app
7   */
8  module.exports = (app) => {
9    //console.log("Yay! The app was loaded!");
10
11    // Resolve this app's own bot login once per process via GitHub App self-introspection.
12    // Used by isAuthorized to allowlist exactly the app's own bot (which legitimately
13    // re-enters its own labeled event) while keeping every other bot subject to AUTHORIZED_TEAM.
14    let cachedAppBotLogin;
15    async function getAppBotLogin() {
16      if (cachedAppBotLogin !== undefined) return cachedAppBotLogin;
17      try {
18        const appOctokit = await app.auth();
19        const { data } = await appOctokit.rest.apps.getAuthenticated();
20        cachedAppBotLogin = `${data.slug}[bot]`;
21        console.log(`Detected app bot login: ${cachedAppBotLogin}`);
22      } catch (e) {
23        console.log(`Could not detect app bot login (${e.message}). The self-trigger label flow will be blocked by AUTHORIZED_TEAM.`);
24      }
25      return cachedAppBotLogin;
26    }
27
28    app.on("pull_request.labeled", async (context) => {
29      let authorized = await isAuthorized(context.payload.sender.login, context.payload.organization.login, context.octokit, getAppBotLogin)
30      if (context.payload.label.name == emergencyLabel
31          && context.payload.pull_request.merged == false
32          && authorized) {
33        // emergency label exists and pull request is not merged, so do stuff...
34        console.log(`${emergencyLabel} label detected`);
```

Use Case 2: Productivity Workflow



Email Automation



Meeting Preparation




Deliverable Generation

Use Case 2: Productivity Workflow



Email Automation



Meeting Preparation



Deliverable Generation

Tools like Copilot are **unavailable on-prem** and show how Hermes **integrates with external services** using MCP connectors

Use Case 2: Productivity Workflow


Microsoft Teams and Outlook is not used due to **administrative constraints**.



Gmail



Mailpit





Use Case 2: Productivity Workflow

Microsoft Teams and Outlook is not used due to **administrative constraints**.



Gmail

- Has **built-In services** like Google Calendar and Google Meet



Teams

Outlook

- **Simulates** Microsoft Ecosystem
- **Uses** Hermes connectors


Use Case 2: Productivity Workflow

Microsoft Teams and Outlook is not used due to **administrative constraints**.



Mailpit


- Provides **local IMAP/SMTP** servers



On-Prem

- **Simulates** on-prem environment

Use Case 2: Productivity Workflow



Emails

Compose

Inbox

Starred

Snoozed

Sent

Drafts

Purchases

More

Labels

Search mail

Primary

Promotions

Social

Tan Dan Feng 2

Tan Dan Feng

Tan Dan Feng

Tan Dan Feng

Tan Dan Feng

me

Tan Dan Feng

Request for Inventory Dashboard Steering Committee Slides - Hi Team, A few updates after today's management discussion: Add a dedicated slide on secu...

Update Required for Cloud Migration Technical Assessment Report - Hi Team, Could you help to update the Cloud Migration Technical Assessment Report ...

Deliverables for Executive Review Meeting - Tan Dan Feng <tdftandanfeng@gmail.com> 4:48 PM (16 minutes ago) to hermestestpilot@gmail.com Hi Team, F...

Procurement Portal Monthly Status Report - Hi, Please prepare a Word document status report for the Procurement Portal enhancement project. The repor...

Hello - Hello

test - this is a test email. to-do list: - finish implementing all the gmail skills (triage/draft/summarise/flag) - try connecting tools for gmail - continue for mail...

Mailpit

Search mailbox

50

1-21 of 21

Inbox

Mark all read

Delete all

Tan Dan Feng

Tan Dan Feng

Tan Dan Feng

Tan Dan Feng

Tan Dan Feng

Wei Ming

Raj Kumar

Sarah Lim

Raj Kumar

Wei Ming

James Teo

Request for Inventory Dashboard Steering Committee Slides

Procurement Portal Monthly Status Report

Deliverables for Executive Review Meeting

Update Required for Cloud Migration Technical Assessment Report

Re: Request for Inventory Dashboard Steering Committee Slides

Sprint Planning — Items I want to Raise

Project Requirements — Confirmed List

Q3 Budget Review — Slide Deck Needed

IT Compliance Briefing — Heads-up

Architecture Review — Pre-read

Sprint Demo Prep — Items to Cover

1.3 kB

1.1 kB

1.8 kB

1.3 kB

2.2 kB

1.2 kB

1.3 kB

1.2 kB

1.2 kB

1.2 kB

6 days ago

6 days ago

6 days ago

6 days ago

6 days ago

6 days ago

6 days ago

6 days ago

6 days ago

6 days ago

Meetings

Calendar

Today

<

>

July 2026

Search

Month

Upgrade

h

Create

July 2026

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

Aug 1

Booking pages

My calendars

hermes-test-pilot

Birthdays

Tasks

Other calendars

SUN 28

MON 29

TUE 30

WED Jul 1

THU 2

FRI 3

SAT 4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

Aug 1

Singapore Armed Fo

Client Catch-up

Racial Harmony Day

9:30am Weekly Pr

2:15pm Design Re

1:15pm Sprint Plan

11:30am Hackthor

Product Demo

```
{
  "id": "dso-past-week",
  "summary": "Mid-Sprint Review",
  "start": "2026-07-15T14:00:00+08:00",
  "end": "2026-07-15T15:00:00+08:00",
  "location": "",
  "online": true,
  "platform": "Microsoft Teams",
  "join_url": "https://teams.microsoft.com/l/meetup-join/19%3ameeting_dso_pastweek%48thread_v2%0",
  "description": "Mid-sprint check-in to assess progress and unblock any issues.\n\nAgenda:\n- Progress update from each team member\n- R...",
  "attendees": [
    {
      "email": "tdanfeng@dso.org.sg",
      "displayName": "Tan Dan Feng",
      "self": true
    },
    {
      "email": "weiming@dso.org.sg",
      "displayName": "Wei Ming",
      "self": false
    },
    {
      "email": "jteo@dso.org.sg",
      "displayName": "James Teo",
      "self": false
    }
  ],
  "attachments": []
}
```

Use Case 2: Productivity Workflow

hermes-agent

Use the dso-gmail-assistant skill to help me with my Gmail: Give me a rundown of my inbox

oi

hermes-agent

Sign-in is required to access your Gmail. Please open the link below in your browser to authorize:

https://accounts.google.com/o/oauth2/v2/auth?client_id=830708050316-fkt048cvtd6g45bfnfhkhnt8s18p7s1a.apps.googleusercontent.com&redirect_uri=http%3A%2F%2Flocalhost%3A8084%2Fauth%2Fcallback&response_type=code&scope=https%3A%2F%2Fwww.googleapis.com%2Fauth%2Fgmail.modify+https%3A%2F%2Fwww.googleapis.com%2Fauth%2Fgmail.compose+https%3A%2F%2Fwww.googleapis.com%2Fauth%2Fgmail.send+https%3A%2F%2Fwww.googleapis.com%2Fauth%2Fuserinfo.email+https%3A%2F%2Fwww.googleapis.com%2Fauth%2Fuserinfo.profile+openid&access_type=offline&prompt=consent&state=admin

Sign in with your Google account, grant the requested permissions, and then come back and let me know when you're done — I'll pull up your inbox right away.

Sign in with Google

Choose an account

to continue to [hermes](#)

h

hermes-test-pilot

hermestestpilot@gmail.com

Use another account

English (United States)

Help

Privacy

Terms

✓

Gmail connected!

You're signed in. Return to Hermes and continue.


Authentication also needed for Microsoft Outlook

People. Passion. Innovation.

RESTRICTED


59

Use Case 2: Productivity Workflow (Email Triaging)



Returns **sender name**, **subject**, **preview** and **priority classification** (eg. Action Required, Needs Reply, FYI)

Use Case 2: Productivity Workflow (Email Triage)



Allows users to **generate**, **edit** and **send** drafts

Use Case 2: Productivity Workflow (Email Triaging)

hermes-agent

the_deep_sea.pdf 381.9 KB

the_deep_sea_repo... 10.7 KB

the_deep_sea.pptx 234.9 KB

Use the dso-mailpit-inbox skill. an email to James and attach all the files uploaded in the email

oi hermes-agent

Retrieved 3 sources

Files are accessible and within size limits. This email has 3 attachments. Would you like the body to be:

A) Simple — "Please find attached the files as requested."

B) With context — a brief summary of the deep sea document contents

Reply with A or B.

3 Sources

hermes-agent

oi hermes-agent

Retrieved 3 sources

All 3 attachments loaded successfully. Here is your draft:

Draft ready

To: james@dso.org.sg

Subject: The Deep Sea — Reference Documents

Attachments: the_deep_sea.pdf, the_deep_sea_report.docx, the_deep_sea.pptx

"Hi James,

Please find attached three documents on the deep sea for your reference. Here is a brief summary of what they cover:

The files explore the deep sea as Earth's last unexplored frontier. Only 5% of the global ocean has been explored in detail, with the deepest point — Challenger Deep in the Mariana Trench — reaching approximately 11 km, where pressure exceeds 1,000 atmospheres.

The documents cover the five ocean zones (Sunlight, Twilight, Midnight, Abyssal, and Hadal), bioluminescence in deep-sea animals (over 75% produce their own light via a luciferin-oxygen reaction), and notable deep-sea residents including the Giant Squid, Dumbo Octopus, Yeti Crab, and Anglerfish.

Key takeaways include the deep sea's role in regulating global climate through carbon storage, its contribution to medical breakthroughs, and the striking fact that we have better maps of Mars and the Moon than of our own ocean floor.

The three attached files are:

the_deep_sea.pdf — a visual presentation

the_deep_sea_report.docx — a written report

the_deep_sea.pptx — a PowerPoint slide deck

Best regards,

Admin"

Type SEND to send, DRAFT to save, or tell me what to change.

3 Sources

Use Case 2: Productivity Workflow (Email Triaging)

hermes-agent

the_deep_sea.pdf 381.9 KB

the_deep_sea_repo... 10.7 KB

the_deep_sea.pptx 234.9 KB

Use the dso-mailpit-inbox skill. an email to James and attach all the files uploaded in the email

oi hermes-agent

Retrieved 3 sources

Files are accessible and within size limits. This email has 3 attachments. Would you like the body to be:

A) Simple — "Please find attached the files as requested."

B) With context — a brief summary of the deep sea document contents

Reply with A or B.

3 Sources

hermes-agent

oi hermes-agent

Retrieved 3 sources

All 3 attachments loaded successfully. Here is your draft:

Draft ready

To: james@dso.org.sg

Subject: The Deep Sea — Reference Documents

Attachments: the_deep_sea.pdf, the_deep_sea_report.docx, the_deep_sea.pptx

"Hi James,

Please find attached three documents on the deep sea for your reference. Here is a brief summary of what they cover:

The files explore the deep sea as Earth's last unexplored frontier. Only 5% of the global ocean has been explored in detail, with the deepest point — Challenger Deep in the Mariana Trench — reaching approximately 11 km, where pressure exceeds 1,000 atmospheres.

The documents cover the five ocean zones (Sunlight, Twilight, Midnight, Abyssal, and Hadal), bioluminescence in deep-sea animals (over 75% produce their own light via a luciferin-oxygen reaction), and notable deep-sea residents including the Giant Squid, Dumbo Octopus, Yeti Crab, and Anglerfish.

Key takeaways include the deep sea's role in regulating global climate through carbon storage, its contribution to medical breakthroughs, and the striking fact that we have better maps of Mars and the Moon than of our own ocean floor.

The three attached files are:

the_deep_sea.pdf — a visual presentation

the_deep_sea_report.docx — a written report

the_deep_sea.pptx — a PowerPoint slide deck

Best regards,

Admin"

Type SEND to send, DRAFT to save, or tell me what to change.

3 Sources

Option to send with **simple body text** or with **summarised context**

Use Case 2: Productivity Workflow (Meeting Prep)

hermes-agent

Use the dso-mailpit-meeting-prep skill. Prep me for: Do I have any meetings today

oi

hermes-agent

Yes, you have one meeting today:

Weekly Team Standup

When: Monday, 20 Jul 2026 · 09:00 – 09:30

Where: Online (Microsoft Teams) — https://teams.microsoft.com/l/meetup-join/19%3ameeting_dso001standup%40thread.v2/0

Attendees: Tan Dan Feng, Wei Ming, Raj Kumar, James Teo

Description:

Weekly team standup to align on progress and blockers.

Agenda:

- Each member: what I did, what I'm doing, any blockers
- Announcements from lead
- Action item follow-up from last session

Keep updates concise — 2 minutes per person.

Attachments: None

Is this the meeting you'd like to prep for? If so, shall I search your on-prem inbox for recent threads with Wei Ming, Raj Kumar, and James Teo to build a pre-meeting brief?

Generate overview of upcoming meetings across **different time periods** (e.g. day, week, month)

Use Case 2: Productivity Workflow (Meeting Prep)

Today at 10:09 AM

Prep me for my meeting with Wei Ming

oi

hermes-agent

Wei Ming appears in 5 meetings. Here they are:

1. Weekly Team Standup

When: Mon, 20 Jul - 09:00 - 09:30

Where: Online (Microsoft Teams)

With: Tan Dan Feng, Wei Ming, Raj Kumar, James Teo

2. IT Compliance & Security Briefing

When: Tue, 21 Jul - 10:00 - 11:00

Where: Meeting Room A, Level 1

With: Tan Dan Feng, Raj Kumar, Wei Ming

3. Technical Design Review

When: Wed, 22 Jul - 14:00 - 15:30

Where: Meeting Room B, Level 3

With: Tan Dan Feng, Wei Ming, Sarah Lim

4. Sprint Planning

When: Thu, 23 Jul - 10:00 - 11:00

Where: Online (Microsoft Teams)

With: Tan Dan Feng, Wei Ming, James Teo

5. Quarterly Department Showcase

When: Wed, 30 Jul - 14:00 - 15:00

Where: Auditorium, Level 1

With: Tan Dan Feng, Wei Ming, Raj Kumar, Sarah Lim, James Teo

Which meeting would you like to prep for?

Today at 10:31 AM

4

oi

hermes-agent

Sprint Planning

When: Thursday, 23 Jul 2026 - 10:00 - 11:00

Where: Online (Microsoft Teams) — https://teams.microsoft.com/l/meetup-join/19%3ameeting_dso003sprint%40thread.v2/0

Attendees: Tan Dan Feng, Wei Ming, James Teo

Description:

Sprint planning session for the upcoming development cycle.

Topics:

Review and prioritise the backlog

Estimate effort for top items

Assign ownership and agree on sprint goal

Identify dependencies or blockers

Expected outcome: agreed sprint backlog with owners and target completion dates.

Attachments: None

Shall I search your email for recent threads with Wei Ming and James Teo to build a pre-meeting brief?

yes

If > 1 meeting with same attendee, Hermes will ask user to **select** specific meeting and **request** email access

Use Case 2: Productivity Workflow (Meeting Prep)

yes

oi

hermes-agent

Sprint Planning

When: Thursday, 23 Jul 2026 · 10:00 - 11:00

Where: Online (Microsoft Teams) — https://teams.microsoft.com//meetup-join/19%3ameeting_dso003sprint%40thread.v2/0

With: Wei Ming, James Teo

Recent Email Context

2026-07-19 Sprint Planning — Items I Want to Raise (from: Wei Ming)

- Auth module refactor: still in progress — push to next sprint?
- Third-party integration: blocked on vendor API access — estimated 3-5 business days
- Frontend: suggest we defer the theming ticket this sprint — too much scope creep
- Test coverage: we're below target — should we add a dedicated story?

2026-07-19 Sprint Demo Prep — Items to Cover (from: James Teo)

- Update your task statuses on the board before the meeting
- Flag any tickets you want to defer to the next sprint
- Come ready to give a brief update on what you completed this cycle
- Team lead has asked for a short demo of any new features — keep it to about 10 minutes

Pre-Meeting Brief

Going into Thursday's Sprint Planning, Wei Ming has already signalled four agenda items he wants to table: the auth module refactor is still incomplete and he's proposing a deferral; the third-party integration is vendor-blocked with a 3-5 business day estimate; he wants to cut the frontend theming ticket for scope reasons; and test coverage is below target, raising the question of whether a dedicated story should be added. James Teo's note is more operational — he's reminding the team to update the board, flag deferral candidates, and have a 10-minute demo ready for any completed features. Before the meeting you'll want to know your own sprint status, which tickets you'd push, and whether you have anything ready to demo. Wei Ming's list is likely to drive most of the backlog discussion, so it's worth having a position on each of his four points going in.

Anything else you'd like to prepare? I can draft a pre-meeting email to Wei Ming or James Teo — just say the word.

< 2/2 >        

Generates pre-meeting brief with **context**, **required actions** and **important notes**

Use Case 2: Productivity Workflow (Req Harvester)

Extract requirements from emails about the inventory dashboard project

oi hermes-agent

THREADS FOUND (3) — confirm which to use

1. [Sun 19 Jul] Request for Inventory Dashboard Steering Committee Slides

From: Tan Dan Feng tdftandanfeng@gmail.com

Preview: Hi Team, Please prepare a PowerPoint slide deck for next Wednesday's Steering Committee review on the Inventory Dashboard project. The deck should include: - Project overview and objectives - Current ...

ID: 1jxxz7lilx2p4z4JYtDaWB

2. [Sun 19 Jul] Re: Request for Inventory Dashboard Steering Committee Slides

From: Tan Dan Feng tdftandanfeng@gmail.com

Preview: Hi Team, A few updates after today's management discussion: - Add a dedicated slide on security and audit logging controls. - Include a comparison of 5-minute vs 10-minute refresh intervals. - Remove ...

ID: 7MHg4Tu6VOOGi2DHAVF7Is

3. [Sun 19 Jul] Project Requirements — Confirmed List

From: Raj Kumar rkumar@dso.org.sg

Preview: Hi, Following the stakeholder review, here are the confirmed requirements for the next phase: 1. Dashboard must display live status (refresh every 5 seconds) 2. Audit logs must be exportable as CSV 3...

ID: 1bkPyJtz5ulmwgB10hzsHp

Threads 1 and 2 are the most directly relevant — thread 1 is the original request and thread 2 is a follow-up update with additional requirements from Dan Feng. Thread 3 (from Raj Kumar) appears to be a confirmed requirements list that may also contain relevant detail.

Which thread(s) should I read? Reply with the number(s) — e.g. "1 and 2" or "all".

1

User asks Hermes to **extract requirements** regarding a topic

Use Case 2: Productivity Workflow (Req Harvester)

1

oi

hermes-agent

07/20/2026 at 3:14 PM

Here is the full email content:

FROM: Tan Dan Feng tdftandanfeng@gmail.com

TO: hermes@dso.org.sg

SUBJECT: Request for Inventory Dashboard Steering Committee Slides

DATE: 2026-07-19T13:05:07.709Z

Hi Team,

Please prepare a PowerPoint slide deck for next Wednesday's Steering Committee review on the Inventory Dashboard project.

The deck should include:

- Project overview and objectives
- Current implementation progress
- Key risks and mitigation actions
- Timeline for the September release
- Budget utilisation to date
- Next-phase recommendations

Please keep the presentation to 8-10 slides and use the standard corporate template.

Could you send the completed deck by Tuesday 3 PM so that I can review it beforehand?

Warm regards,

Tan Dan Feng

Extracted requirements:

1. Prepare a PowerPoint slide deck for the Steering Committee review on the Inventory Dashboard project.

9. Limit the presentation to 8-10 slides.

10. Use the standard corporate template.

11. The completed deck must be delivered by Tuesday 3 PM for prior review by Dan Feng.

Are these correct? Reply yes to proceed, or tell me what to change — for example:

- "Remove requirement 3"
- "Change requirement 1 to say X"
- "Add a requirement for Y"

yes

User **selects** email thread and Hermes presents extracted requirements for **verification**

Use Case 2: Productivity Workflow (Req Harvester)

oi

hermes-agent

✓

All 11 requirements approved.

Would you like a **PPTX** (slide deck), **DOCX** (Word report), or **both**?

both

< 2/2 >

Hermes asks for **deliverable format** before **generating outline** for review

07/20/2026 at 3:34 PM

both

< 2/2 >

oi

hermes-agent

Now I'll proceed with Step 2d — elaborating the deck outline for the 11 approved requirements on the Inventory Dashboard Steering Committee Slides.

Here's the elaborated deck outline for both the PPTX and DOCX:

Executive Summary

1. The Inventory Dashboard project is progressing toward a September release and requires Steering Committee visibility on current status and risks.

2. This deck provides a full project overview, implementation progress, and budget position as of the review date.

3. Key risks have been identified with mitigation actions in place to protect the September timeline.

4. Next-phase recommendations are included to guide post-release planning.

5. The deck was prepared per Dan Feng's request using the standard corporate template.

Slides

Slide 1: 📄 Project Overview and Objectives

The Inventory Dashboard project aims to deliver a centralised, real-time view of inventory status across all operational units.

Core objectives: improve stock visibility, reduce manual reporting effort, and enable data-driven procurement decisions.

The project is sponsored by the Steering Committee and targets a September production release.

Slide 2: 🔄 Current Implementation Progress

Development of core dashboard modules is underway, with key milestones tracked against the project plan.

Completed features include data ingestion pipelines, user authentication, and initial dashboard views.

Integration testing with upstream inventory systems is in progress.

Slide 3: ⚠️ Key Risks and Mitigation Actions

Risk: Delays in data source integration from legacy systems — Mitigation: dedicated integration sprint and escalation path with vendor.

Risk: Scope creep on reporting requirements — Mitigation: change-freeze policy enforced from milestone 3 onwards.

Risk: UAT resource availability in August — Mitigation: UAT schedule agreed with business owners; backup testers identified.

Slide 4: 📅 Timeline for September Release

Current milestone plan shows development completion by end of July, UAT in August, and go-live in September.

Critical path items are being monitored weekly; no slippage reported at time of this review.

Contingency buffer of two weeks is built into the September release window.

Use Case 2: Productivity Workflow (Req Harvester)

Slide 5: 🧨 Budget Utilisation to Date

- Total approved budget and current spend-to-date are presented against the planned burn rate.
- Spend is tracking within approved limits; no budget overrun is forecast at this stage.
- Remaining budget is sufficient to cover UAT, training, and production deployment activities.

Slide 6: 🦋 Next-Phase Recommendations

- Recommend scoping a Phase 2 to extend dashboard coverage to additional inventory categories.
- Propose integration with the procurement portal to enable end-to-end supply chain visibility.
- Suggest a post-go-live review at 30 days to assess performance and capture enhancements.

Next Steps

1. Project Team: Finalise development and submit for UAT entry by end of July.
2. Steering Committee: Review and approve this deck by Tuesday 3 PM ahead of next Wednesday's meeting.
3. Business Owners: Confirm UAT resource availability and test schedule by this Friday.
4. PMO: Publish updated project timeline and risk register before the Steering Committee meeting.
5. Dan Feng: Provide feedback on deck by Tuesday 3 PM to allow final edits before the review.

Here's the elaborated deck outline — 6 content slides. Does this look right, or would you like to adjust anything before I generate the PPTX and DOCX?

yes, looks correct

oi hermes-agent

Both files generated. Here's a summary:

PPTX: /opt/outputs/inventory-dashboard-steering-committee-slides-2026-07-20.pptx

DOCX: /opt/outputs/inventory-dashboard-steering-committee-slides-2026-07-20.docx

Change log: /opt/outputs/inventory-dashboard-steering-committee-slides-2026-07-20.md

10 slides total: Title → Executive Summary → Agenda → 6 content slides → Next Steps → Thank You.

Would you like me to reply to the original email thread (thread 1 — "Request for Inventory Dashboard Steering Committee Slides") with the PPTX and/or DOCX attached?

yes, reply to the email thread with both the pptx and docx attached

- Final document **only** generated after user approves the outline
- User can **choose to reply** to original email with generated deliverable attached

Use Case 2: Productivity Workflow (Req Harvester)

yes, reply to the email thread with both the pptx and docx attached

oi

hermes-agent

REPLY PREVIEW — confirm before sending (PPTX)

To: Tan Dan Feng tdftandanfeng@gmail.com

Subject: Re: Request for Inventory Dashboard Steering Committee Slides

Attachments: inventory-dashboard-steering-committee-slides-2026-07-20.pptx, inventory-dashboard-steering-committee-slides-2026-07-20.docx

Hi Tan Dan Feng,

Thank you for the request. Please find attached the PowerPoint slide deck and Word report for the Inventory Dashboard Steering Committee review.

The deck covers all 11 requirements from your email — project overview and objectives, current implementation progress, key risks and mitigation actions, September release timeline, budget utilisation to date, and next-phase recommendations. The presentation is 10 slides and uses the standard corporate template format.

Please review the attached documents ahead of the Steering Committee meeting. Let me know if you would like any changes before Tuesday 3 PM.

Best regards,

Admin

Parameters locked: `REPLY_TO_ID="1jxxz7LiIx2p4z4JYtDaWB"` / `ATTACHMENT_PATH="/opt/outputs/inventory-dashboard-steering-committee-slides-2026-07-20.pptx"` + `"/opt/outputs/inventory-dashboard-steering-committee-slides-2026-07-20.docx"`

Shall I send this? Reply **yes** to confirm, or tell me what to change.

1 / 2 \

yes

oi

hermes-agent

Reply sent successfully. Here's the confirmation:

To: Tan Dan Feng tdftandanfeng@gmail.com

Subject: Re: Request for Inventory Dashboard Steering Committee Slides

Attached: inventory-dashboard-steering-committee-slides-2026-07-20.pptx (59 KB)

inventory-dashboard-steering-committee-slides-2026-07-20.docx (49 KB)

Both files were attached and delivered in a single reply. Dan Feng will have the full slide deck and Word report ready for review ahead of Tuesday 3 PM.

Mark unreadDeleteDownload

From<hermes@dso.org.sg>

ToTan Dan Feng <tdftandanfeng@gmail.com>

Subject**Re: Request for Inventory Dashboard Steering Committee Slides**

DateMon, 20 Jul 2026, 4:18 pm (127.1 kB)

TagsAdd tags...

Attachments (2)

TextHeadersRawLink Check

Hi Tan Dan Feng,

Thank you for your email. Please find attached the updated PowerPoint slide deck and Word report for the Inventory Dashboard Steering Committee review, incorporating all 49 approved requirements from your emails and the uploaded SRS document (TC-06).

The deliverables cover all required sections – project overview and objectives, current implementation progress, key risks and mitigation actions, September release timeline, budget utilisation, and next-phase recommendations – along with the follow-up revisions (security/audit logging slide, refresh interval comparison, mobile support removal, and company logo on all slides). Confirmed stakeholder requirements from Raj Kumar and all specifications from the uploaded SRS have also been incorporated.

Please review both documents ahead of the Steering Committee meeting. Let us know if you require any further changes.

Best regards,

Admin

Show attachment details



inventory-dashboard-...



inventory-dashboard-...

Hermes **drafts** a response before sending

People. Passion. Innovation.

RESTRICTED

71



1. Reliable Workflow Enforcement

- Special ⚠ markers recognised as **hard behavioural constraints**
- Ensures that Hermes **follows predefined workflows consistently** instead of relying solely on prompts



1. Reliable Workflow Enforcement

- Special ⚠ markers recognised as **hard behavioural constraints**
- Ensures that Hermes **follows predefined workflows consistently** instead of relying solely on prompts

2. Human-in-the-Loop

- Every proposed improvement or action needs **explicit human approval** before it is adopted or performed
- Ensures that engineers **remain in control**





1. Reliable Workflow Enforcement

- Special ⚠ markers recognised as **hard behavioural constraints**
- Ensures that Hermes **follows predefined workflows consistently** instead of relying solely on prompts

2. Human-in-the-Loop

- Every proposed improvement or action needs **explicit human approval** before it is adopted or performed
- Ensures that engineers **remain in control**



3. Malicious Skill Containment

- No internet access and per-user container isolation.
- **Container isolation** limits the impact of malicious or compromised skills

Hardening Best Practices: 5-Layered Architecture

Defence-in-Depth: Layered security controls to reduce attack surface and limit blast radius




1. Infrastructure Security (VM & Network)



2. OS Hardening



3. Container Isolation




4. AI Inference Stack Security



5. User & Agent-Level Isolation

Layer 1: Infrastructure Security (VM & Network)

Defence-in-Depth: Layered security controls to reduce attack surface and limit blast radius



Layer 2: OS Hardening

Defence-in-Depth: Layered security controls to reduce attack surface and limit blast radius



1. Infrastructure Security (VM & Network)



2. OS Hardening



3. Container Isolation




4. AI Inference Stack Security



5. User & Agent-Level Isolation


Layer 3: Container Isolation

Defence-in-Depth: Layered security controls to reduce attack surface and limit blast radius



Layer 4: AI Inference Stack Security

Defence-in-Depth: Layered security controls to reduce attack surface and limit blast radius



Layer 5: User & Agent-Level Isolation

Defence-in-Depth: Layered security controls to reduce attack surface and limit blast radius




Accelerate Workflows



Automates engineering, security and productivity tasks

AI Hardening Best Practices



Reusable blueprint for secure agent sandboxing and hardening



1. Use Case Expansion

- Identify high-impact workflows
- Focus on repetitive, structured tasks suitable for agentic AI



2. Security Validation

- Adversarial testing against AI-specific threats
- Validate platform robustness



3. AI Governance

- Establish accountability, auditability and skill review processes



4. Platform Scalability

- Integrate specific knowledge through RAG
- Improve model flexibility and long-term sustainability



1. Use Case Expansion

- Identify high-impact workflows
- Focus on repetitive, structured tasks suitable for agentic AI



2. Security Validation

- Adversarial testing against AI-specific threats
- Validate platform robustness



3. AI Governance

- Establish accountability, auditability and skill review processes



4. Platform Scalability

- Integrate specific knowledge through RAG
- Improve model flexibility and long-term sustainability



1. Use Case Expansion

- Identify high-impact workflows
- Focus on repetitive, structured tasks suitable for agentic AI

2. Security Validation

- Adversarial testing against AI-specific threats
- Validate platform robustness

3. AI Governance

- Establish accountability, auditability and skill review processes

4. Platform Scalability

- Integrate specific knowledge through RAG
- Improve model flexibility and long-term sustainability



1. Use Case Expansion

- Identify high-impact workflows
- Focus on repetitive, structured tasks suitable for agentic AI

2. Security Validation

- Adversarial testing against AI-specific threats
- Validate platform robustness

3. AI Governance

- Establish accountability, auditability and skill review processes

4. Platform Scalability

- Integrate specific knowledge through RAG
- Improve model flexibility and long-term sustainability

Thank You!

- Baran, G. (2025). 0-Click Microsoft 365 copilot vulnerability let attackers exfiltrates sensitive data abusing teams. In *Cyber Security News*. CybersecurityNews. <https://cybersecuritynews.com/zero-click-microsoft-365-copilot-vulnerability/>
- Dhivya. (2026). Hacker uses claude and ChatGPT to Breach multiple government agencies. In *Cyber Security News*. CybersecurityNews. https://cybersecuritynews.com/hacker-uses-claude-and-chatgpt-to-breach/#google_vignette
- Morales, J. (2026, February 5). *\$40 Million worth of crypto stolen from Step finance — hackers compromise executives' devices to gain illicit access*. Tom's Hardware. <https://www.tomshardware.com/tech-industry/cyber-security/usd40-million-worth-of-crypto-stolen-from-step-finance-hackers-compromise-executives-devices-to-gain-illicit-access>