

Factsheet: Poisson distribution

Michelle Arnetta and Tom Coleman

Summary

A factsheet for the Poisson distribution.




Figure 1: An example of the Poisson distribution with $\lambda = 8$.

Where to use: The Poisson distribution is used when a specific event occurs at some rate λ , and you are counting X , the number of times this event occurs in some interval.

Notation: $X \sim \text{Poisson}(\lambda)$ or $X \sim \text{Pois}(\lambda)$.

Parameter: λ is the integer number of times an event occurs within a specific period of time.

Quantity	Value	Notes
Mean	$\mathbb{E}(X) = \lambda$	

Quantity	Value	Notes
Variance	$\mathbb{V}(X) = \lambda$	
PMF	$\mathbb{P}(X = x) = \frac{\lambda^x e^{-\lambda}}{x!}$	
CDF	$\mathbb{P}(X \leq x) = \sum_{i=1}^{\lfloor x \rfloor} \frac{\lambda^x e^{-\lambda}}{x!}$	$\lfloor x \rfloor$ the floor function

Example: Customers enter Cantor's Confectionery at an average rate of 20 people per hour, and you want to see the likelihood that X number of customers walks in. This can be expressed as $X \sim \text{Pois}(20)$.

Further reading

This interactive element appears in [Overview: Probability distributions](#). Please click this link to go to the guide.

Version history

v1.0: initial version created 04/25 by tdhc and Michelle Arnetta as part of a University of St Andrews VIP project.

- v1.1: moved to factsheet form and populated with material from [Overview: Probability distributions](#) by tdhc.

This work is licensed under [CC BY-NC-SA 4.0](#).