

Answers: Introduction to logic

Jessica Taberner

Summary

Answers to questions relating to the guide on introduction to logic.

These are the answers to [Questions: Introduction to logic](#).

Please attempt the questions before reading these answers!

Q1 Propositions

- 1.1. “Boole’s Burgers is a burger restaurant” is a proposition.
- 1.2. “Our burgers taste amazing!” is not a proposition.
- 1.3. “All burgers in the restaurant cost more than £2” is a proposition.
- 1.4. “Please give me a cheeseburger” is not a proposition.
- 1.5. “What are your burger toppings?” is not a proposition.
- 1.6. “Some customers prefer vegan burgers” is a proposition.
- 1.7. “Are the fries sold out?” is not a proposition.
- 1.8. “The fries are sold out” is a proposition.

Q2 Connectives

- 2.1. The logical structure of “If you buy two burgers, you’ll get a discount” is $P \rightarrow Q$.
- 2.2. The logical structure of “I’ll get one cheeseburger and one vegan burger” is $P \wedge Q$.
- 2.3. The logical structure of “I won’t get cheese on my burger” is $\neg P$.
- 2.4. The logical structure of “I’ll get a hamburger, or I’ll get a milkshake” is $P \vee Q$.
- 2.5. The logical structure of “I’ll only get a cheeseburger if you get one too” is $P \leftrightarrow Q$.
- 2.6. The logical structure of “If you go to Boole’s Burgers, I’ll go too, and I’ll get a vegan burger” is $P \rightarrow (Q \wedge R)$.

Q3 Truth tables

3.1. $P \rightarrow Q$

Warning: package 'knitr' was built under R version 4.5.2

P	Q	$P \rightarrow Q$
T	T	T
T	F	F
F	T	T
F	F	T

3.2. $\neg P$

P	$\neg P$
T	F
F	T

3.3. $(P \vee Q) \wedge \neg Q$

P	Q	$(P \vee Q) \wedge \neg Q$
T	T	F
T	F	T
F	T	F
F	F	F

3.4. $\neg(P \leftrightarrow Q)$

P	Q	$\neg(P \leftrightarrow Q)$
T	T	F
T	F	T
F	T	T
F	F	F

3.5. $\neg(P \wedge Q)$

P	Q	$\neg(P \wedge Q)$
T	T	F
T	F	T
F	T	T
F	F	T

3.6. $(P \rightarrow Q) \rightarrow R$

P	Q	R	$(P \rightarrow Q) \rightarrow R$
T	T	T	T
T	F	T	T
T	T	F	F
T	F	F	T
F	T	T	T
F	F	T	T
F	T	F	F
F	F	F	F

3.7. $\neg(P \vee (Q \vee R))$

P	Q	R	$\neg(P \vee (Q \vee R))$
T	T	T	F
T	F	T	F
T	T	F	F
T	F	F	F
F	T	T	F
F	F	T	F
F	T	F	F
F	F	F	T

3.8. $(P \leftrightarrow Q) \vee (\neg R)$

P	Q	R	$(P \leftrightarrow Q) \vee (\neg R)$
T	T	T	T
T	F	T	F
T	T	F	T
T	F	F	T
F	T	T	F
F	F	T	T
F	T	F	T
F	F	F	T

Q4 Equivalence

4.1. $\neg(P \wedge Q)$ and $(\neg P) \vee (\neg Q)$ are logically equivalent. This identity is known as **De Morgan's Law**.

4.2. $P \rightarrow Q$ and $Q \rightarrow P$ are not logically equivalent.

4.3. $P \rightarrow Q$ and $(\neg P) \vee Q$ are logically equivalent.

4.4. $P \rightarrow Q$ and $\neg(P \vee Q)$ are not logically equivalent.

Version history and licensing

v1.0: initial version created 03/26 by Jessica Taberner as part of a University of St Andrews VIP project.

[This work is licensed under CC BY-NC-SA 4.0.](#)