

VCF

Reference

Table of contents

API object	17
Methods	17
CObj	17
CopyVariable	17
CUnk	17
GetFocus	18
ObjFromPtr	18
SetFocus	18
Application object	18
Properties	19
Resources	19
StartupURI	19
Windows	19
Methods	19
FindResource	19
Run	20
TryFindResource	20
Events	20
Startup	20
ApplicationStatic object	21
Properties	21
Current	21
Methods	21
Create	21
Binding object	22
Properties	22
Converter	22
Mode	22
Path	22
Source	22
StringFormat	23
Target	23
TargetProperty	23
Methods	23
ProvideValue	23
Border object	24
Properties	24
AttachedProperties	24
Bindings	24
BorderColor	24
Children	24
CornerRadius	25
DataContext	25
DependencyProperties	25
DesignHeight	25
DesignLeft	25
DesignTop	25
DesignWidth	26
Name	26

Parent	26
Widget	26
Widgets	26
Methods	27
Move	27
Button object	27
Properties	27
AttachedProperties	27
Bindings	28
BorderWidth	28
Children	28
ClickMode	28
Command	28
CommandParameter	28
CornerRadius	29
DataContext	29
DependencyProperties	29
DesignHeight	29
DesignLeft	29
DesignTop	29
DesignWidth	30
GradientBackground	30
Margin	30
Name	30
Parent	30
Selected	30
Widget	31
Widgets	31
Methods	31
Move	31
CollectionChangedEvent object	32
Properties	32
IsRegistered	32
Methods	32
OnCollectionChanged	32
Register	33
Unregister	33
Events	33
CollectionChanged	33
CollectionChangedEventArgs object	34
Properties	34
Action	34
NewItem	34
NewStartingIndex	34
OldItems	34
OldStartingIndex	35
CollectionViewSource object	35
Methods	35
GetDefaultView	35
Color object	36
Methods	36
FromHtml	36
FromRGB	36
FromSystemColor	36

Luminance	37
Multiply	37
ToHtml	37
ToRGB	37
Constructor object	38
Methods	38
CreateInstance	38
GetCustomConstructor	38
NewBinding	38
NewCollectionChangedEventArgs	39
NewDependencyProperties	39
NewFunction	39
NewList	39
NewUIElementBase	40
NewUIElementCollection	40
NewUserControl	40
NewWindow	40
SetCustomConstructor	41
DataTemplate object	41
Properties	41
Children	41
DataType	42
Key	42
Name	42
DependencyObjectBase object	42
Properties	42
Children	43
DependencyProperties	43
Parent	43
DependencyProperties object	43
Methods	44
Exists	44
GetProperty	44
GetValue	44
Register	44
SetCurrentValue	45
SetValue	45
Events	45
DependencyPropertyChanged	45
DependencyProperty object	46
Properties	46
Metadata	46
Name	46
ProgId	46
PropertyType	46
PropertyTypeName	47
UnsetValue	47
Methods	47
PropertyChangedEvent	47
DependencyPropertyMetadata object	47
Properties	48
AffectsMeasure	48
AffectsRender	48
BindingMode	48

IsInheritable	48
Environment object	49
Properties	49
TickCount	49
Function object	49
Properties	49
CallType	50
Method	50
Object	50
Parameter	50
Methods	50
Class_Initialize	51
Execute	51
GetHashCode	51
IApplication object	51
Properties	52
Base	52
Resources	52
StartupURI	52
Methods	52
FindResource	52
InitializeComponent	53
Run	53
SetBase	53
TryFindResource	53
ICloneable object	54
Methods	54
Clone	54
ICommand object	54
Methods	54
CanExecute	55
Execute	55
IControl object	55
Properties	55
Children	56
Widget	56
Widgets	56
IDependencyObject object	56
Properties	57
Children	57
DependencyProperties	57
Parent	57
IDependencyPropertyCallbackListener object	57
Methods	58
OnValueChanged	58
OnValueRequested	58
IItemsControl object	58
Properties	58
ItemsSource	59
ItemTemplate	59
Image object	59
Properties	59
AttachedProperties	59
Bindings	60

DataContext	60
DependencyProperties	60
DesignHeight	60
DesignLeft	60
DesignTop	61
DesignWidth	61
ImageKey	61
KeepAspectRatio	61
Name	61
Parent	61
Methods	62
DrawOn	62
Move	62
IMarkupExtension object	62
Methods	63
ProvideValue	63
Information object	63
Methods	63
IsNothing	63
INotifyCollectionChanged object	64
Methods	64
CollectionChangedEvent	64
INotifyPropertyChanged object	64
Methods	64
PropertyChangedEvent	65
Interaction object	65
Methods	65
SendKeys	65
IObjectConstructor object	66
Methods	66
CreateInstance	66
IUIElement object	66
Properties	66
AttachedProperties	67
Base	67
DataContext	67
DesignHeight	67
DesignLeft	67
DesignTop	68
DesignWidth	68
Parent	68
Methods	68
Move	68
IUserControl object	69
Properties	69
Base	69
Children	69
DataContext	69
DependencyProperties	69
DesignHeight	70
DesignLeft	70
DesignTop	70
DesignWidth	70
Name	70

Parent	70
Visibility	71
Widget	71
Widgets	71
Methods	71
InitializeComponent	71
Move	72
IValueConverter object	72
Methods	72
Convert	72
ConvertBack	73
IVisualChild object	73
Methods	73
DrawOn	73
IWindow object	74
Properties	74
Base	74
Methods	74
InitializeComponent	74
List object	75
Properties	75
Count	75
Item	75
Methods	75
Add	75
AddRange	76
Clear	76
Contains	76
GetEnumerator	76
GetRange	77
IndexOf	77
Insert	77
InsertRange	77
Remove	78
RemoveAt	78
RemoveRange	78
ToArray	78
ListCollectionView object	79
Properties	79
Count	79
CurrentItem	79
CurrentPosition	79
Item	79
Source	80
Methods	80
Add	80
Clear	80
Contains	80
GetEnumerator	81
IndexOf	81
Initialize	81
Insert	81
MoveCurrentTo	81
MoveCurrentToFirst	82

MoveCurrentToLast	82
MoveCurrentToNext	82
MoveCurrentToPosition	82
MoveCurrentToPrevious	82
Remove	83
RemoveAt	83
Events	83
CollectionChanged	83
CurrentChanged	83
ListView object	84
Properties	84
AttachedProperties	84
Background	84
Base	84
Bindings	84
Children	85
DataContext	85
DependencyProperties	85
DesignHeight	85
DesignLeft	85
DesignTop	85
DesignWidth	86
ItemsSource	86
ItemTemplate	86
Name	86
Parent	86
Resources	86
RowHeight	87
SelectedBackground	87
SelectedForeground	87
Visibility	87
Widget	87
Widgets	87
Methods	88
Move	88
ListViewBase object	88
Properties	88
AllowColResize	88
AllowDrag	89
AllowLeftRightKeys	89
AllowRowResize	89
AlternateRowColor	89
ColMapIndex	89
ColumnCount	90
ColumnDefaultWidth	90
ColumnIndex	90
ColumnWidth	90
ColWidth	90
DeselectOutsideClick	91
DrawHeight	91
DrawWidth	91
HeaderHeight	91
HoverIndex	91
HScrollBar	91

ImageView	92
ListCount	92
ListIndex	92
MultiSelect	92
RowColor	92
RowHeight	92
RowSelectorWidth	93
ScrollerSize	93
ScrollIndex	93
Selected	93
ShowHoverBar	93
ShowSelection	94
VisibleRows	94
VScrollBar	94
Widget	94
Widgets	94
Methods	95
AdjustDimensions	95
ClearSelections	95
EnsureVisibleSelection	95
GetColumnIndexFromMouseX	95
GetListIndexFromMouseXY	96
GetListIndexFromMouseY	96
GetSelections	96
MoveColumnToNewIndex	96
ResetSortStates	96
VisibleCols	97
Events	97
Click	97
DbClick	97
DeleteKeyPressed	97
DimensionsAdjusted	98
HeaderClick	98
HScrollChange	98
ListIndexChanged	98
MouseMoveOnListItem	98
MouseUpClick	99
OwnerDrawHeader	99
OwnerDrawItem	99
OwnerDrawRowSelector	99
ScrollIndexChange	100
SelectedAll	100
NamingManager object	100
Methods	100
GetNamedChildren	100
NestedProperty object	101
Properties	101
Child	101
Name	101
Parent	101
Path	101
Source	102
Methods	102
GetValue	102

Initialize	102
OnPropertyChanged	102
SetValue	103
Events	103
ValueChanged	103
ObjectStatic object	103
Methods	104
Equals	104
ObservableCollection object	104
Properties	104
Count	104
Item	105
Methods	105
Add	105
AddRange	105
Clear	105
CollectionChangedEvent	106
Contains	106
GetEnumerator	106
GetHashCode	106
GetRange	106
IndexOf	107
Insert	107
InsertRange	107
Remove	107
RemoveAt	108
RemoveRange	108
Events	108
CollectionChanged	108
ObservableDictionary object	109
Properties	109
Count	109
Item	109
ItemAt	109
Methods	110
Add	110
Clear	110
Contains	110
ContainsKey	110
GetEnumerator	111
IndexOf	111
IndexOfKey	111
KeyOfIndex	111
Remove	111
RemoveAt	112
RemoveKey	112
Events	112
CollectionChanged	112
Panel object	113
Properties	113
AttachedProperties	113
Bindings	113
Children	113
DataContext	113

DependencyProperties	114
DesignHeight	114
DesignLeft	114
DesignTop	114
DesignWidth	114
Name	114
Parent	115
Visibility	115
Widget	115
Widgets	115
Methods	115
Move	115
PropertyChangeEvent object	116
Properties	116
IsRegistered	116
Methods	116
OnPropertyChanged	117
Register	117
Unregister	117
Events	117
PropertyChanged	117
Scene object	118
Properties	118
AttachedProperties	118
Bindings	118
Children	119
DataContext	119
DependencyProperties	119
DesignHeight	119
DesignLeft	119
DesignTop	119
DesignWidth	120
Name	120
Parent	120
Widget	120
Widgets	120
Methods	121
Move	121
ScrollBar object	121
Properties	121
BottomRightEdgeWidth	121
LargeChange	122
Max	122
Min	122
SmallChange	122
Value	122
Vertical	122
Widget	123
Widgets	123
Methods	123
SetParams	123
Events	124
Change	124
MouseWheel	124

Scroll	124
StaticClasses object	125
Properties	125
API	125
Application	125
CollectionViewSource	125
Object	125
StringConversion	126
Methods	126
Color	126
Environment	126
NamingManager	126
StringProcessor	127
StringConversion object	127
Properties	127
LocaleID	127
Methods	128
ToLowerCase	128
ToProperCase	128
ToUpperCase	128
StringProcessor object	128
Methods	129
Format	129
Parse	129
Style object	129
Properties	129
Count	130
StyleDictionary	130
Methods	130
AddStyleDictionary	130
GetEnumerator	131
StyleDictionaryExists	131
TextBlock object	131
Properties	131
AttachedProperties	131
Bindings	132
DataContext	132
DependencyProperties	132
DesignHeight	132
DesignLeft	132
DesignTop	132
DesignWidth	133
FontBold	133
FontItalic	133
FontName	133
FontSize	133
FontStrikeThrough	133
FontUnderline	134
ForeColor	134
HorizontalAlignment	134
Name	134
Parent	134
ScaleFont	134
Text	135

VerticalAlignment	135
Methods	135
Clone	135
Move	135
TextBox object	136
Properties	136
Alignment	136
AttachedProperties	136
Bindings	136
Border	136
Children	137
CueBanner	137
DataContext	137
DependencyProperties	137
DesignHeight	137
DesignLeft	137
DesignTop	138
DesignWidth	138
Focused	138
Name	138
Parent	138
PasswordChar	138
Text	139
VCenter	139
Visibility	139
Widget	139
Widgets	139
Methods	140
Move	140
Events	140
BeforePaste	140
BeforeSelChange	140
Change	141
Click	141
KeyDown	141
KeyPress	141
KeyUp	141
MaxLengthViolation	142
OwnerDrawBackGround	142
Scroll	142
SelChanged	142
Validate	142
Thickness object	143
Properties	143
Bottom	143
Left	143
Right	143
Top	143
UIElementBase object	144
Properties	144
AttachedProperties	144
Resources	144
Methods	144
FindResource	144

TryFindResource	145
UIElementCollection object	145
Properties	145
Count	145
Item	146
Parent	146
Methods	146
Add	146
AddRange	146
Clear	147
Contains	147
GetEnumerator	147
IndexOf	147
Initialize	147
Remove	148
RemoveAt	148
RemoveRange	148
Events	148
CollectionChanged	148
UnboundListView object	149
Properties	149
AttachedProperties	149
Background	149
Base	149
Bindings	149
Children	150
DataContext	150
DependencyProperties	150
DesignHeight	150
DesignLeft	150
DesignTop	150
DesignWidth	151
Name	151
Parent	151
Resources	151
RowHeight	151
SelectedBackground	151
SelectedForeground	152
Visibility	152
Widget	152
Widgets	152
Methods	152
Move	152
Refresh	153
Events	153
Click	153
DbClick	153
DeleteKeyPressed	154
DimensionsAdjusted	154
HeaderClick	154
HScrollChange	154
ListIndexChanged	154
MouseMoveOnListItem	155
MouseUpClick	155

OwnerDrawHeader	155
OwnerDrawItem	155
OwnerDrawRowSelector	156
ScrollIndexChange	156
SelectedAll	156
UniformGrid object	156
Properties	157
AttachedProperties	157
Bindings	157
Children	157
Columns	157
DataContext	157
DependencyProperties	158
DesignHeight	158
DesignLeft	158
DesignTop	158
DesignWidth	158
Name	158
Padding	159
Parent	159
Rows	159
Widget	159
Widgets	159
Methods	160
Move	160
UserControl object	160
Properties	160
AttachedProperties	160
Bindings	161
Children	161
DataContext	161
DependencyProperties	161
DesignHeight	161
DesignLeft	161
DesignTop	162
DesignWidth	162
Name	162
Parent	162
Visibility	162
Widget	162
Widgets	163
Methods	163
Move	163
Window object	163
Properties	164
AttachedProperties	164
Bindings	164
Children	164
DataContext	164
DependencyProperties	164
DesignHeight	165
DesignLeft	165
DesignTop	165
DesignWidth	165

DialogResult	165
Form	165
NamedChildren	166
Parent	166
Widget	166
Widgets	166
Methods	166
Dispose	166
Move	167
SetFocus	167
Show	167
ShowDialog	167
Events	168
WindowProc	168
WindowsFormsHost object	168
Properties	168
AttachedProperties	168
AutomaticallyUnloadContent	169
Bindings	169
Children	169
DataContext	169
DependencyProperties	169
DesignHeight	169
DesignLeft	170
DesignTop	170
DesignWidth	170
Name	170
Parent	170
Visibility	170
Widget	171
Widgets	171
Methods	171
Move	171
XAMLReader object	172
Methods	172
Load	172
LoadApp	172
LoadSuperclassData	172
Constants	173
BindingMode	173
ClickMode	173
CollectionChangedAction	173
ColumnSortState	173
Visibility	174

API object

Methods:

CObj *function*:

Return Type: **Object**
Parameter(s):
 In Required **Object** As **Object**

CopyVariable *method*:

Return Type: None.
Parameter(s):
 In/Out Required **Source** As **Variant**
 In/Out Required **Destination** As **Variant**

CUnk *function*:

Return Type: **IUnknown**
Parameter(s):
 In Required **Object** As **IUnknown**

GetFocus *function*:

Return Type: **Long**
No parameters.

ObjFromPtr *function*:

Return Type: **Object**
Parameter(s):
 In Required **Ptr** As **Long**

SetFocus *function*:

Return Type: **Long**
Parameter(s):
 In Required **Handle** As **Long**

Application object

Properties:

Resources *property*:

Type: **ObservableDictionary** (Read only)

StartupURI *property*:

Type: **String**

Windows *property*:

Type: **cSortedDictionary** (Read only)

Methods:

FindResource *function*:

Return Type: **Variant**

Parameter(s):

In	Required	Key	As	String
----	----------	------------	----	---------------

Run *method*:

Return Type: None.

Parameter(s):

 In Optional **Window** As **Object**

TryFindResource *function*:

Return Type: **Variant**

Parameter(s):

 In Required **Key** As **String**

Events:

Startup *event*:

No parameters.

ApplicationStatic object

Properties:

Current *property*:

Type: **IApplication**

Methods:

Create *method*:

Return Type: None.

Parameter(s):

In	Required	Superclass	As	IApplication
----	----------	-------------------	----	---------------------

Binding object

Properties:

Converter *property:*

Type: **IValueConverter**

Mode *property:*

Type: **BindingMode**

Path *property:*

Type: **String**

Source *property:*

Type: **Object**

StringFormat *property*:

Type: **String**

Target *property*:

Type: **IDependencyObject**

TargetProperty *property*:

Type: **DependencyProperty**

Methods:

ProvideValue *function*:

Return Type: **Variant**
No parameters.

Border object

Properties:

AttachedProperties *property:*

Type: **ObservableDictionary** (Read only)

Bindings *property:*

Type: **List** (Read only)

BorderColor *property:*

Type: **Long**

Children *property:*

Type: **UIElementCollection** (Read only)

CornerRadius *property:*

Type: **CornerRadius**

DataContext *property:*

Type: **Object**

DependencyProperties *property:*

Type: **DependencyProperties** (Read only)

DesignHeight *property:*

Type: **Double**

DesignLeft *property:*

Type: **Double**

DesignTop *property:*

Type: **Double**

DesignWidth *property*:

Type: **Double**

Name *property*:

Type: **String**

Parent *property*:

Type: **IControl**

Widget *property*:

Type: **cWidgetBase** (Read only)

Widgets *property*:

Type: **cWidgets** (Read only)

Methods:

Move *method*:

Return Type: None.

Parameter(s):

In/Out	Required	Left	As	Single
In/Out	Optional	Top	As	Single
In/Out	Optional	Width	As	Single
In/Out	Optional	Height	As	Single

Button object

Properties:

AttachedProperties *property*:

Type: **ObservableDictionary** (Read only)

Bindings *property:*

Type: **List** (Read only)

BorderWidth *property:*

Type: **Double**

Children *property:*

Type: **UIElementCollection** (Read only)

ClickMode *property:*

Type: **ClickMode**

Command *property:*

Type: **ICommand**

CommandParameter *property:*

Type: **Variant**

CornerRadius *property:*

Type: **Double**

DataContext *property:*

Type: **Object**

DependencyProperties *property:*

Type: **DependencyProperties** (Read only)

DesignHeight *property:*

Type: **Double**

DesignLeft *property:*

Type: **Double**

DesignTop *property:*

Type: **Double**

DesignWidth *property*:

Type: **Double**

GradientBackground *property*:

Type: **Boolean**

Margin *property*:

Type: **Thickness**

Name *property*:

Type: **String**

Parent *property*:

Type: **IControl**

Selected *property*:

Type: **Boolean**

Widget *property*:

Type: **cWidgetBase** (Read only)

Widgets *property*:

Type: **cWidgets** (Read only)

Methods:

Move *method*:

Return Type: None.

Parameter(s):

In/Out	Required	Left	As	Single
In/Out	Optional	Top	As	Single
In/Out	Optional	Width	As	Single
In/Out	Optional	Height	As	Single

CollectionChangedEventArgs object

Properties:

IsRegistered *property*:

Type: **Boolean** (Read only)

Methods:

OnCollectionChanged *method*:

Return Type: None.

Parameter(s):

In	Required	e	As	CollectionChangedEventArgs
----	----------	---	----	-----------------------------------

Register *method*:

Return Type: None.

Parameter(s):

In/Out	Required	Sender	As	Object
--------	----------	--------	----	--------

Unregister *method*:

Return Type: None.

No parameters.

Events:

CollectionChanged *event*:

Parameter(s):

Returns value	Sender	As	Object
Returns value	e	As	CollectionChangedEventArgs

CollectionChangedEventArgs object

Properties:

Action *property:*

Type: **CollectionChangedAction** (Read only)

NewItems *property:*

Type: **List** (Read only)

NewStartingIndex *property:*

Type: **Long** (Read only)

OldItems *property:*

Type: **List** (Read only)

OldStartingIndex *property*:

Type: **Long** (Read only)

CollectionViewSource object

Methods:

GetDefaultView *function*:

Return Type: **ListCollectionView**

Parameter(s):

In	Required	Collection	As	ObservableCollection
----	----------	-------------------	----	-----------------------------

Color object

Methods:

FromHtml *function*:

Return Type: **Long**
Parameter(s):
 In Required **HtmlColor** As **String**

FromRGB *function*:

Return Type: **Long**
Parameter(s):
 In/Out Required **Struct**As **RGBStruct**

FromSystemColor *function*:

Return Type: **Long**
Parameter(s):
 In Required **SysColor** As **Long**

Luminance *function:*

Return Type: **Integer**

Parameter(s):

In/Out	Required	Struct	As	RGBStruct
--------	----------	---------------	----	------------------

Multiply *function:*

Return Type: **Long**

Parameter(s):

In	Required	Color	As	Long	
In	Required	Multiplier	As	Single	

ToHtml *function:*

Return Type: **String**

Parameter(s):

In	Required	Color	As	Long
----	----------	--------------	----	-------------

ToRGB *function:*

Return Type: **RGBStruct**

Parameter(s):

In	Required	Color	As	Long
----	----------	--------------	----	-------------

Constructor object

Methods:

CreateInstance *function*:

Return Type: **Object**
Parameter(s):
In Required **Namespace** As **String**
In Required **Class** As **String**

GetCustomConstructor *function*:

Return Type: **IObjectConstructor**
No parameters.

NewBinding *function*:

Return Type: **Binding**
Parameter(s):
In Required **Source** As **Object**
In Required **SourcePropertyName** As **String**
In Required **Target** As **IDependencyObject**
In Required **TargetProperty** As **DependencyProperty**
In Optional **Converter** As **IValueConverter** Default value: 0
In Optional **StringFormat** As **String**

NewCollectionChangedEventArgs *function*:

Return Type: **CollectionChangedEventArgs**
Parameter(s):
In Required **Action** As **CollectionChangedAction**
In Required **NewItems** As **List**
In Required **NewStartingIndex** As **Long**
In Required **OldItems** As **List**
In Required **OldStartingIndex** As **Long**

NewDependencyProperties *function*:

Return Type: **DependencyProperties**
Parameter(s):
In/Out Required **Target** As **Object**

NewFunction *function*:

Return Type: **Function**
Parameter(s):
In Required **Object** As **Object**
In Required **Method** As **String**
In Optional **CallType** As **VbCallType** Default value: 1
In/Out Optional **Parameter** As **Variant**

NewList *function*:

Return Type: **List**
Parameter(s):
In/Out Required **Values** As **Variant()**

NewUIElementBase *function*:

Return Type: **UIElementBase**

Parameter(s):

In	Required	Superclass	As	IUIElement
In/Out	Optional	Baseclass	As	UIElementBase

NewUIElementCollection *function*:

Return Type: **UIElementCollection**

Parameter(s):

In/Out	Required	Parent	As	Object
--------	----------	---------------	----	---------------

NewUserControl *function*:

Return Type: **UserControl**

Parameter(s):

In	Required	Superclass	As	IUserControl
In/Out	Optional	Baseclass	As	UserControl

NewWindow *function*:

Return Type: **Window**

Parameter(s):

In	Required	Superclass	As	IWindow
In/Out	Optional	Baseclass	As	Window
In/Out	Optional	ParentWindow	As	Object
In/Out	Optional	CanGetFocus	As	Boolean

SetCustomConstructor *method*:

Return Type: None.

Parameter(s):

In	Required	Cctor As	IObjectConstructor
----	----------	----------	--------------------

DataTemplate object

Properties:

Children *property*:

Type: **UIElementCollection** (Read only)

DataType *property*:

Type: **String**

Key *property*:

Type: **String**

Name *property*:

Type: **String**

DependencyObjectBase object

Properties:

Children *property*:

Type: **Object**

DependencyProperties *property*:

Type: **DependencyProperties** (Read only)

Parent *property*:

Type: **IDependencyObject**

DependencyProperties object

Methods:

Exists *function*:

Return Type: **Boolean**

Parameter(s):

In/Out	Required	PropertyName	As	String
--------	----------	---------------------	----	---------------

GetProperty *function*:

Return Type: **DependencyProperty**

Parameter(s):

In/Out	Required	PropertyName	As	String
--------	----------	---------------------	----	---------------

GetValue *function*:

Return Type: **Variant**

Parameter(s):

In	Required	PropertyName	As	String
----	----------	---------------------	----	---------------

Register *method*:

Return Type: **None.**

Parameter(s):

In/Out	Required	PropertyName	As	String
In/Out	Required	PropertyType	As	VbVarType
In/Out	Optional	PropertyTypeName	As	String
In/Out	Optional	Progid	As	String
In/Out	Optional	UnsetValue	As	Variant
In/Out	Optional	Metadata	As	DependencyPropertyMetadata

SetCurrentValue *method*:

Return Type: None.

Parameter(s):

In	Required	PropertyName	As	String
In/Out	Required	Value	As Variant	

SetValue *method*:

Return Type: None.

Parameter(s):

In	Required	PropertyName	As	String
In/Out	Required	Value	As Variant	

Events:

DependencyPropertyChanged *event*:

Parameter(s):

Info	Property	As	DependencyProperty
Returns value	PreviousValue	As	Variant

DependencyProperty object

Properties:

Metadata *property:*

Type: **DependencyPropertyMetadata** (Read only)

Name *property:*

Type: **String** (Read only)

Progid *property:*

Type: **String** (Read only)

PropertyType *property:*

Type: **VbVarType** (Read only)

PropertyTypeName *property*:

Type: **String** (Read only)

UnsetValue *property*:

Type: **Variant** (Read only)

Methods:

PropertyChangedEvent *function*:

Return Type: **PropertyChangedEvent**
No parameters.

DependencyPropertyMetadata object

Properties:

AffectsMeasure *property:*

Type: **Boolean**

AffectsRender *property:*

Type: **Boolean**

BindingMode *property:*

Type: **BindingMode**

IsInheritable *property:*

Type: **Boolean**

Environment object

Properties:

TickCount *property*:

Type: **Long** (Read only)

Function object

Properties:

CallType *property*:

Type: **VbCallType**

Method *property*:

Type: **String**

Object *property*:

Type: **Object**

Parameter *property*:

Type: **Variant**

Methods:

Class_Initialize *method*:

Return Type: None.
No parameters.

Execute *function*:

Return Type: **Variant**
Parameter(s):
 In/Out Optional **Parameter** As **Variant**

GetHashCode *function*:

Return Type: **Long**
No parameters.

Application object

Properties:

Base *property*:

Type: **Application** (Read only)

Resources *property*:

Type: **ObservableDictionary** (Read only)

StartupURI *property*:

Type: **String**

Methods:

FindResource *function*:

Return Type: **Variant**

Parameter(s):

In	Required	Key	As	String
----	----------	------------	----	---------------

InitializeComponent *method*:

Return Type: None.
No parameters.

Run *method*:

Return Type: None.
Parameter(s):
 In/Out Optional **Window** As **Object**

SetBase *method*:

Return Type: None.
Parameter(s):
 In Required **Baseclass** As **Application**

TryFindResource *function*:

Return Type: **Variant**
Parameter(s):
 In Required **Key** As **String**

ICloneable object

Methods:

Clone *function*:

Return Type: **Object**
No parameters.

ICommand object

Methods:

CanExecute *function*:

Return Type: **Boolean**

Parameter(s):

In/Out	Optional	Parameter	As	Variant
--------	----------	-----------	----	---------

Execute *method*:

Return Type: None.

Parameter(s):

In/Out	Optional	Parameter	As	Variant
--------	----------	-----------	----	---------

IControl object

Properties:

Children *property:*

Type: **UIElementCollection** (Read only)

Widget *property:*

Type: **cWidgetBase** (Read only)

Widgets *property:*

Type: **cWidgets** (Read only)

IDependencyObject object

Properties:

Children *property*:

Type: **Object** (Read only)

DependencyProperties *property*:

Type: **DependencyProperties** (Read only)

Parent *property*:

Type: **IDependencyObject** (Read only)

IDependencyPropertyCallbackListener object

Methods:

OnValueChanged *method*:

Return Type: None.

Parameter(s):

In	Required	Sender	As	DependencyProperty
In	Required	NewValue	As	Variant

OnValueRequested *function*:

Return Type: **Boolean**

Parameter(s):

In/Out	Required	ProvidedValue	As	Variant
--------	----------	----------------------	----	----------------

ItemsControl object

Properties:

ItemsSource *property*:

Type: **Object**

ItemTemplate *property*:

Type: **DataTemplate**

Image object

Properties:

AttachedProperties *property*:

Type: **ObservableDictionary** (Read only)

Bindings *property:*

Type: **List** (Read only)

DataContext *property:*

Type: **Object**

DependencyProperties *property:*

Type: **DependencyProperties** (Read only)

DesignHeight *property:*

Type: **Double**

DesignLeft *property:*

Type: **Double**

DesignTop *property:*

Type: **Double**

DesignWidth *property:*

Type: **Double**

ImageKey *property:*

Type: **String**

KeepAspectRatio *property:*

Type: **Boolean**

Name *property:*

Type: **String**

Parent *property:*

Type: **IControl**

Methods:

DrawOn *method*:

Return Type: None.

Parameter(s):

In/Out	Required	CC	As	cCairoContext
In/Out	Optional	ForeColor	As	Long

Move *method*:

Return Type: None.

Parameter(s):

In/Out	Required	Left	As	Single
In/Out	Optional	Top	As	Single
In/Out	Optional	Width	As	Single
In/Out	Optional	Height	As	Single

IMarkupExtension object

Methods:

ProvideValue *function*:

Return Type: **Variant**
No parameters.

Information object

Methods:

IsNothing *function*:

Return Type: **Boolean**
Parameter(s):
 In/Out Required **Expression** As **Variant**

INotifyCollectionChanged object

Methods:

CollectionChangedEvent *function*:

Return Type: **CollectionChangedEvent**
No parameters.

INotifyPropertyChanged object

Methods:

PropertyChangedEvent *function*:

Return Type: **PropertyChangedEvent**
No parameters.

Interaction object

Methods:

SendKeys *function*:

Return Type: **Variant**
Parameter(s):
 In Required **Text** As **String**
 In/Out Optional **Wait** As **Variant**

IObjectConstructor object

Methods:

CreateInstance *function*:

Return Type: **Object**

Parameter(s):

In	Required	Classname	As	String
----	----------	------------------	----	---------------

IUIElement object

Properties:

AttachedProperties *property:*

Type: **ObservableDictionary** (Read only)

Base *property:*

Type: **UIElementBase** (Read only)

DataContext *property:*

Type: **Object**

DesignHeight *property:*

Type: **Double**

DesignLeft *property:*

Type: **Double**

DesignTop *property:*

Type: **Double**

DesignWidth *property:*

Type: **Double**

Parent *property:*

Type: **IControl**

Methods:

Move *method:*

Return Type: None.

Parameter(s):

In/Out	Required	Left	As	Single
In/Out	Optional	Top	As	Single
In/Out	Optional	Width	As	Single
In/Out	Optional	Height	As	Single

IUserControl object

Properties:

Base *property*:

Type: **UserControl** (Read only)

Children *property*:

Type: **UIElementCollection** (Read only)

DataContext *property*:

Type: **Object**

DependencyProperties *property*:

Type: **DependencyProperties** (Read only)

DesignHeight *property:*

Type: **Double**

DesignLeft *property:*

Type: **Double**

DesignTop *property:*

Type: **Double**

DesignWidth *property:*

Type: **Double**

Name *property:*

Type: **String**

Parent *property:*

Type: **IControl**

Visibility *property:*

Type: **Visibility**

Widget *property:*

Type: **cWidgetBase** (Read only)

Widgets *property:*

Type: **cWidgets** (Read only)

Methods:

InitializeComponent *method:*

Return Type: None.
No parameters.

Move method:

Return Type: None.

Parameter(s):

In/Out	Required	Left	As	Single
In/Out	Required	Top	As	Single
In/Out	Required	Width	As	Single
In/Out	Required	Height	As	Single

IValueConverter object

Methods:

Convert function:

Return Type: **Variant**

Parameter(s):

In/Out	Required	Value	As	Variant
In/Out	Optional	Parameter	As	Variant

ConvertBack *function*:

Return Type: **Variant**

Parameter(s):

In/Out	Required	Value	As	Variant
In/Out	Optional	Parameter	As	Variant

IVisualChild object

Methods:

DrawOn *method*:

Return Type: None.

Parameter(s):

In/Out	Required	CC	As	cCairoContext
In/Out	Optional	ForeColor	As	Long

IWindow object

Properties:

Base *property*:

Type: **Window** (Read only)

Methods:

InitializeComponent *method*:

Return Type: None.
No parameters.

List object

Properties:

Count *property*:

Type: **Long** (Read only)

Item *property*:

Type: **Variant** (Default property)

Additional parameter(s):

In	Required	Index	As	Long
----	----------	--------------	----	-------------

Methods:

Add *method*:

Return Type: None.

Parameter(s):
In/Out Required **Value** As **Variant**

AddRange *method*:

Return Type: None.
Parameter(s):
In/Out Required **List** As **Variant**

Clear *method*:

Return Type: None.
No parameters.

Contains *function*:

Return Type: **Boolean**
Parameter(s):
In/Out Required **Value** As **Variant**

GetEnumerator *function*:

Return Type: **IUnknown**
No parameters.

GetRange *function*:

Return Type: **List**

Parameter(s):

In	Required	Index As	Long
In	Required	Count As	Long

IndexOf *function*:

Return Type: **Long**

Parameter(s):

In/Out	Required	Value As	Variant
--------	----------	-----------------	----------------

Insert *method*:

Return Type: **None.**

Parameter(s):

In	Required	Index As	Long
In/Out	Required	Value As	Variant

InsertRange *method*:

Return Type: **None.**

Parameter(s):

In	Required	Index As	Long
In/Out	Required	List As	Object

Remove *method*:

Return Type: None.

Parameter(s):

In/Out	Required	Value	As	Variant
--------	----------	-------	----	---------

RemoveAt *method*:

Return Type: None.

Parameter(s):

In	Required	Index	As	Long
----	----------	-------	----	------

RemoveRange *method*:

Return Type: None.

Parameter(s):

In	Required	Index	As	Long
In	Required	Count	As	Long

ToArray *function*:

Return Type: **Variant**

No parameters.

ListCollectionView object

Properties:

Count *property*:

Type: **Long** (Read only)

CurrentItem *property*:

Type: **Variant** (Read only)

CurrentPosition *property*:

Type: **Long** (Read only)

Item *property*:

Type: **Variant** (Default property)

Additional parameter(s):

In Required **Index** As **Long**

Source *property*:

Type: **ObservableCollection** (Read only)

Methods:

Add *method*:

Return Type: None.

Parameter(s):

In/Out	Required	Value	As	Variant
--------	----------	-------	----	---------

Clear *method*:

Return Type: None.

No parameters.

Contains *function*:

Return Type: **Boolean**

Parameter(s):

In/Out	Required	Value	As	Variant
--------	----------	-------	----	---------

GetEnumerator *function*:

Return Type: **IUnknown**
No parameters.

IndexOf *function*:

Return Type: **Long**
Parameter(s):
In/Out Required **Value** As **Variant**

Initialize *method*:

Return Type: **None.**
Parameter(s):
In Required **List** As **ObservableCollection**

Insert *method*:

Return Type: **None.**
Parameter(s):
In/Out Required **Index** As **Variant**
In/Out Required **Value** As **Variant**

MoveCurrentTo *method*:

Return Type: **None.**
Parameter(s):
In/Out Required **Value** As **Variant**

MoveCurrentToFirst *method:*

Return Type: None.
No parameters.

MoveCurrentToLast *method:*

Return Type: None.
No parameters.

MoveCurrentToNext *method:*

Return Type: None.
No parameters.

MoveCurrentToPosition *method:*

Return Type: None.
Parameter(s):
In Required **Position** As **Long**

MoveCurrentToPrevious *method:*

Return Type: None.
No parameters.

Remove *method*:

Return Type: None.

Parameter(s):

In/Out	Required	Value	As	Variant
--------	----------	-------	----	---------

RemoveAt *method*:

Return Type: None.

Parameter(s):

In	Required	Index	As	Long
----	----------	-------	----	------

Events:

CollectionChanged *event*:

Parameter(s):

Returns value	Sender	As	Object
---------------	--------	----	--------

Returns value	e	As	CollectionChangedEventArgs
---------------	----------	----	-----------------------------------

CurrentChanged *event*:

Parameter(s):

Returns value	Sender	As	Object
---------------	--------	----	--------

Info	NewPosition	As	Long
------	--------------------	----	-------------

Info	OldPosition	As	Long
------	--------------------	----	-------------

ListView object

Properties:

AttachedProperties *property*:

Type: **ObservableDictionary** (Read only)

Background *property*:

Type: **Long**

Base *property*:

Type: **ListViewBase** (Read only)

Bindings *property*:

Type: **List** (Read only)

Children *property:*

Type: **UIElementCollection** (Read only)

DataContext *property:*

Type: **Object**

DependencyProperties *property:*

Type: **DependencyProperties** (Read only)

DesignHeight *property:*

Type: **Double**

DesignLeft *property:*

Type: **Double**

DesignTop *property:*

Type: **Double**

DesignWidth *property*:

Type: **Double**

ItemsSource *property*:

Type: **Object**

ItemTemplate *property*:

Type: **DataTemplate**

Name *property*:

Type: **String**

Parent *property*:

Type: **ILogical**

Resources *property*:

Type: **ObservableDictionary** (Read only)

RowHeight *property*:

Type: **Long**

SelectedBackground *property*:

Type: **Long**

SelectedForeground *property*:

Type: **Long**

Visibility *property*:

Type: **Visibility**

Widget *property*:

Type: **cWidgetBase** (Read only)

Widgets *property*:

Type: **cWidgets** (Read only)

Methods:

Move *method*:

Return Type: None.

Parameter(s):

In/Out	Required	Left	As	Single
In/Out	Optional	Top	As	Single
In/Out	Optional	Width	As	Single
In/Out	Optional	Height	As	Single

ListViewBase object

Properties:

AllowColResize *property*:

Type: **Boolean**

AllowDrag *property:*

Type: **Boolean**

AllowLeftRightKeys *property:*

Type: **Boolean**

AllowRowResize *property:*

Type: **Boolean**

AlternateRowColor *property:*

Type: **Long**

ColMapIndex *property:*

Type: **Long** (Read only)

Additional parameter(s):

In	Required	Idx	As	Long
----	----------	------------	----	-------------

ColumnCount *property:*

Type: **Long**

ColumnDefaultWidth *property:*

Type: **Integer**

ColumnIndex *property:*

Type: **Long**

ColumnWidth *property:*

Type: **Integer**

Additional parameter(s):

In	Required	Idx	As	Long
----	----------	------------	----	-------------

ColWidth *property:*

Type: **Long**

DeselectOutsideClick *property:*

Type: **Boolean**

DrawHeight *property:*

Type: **Single** (Read only)

DrawWidth *property:*

Type: **Single** (Read only)

HeaderHeight *property:*

Type: **Long**

HoverIndex *property:*

Type: **Long** (Read only)

HScrollBar *property:*

Type: **ScrollBar**

ImageView *property:*

Type: **Boolean**

ListCount *property:*

Type: **Long**

ListIndex *property:*

Type: **Long**

MultiSelect *property:*

Type: **MultiSelectConstants**

RowColor *property:*

Type: **Long**

RowHeight *property:*

Type: **Long**

RowSelectorWidth *property:*

Type: **Long**

ScrollerSize *property:*

Type: **Long** (Read only)

ScrollIndex *property:*

Type: **Long**

Selected *property:*

Type: **Boolean**

Additional parameter(s):

In	Required	Index As	Long
----	----------	----------	-------------

ShowHoverBar *property:*

Type: **Boolean**

ShowSelection *property:*

Type: **Boolean**

VisibleRows *property:*

Type: **Long** (Read only)

VScrollBar *property:*

Type: **ScrollBar**

Widget *property:*

Type: **cWidgetBase** (Read only)

Widgets *property:*

Type: **cWidgets** (Read only)

Methods:

AdjustDimensions *method*:

Return Type: None.
No parameters.

ClearSelections *method*:

Return Type: None.
Parameter(s):
 In Optional **NewListIndex** As **Long** Default value: -1

EnsureVisibleSelection *method*:

Return Type: None.
No parameters.

GetColumnIndexFromMouseX *function*:

Return Type: **Long**
Parameter(s):
 In Required **x** As **Single**

GetListIndexFromMouseXY *function:*

Return Type: **Long**

Parameter(s):

In	Required	x	As	Long
In	Required	y	As	Long

GetListIndexFromMouseY *function:*

Return Type: **Long**

Parameter(s):

In	Required	y	As	Long
----	----------	----------	----	-------------

GetSelections *function:*

Return Type: **Variant()**

No parameters.

MoveColumnToNewIndex *method:*

Return Type: **None.**

Parameter(s):

In	Required	CurColIdx	As	Long
In	Required	NewColIdx	As	Long

ResetSortStates *method:*

Return Type: **None.**

No parameters.

VisibleCols *function*:

Return Type: **Long**
No parameters.

Events:

Click *event*:

No parameters.

DblClick *event*:

No parameters.

DeleteKeyPressed *event*:

No parameters.

DimensionsAdjusted *event*:

No parameters.

HeaderClick *event*:

Parameter(s):

Info	ColIdx	As	Long
Returns value	State	As	ColumnSortState

HScrollChange *event*:

No parameters.

ListIndexChanged *event*:

No parameters.

MouseMoveOnListItem *event*:

Parameter(s):

Info	HoverIndex	As	Long
Info	RelX	As	Single
Info	RelY	As	Single

MouseUpClick *event*:

No parameters.

OwnerDrawHeader *event*:

Parameter(s):

Returns value	CC	As	cCairoContext
Info	dx	As	Single
Info	dy	As	Single
Info	Alpha	As	Single

OwnerDrawItem *event*:

Parameter(s):

Info	Index	As	Long
Returns value	CC	As	cCairoContext
Info	dx	As	Single
Info	dy	As	Single
Info	Alpha	As	Single

OwnerDrawRowSelector *event*:

Parameter(s):

Returns value	CC	As	cCairoContext
Info	dx	As	Single
Info	dy	As	Single
Info	Alpha	As	Single

ScrollIndexChange *event*:

No parameters.

SelectedAll *event*:

No parameters.

NamingManager object

Methods:

GetNamedChildren *function*:

Return Type: **ObservableDictionary**

Parameter(s):

In	Required	Parent	As	IControl
----	----------	---------------	----	-----------------

NestedProperty object

Properties:

Child *property*:

Type: **NestedProperty** (Read only)

Name *property*:

Type: **String** (Read only)

Parent *property*:

Type: **Object** (Read only)

Path *property*:

Type: **String** (Read only)

Source *property*:

Type: **Object**

Methods:

GetValue *function*:

Return Type: **Variant**
No parameters.

Initialize *method*:

Return Type: **None**.

Parameter(s):

In	Required	Parent	As	Object
In	Required	Source	As	Object
In	Required	Path	As	String

OnPropertyChanged *method*:

Return Type: **None**.

Parameter(s):

In	Required	PropertyName	As	String
----	----------	---------------------	----	---------------

SetValue *method*:

Return Type: None.

Parameter(s):

In/Out	Required	Value	As	Variant
--------	----------	-------	----	---------

Events:

ValueChanged *event*:

Parameter(s):

Info	Sender	As	Object
Returns value	e	As	Variant

ObjectStatic object

Methods:

Equals *function*:

Return Type: **Boolean**

Parameter(s):

In/Out	Required	Var1	As	Variant
In/Out	Required	Var2	As	Variant

ObservableCollection object

Properties:

Count *property*:

Type: **Long** (Read only)

Item *property*:

Type: **Variant** (Default property)

Additional parameter(s):

In	Required	Index	As	Long
----	----------	--------------	----	-------------

Methods:

Add *method*:

Return Type: None.

Parameter(s):

In/Out	Required	Value	As	Variant
--------	----------	--------------	----	----------------

AddRange *method*:

Return Type: None.

Parameter(s):

In/Out	Required	List	As	Variant
--------	----------	-------------	----	----------------

Clear *method*:

Return Type: None.

No parameters.

CollectionChangedEvent *function*:

Return Type: **CollectionChangedEvent**
No parameters.

Contains *function*:

Return Type: **Boolean**
Parameter(s):
 In/Out Required **Value** As **Variant**

GetEnumerator *function*:

Return Type: **IUnknown**
No parameters.

GetHashCode *function*:

Return Type: **Long**
No parameters.

GetRange *function*:

Return Type: **List**
Parameter(s):
 In Required **Index** As **Long**
 In Required **Count**As **Long**

IndexOf *function*:

Return Type: **Long**

Parameter(s):

In/Out	Required	Value	As	Variant
--------	----------	--------------	----	----------------

Insert *method*:

Return Type: **None.**

Parameter(s):

In/Out	Required	Index	As	Variant
In/Out	Required	Value	As	Variant

InsertRange *method*:

Return Type: **None.**

Parameter(s):

In	Required	Index	As	Long
In/Out	Required	List	As	Object

Remove *method*:

Return Type: **None.**

Parameter(s):

In/Out	Required	Value	As	Variant
--------	----------	--------------	----	----------------

RemoveAt *method*:

Return Type: None.

Parameter(s):

In	Required	Index	As	Long
----	----------	--------------	----	-------------

RemoveRange *method*:

Return Type: None.

Parameter(s):

In	Required	Index	As	Long
In	Required	Count	As	Long

Events:

CollectionChanged *event*:

Parameter(s):

Returns value	Sender	As	Object
Returns value	e	As	CollectionChangedEventArgs

ObservableDictionary object

Properties:

Count *property*:

Type: **Long** (Read only)

Item *property*:

Type: **Variant** (Default property)

Additional parameter(s):

In/Out	Required	Key	As	Variant
--------	----------	------------	----	----------------

ItemAt *property*:

Type: **Variant**

Additional parameter(s):

In	Required	Index	As	Long
----	----------	--------------	----	-------------

Methods:

Add *method*:

Return Type: None.

Parameter(s):

In/Out	Required	Key	As	Variant
In/Out	Required	Value	As	Variant

Clear *method*:

Return Type: None.

No parameters.

Contains *function*:

Return Type: **Boolean**

Parameter(s):

In/Out	Required	Value	As	Variant
--------	----------	--------------	----	----------------

ContainsKey *function*:

Return Type: **Boolean**

Parameter(s):

In/Out	Required	Key	As	Variant
--------	----------	------------	----	----------------

GetEnumerator *function*:

Return Type: **IUnknown**
No parameters.

IndexOf *function*:

Return Type: **Long**
Parameter(s):
 In/Out Required **Value** As **Variant**

IndexOfKey *function*:

Return Type: **Long**
Parameter(s):
 In/Out Required **Key** As **Variant**

KeyOfIndex *function*:

Return Type: **Variant**
Parameter(s):
 In Required **Index** As **Long**

Remove *method*:

Return Type: None.
Parameter(s):
 In/Out Required **Value** As **Variant**

RemoveAt *method*:

Return Type: None.

Parameter(s):

In	Required	Index	As	Long
----	----------	--------------	----	-------------

RemoveKey *method*:

Return Type: None.

Parameter(s):

In	Required	Key	As	Variant
----	----------	------------	----	----------------

Events:

CollectionChanged *event*:

Parameter(s):

Returns value	Sender	As	Object
---------------	---------------	----	---------------

Returns value	e	As	CollectionChangedEventArgs
---------------	----------	----	-----------------------------------

Panel object

Properties:

AttachedProperties *property:*

Type: **ObservableDictionary** (Read only)

Bindings *property:*

Type: **List** (Read only)

Children *property:*

Type: **UIElementCollection** (Read only)

DataContext *property:*

Type: **Object**

DependencyProperties *property:*

Type: **DependencyProperties** (Read only)

DesignHeight *property:*

Type: **Double**

DesignLeft *property:*

Type: **Double**

DesignTop *property:*

Type: **Double**

DesignWidth *property:*

Type: **Double**

Name *property:*

Type: **String**

Parent *property:*

Type: **IControl**

Visibility *property:*

Type: **Visibility**

Widget *property:*

Type: **cWidgetBase** (Read only)

Widgets *property:*

Type: **cWidgets** (Read only)

Methods:

Move *method:*

Return Type: None.

Parameter(s):

In/Out	Required	Left	As	Single
--------	----------	------	----	--------

In/Out	Optional	Top	As	Single
In/Out	Optional	Width	As	Single
In/Out	Optional	Height	As	Single

PropertyChangedEvent object

Properties:

IsRegistered *property*:

Type: **Boolean** (Read only)

Methods:

OnPropertyChanged *method*:

Return Type: None.

Parameter(s):

In	Required	PropertyName	As	String
----	----------	---------------------	----	---------------

Register *method*:

Return Type: None.

Parameter(s):

In/Out	Required	Sender	As	Object
--------	----------	---------------	----	---------------

Unregister *method*:

Return Type: None.

No parameters.

Events:

PropertyChanged *event*:

Parameter(s):

Info	Sender	As	Object
------	---------------	----	---------------

Returns value **e** As **Variant**

Scene object

Properties:

AttachedProperties *property*:

Type: **ObservableDictionary** (Read only)

Bindings *property*:

Type: **List** (Read only)

Children *property:*

Type: **UIElementCollection** (Read only)

DataContext *property:*

Type: **Object**

DependencyProperties *property:*

Type: **DependencyProperties** (Read only)

DesignHeight *property:*

Type: **Double**

DesignLeft *property:*

Type: **Double**

DesignTop *property:*

Type: **Double**

DesignWidth *property*:

Type: **Double**

Name *property*:

Type: **String**

Parent *property*:

Type: **IControl**

Widget *property*:

Type: **cWidgetBase** (Read only)

Widgets *property*:

Type: **cWidgets** (Read only)

Methods:

Move *method*:

Return Type: None.

Parameter(s):

In/Out	Required	Left	As	Single
In/Out	Optional	Top	As	Single
In/Out	Optional	Width	As	Single
In/Out	Optional	Height	As	Single

ScrollBar object

Properties:

BottomRightEdgeWidth *property*:

Type: **Long**

LargeChange *property:*

Type: **Double**

Max *property:*

Type: **Double**

Min *property:*

Type: **Double**

SmallChange *property:*

Type: **Double**

Value *property:*

Type: **Double**

Vertical *property:*

Type: **Boolean**

Widget *property*:

Type: **cWidgetBase** (Read only)

Widgets *property*:

Type: **cWidgets** (Read only)

Methods:

SetParams *method*:

Return Type: None.

Parameter(s):

In	Required	pValue	As	Double
In	Required	pMin	As	Double
In	Required	pMax	As	Double
In	Required	pSmallChange	As	Double
In	Required	pLargeChange	As	Double

Events:

Change *event*:

Parameter(s):

Returns value **Value** As **Double**

MouseWheel *event*:

Parameter(s):

Info	MouseKeys	As	Long
Info	Rotation	As	Long
Info	LineOffset	As	Long
Info	xAbs	As	Single
Info	yAbs	As	Single

Scroll *event*:

Parameter(s):

Returns value **ExactValue** As **Double**

StaticClasses object

Properties:

API *property*:

Type: **API** (Read only)

Application *property*:

Type: **ApplicationStatic** (Read only)

CollectionViewSource *property*:

Type: **CollectionViewSource** (Read only)

Object *property*:

Type: **ObjectStatic** (Read only)

StringConversion *property*:

Type: **StringConversion** (Read only)

Methods:

Color *function*:

Return Type: **Color**
No parameters.

Environment *function*:

Return Type: **Environment**
No parameters.

NamingManager *function*:

Return Type: **NamingManager**
No parameters.

StringProcessor *function*:

Return Type: **StringProcessor**
No parameters.

StringConversion object

Properties:

LocaleID *property*:

Type: **Long**

Methods:

ToLowerCase *function*:

Return Type: **Variant**
Parameter(s):
 In Required **Value** As **String**

ToProperCase *function*:

Return Type: **Variant**
Parameter(s):
 In Required **Value** As **String**

ToUpperCase *function*:

Return Type: **Variant**
Parameter(s):
 In Required **Value** As **String**

StringProcessor object

Methods:

Format *function*:

Return Type: **String**
Parameter(s):
 In Required **FormatString** As **String**
 In/Out Required **Args** As **Variant()**

Parse *function*:

Return Type: **String**
Parameter(s):
 In Required **strText** As **String**

Style object

Properties:

Count *property*:

Type: **Long** (Read only)

StyleDictionary *property*:

Type: **cSortedDictionary** (Default property)

Additional parameter(s):

In	Required	TargetType	As	String
----	----------	-------------------	----	---------------

Methods:

AddStyleDictionary *function*:

Return Type: **cSortedDictionary**

Parameter(s):

In	Required	TargetType	As	String
----	----------	-------------------	----	---------------

GetEnumerator *function*:

Return Type: **IUnknown**
No parameters.

StyleDictionaryExists *function*:

Return Type: **Boolean**
Parameter(s):
In Required **TargetType** As **String**

TextBlock object

Properties:

AttachedProperties *property*:

Type: **ObservableDictionary** (Read only)

Bindings *property:*

Type: **List** (Read only)

DataContext *property:*

Type: **Object**

DependencyProperties *property:*

Type: **DependencyProperties** (Read only)

DesignHeight *property:*

Type: **Double**

DesignLeft *property:*

Type: **Double**

DesignTop *property:*

Type: **Double**

DesignWidth *property:*

Type: **Double**

FontBold *property:*

Type: **Boolean**

FontItalic *property:*

Type: **Boolean**

FontName *property:*

Type: **String**

FontSize *property:*

Type: **Single**

FontStrikeThrough *property:*

Type: **Boolean**

FontUnderline *property:*

Type: **Boolean**

ForeColor *property:*

Type: **Long**

HorizontalAlignment *property:*

Type: **Long**

Name *property:*

Type: **String**

Parent *property:*

Type: **IControl**

ScaleFont *property:*

Type: **Boolean**

Text *property*:

Type: **String**

VerticalAlignment *property*:

Type: **Long**

Methods:

Clone *function*:

Return Type: **TextBlock**
No parameters.

Move *method*:

Return Type: None.

Parameter(s):

In/Out	Required	Left	As	Single
In/Out	Optional	Top	As	Single
In/Out	Optional	Width	As	Single
In/Out	Optional	Height	As	Single

TextBox object

Properties:

Alignment *property*:

Type: **AlignmentConstants**

AttachedProperties *property*:

Type: **ObservableDictionary** (Read only)

Bindings *property*:

Type: **List** (Read only)

Border *property*:

Type: **Boolean**

Children *property:*

Type: **UIElementCollection** (Read only)

CueBanner *property:*

Type: **String**

DataContext *property:*

Type: **Object**

DependencyProperties *property:*

Type: **DependencyProperties** (Read only)

DesignHeight *property:*

Type: **Double**

DesignLeft *property:*

Type: **Double**

DesignTop *property:*

Type: **Double**

DesignWidth *property:*

Type: **Double**

Focused *property:*

Type: **Boolean**

Name *property:*

Type: **String**

Parent *property:*

Type: **IControl**

PasswordChar *property:*

Type: **String**

Text *property:*

Type: **String**

VCenter *property:*

Type: **Boolean**

Visibility *property:*

Type: **Visibility**

Widget *property:*

Type: **cWidgetBase** (Read only)

Widgets *property:*

Type: **cWidgets** (Read only)

Methods:

Move *method*:

Return Type: None.

Parameter(s):

In/Out	Required	Left	As	Single
In/Out	Optional	Top	As	Single
In/Out	Optional	Width	As	Single
In/Out	Optional	Height	As	Single

Events:

BeforePaste *event*:

Parameter(s):

Returns value	TextToPaste	As	String
Returns value	Cancel	As	Boolean

BeforeSelChange *event*:

Parameter(s):

Returns value	NewSelStart	As	Long
Returns value	NewSelLength	As	Long
Returns value	SelBackwards	As	Boolean
Returns value	Cancel	As	Boolean

Change *event*:

No parameters.

Click *event*:

No parameters.

KeyDown *event*:

Parameter(s):

Returns value	KeyCode	As	Integer
Returns value	Shift	As	Integer

KeyPress *event*:

Parameter(s):

Returns value	KeyAscii	As	Integer
---------------	-----------------	----	----------------

KeyUp *event*:

Parameter(s):

Returns value	KeyCode	As	Integer
Returns value	Shift	As	Integer

MaxLengthViolation *event*:

No parameters.

OwnerDrawBackground *event*:

Parameter(s):

Returns value	CC	As	cCairoContext
Info	x	As	Single
Info	y	As	Single
Info	dx	As	Single
Info	dy	As	Single
Returns value	CancelBuiltIn	As	Boolean

Scroll *event*:

No parameters.

SelChanged *event*:

Parameter(s):

Info	OldSelStart	As	Long
Info	OldSelLength	As	Long
Info	OldCaretPosition	As	Long

Validate *event*:

Parameter(s):

Returns value	Cancel	As	Boolean
---------------	---------------	----	----------------

Thickness object

Properties:

Bottom *property:*

Type: **Double**

Left *property:*

Type: **Double**

Right *property:*

Type: **Double**

Top *property:*

Type: **Double**

UIElementBase object

Properties:

AttachedProperties *property*:

Type: **ObservableDictionary** (Read only)

Resources *property*:

Type: **ObservableDictionary** (Read only)

Methods:

FindResource *function*:

Return Type: **Variant**

Parameter(s):

In	Required	Key	As	String
----	----------	------------	----	---------------

TryFindResource *function*:

Return Type: **Variant**

Parameter(s):

In	Required	Key	As	String
----	----------	------------	----	---------------

UIElementCollection object

Properties:

Count *property*:

Type: **Long** (Read only)

Item *property*:

Type: **Object** (Default property)

Additional parameter(s):

In	Required	Index	As	Long
----	----------	--------------	----	-------------

Parent *property*:

Type: **Object** (Read only)

Methods:

Add *method*:

Return Type: None.

Parameter(s):

In/Out	Required	Value	As	Object
--------	----------	--------------	----	---------------

AddRange *method*:

Return Type: None.

Parameter(s):

In/Out	Required	List	As	Variant
--------	----------	-------------	----	----------------

Clear *method*:

Return Type: None.
No parameters.

Contains *function*:

Return Type: **Boolean**
Parameter(s):
 In/Out Required **Value As** **Object**

GetEnumerator *function*:

Return Type: **IUnknown**
No parameters.

IndexOf *function*:

Return Type: **Long**
Parameter(s):
 In/Out Required **Value As** **Object**

Initialize *method*:

Return Type: None.
Parameter(s):
 In/Out Required **Parent** As **Object**

Remove *method*:

Return Type: None.

Parameter(s):

In/Out	Required	Value	As	Object
--------	----------	--------------	----	---------------

RemoveAt *method*:

Return Type: None.

Parameter(s):

In	Required	Index	As	Long
----	----------	--------------	----	-------------

RemoveRange *method*:

Return Type: None.

Parameter(s):

In	Required	Index	As	Long
In	Required	Count	As	Long

Events:

CollectionChanged *event*:

Parameter(s):

Returns value	Sender	As	Object
Returns value	e	As	CollectionChangedEventArgs

UnboundListView object

Properties:

AttachedProperties *property*:

Type: **ObservableDictionary** (Read only)

Background *property*:

Type: **Long**

Base *property*:

Type: **ListViewBase** (Read only)

Bindings *property*:

Type: **List** (Read only)

Children *property:*

Type: **UIElementCollection** (Read only)

DataContext *property:*

Type: **Object**

DependencyProperties *property:*

Type: **DependencyProperties** (Read only)

DesignHeight *property:*

Type: **Double**

DesignLeft *property:*

Type: **Double**

DesignTop *property:*

Type: **Double**

DesignWidth *property:*

Type: **Double**

Name *property:*

Type: **String**

Parent *property:*

Type: **IControl**

Resources *property:*

Type: **ObservableDictionary** (Read only)

RowHeight *property:*

Type: **Long**

SelectedBackground *property:*

Type: **Long**

SelectedForeground *property:*

Type: **Long**

Visibility *property:*

Type: **Visibility**

Widget *property:*

Type: **cWidgetBase** (Read only)

Widgets *property:*

Type: **cWidgets** (Read only)

Methods:

Move *method:*

Return Type: **None.**

Parameter(s):

In/Out	Required	Left	As	Single
--------	----------	------	----	--------

In/Out	Optional	Top	As	Single
In/Out	Optional	Width	As	Single
In/Out	Optional	Height	As	Single

Refresh *method*:

Return Type: None.
No parameters.

Events:

Click *event*:

No parameters.

DblClick *event*:

No parameters.

DeleteKeyPressed event:

No parameters.

DimensionsAdjusted event:

No parameters.

HeaderClick event:

Parameter(s):

Info	ColIdx	As	Long
Returns value	State	As	ColumnSortState

HScrollChange event:

No parameters.

ListIndexChanged event:

No parameters.

MouseMoveOnListItem *event*:

Parameter(s):

Info	HoverIndex	As	Long
Info	RelX	As	Single
Info	RelY	As	Single

MouseUpClick *event*:

No parameters.

OwnerDrawHeader *event*:

Parameter(s):

Returns value	CC	As	cCairoContext
Info	dx	As	Single
Info	dy	As	Single
Info	Alpha	As	Single

OwnerDrawItem *event*:

Parameter(s):

Info	Index	As	Long
Returns value	CC	As	cCairoContext
Info	dx	As	Single
Info	dy	As	Single
Info	Alpha	As	Single

OwnerDrawRowSelector *event*:

Parameter(s):

Returns value	CC	As	cCairoContext
Info	dx	As	Single
Info	dy	As	Single
Info	Alpha	As	Single

ScrollIndexChange *event*:

No parameters.

SelectedAll *event*:

No parameters.

UniformGrid object

Properties:

AttachedProperties *property*:

Type: **ObservableDictionary** (Read only)

Bindings *property*:

Type: **List** (Read only)

Children *property*:

Type: **UIElementCollection** (Read only)

Columns *property*:

Type: **Long**

DataContext *property*:

Type: **Object**

DependencyProperties *property:*

Type: **DependencyProperties** (Read only)

DesignHeight *property:*

Type: **Double**

DesignLeft *property:*

Type: **Double**

DesignTop *property:*

Type: **Double**

DesignWidth *property:*

Type: **Double**

Name *property:*

Type: **String**

Padding *property:*

Type: **Thickness**

Parent *property:*

Type: **IControl**

Rows *property:*

Type: **Long**

Widget *property:*

Type: **cWidgetBase** (Read only)

Widgets *property:*

Type: **cWidgets** (Read only)

Methods:

Move *method*:

Return Type: None.

Parameter(s):

In/Out	Required	Left	As	Single
In/Out	Optional	Top	As	Single
In/Out	Optional	Width	As	Single
In/Out	Optional	Height	As	Single

UserControl object

Properties:

AttachedProperties *property*:

Type: **ObservableDictionary** (Read only)

Bindings *property:*

Type: **List** (Read only)

Children *property:*

Type: **UIElementCollection** (Read only)

DataContext *property:*

Type: **Object**

DependencyProperties *property:*

Type: **DependencyProperties** (Read only)

DesignHeight *property:*

Type: **Double**

DesignLeft *property:*

Type: **Double**

DesignTop *property:*

Type: **Double**

DesignWidth *property:*

Type: **Double**

Name *property:*

Type: **String**

Parent *property:*

Type: **IControl**

Visibility *property:*

Type: **Visibility**

Widget *property:*

Type: **cWidgetBase** (Read only)

Widgets *property*:

Type: **cWidgets** (Read only)

Methods:

Move *method*:

Return Type: None.

Parameter(s):

In/Out	Required	Left	As	Single
In/Out	Optional	Top	As	Single
In/Out	Optional	Width	As	Single
In/Out	Optional	Height	As	Single

Window object

Properties:

AttachedProperties *property*:

Type: **ObservableDictionary** (Read only)

Bindings *property*:

Type: **List** (Read only)

Children *property*:

Type: **UIElementCollection** (Read only)

DataContext *property*:

Type: **Object**

DependencyProperties *property*:

Type: **DependencyProperties** (Read only)

DesignHeight *property:*

Type: **Double**

DesignLeft *property:*

Type: **Double**

DesignTop *property:*

Type: **Double**

DesignWidth *property:*

Type: **Double**

DialogResult *property:*

Type: **Boolean**

Form *property:*

Type: **cWidgetForm**

NamedChildren *property*:

Type: **ObservableDictionary** (Read only)

Parent *property*:

Type: **IControl**

Widget *property*:

Type: **cWidgetBase** (Read only)

Widgets *property*:

Type: **cWidgets** (Read only)

Methods:

Dispose *method*:

Return Type: None.
No parameters.

Move *method*:

Return Type: None.

Parameter(s):

In/Out	Required	Left	As	Single
In/Out	Optional	Top	As	Single
In/Out	Optional	Width	As	Single
In/Out	Optional	Height	As	Single

SetFocus *method*:

Return Type: None.

No parameters.

Show *method*:

Return Type: None.

Parameter(s):

In/Out	Optional	Modal	As	FormShowConstants
In/Out	Optional	Owner	As	Object
In/Out	Optional	Focused	As	Boolean

ShowDialog *function*:

Return Type: **Boolean**

Parameter(s):

In/Out	Optional	Owner	As	Object
--------	----------	--------------	----	---------------

Events:

WindowProc *event*:

Parameter(s):

Returns value	Result	As	Long
Info	Msg	As	Long
Info	wParam	As	Long
Info	lParam	As	Long
Info	Subclass	As	cSubClass
Returns value	CancelDefaultProc	As	Boolean

WindowsFormsHost object

Properties:

AttachedProperties *property*:

Type: **ObservableDictionary** (Read only)

AutomaticallyUnloadContent *property:*

Type: **Boolean**

Bindings *property:*

Type: **List** (Read only)

Children *property:*

Type: **ObservableCollection** (Read only)

DataContext *property:*

Type: **Object**

DependencyProperties *property:*

Type: **DependencyProperties** (Read only)

DesignHeight *property:*

Type: **Double**

DesignLeft *property:*

Type: **Double**

DesignTop *property:*

Type: **Double**

DesignWidth *property:*

Type: **Double**

Name *property:*

Type: **String**

Parent *property:*

Type: **IControl**

Visibility *property:*

Type: **Visibility**

Widget *property*:

Type: **cWidgetBase** (Read only)

Widgets *property*:

Type: **cWidgets** (Read only)

Methods:

Move *method*:

Return Type: None.

Parameter(s):

In/Out	Required	Left	As	Single
In/Out	Optional	Top	As	Single
In/Out	Optional	Width	As	Single
In/Out	Optional	Height	As	Single

XAMLReader object

Methods:

Load *function*:

Return Type: **Object**
Parameter(s):
 In/Out Required **XML** As **String**

LoadApp *method*:

Return Type: None.
Parameter(s):
 In/Out Required **Superclass** As **Object**
 In/Out Required **XML** As **String**

LoadSuperclassData *method*:

Return Type: None.
Parameter(s):
 In/Out Required **Superclass** As **Object**
 In/Out Required **XML** As **String**

Constants

BindingMode enumeration

Default = 4
OneTime = 2
OneWay = 1
OneWayToSource = 3
TwoWay = 0

ClickMode enumeration

ClickModeHover = 2
ClickModePress = 1
ClickModeRelease = 0

CollectionChangedAction enumeration

CollectionChangedActionAdd = 0
CollectionChangedActionMove = 3
CollectionChangedActionRemove = 1
CollectionChangedActionReplace = 2
CollectionChangedActionReset = 4

ColumnSortState enumeration

SortAsc = 1
SortDesc = -1
SortNone = 0

Visibility enumeration

VisibilityCollapsed = 2

VisibilityHidden = 1

VisibilityVisible = 0