GrantLoom — Submission Evidence

Self-hosted AI grant-intelligence & compliance appliance · End-to-end workflow verification of the live deployment, with screenshots

Live demo: **https://grantloom.taskmind-ai.com** Source: **https://github.com/tdk67/grantloom**

Run: **2026-10-13 15:21:42 UTC**

Result: **11/11 E2E flows passed** (Playwright, headless Chromium, against the public HTTPS deployment)

System & Deployment Summary


- **Pipeline:** one agent pipeline (Planner → Retriever → Writer → Validator) for API and evaluation; SSE-streamed reasoning trail (guard, route, tools, context filter, generation, verification, bounded rewrites).
- **Guardrails:** LLM-judge decision backend (independent judge model family, NFR-6) for G1 input screening, G2 strategy routing, G3 context filtering, G4 claim verification, Tier-2 ingestion scanning and compliance assessment — with a labelled, metered heuristic fallback (never silent).
- **Citations by construction:** the writer emits [chunk_id] markers only; the backend resolves them to file/page/line/sheet/row coordinates of active documents and verifies every claim against its cited evidence.
- **Deployment (Phase 2):** multi-stage Docker image (non-root, ~230 MB RSS of a 2.5 GB cap) behind nginx — Let's Encrypt TLS, unbuffered SSE proxying, 30 req/min per-IP rate limit, host-only /metrics; Prometheus scrape target up; Grafana dashboard 'GrantLoom — RAG Appliance Observability'.
- **Public BYOK mode (D27/D28):** no server-side secrets. Every visitor's inference runs on their own OpenRouter key, validated once on save and live-probed; writer deepseek/deepseek-v4-flash, judge openai/gpt-4o-mini.

Workflow Verification (Playwright E2E)

1. First Impressions — Starter Prompts & Deployment Mode PASS 0.8s

The SPA loads with curated starter questions (served by /api/v1/examples) and the header shows the deployment mode. No server-side key exists: the appliance runs in public BYOK mode.


Observed: 5 starter prompts visible; header: '⚠️ OpenRouter key required'



2. BYOK Key Validation (validate once, on save — D28) PASS 0.3s

Saving an OpenRouter key triggers a single server-side live probe. The digest is remembered for the process lifetime, so subsequent questions never pay a validation round-trip. Keys are never stored or logged.


Observed: server-side probe: '🟢 Key valid — remembered by the server (deepseek/deepseek-v4-flash writer, openai/gpt-4o-m'



3. Document Repository PASS 0.9s

Six synthetic corpus documents (solicitation NOFO, past proposal, 4-sheet budget workbook, compliance checklist, cost-share commitment letter, facilities statement), all ACTIVE.


Observed: 6 documents, 6 active



4. Live Document Ingestion with Progress PASS 1.7s

A new field-notes file is uploaded through the browser. The outbox worker streams stage and percentage (extracting → chunking → scanning → embedding → indexing → active) into the progress bar.


Observed: E2E_Field_Notes_March2026.txt uploaded → extracting → ... → ACTIVE with live progress bar



5. Grounded Query — Structured Route + Verified Citations PASS 17.0s

A budget question is routed by the LLM judge to the 'structured' strategy: the writer model generates SQL over the spreadsheet schema, SqlGuard executes it, and every claim is verified against cited evidence (G4). The citation drawer resolves markers to sheet/row coordinates.


Observed: answer contains 18,150 (grounded in Travel/Summary sheets); trail: ['1. Guard: Passed (llm_judge:openai/gpt-4o-mini)', '2. Route: structured', '3. Context: 4 chunk(s)', '4. Generate', '5. Verified (100%)']; drawer excerpt: 'Sheet: Summary_Budget [Row 2] Budget Category: A. Personnel (Salaries & Fringe),'



6. Prompt-Injection Refusal (G1) PASS 0.7s

A canonical injection attempt is blocked at the input guard before any model call, with an explicit refusal and a 'Blocked' reasoning pill.


Observed: G1 guard pill shows Blocked; refusal text rendered=True



7. Ingestion → Retrieval Loop PASS 10.7s

Minutes after upload, a question about the new document's unique fact (97.3% inverter uptime) is answered with a citation into that exact chunk — proof the whole index pipeline works live.


Observed: answer cites the document uploaded minutes ago (97.3% uptime) — ingestion→retrieval→verification loop




8. Compliance Report — Streaming Progress + Excel Export (D29) PASS 11.9s

The NOFO compliance audit extracts the solicitation's own requirement sentences, assesses lab evidence per requirement (bounded concurrency), streams a progress event per requirement, then renders the Satisfied/Partial/Gap matrix with readiness score and exports a styled .xlsx.

Observed: 20 requirement rows; readiness 68%; progress bar streamed per requirement; xlsx export 9034 bytes





9. Observability — Grafana Dashboard PASS 11.3s

Host Prometheus scrapes the container's /metrics (host-only); the Grafana dashboard shows documents/chunks/vectors, HTTP latency, guardrail verdicts, router strategies, tool invocations, decision fallbacks and ingestion outcomes.

Observed: dashboard 'GrantLoom — RAG Appliance Observability' rendered (10 panels)



10. Deletion Saga PASS 3.1s

Deleting the test document returns 202 and purges every store (chunks, vectors, tables, graph, file).

Observed: deletion saga for E2E_Field_Notes_March2026.txt (202 → purge)

11. Prometheus Target PASS 0.0s

up{job="grantloom"} = 1 on the host Prometheus.

Observed: up{job=grantloom} = 1 (host Prometheus, 15s scrape)

Quality & Evaluation Evidence

Metric (offline golden-set run)	Result	PRD target	Status
Recall@k (answer in writer context)	97.4%	≥ 85%	PASS
Citation resolvability	100%	100%	PASS
Abstention accuracy (unanswerable)	100%	≥ 90%	PASS
Injection block rate, canonical	100%	≥ 95%	PASS
Injection block rate, held-out paraphrases	0% (heuristic) / needs llm_judge	≥ 95%	reported as FAIL offline — honest by design
Faithfulness	not measured offline (would be circular)	≥ 95%	judge-only with a real writer
Unit + integration tests	92 passed	—	PASS

The offline runner reports its own measurement caveats (extractive stub writer → faithfulness "not measured"; heuristic backend → held-out paraphrase blocking reported as FAIL). Real-model numbers require `run_eval --writer openrouter --decision llm_judge`; the live flows above already exercise that exact configuration through the browser.