



Foody

Work hard, skip hangry.

Group food ordering that lives **entirely inside Slack**. Someone types “**let's eat something**” and the whole team goes from hungry to ordered — the interface is just **emoji reactions**.

Slack Agent Builder Challenge

Track · New Slack Agent

Deterministic · self-healing cart



THE PROBLEM

Judging · Potential Impact

Lunch is easy. The **coordination** is the tax.

It's 12:14. Someone posts **"lunch?"** — and twenty minutes vanish into scrolling menus, pasting links, copy-pasting orders into a DM, and one poor soul becoming the **human spreadsheet** who tallies it all and pays.

~20 min

burned every time a team decides on lunch together.

1 person


becomes the coordinator — collecting orders, tallying, fronting the bill.

0 tools


fit the moment: the team is already in Slack, not in another app.

The entire interface is a message you **react** to.


No app to install, no link to chase, no spreadsheet — **ordering together is just tapping emoji.**



Not mockups — the **actual** Slack experience.



One shared basket, built from everyone's emoji reactions — the running total updates live for the whole channel.



A small, deterministic agent over **Socket Mode**.

Trigger & intent

Phrase matchers in `intent.ts` — "let's eat", "order", "change address to ...". A list, not a model.



Session state

`addr_<user>` sticky address book · `sess_<chan>_<thread>` live cart.



Discovery

Restaurant & dish lookup near the address, cached with a 24h disk TTL + daily prewarm.



Pre-reacted menu

Top 10 dishes posted as one Block Kit message Foody pre-reacts to.



Reconcile from reactions

Cart = the actual reactions on the message (`reactions.get`) — self-healing.



Order → checkout → receipt

Builds the real basket in your Cloudflare-cleared Chrome; receipt lands in-thread.

Why this design wins

- ✓ **The interface is just emoji.** Group ordering with zero new UI — reactions on a message.
- ✓ **Reconcile, don't accumulate.** A dropped Slack event never desyncs the cart.
- ✓ **Private by default.** Outbound WebSocket (Socket Mode) — no public URL, nothing leaves the workspace.
- ✓ **Deterministic core.** No LLM in the request path — fast, predictable, debuggable.



WHAT MAKES IT HARD — AND ORIGINAL

Judging · **Quality of the Idea**

The simple feeling hides real **engineering**.



The interface is just emoji

Group ordering with **zero new UI**: reactions on a message are the whole input device. Everyone already knows how to tap one.



A self-healing basket

Socket Mode never replays missed events, so we reconcile the cart from the message's **real reactions**. Even on a flaky network it converges to the truth.



Deterministic, not a chatbot

No LLM in the runtime path — intent is a list of **phrase matchers**, so a given input always does exactly the same thing. Fast, predictable, debuggable.



A real checkout

Not a mock receipt: Foody drives an **actual takeaway.com basket** in your signed-in, Cloudflare-cleared Chrome — ready to confirm.

Every team with a Slack and a **lunch break**.

■ Who it's for

- **Every Slack team** — the moment is universal and recurring, daily.
- **Beyond lunch:** the pattern (propose → react → converge → act) fits any group decision in Slack.
- **Provider-agnostic:** the same emoji interface can front any delivery service behind one adapter.

■ What's next

- **Bill splitting** — automatic per-person totals posted to the thread.
- **Recurring lunches** — “every Friday at 12:00, ask the channel.”
- **Smarter consensus** — quick polls, dietary filters, budget caps.
- **Optional AI concierge** — “surprise us under €12,” kept out of the deterministic core.



Try it: `/invite @Foody → “let's eat something”`

Code: `github.com/tdries/Foody-Slack-Hackathon-Submission` · Work hard, skip hangry. 🍴

▶ Watch the demo