

SYSTEM REQUIREMENTS AND DESIGN

TEAM HACKERMEN

TicketSalad

Team Members:

John SMITH

Thato MOTHUSI

Jarryd BAILLIE

Brandon TEXEIRA

Thomas HONIBALL

Tristan JOSEPH

Client:

Tribus Digita



Contents

1	System Overview	2
1.1	Purpose	2
1.2	Project Scope	2
1.3	Definitions, acronyms and abbreviations	2
1.4	UML Domain Model	2
2	Functional Requirements	2
2.1	Users	2
2.2	Sub Systems	3
2.3	Specific Requirements	3
3	Non-functional requirements	4
4	System Architecture	5
4.1	Interfaces	5
4.1.1	User interfaces	5
4.1.2	Hardware interfaces	5
4.1.3	Software interfaces	5
4.2	Architectural styles	5
4.3	System configuration	5

1 System Overview

1.1 Purpose

The purpose of the TicketSalad application is to provide users with a platform which they are able to spend a minimal amount of money in order to stand a chance to win a ticket valued at a significant amount with ease.

1.2 Project Scope

The TicketSalad system is a lottery based ticket platform. A user registers their email and credentials, they then purchase credits. Using these credits, user's can 'bid' on events displayed to them. When the user bids on an event they are required to input a 6 digit number. If the 6 digit number they input is the same number that the application randomly generated, the user wins the ticket.

1.3 Definitions, acronyms and abbreviations

- UML - Unified Modeling Language
- CRUD - Create Update Delete
- Credits - Credits is a form of currency in the TicketSalad application used to bid on tickets. Credits are purchased using credit cards.

1.4 UML Domain Model

NEEDS TO BE DONE

2 Functional Requirements

2.1 Users

The TicketSalad application will have two users, namely a regular user and then an admin. The system should allow regular users to do the following:

- Register or log into the system.
- Edit/Update their info
- Purchase credits
- Bid for events

- View information on events.

The system should allow the admin user to do the following:

- Perform CRUD operations on all the available events.
- View statistics and data on all events

2.2 Sub Systems

The TicketSalad System can be broken into 2 subsystems, namely the application user subsystem and admin subsystem.

The application user subsystem can then be further broken down into 3 subsystems, the events subsystem, the user subsystem and the notification subsystem.

- Admin subsystem - This subsystem is responsible for admins being able to modify and add events.
- Application user subsystem - This subsystem is the application that regular users will use.
- User subsystem - This subsystem is responsible for the users details credentials, and credits.
- Events subsystem - This subsystem is responsible for all actions performed on/by events by regular users.
- Notification subsystem - This subsystem is responsible for creating and handling notifications.

UML COMPONENT DIAGRAM NEEDS TO BE DONE

2.3 Specific Requirements

Admin subsystem

R1.1 The admin portal must allow an admin to log in.

R1.2 The admin portal must allow an admin to log out.

R1.3 The admin portal must allow an admin to add an event.

R1.4 The admin portal must allow an admin to update an event.

R1.5 The admin portal must allow an admin to delete an event.

R1.6 The admin portal must allow an admin to view which user has won an event.

User subsystem

R2.1.1 The TicketSalad application must allow a user to register.

R2.1.2 The TicketSalad application must allow a user to log in.

R2.1.3 The TicketSalad application must allow a user to log out.

R2.1.4 The TicketSalad application must allow a user to edit their information.

R2.1.5 The TicketSalad application must allow a user to view their information.

R2.1.6 The TicketSalad application must allow a user to enter their card or online banking details.

R2.1.7 The TicketSalad application must allow a user to view how many credits they have remaining.

R2.1.8 The TicketSalad system must allow a user to purchase more credits.

Events subsystem

R2.2.1 The TicketSalad application must allow a user to view all of the current events.

R2.2.2 The TicketSalad application must allow a user to search for specific events.

R2.2.3 The TicketSalad application must allow a user to bid on an event.

R2.2.4 The TicketSalad application must decrease a users credits once they have made a bid on an event.

Notification subsystem

R2.3.1 The TicketSalad application must subscribe a user to an event once they have made a bid.

R2.3.2 The TicketSalad application must notify a user if they have won an event.

R2.3.3 The TicketSalad application must notify a user on all details relating to their subscribed events.

A ton of diagrams need to be done here

3 Non-functional requirements

- The system must respond to any input within 1 second.
- The users data must be kept secure at all times.

4 System Architecture

4.1 Interfaces

4.1.1 User interfaces

4.1.2 Hardware interfaces

4.1.3 Software interfaces

4.2 Architectural styles

The entire TicketSalad system is based off a client-server model. However the client side of the system, uses an MVC model. The reason we have chosen these architectures is so that the data that will be presented to the user is stored on the client side thus making ensuring safety and integrity of the data. With all the data stored on the client side this will allow only the admin to perform all CRUD operations on the data and still allow the user to access and view the data, thus allowing them to see events claim on them and possibly win them.

4.3 System configuration