

Superpowers + Claude Code

AI - 1/4 - ÀÝÀ°Á1 ÆDÈ - Çt'Ü

obra/superpowers 1/2,Á · Claude Code Ç...»8 ÖuÂi Ç*,l · Í"lœ 1-ÁÆÂ

+P 153K St Shell 2025.10 ÍœÂÜ

Çt »8Á ÁÐ ²ô@4 °Æ©

1. obra/superpowers È Ç¥ÁÆ Âi15 1/2,Á
2. ÖuÂi ÂÐ- ÂÜÂÐÑ\ & 6²è-Ä - 1/4 ÆiÐiÖ ,\
3. Claude Code Í 1/4ôÇ• ÖDÂ - ±P & Á\$IX - Çt'Ü
4. »4,l ÖYÂµ 1-ÁÆÂ ÐP, ÇtÁX
5. Superpowers + Claude Code ÑµÖi Ö\Æ©1/4•

Superpowers È ÇƳÁÆ ½,,Á

Ö ,ÌÈ Ò, ¬Æ”

Superpowers” Claude Code, Cursor, Codex, OpenCode ññ AI ÌTμ) ÁÐÇtÈ Ò, Ç ÖÌ Ö ·ì-øÇx
”º<È »4ÁÇÇÐ ÆÐÖX”ÉÀ Ó ÁÆ ”ÖX²” -ÌÈpÈ ÆÌÐÌÖ ,\| È -ðÖi²È²ä .

Stars: 153,252 +P (2026-04-15 @0É)
Á,Á´ : Shell (Á\$ÌX ÁÐÌ¹½Ö, + Markdown @0¼ ÁÐÐ¬)
ÌæÄÜÇ| : 2025±D 10ÆÖ 9Ç|
Á\$º... : An agentic skills framework & software development methodology that works.
ÉÀÆÐ Ö «Öü : Claude Code, Cursor, Codex, OpenCode, GitHub Copilot CLI, Gemini CLI

6²è¬Ä ¬¼ ÆÌÐÌÖ ,\

SuperpowersÇX ÖuÂìÇ@ ²äÇL 6²è¬Ä,\ -ÌÁ1´ -ÌÈpÖT´ ¬¼ Ö ,\Á8ÂÐÇ...²È²ä :

%¶ **Design (Á\$¬Ä)** ÁÆÐÌ·|ÑÌÂÐÂÝ ÈÈ»8Ç<,\ Æ”-ÌÀ-Öm ÈÈ ÖÄ Á9ÁX¼Ä ÁÐÓ™ Á¹Çx
%¶ **Preparation (ÉÇÐ)** worktrees,\ ¬Ç¹¬¬ ¬¼ ¾ ·æÌX ÁÝÁ1 + @h°WÖÌ ÑÌÂÐÒ, @0É Á ÖUÇx
%¶ **Planning (¬ÄÖ·)** ² ~ 5½,, ²èÇ ÐÜÂÐÌ,\ ½,,Öt + Ó Ç| ¬½,\ ·ÌT´Ü ·¬ÉÉ• ²è¬Ä º...ÄÜ
%¶ **Execution (ÄäÖ¼)** ÁÐÇtÈ Ò,¬ ¬¼Ä ÐÜÂÐÌ Ì¬¬ + 2²è¬Ä 1¬½ð (ÁÐÓ™ É Á !' ÌT´Ü Ö`ÉÈ)
%¶ **Implementation (ÐÖR)** RED-GREEN-REFACTOR À¬ÇtÐt ¬È : ÄäÓ(ÑÌÂÐÒ, º<È
%¶ **Completion (Æ,Ü)** ¬ÉÉ• + °8ÉÀ ¬È ÆÌÐÌÖ ,\ + È 1¬

ÂÐÐ¬ (Skills) ºÇ,]

14¬ ÁÐÐ¬Çt skills / μ, Ñ 1¬ÂÐ Óô³T ²èÇ ,\ -ÌÁ1´ Á´ Ç¬Âμ²È²ä :

ÑÌÂÐÒ, & μ ¼,,@E

test-driven-development systematic-debugging verification-before-completion

Ö ÁÁ & ¬ÄÖ·

brainstorming writing-plans executing-plans subagent-driven-development dispatching-parallel-agents
requesting-code-review receiving-code-review using-git-worktrees finishing-a-development-branch

ºTÐÀ

writing-skills using-superpowers

Á\$ÌX ¼)¼•

```
bash
# Claude Code (¬ðÁÝ ¹ÈÌ Ö , ÇtÂÐ )
/plugin install superpowers@claude-plugins-official

# Claude Code (ÌäÂÐÑ@ ¹ÈÌ Ö , ÇtÂÐ )
/plugin marketplace add obra/superpowers-marketplace
/plugin install superpowers@superpowers-marketplace
Superpowers + Claude Code ¬ÇtÜ | ÁYA1Ç|: 2026-04-15
```

ÖuÂi ì ÖY 3ÆÐÎY

1. ÑLÂðÒ, ÈÛ³Ä ¬¼ (T D D) — ÖDÂ È Âäìœ , Á ÐÝÇt ÅD²Ø
2. ÉÁ-¼ô²â ì¬ÄÈ Ö, VÁ8Âð — Ç|-´ Ô´ÉÈ ÖU¼ô
3. ¼ôÇiÁ1 ¬ÁÇE Æ°Á — æÂ ÖhÇt ÍÆ°Á Á\$¬Ä ÆÐÎY

Claude Code İ¼ôÇ• ÑÇtÜ

● Claude Code-€?

Claude Code™ AnthropicÇt İ¼à AI @0¼ İTµ) Â´ÂÜÂµÑ4Ö,Ç...²È²ä. İT´Ü¼ ÇtÂµ È İ¼ ÇtÖtÖX-à Âİ-İ Ó Ç|Ât İ¹-Öİ²È²ä. Ñ0»ø±, VS Code, JetBrains, ³pÂµÐİÐÑ Âq, ¼·|Æ°È ´ñ ²äÂ´Ö\ ÖX-½ÂÐÁ ÂäÖ%´)²È²ä.

● Â\$ÎX ¼)¼•

Windows

powershell

```
# PowerShell
irm https://claude.ai/install.ps1 | iex

# ¶ ²" w i n g e t
winget install Anthropic.ClaudeCode
```

macOS / Linux / WSL

bash

```
curl -fsSL https://claude.ai/install.sh | bash
```

Ø=Ü; Windows ±\$ÇtÖð¾ Â\$ÎXÂÐ²" Git for Windows- ÖÐÆ"Öİ²È²ä. ±\$ÇtÖð¾ Â\$ÎX²" Ç•³Ü ÂÂ³pÇtÖ¼ ÉÀÆÐÖX°p, wi
ÖÐÆ"Öİ²È²ä.

● Ö,İÈ Ò, ÂÜÇ•

bash

```
cd your-project
claude
```

İÇL ÂäÖ% ÂÜ ,\-øÇx Ö,İÖ Ò,- °ÐÀ°©²È²ä. Claude -İÂ ¶²" Anthropic Console -ÄÈ Çt ÖÐÆ"Öİ²È²ä.

● ÖuÂİ @0²¥ 7-ÉÀ

%Æ İT´Ü Ç´Á1 & ¼,-ø Â È

Ç•ÂðÂ´\ Â\$°...ÖX°t Âİ-İ Ó Ç|ÂÐ -xİÐ İT´Ü¼ Ç´Á1ÖX-à ¼,-ø¼ İ"È ·Â È Öİ²È²ä.

%Æ Gİt Ç•³ÜÖT

¼Ä-½ Ä-Öm ÂµÑLÇtÉÖ, İä¼ °TÂÜÉÀ Ç´Á1, ¼·æİX ÀÝÁ1, P R Æ\$Ö @LÉÁ Ç•³Ü İ¹-Öİ²È²ä.

%Æ C L A U D E . m d °T°¹

Ö,İÈ Ò, ,èÖ,ÇX C L A U D E . m d Ó Ç|ÇÐ ¼ä Â8ÂX ÂÜÇ• ÂÜ Ç|Â´ İTµ) ÖİÉ ·ÂÐµÑMİ~ ·|Çt¾·İ- Â\$È ÇD Ç ÉÄÖİ²È²ä.

%Æ M C P ÑµÖİ

Model Context Protocol\ Google Drive, Jira, Slack ´ñ Æx½€ ³Ä-İÆ@ Âð-°)²È²ä.

%Æ îăÂᄡÑ@ °...9(/skills)

Ó Çt ñðÇ ÕX²" ¼¼ð ÆìÐlÕ,¼| /review-pr, /deploy-staging ñÇ@ °...9Ç<, Ó(ÐᄡÉÕÕi²È²ä.

%Æ °@Òð ÅÐÇtÈ Ò,¼

¼Ñ,¼, Åi· Claude Code ÅÐÇtÈ Ò,¼| ÅäÕ%Õt ³-Ü°" ÐÜÂᄡÐl¼ ¼,,À° Ì¹-Õi²È²ä.

%Æ ÂᄡÉ & Ç•³ÜÖT

È©0 PR ¹-¼ð, Å|ñ CI ¼,,Á , Èüñ ÇXÈtÁ1 ñÀñ ´ñÇD Ç•³ÜÖTÕ` Â Ç^Âµ²È²ä.

CLI ÖÆ© Æ ÂÜ

bash

```
# ,\ -ø ¼,,Á
tail -200 app.log | claude -p "ÇtÄÄ ÉÕÖÄñ Ç^Ç<°t ÄL,$É "

# ¼^Á1 Ç•³ÜÖT
claude -p "ÀÈ »8Ç•ÄðÇD Õ ·'ÄᄡÄ',\ ¼^ÄíÕXñà PR Æ,,$É "

# ¼ÖÄH ¹-¼ð
git diff main --name-only | claude -p "¼Äñ½ Ó Ç|ÇX ¼ÖÄH ÇtÄ^ ¹-¼ð "
```

Í"lœ ŒYÂµ ¹-ÁŒÂµ

¬õÂÝ »8Á (ŒDÂ)

¬õÂÝ »8Á ŒH

[code.claude.com/docs](#)

Claude Code Èĭ »8Á . Ð5ÂµÐÀŒ½€Œ0 ¬à® ®0²¥®LÉÂ .

Ð5ÂµÐÀŒ,

[/en/quickstart](#)

ĭ« ¼ĭÉŒ ÂăÈ ÐŪÂµÐĭ — ĭT'Ū¼ ÇtÂµ ÐÐÂÉ½€Œ0 ¼ĭ,¬Œ ÂÈ ĭă¼®LÉÂ .

C L A U D E . m d °T°¹¬

[/en/memory](#)

Æĭ ÉÂÂŪÂ¬Œm¬Ū Ç•³Ū °T°¹¬ Á\$È ¼ĭ)¼ĭ• .

¬õŒµ ÆĭÐĭŒ ,ĭ

[/en/common-workflows](#)

Claude Code ŒVÆ© Ó(Œ4¬Ū °¼ĭ" Â¬,® .

Á\$È

[/en/settings](#)

ÆĭÐĭŒ ,VÐ ¹b¬Œ ĭăÂµŒ0¹ÈÇtÉ¬ŒX²" ¼ĭ)¼ĭ• .

Œ,¬¼ĭÂŒ

[/en/troubleshooting](#)

Ç•ÈŪ ¼ĭ ÂÝŒX²" »8È Æ® Œt¬°ĭE .

Superpowers ¬õÂÝ ¹-ÁŒÂµ

- GitHub ÈÇ¥ÁŒ [github.com/obra/superpowers](#) — ÁŒÂµ ĭT'Ū , ÇtÂĭ Œ,¬ĭă , ¹¹-Éĭ ±xŒ,
- ¬õÂÝ ÆŒÀ¬ÇtŒ, [primeradiant.com](#) — ¹¹-Éĭ ¼ĭ Œĭ ¼ĭ ĭă»²ÈŒŒ È¼ĭŒ
- µ ÂĭT'Ū [Discord ĭă»²ÈŒŒ](#) — ÂăÂŪ¬ ÉÂÆÐ ¼ĭ Â¬Æ©Ç• Q & A
- Œ¬ŒÇx ¹Ėĭ [claude-plugins-official](#) — Claude Code ¬õÂÝ Œ¬ŒÇx ¹Ėĭ Œ , ÇtÂµ

ĭ¼ĭŒÇ• ŒYÂµ ,ĭŪ¹Œ

1. Claude Code Á\$ĭX ŒÂ ¬²èŒĭ Œ,ĭÈ Œ,ÂÐÁ "claude" °...9 ÂăŒ% ĭŒŒ
2. ¬õÂÝ Quickstart µ0ĭ ĭ« ¼ĭ,¬Œ ÂÈ ĭă¼ ¹ĭăĭ¼ĭŒŒ0
3. Œ,ĭÈ Œ,ÂÐ C L A U D E . m d ÓÇĭ ĭ¬¬ŒXÂĭ ĭTµ) ŒĭÉ Á\$È
4. Superpowers Œ¬ŒÇx Á\$ĭX !' /brainstorming ÂµÐ¬,ĭ ®0²¥ Á\$¬ĭ ÂŒÂµ
5. test-driven-development ÂµÐ¬,ĭ T D D ÆĭÐĭŒ ,ĭ ÈÆ©
6. subagent-driven-development ÂµÐ¬,ĭ ¼ĭŒÇĭŒĭ ®0²¥ ¼ĭŒ, ĭ¬¬¬¼ĭŒŒ
7. writing-skills ÂµÐ¬,ĭ Ó ¹bĭŒ łăÂµŒ® ÂµÐ¬ ÉÁÈ ÈÇ•

Superpowers + Claude Code ŒµŒĭ ŒVÆ© Ó

- %, C L A U D E . m dÂÐ Superpowers ÂµÐ¬ Œ,¹¬p Èp¬tÇÐ °...ÂŪŒX°t ÂÐÇtÈ Œ,¬ Ç•³ŪÇ<,ĭ ÈÈ Œĭ ÂµÐ¬ÇÐ ÁÐÝŒĭÈ²ă .
- %, Git worktrees ÂµÐ¬ÇÐ Â¬Æ©ŒX°t ÂăŒŒÈ ®0²¥¬Ū °TÇx ¼ĭ .œĭX¹ĭ ÆDE xĭ ¬©¹¬ŒXÂĭ ÂHÈ ŒX¬Œ ¬¼ĭ Œ ÇĭÂµ²È²ă .
- %, dispatching-parallel-agents,ĭ ³-ŪŒ ¹ŒŒŒŒ¹Á ÂŪ Âĭ¬ĭ °ŒÈÇÐ ³ŪÂŪÂÐ ÂÈ ŒX°t ÂŪ¬ÇÐ ³Œĭ ÈÂĭŒÈ²ă .
- %, systematic-debugging ÂµÐ¬Ç® Claude CodeÇX ĭT'Ū¼ ÇtÂµ ÐÐÂÉ ²¥,µ¬Ū ¬°ŒĭŒX°t -Ū¼Œ ÆÐÇxÇÐ ¼ĭt¬Œ

Æ"Å} & ÕuÂì È ¹¬

Superpowers Õl² ÅÐ ¼ô®0

```
0=PSuperpowers = AI İTµ) ÅÐÇtÈ Ò,ı Ç Õ\ "-İÈpÖT´ ¬¼ ¼)¼,` Õ ·İ-øÇx "  
14¬ ÅÐ¬ × 6²è¬Ä ÆİĐİÖ, \ × °@Öð Õ ·«Öü ÉÄ/ÆĐ  
!' É%×e İTµ) !' İ¬ÄÈ Á$¬Ä ·İÖ ·¬€É• Õ ,\A8Âµ, \ È ÖX
```

Claude Code Õl² ÅÐ ¼ô®0

```
&İ Claude Code = Ñ0»ø± ·İDE ·Æù ÑµÕİ AI İTµ) Á´ÂÜÂ=Ñ4Ò,  
İT´Ü Ç´Á1 / Git Ç·³ÜÖT / °@Öð ÅÐÇtÈ Ò, / MCP ÑµÕİ / Âıİ É Ç·³ÜÖT  
!' CLAUDE.md, \Æ-İ ÉÄÂÜÂ¬Öm Ç ÉÄ, /skills, \ Ó ÆİĐİÖ, \ ÖİÉ ÖT
```

ÂÜÇ´ÖX®0 Ç Õİ 3²è¬Ä

- Á\$İX: irm https://claude.ai/install.ps1 | iex (Windows)
curl -fsSL https://claude.ai/install.sh | bash (Mac/Linux)
- Claude CodeÂĐÁ : /plugin install superpowers@claude-plugins-official ÂäÖ%
- İ« Ä¬Æ©: cd Õ, \È Ò, Óð³T !' claude !' /brainstorming Ç<, \ Á\$¬Ä ÂÜÇ´

İ8¬à URL °¬ÇL

Superpowers GitHub: <https://github.com/obra/superpowers>

Claude Code ¬ðÂÝ »8Á : <https://code.claude.com/docs/en/overview>

Claude Code Đ5Â=ĐÀÒ, : <https://code.claude.com/docs/en/quickstart>

CLAUDE.md °T°¬¬ ¬ ÇtÜ : <https://code.claude.com/docs/en/memory>

Claude Code ¼ Â=Ò, Õ ·™ÒðÂ= <https://code.claude.com/docs/en/best-practices>

Õ ·İ-øÇx ·Èİ Õ, ÇtÂ= : <https://claude.ai/marketplace>