

Authorize

## auth

**POST /auth/jwt/login** Auth:Jwt.Login

Parameters

No parameters

Request body **required**

application/x-www-form-urlencoded

grant\_type

username \* required  
string

password \* required  
string

scope  
string

client\_id

client\_secret

Responses

Code	Description	Links
200	Successful Response	No links
	Media type application/json	
	Controls Accept header.	
	Example Value   Schema	
	{ "access_token": "eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJlC2VyZlkiJoiOTiyMWZmYzktNjQwZi00MzcylTg2ZDMtY2U2NDJjYmElNjAzIiwiYXVkJijoizmFzdGFwaS1lc2VycphdXRoIiwizXhwIjoxNTcxNTA0NTkzfQ.M1Obj0e45IS5Ncu_uXv0mVV8QxnL-nZfcH96U90JaocI", "token_type": "bearer" }	
400	Bad Request	No links
	Media type application/json	
	Examples Bad credentials or the user is inactive.	
	Example Value   Schema	
	{ "detail": "LOGIN_BAD_CREDENTIALS" }	
422	Validation Error	No links
	Media type application/json	
	Example Value   Schema	
	{ "detail": [ { "loc": [ "string", 0 ], "msg": "string", "type": "string" } ] }	

**POST /auth/jwt/logout** Auth:Jwt.Logout

Parameters

No parameters

Responses

Code	Description	Links
200	Successful Response	No links

Media type

`application/json`

Controls Accept header.

Example Value | Schema

```
"string"
```

401 Missing token or inactive user. No links

Example Value | Schema

```
"string"
```

**POST /auth/register** Register/Register

Try it out

Parameters

No parameters

Request body **required**

application/json

Example Value | Schema

```
{
  "email": "user@example.com",
  "password": "string",
  "is_active": true,
  "is_superuser": false,
  "is_verified": false,
  "name": "string",
  "surname": "string",
  "role": "Рабочая",
  "phone_number": "string"
}
```

Responses

Code	Description	Links
201	Successful Response	No links
400	Bad Request	No links
422	Validation Error	No links

Code Description Links

201 Successful Response No links

Media type

`application/json`

Controls Accept header.

Example Value | Schema

```
{
  "id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
  "email": "user@example.com",
  "is_active": true,
  "is_superuser": false,
  "is_verified": false,
  "name": "string",
  "surname": "string",
  "role": "Рабочая",
  "phone_number": "string"
}
```

Media type Examples

`application/json` A user with this email already exists.

Example Value | Schema

```
{
  "detail": "REGISTER_USER_ALREADY_EXISTS"
}
```

Media type

`application/json`

Example Value | Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string"
    }
  ]
}
```

**users**

**GET /users/me** Users:Current User

Try it out

Parameters

No parameters

Responses

Code	Description	Links
200	Successful Response	No links

Code Description Links

200 Successful Response No links

Media type  
 application/json ▾  
Controls Accept header.

Example Value | Schema

```
{
  "id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
  "email": "user@example.com",
  "is_active": true,
  "is_superuser": false,
  "is_verified": false,
  "name": "string",
  "surname": "string",
  "role": "PaborgaItem",
  "phone_number": "string"
}
```

401 Missing token or inactive user. No links

Example Value | Schema

```
"string"
```

**PATCH** /users/me Users:Patch Current User

Parameters  Try it out

No parameters

Request body required  application/json ▾

Example Value | Schema

```
{
  "password": "string",
  "email": "user@example.com",
  "is_active": true,
  "is_superuser": true,
  "is_verified": true,
  "name": "string",
  "surname": "string",
  "phone_number": "string"
}
```

Responses

Code	Description	Links
200	Successful Response	No links
400	Bad Request	No links
401	Missing token or inactive user.	No links
422	Validation Error	No links

Code Description Links

200 Successful Response No links

Media type  
 application/json ▾  
Controls Accept header.

Example Value | Schema

```
{
  "id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
  "email": "user@example.com",
  "is_active": true,
  "is_superuser": false,
  "is_verified": false,
  "name": "string",
  "surname": "string",
  "role": "PaborgaItem",
  "phone_number": "string"
}
```

400 Bad Request Examples  
 application/json ▾  A user with this email already exists. ▾

Example Value | Schema

```
{
  "detail": "UPDATE_USER_EMAIL_ALREADY_EXISTS"
}
```

401 Missing token or inactive user. No links

Example Value | Schema

```
"string"
```

422 Validation Error  
 application/json ▾

Example Value | Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string"
    }
  ]
}
```

**GET** /users/{id} Users:User

Parameters  Try it out

Name	Description
------	-------------

**id \* required**  
string  
(path)

### Responses

Code	Description	Links
200	Successful Response	No links
	Media type <b>application/json</b> Controls Accept header.	
	Example Value   Schema	
	{ "id": "3fa85f64-5717-4562-b3fc-2c963f66afa6", "email": "user@example.com", "is_active": true, "is_superuser": false, "is_verified": false, "name": "string", "surname": "string", "role": "P6goropaten", "phone_number": "string" }	
401	Missing token or inactive user.	No links
	Example Value	
	"string"	
403	Not a superuser.	No links
	Example Value	
	"string"	
404	The user does not exist.	No links
	Example Value	
	"string"	
422	Validation Error	No links
	Media type <b>application/json</b> Controls Accept header.	
	Example Value   Schema	
	{ "detail": [ { "loc": [ "string", 0 ], "msg": "string", "type": "string" } ] }	

**PATCH /users/{id}** Users:Patch User

**Parameters**

Name	Description
<b>id * required</b> string (path)	id

**Request body required**

application/json

Example Value | Schema

```
{  
  "password": "string",  
  "email": "user@example.com",  
  "is_active": true,  
  "is_superuser": true,  
  "is_verified": true,  
  "name": "string",  
  "surname": "string",  
  "phone_number": "string"  
}
```

### Responses

Code	Description	Links
200	Successful Response	No links
	Media type <b>application/json</b> Controls Accept header.	
	Example Value   Schema	
	{ "id": "3fa85f64-5717-4562-b3fc-2c963f66afa6", "email": "user@example.com", "is_active": true, "is_superuser": true, "is_verified": true, "name": "string", "surname": "string", "phone_number": "string" }	

	<pre>"email": "user@example.com",   "is_active": true,   "is_superuser": false,   "is_verified": false,   "name": "string",   "surname": "string",   "role": "Работодатель",   "phone_number": "string" }</pre>	
400	Bad Request	No links
	<p>Media type <input type="button" value="application/json"/> Examples <input type="button" value="A user with this email already exists."/></p> <p><a href="#">Example Value</a>   <a href="#">Schema</a></p> <pre>{   "detail": "UPDATE_USER_EMAIL_ALREADY_EXISTS" }</pre>	
401	Missing token or inactive user.	No links
	<p>Example Value <input type="button" value="string"/></p> <pre>"string"</pre>	
403	Not a superuser.	No links
	<p>Example Value <input type="button" value="string"/></p> <pre>"string"</pre>	
404	The user does not exist.	No links
	<p>Example Value <input type="button" value="string"/></p> <pre>"string"</pre>	
422	Validation Error	No links
	<p>Media type <input type="button" value="application/json"/></p> <p><a href="#">Example Value</a>   <a href="#">Schema</a></p> <pre>{   "detail": [     {       "loc": [         "string",         0       ],       "msg": "string",       "type": "string"     }   ] }</pre>	

DELETE /users/{id} Delete User

## lookup order

POST / Create Lookup Order

Pass.

**Parameters**

No parameters

**Request body required**

[Example Value](#) | [Schema](#)

```
{
  "job_opening": {
    "name": "string",
    "activity_field": "string",
    "description": "string",
    "responsibilities": [
      {
        "description": "string"
      }
    ],
    "work_experience": "От 1 года до 3 лет",
    "education": "Среднее",
    "job_types": [
      {
        "description": "string"
      }
    ],
    "skills": [
      {
        "name": "string"
      }
    ],
    "min_salary": 0,
    "max_salary": 0,
    "arrangement": "Офис",
    "contracts": [
      {
        "name": "string"
      }
    ]
  }
}
```

**Responses**

Code	Description	Links
200	Successful Response	No links
	<p>Media type <input type="button" value="application/json"/></p>	

Controls Accept header.

Example Value | Schema

```
{ "job_opening": { "name": "string", "activity_field": "string", "description": "string", "responsibilities": [ { "description": "string" } ], "work_experience": "0-1 года до 3 лет", "education": "Среднее", "job_types": [ { "description": "string" } ], "skills": [ { "name": "string" } ], "min_salary": 0, "max_salary": 0, "arrangement": "Офис", "contracts": [ { "name": "string" } ] }}
```

422 Validation Error

No links

Media type

application/json

Example Value | Schema

```
{ "detail": [ { "loc": [ "string", 0 ], "msg": "string", "type": "string" } ] }
```

## base endpoints

GET /work\_experience Get Work Experience

Pass.

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	Successful Response	No links

Media type

application/json

Controls Accept header.

Example Value | Schema

```
"string"
```

GET /education Get Education Levels

Pass.

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	Successful Response	No links

Media type

application/json

Controls Accept header.

Example Value | Schema

```
"string"
```

GET /work\_arrangement Get Work Arrangements

Pass.

**Parameters**

No parameters

**Responses**

Code	Description	Links
200	Successful Response	No links

Media type

**application/json** ▾

Controls Accept header.

Example Value | Schema

`"string"`

**GET** /tariff Get Tariffs

Pass.

**Parameters**

No parameters

**Responses**

Code	Description	Links
200	Successful Response	No links

Media type

**application/json** ▾

Controls Accept header.

Example Value | Schema

`"string"`

**GET** /legal\_form Get Legal Forms

Pass.

**Parameters**

No parameters

**Responses**

Code	Description	Links
200	Successful Response	No links

Media type

**application/json** ▾

Controls Accept header.

Example Value | Schema

`"string"`

**POST** /legal\_form Add Legal Form

Pass.

**Parameters**

No parameters

**Request body** required

**application/json** ▾

Example Value | Schema

{  
  "name": "string"  
}

Responses		
Code	Description	Links
200	<p>Successful Response</p> <p>Media type</p> <div style="border: 1px solid #ccc; padding: 2px; display: inline-block;">application/json</div> <p>Controls Accept header.</p> <p>Example Value   Schema</p> <pre>"string"</pre>	No links
422	<p>Validation Error</p> <p>Media type</p> <div style="border: 1px solid #ccc; padding: 2px; display: inline-block;">application/json</div> <p>Example Value   Schema</p> <pre>{   "detail": [     {       "loc": [         "string",         0       ],       "msg": "string",       "type": "string"     }   ] }</pre>	No links

GET	/bonus	Get Bonuses	<a href="#" style="color: #007bff; font-size: small;">Try it out</a>
Pass.			
<b>Parameters</b> <hr/> No parameters			
<b>Responses</b> <hr/>			
Code	Description	Links	
200	<p>Successful Response</p> <p>Media type</p> <div style="border: 1px solid #ccc; padding: 2px; display: inline-block;">application/json</div> <p>Controls Accept header.</p> <p>Example Value   Schema</p> <pre>"string"</pre>	No links	

POST	/bonus	Add Bonus	<a href="#" style="color: #007bff; font-size: small;">Try it out</a>
Pass.			
<b>Parameters</b> <hr/> No parameters			
<b>Request body</b> <small>required</small> <div style="border: 1px solid #ccc; padding: 2px; width: 150px; float: right;">application/json</div>			
Example Value   Schema			
<pre>{   "description": "string" }</pre>			
<b>Responses</b> <hr/>			
Code	Description	Links	
200	<p>Successful Response</p> <p>Media type</p> <div style="border: 1px solid #ccc; padding: 2px; display: inline-block;">application/json</div> <p>Controls Accept header.</p> <p>Example Value   Schema</p> <pre>"string"</pre>	No links	
422	Validation Error	No links	

Media type  
`application/json`

Example Value | Schema

```
{ "detail": [ { "loc": [ "string", 0 ], "msg": "string", "type": "string" } ] }
```

**GET** /contract Get Contracts

Pass.

**Parameters**

No parameters

**Responses**

Code	Description	Links
200	Successful Response	No links

Media type  
`application/json`

Controls Accept header.

Example Value | Schema

```
"string"
```

**POST** /contract Add Contract

Pass.

**Parameters**

No parameters

**Request body required**

Media type  
`application/json`

Example Value | Schema

```
{ "name": "string" }
```

**Responses**

Code	Description	Links
200	Successful Response	No links

Media type  
`application/json`

Controls Accept header.

Example Value | Schema

```
"string"
```

422 Validation Error

Media type  
`application/json`

Example Value | Schema

```
{ "detail": [ { "loc": [ "string", 0 ], "msg": "string", "type": "string" } ] }
```

**GET** /job\_type Get Job Type

Pass.

**Parameters**

No parameters

**Responses**

Code	Description	Links
200	Successful Response	No links

Media type  
`application/json`

Controls Accept header.

Example Value | Schema

```
"string"
```

No parameters

### Responses

Code	Description	Links
200	Successful Response	<a href="#">No links</a>

Media type

`application/json`

Controls Accept header.

Example Value | Schema

```
"string"
```

**POST** `/job_type` Add Job Type

Pass.

### Parameters

No parameters

**Request body** required

Media type

`application/json`

Example Value | Schema

```
{
  "description": "string"
}
```

### Responses

Code	Description	Links
200	Successful Response	<a href="#">No links</a>

Media type

`application/json`

Controls Accept header.

Example Value | Schema

```
"string"
```

  

422	Validation Error	<a href="#">No links</a>
-----	------------------	--------------------------

Media type

`application/json`

Example Value | Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string"
    }
  ]
}
```

**GET** `/recruiter_responsibility` Get Recruiter Resp

Pass.

### Parameters

No parameters

### Responses

Code	Description	Links
200	Successful Response	<a href="#">No links</a>

Media type

`application/json`

Controls Accept header.

Example Value | Schema

```
"string"
```

**POST** /recruiter\_responsibility Add Recruiter Resp

Pass.

**Parameters**

No parameters

**Request body required**

application/json

**Example Value | Schema**

```
{
  "description": "string"
}
```

**Responses**

Code	Description	Links
200	Successful Response	No links
422	Validation Error	No links

**Code** **Description** **Links**

200 Successful Response No links

Media type application/json ▾  
Controls Accept header.

Example Value | Schema

```
"string"
```

422 Validation Error No links

Media type application/json ▾

Example Value | Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string"
    }
  ]
}
```

**Schemas**

**BearerResponse** ^ Collapse all **object**

- access\_token\* string
- token\_type\* string

**Body\_auth\_jwt\_login\_auth\_jwt\_login\_post** ^ Collapse all **object**

- grant\_type ^ Collapse all **(string | null)**
  - Any of ^ Collapse all **(string | null)**
    - #0 string matches password
    - #1 null
- username\* string
- password\* string
- scope ^ Collapse all **string**
  - Default: ""
- client\_id ^ Collapse all **(string | null)**
  - Any of ^ Collapse all **(string | null)**
    - #0 string
    - #1 null
- client\_secret ^ Collapse all **(string | null)**
  - Any of ^ Collapse all **(string | null)**
    - #0 string
    - #1 null

**DescriptionModelCreate** ^ Collapse all **object**

Model with a description field.

- description\* string

**EducationLevel** ^ Collapse all **string**

Enum class for education level from employee.

Allowed values: ["Среднее", "Среднее специальное", "Несовершенное высшее", "Высшее", "Бакалавр", "Магистр", "Кандидат наук", "Доктор наук"]

**ErrorModel** ^ Collapse all **object**

- detail\* ^ Collapse all **(string | object)**
  - Any of ^ Collapse all **(string | object)**
    - #0 string

#1 > Expand all **object**

#### ExperienceDuration ^ Collapse all **string**

Enum class for work experience from employee.

Allowed values ["От 1 года до 3 лет"] ["От 3 до 5 лет"] ["Больше 5 лет"] ["Не имеет значения"]

#### HTTPValidationError ^ Collapse all **object**

detail ^ Collapse all **array<object>**

Items ^ Collapse all **object**

loc\* ^ Collapse all **array<(string | integer)>**

Items ^ Collapse all **(string | integer)**

Any of ^ Collapse all **(string | integer)**

#0 **string**

#1 **integer**

msg\* **string**

type\* **string**

#### JobOpeningCreate ^ Collapse all **object**

Describe a model for jop\_opening table.

**name\*** **string**

**activity\_field\*** **string**

**description** ^ Collapse all **(string | null)**

Any of ^ Collapse all **(string | null)**

#0 **string**

#1 **null**

**responsibilities\*** ^ Collapse all **array<object>**

Items ^ Collapse all **object**

Model with a description field.

description\* **string**

**work\_experience\*** ^ Collapse all **string**

Enum class for work experience from employee.

Allowed values ["От 1 года до 3 лет"] ["От 3 до 5 лет"] ["Больше 5 лет"] ["Не имеет значения"]

**education\*** ^ Collapse all **string**

Enum class for education level from employee.

Allowed values ["Среднее"], ["Среднее специальное"], ["Невооконченное высшее"], ["Высшее"], ["Бакалавр"], ["Магистр"], ["Кандидат наук"], ["Доктор наук"]

**job\_types\*** ^ Collapse all **array<object>**

Items ^ Collapse all **object**

Model with a description field.

description\* **string**

**skills** ^ Collapse all **(array<object> | null)**

Any of ^ Collapse all **(array<object> | null)**

#0 > Expand all **array<object>**

#1 **null**

**min\_salary\*** **integer** > 0

**max\_salary\*** **integer** > 0

**arrangement\*** ^ Collapse all **string**

Enum class for work format from employee.

Allowed values ["Офис"], ["Удаленная работа"], ["Гибрид"]

**contracts\*** ^ Collapse all **array<object>**

Items ^ Collapse all **object**

Model with a name field.

**name\*** **string**

**insurance** ^ Collapse all **(boolean | null)**

Any of ^ Collapse all **(boolean | null)**

#0 **boolean**

#1 **null**

**bonuses** ^ Collapse all **(array<object> | null)**

Any of ^ Collapse all **(array<object> | null)**

#0 > Expand all **array<object>**

#1 **null**

**location** ^ Collapse all **(string | null)**

Any of ^ Collapse all **(string | null)**

#0 **string**

#1 **null**

**additional\_info\*** ^ Collapse all **(string | null)**

Any of ^ Collapse all **(string | null)**

#0 **string**

#1 **null**

**stop\_list\*** ^ Collapse all **(array<object> | null)**

Any of ^ Collapse all **(array<object> | null)**

#0 > Expand all **array<object>**

#1 **null**

#### LookupOrderCreate-Input ^ Collapse all **object**

Model for lookup\_order table.

**job\_opening\*** ^ Collapse all **object**

Describe a model for jop\_opening table.

**name\*** **string**

**activity\_field\*** **string**

**description** ^ Collapse all **(string | null)**

Any of ^ Collapse all **(string | null)**

#0 **string**

#1 **null**

**responsibilities\*** ^ Collapse all **array<object>**

Items ^ Collapse all **object**

Model with a description field.

```

        description* string
work_experience* ^ Collapse all string
    Enum class for work experience from employee.
    Allowed values ["От 1 года до 3 лет", "От 3 до 5 лет", "Больше 5 лет", "Не имеет значения"]
education* ^ Collapse all string
    Enum class for education level from employee.
    Allowed values ["Среднее", "Среднее специальное", "Неконченное высшее", "Высшее", "Бакалавр", "Магистр", "Кандидат наук", "Доктор наук"]
job_types* ^ Collapse all array<object>
    Items ^ Collapse all object
        Model with a description field.
        description* string
skills ^ Collapse all (array<object> | null)
Any of ^ Collapse all (array<object> | null)
    #0 > Expand all array<object>
    #1 null
min_salary* integer > 0
max_salary* integer > 0
arrangement* ^ Collapse all string
    Enum class for work format from employee.
    Allowed values ["Офис", "Удаленная работа", "Гибрид"]
contracts* ^ Collapse all array<object>
    Items ^ Collapse all object
        Model with a name field.
        name* string
insurance ^ Collapse all (boolean | null)
Any of ^ Collapse all (boolean | null)
    #0 boolean
    #1 null
bonuses ^ Collapse all (array<object> | null)
Any of ^ Collapse all (array<object> | null)
    #0 > Expand all array<object>
    #1 null
location ^ Collapse all (string | null)
Any of ^ Collapse all (string | null)
    #0 string
    #1 null
additional_info* ^ Collapse all (string | null)
Any of ^ Collapse all (string | null)
    #0 string
    #1 null
stop_list* ^ Collapse all (array<object> | null)
Any of ^ Collapse all (array<object> | null)
    #0 > Expand all array<object>
    #1 null
tariff* ^ Collapse all string
    Describe a payment tariff options.
    Allowed values ["100% до выхода", "50% до выхода 50% после гарантийного срока", "100% после гарантийного срока"]
bounty* integer > 0
urgency_bounty ^ Collapse all integer ≥ 0
    Default [0]
awaited_employee_date* string date
first_cv_await_date^ Collapse all (string | null)
Any of ^ Collapse all (string | null)
    #0 string date
    #1 null
recruiter_quantity* integer [1, 3]
recruiter_experience ^ Collapse all string
    Enum class for work experience from employee.
    Allowed values ["От 1 года до 3 лет", "От 3 до 5 лет", "Больше 5 лет", "Не имеет значения"]
    Default ["Не имеет значения"]
legal_form* ^ Collapse all array<object>
    Items ^ Collapse all object
        Model with a name field.
        name* string
additional_info ^ Collapse all (string | null)
Any of ^ Collapse all (string | null)
    #0 string
    #1 null
responsibilities ^ Collapse all (array<object> | null)
Any of ^ Collapse all (array<object> | null)
    #0 > Expand all array<object>
    #1 null
recruiter_requirements ^ Collapse all (array<object> | null)
Any of ^ Collapse all (array<object> | null)
    #0 > Expand all array<object>
    #1 null

```

**LookupOrderCreate-Output** ^ Collapse all object

Model for lookup\_order table.

**job\_opening**\* ^ Collapse all object

Describe a model for job\_opening table.

**name\*** string

**activity\_field\*** string

**description** ^ Collapse all (string | null)

Any of ^ Collapse all (string | null)

#0 string

#1 null

```

responsibilities* ^ Collapse all array<object>
  Items ^ Collapse all object
    Model with a description field.
    description* string

work_experience* ^ Collapse all string
  Enum class for work experience from employee.
  Allowed values ["От 1 года до 3 лет", "От 3 до 5 лет", "Больше 5 лет", "Не имеет значения"]

education* ^ Collapse all string
  Enum class for education level from employee.
  Allowed values ["Среднее", "Среднее специальное", "Неоконченное высшее", "Высшее", "Бакалавр", "Магистр", "Кандидат наук", "Доктор наук"]

job_types* ^ Collapse all array<object>
  Items ^ Collapse all object
    Model with a description field.
    description* string

skills ^ Collapse all (array<object> | null)
Any of ^ Collapse all (array<object> | null)
  #0 > Expand all array<object>
  #1 null

min_salary* integer > 0
max_salary* integer > 0

arrangement* ^ Collapse all string
  Enum class for work format from employee.
  Allowed values ["Офис", "Удаленная работа", "Гибрид"]

contracts* ^ Collapse all array<object>
  Items ^ Collapse all object
    Model with a name field.
    name* string

insurance ^ Collapse all (boolean | null)
Any of ^ Collapse all (boolean | null)
  #0 boolean
  #1 null

bonuses ^ Collapse all (array<object> | null)
Any of ^ Collapse all (array<object> | null)
  #0 > Expand all array<object>
  #1 null

location ^ Collapse all (string | null)
Any of ^ Collapse all (string | null)
  #0 string
  #1 null

additional_info* ^ Collapse all (string | null)
Any of ^ Collapse all (string | null)
  #0 string
  #1 null

stop_list* ^ Collapse all (array<object> | null)
Any of ^ Collapse all (array<object> | null)
  #0 > Expand all array<object>
  #1 null

tariff* ^ Collapse all string
  Describe a payment tariff options.
  Allowed values ["100% до выхода", "50% до выхода 50% после гарантийного срока", "100% после гарантийного срока"]

bounty* integer > 0
urgency_bounty^ Collapse all integer ≥ 0
  Default [0]

awaited_employee_date* string date
first_cv_await_date^ Collapse all (string | null)
Any of ^ Collapse all (string | null)
  #0 string date
  #1 null

recruiter_quantity* integer [1, 3]

recruiter_experience ^ Collapse all string
  Enum class for work experience from employee.
  Allowed values ["От 1 года до 3 лет", "От 3 до 5 лет", "Больше 5 лет", "Не имеет значения"]
  Default ["Не имеет значения"]

legal_form* ^ Collapse all array<object>
  Items ^ Collapse all object
    Model with a name field.
    name* string

additional_info^ Collapse all (string | null)
Any of ^ Collapse all (string | null)
  #0 string
  #1 null

responsibilities* ^ Collapse all (array<object> | null)
Any of ^ Collapse all (array<object> | null)
  #0 > Expand all array<object>
  #1 null

recruiter_requirements* ^ Collapse all (array<object> | null)
Any of ^ Collapse all (array<object> | null)
  #0 > Expand all array<object>
  #1 null

```

NameModelCreate ^ Collapse all object  
 Model with a name field.

name\* string

Role ^ Collapse all string

Describe the User role options.

Allowed values ["Работодатель", "Рекрутер"]

**TariffOption** ^ Collapse all `string`  
Describe a payment tariff options.  
Allowed values ["100% до выхода", "50% до выхода 50% после гарантийного срока", "100% после гарантийного срока"]

**UserCreate** ^ Collapse all `object`  
Describe the scheme for creating a User.  
`email*` `string` `email`  
`password*` `string`  
`is_active` ^ Collapse all `(boolean | null)`  
Any of ^ Collapse all `(boolean | null)`  
#0 `boolean`  
#1 `null`  
Default :`true`  
`is_superuser` ^ Collapse all `(boolean | null)`  
Any of ^ Collapse all `(boolean | null)`  
#0 `boolean`  
#1 `null`  
Default :`false`  
`is_verified` ^ Collapse all `(boolean | null)`  
Any of ^ Collapse all `(boolean | null)`  
#0 `boolean`  
#1 `null`  
Default :`false`  
`name*` `string`  
`surname*` `string`  
`role*` ^ Collapse all `string`  
Describe the User role options.  
Allowed values ["Работодатель", "Рекрутёр"]  
`phone_number*` `string`

**UserRead** ^ Collapse all `object`  
Describe the scheme for the User to read.  
`id*` `string` `uuid`  
`email*` `string` `email`  
`is_active` ^ Collapse all `boolean`  
Default :`true`  
`is_superuser` ^ Collapse all `boolean`  
Default :`false`  
`is_verified` ^ Collapse all `boolean`  
Default :`false`  
`name*` `string`  
`surname*` `string`  
`role*` ^ Collapse all `string`  
Describe the User role options.  
Allowed values ["Работодатель", "Рекрутёр"]  
`phone_number*` `string`

**UserUpdate** ^ Collapse all `object`  
Describe the scheme for updating the User.  
`password` ^ Collapse all `(string | null)`  
Any of ^ Collapse all `(string | null)`  
#0 `string`  
#1 `null`  
`email` ^ Collapse all `(string | null)`  
Any of ^ Collapse all `(string | null)`  
#0 `string` `email`  
#1 `null`  
`is_active` ^ Collapse all `(boolean | null)`  
Any of ^ Collapse all `(boolean | null)`  
#0 `boolean`  
#1 `null`  
`is_superuser` ^ Collapse all `(boolean | null)`  
Any of ^ Collapse all `(boolean | null)`  
#0 `boolean`  
#1 `null`  
`is_verified` ^ Collapse all `(boolean | null)`  
Any of ^ Collapse all `(boolean | null)`  
#0 `boolean`  
#1 `null`  
`name*` ^ Collapse all `(string | null)`  
Any of ^ Collapse all `(string | null)`  
#0 `string`  
#1 `null`  
`surname` ^ Collapse all `(string | null)`  
Any of ^ Collapse all `(string | null)`  
#0 `string`  
#1 `null`  
`phone_number*` ^ Collapse all `(string | null)`  
Any of ^ Collapse all `(string | null)`  
#0 `string`  
#1 `null`

**ValidationError** ^ Collapse all `object`

```
loc* > Expand all array<(string | integer)>
msg* string
type* string
```

#### WorkArrangements ^ Collapse all string

Enum class for work format from employee.

Allowed values