

CareerHub API

Overview

The project aims to design and implement a software product using state-of-the-art tools and technologies in the software industry. The required product should mimic some functionalities of LinkedIn

Tags

Authentication

Endpoints related to user authentication

Profile Management

Endpoints related to managing user profile details

User Profiles

Endpoints related to user profile management

Work Experience

Endpoints related to user work experience management

Education

Endpoints related to user education management

Privacy Settings

Endpoints related to user privacy management

Skills

Endpoints related to user skills management

Certifications

Endpoints related to user certifications management

Connections

Endpoints for managing user connections.

Following

Endpoints related to following and followers

User Search

Endpoints related to searching users and connection suggestions

Blocking

Endpoints related to blocking and unblocking users

Feed

Endpoints related to user feed and posts

Posts

Endpoints related to creating and managing posts

Engagement

Endpoints related to liking, sharing, and commenting on posts

Saved Posts

Endpoints related to saving and unsaving posts

Comment Engagement

Endpoints related to liking and unliking comments

Conversations

Endpoints related to user messaging and conversations

Messages

Endpoints related to sending, receiving, and managing messages

Notifications

Endpoints related to notification management

Job Search

Endpoints related to searching for jobs and saving job postings

Job Applications

Endpoints related to job applications and saved jobs

Company

Endpoints related to job postings and application management

Company Management

Endpoints related to company page management

Company Engagement

Endpoints related to following and engaging with companies

Company Content

Endpoints related to posting and managing company updates

Privacy Controls

Endpoints related to privacy settings and reporting content

User Management

Endpoints related to managing user accounts and statistics

Job Management

Endpoints for managing job postings, applications, and statuses.

Payments

Endpoints for handling premium subscriptions and one-time payments.

Admin

Endpoints for admin functionalities such as moderation, user management, and content control.

Paths

GET /api/connections Get User Connections

Retrieves the logged-in user's connections.

Parameters

Type	Name	Description	Schema
query	limit <i>optional</i>		integer
query	page <i>optional</i>		integer

Responses

Code	Description	Links									
200	List of user connections <i>Content</i> application/json <i>Properties</i> <table><tr><th>Name</th><th>Description</th><th>Schema</th></tr><tr><td>connections <i>optional</i></td><td></td><td>< object > array</td></tr><tr><td>total <i>optional</i></td><td></td><td>integer</td></tr></table>	Name	Description	Schema	connections <i>optional</i>		< object > array	total <i>optional</i>		integer	No Links
Name	Description	Schema									
connections <i>optional</i>		< object > array									
total <i>optional</i>		integer									

GET /api/connections/pending Get Pending Connection Requests

Retrieves the pending connection requests sent to the logged-in user.

Responses

Code	Description	Links						
200	List of pending requests <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>pendingRequests <i>optional</i></td><td></td><td>< object > array</td></tr> </table>	Name	Description	Schema	pendingRequests <i>optional</i>		< object > array	No Links
Name	Description	Schema						
pendingRequests <i>optional</i>		< object > array						

POST /api/connections/users/{userId} Send Connection Request

Sends a connection request to another user.

Parameters

Type	Name	Description	Schema
path	userId <i>required</i>		string

Responses

Code	Description	Links						
200	Connection request sent successfully <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>message <i>optional</i></td><td></td><td>string</td></tr> </table>	Name	Description	Schema	message <i>optional</i>		string	No Links
Name	Description	Schema						
message <i>optional</i>		string						

PUT /api/connections/{connectionId}/accept Accept Connection Request

Accepts a pending connection request.

Parameters

Type	Name	Description	Schema
path	connectionId <i>required</i>		string

Responses

Code	Description	Links						
200	Connection request accepted <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>message <i>optional</i></td><td></td><td>string</td></tr> </table>	Name	Description	Schema	message <i>optional</i>		string	No Links
Name	Description	Schema						
message <i>optional</i>		string						

PUT /api/connections/{connectionId}/decline Decline Connection Request

Declines a pending connection request.

Parameters

Type	Name	Description	Schema
path	connectionId <i>required</i>		string

Responses

Code	Description	Links						
200	Connection request declined <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>message <i>optional</i></td><td></td><td>string</td></tr> </table>	Name	Description	Schema	message <i>optional</i>		string	No Links
Name	Description	Schema						
message <i>optional</i>		string						

***DELETE* /api/connections/{connectionId} Remove Connection**

Removes an existing connection.

Parameters

Type	Name	Description	Schema
path	connectionId <i>required</i>		string

Responses

Code	Description	Links						
200	Connection removed successfully <i>Content</i> application/json <i>Properties</i> <table><tr><th>Name</th><th>Description</th><th>Schema</th></tr><tr><td>message <i>optional</i></td><td></td><td>string</td></tr></table>	Name	Description	Schema	message <i>optional</i>		string	No Links
Name	Description	Schema						
message <i>optional</i>		string						

***POST* /api/auth/register Register a New User**

Creates a new user account.

Responses

Code	Description	Links						
200	User registered successfully <i>Content</i> application/json <i>Properties</i> <table><tr><th>Name</th><th>Description</th><th>Schema</th></tr><tr><td>message <i>optional</i></td><td></td><td>string</td></tr></table>	Name	Description	Schema	message <i>optional</i>		string	No Links
Name	Description	Schema						
message <i>optional</i>		string						

***POST* /api/auth/login User Login**

Authenticates a user and returns tokens.

Responses

Code	Description	Links									
200	Successfully authenticated <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>accessToken <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>refreshToken <i>optional</i></td><td></td><td>string</td></tr> </table> <pre> <.<!Name <.<!Description <.<!Schema <.<!id optional <.<! <.<!string <.<!firstName optional <.<! <.<!string <.<!lastName optional <.<! <.<!string <.<!email optional <.<! <.<!string object </pre>	Name	Description	Schema	accessToken <i>optional</i>		string	refreshToken <i>optional</i>		string	No Links
Name	Description	Schema									
accessToken <i>optional</i>		string									
refreshToken <i>optional</i>		string									

***POST* /api/auth/refresh-token Refresh Authentication Token**

Refreshes the access token using a refresh token.

Responses

Code	Description	Links						
200	Token refreshed successfully <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>accessToken <i>optional</i></td><td></td><td>string</td></tr> </table>	Name	Description	Schema	accessToken <i>optional</i>		string	No Links
Name	Description	Schema						
accessToken <i>optional</i>		string						

POST /api/auth/logout Logout

Invalidates the user's tokens.

Responses

Code	Description	Links						
200	Logged out successfully <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>message <i>optional</i></td><td></td><td>string</td></tr> </table>	Name	Description	Schema	message <i>optional</i>		string	No Links
Name	Description	Schema						
message <i>optional</i>		string						

GET /api/users/me Get Current User Profile

Retrieves the logged-in user's profile.

Responses

Code	Description	Links															
200	User profile retrieved successfully <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>id <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>firstName <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>lastName <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>email <i>optional</i></td><td></td><td>string</td></tr> </table>	Name	Description	Schema	id <i>optional</i>		string	firstName <i>optional</i>		string	lastName <i>optional</i>		string	email <i>optional</i>		string	No Links
Name	Description	Schema															
id <i>optional</i>		string															
firstName <i>optional</i>		string															
lastName <i>optional</i>		string															
email <i>optional</i>		string															

PUT **/api/users/me** Update Current User Profile

Updates the logged-in user's profile.

Responses

Code	Description	Links						
200	Profile updated successfully <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>message <i>optional</i></td><td></td><td>string</td></tr> </table>	Name	Description	Schema	message <i>optional</i>		string	No Links
Name	Description	Schema						
message <i>optional</i>		string						

PATCH **/api/users/me/update-email** Update Email Address

Updates the user's email address.

Responses

Code	Description	Links						
200	Email update request sent <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>message <i>optional</i></td><td></td><td>string</td></tr> </table>	Name	Description	Schema	message <i>optional</i>		string	No Links
Name	Description	Schema						
message <i>optional</i>		string						

***PATCH* /api/users/me/update-password Update Password**

Changes the user's password.

Responses

Code	Description	Links						
200	Password updated successfully <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>message <i>optional</i></td><td></td><td>string</td></tr> </table>	Name	Description	Schema	message <i>optional</i>		string	No Links
Name	Description	Schema						
message <i>optional</i>		string						

***DELETE* /api/users/me/delete-me Delete User Account**

Deletes the logged-in user's account.

Responses

Code	Description	Links						
200	Account deleted successfully <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>message <i>optional</i></td><td></td><td>string</td></tr> </table>	Name	Description	Schema	message <i>optional</i>		string	No Links
Name	Description	Schema						
message <i>optional</i>		string						

GET /api/profiles/{userId} Get User Profile

Retrieves a user's public profile.

Parameters

Type	Name	Description	Schema
path	userId <i>required</i>		string

Responses

Code	Description	Links																					
200	User profile retrieved successfully <i>Content</i> application/json <i>Properties</i> <table><tr><th>Name</th><th>Description</th><th>Schema</th></tr><tr><td>id <i>optional</i></td><td></td><td>string</td></tr><tr><td>firstName <i>optional</i></td><td></td><td>string</td></tr><tr><td>lastName <i>optional</i></td><td></td><td>string</td></tr><tr><td>headline <i>optional</i></td><td></td><td>string</td></tr><tr><td>location <i>optional</i></td><td></td><td>string</td></tr><tr><td>profilePicture <i>optional</i></td><td></td><td>string</td></tr></table>	Name	Description	Schema	id <i>optional</i>		string	firstName <i>optional</i>		string	lastName <i>optional</i>		string	headline <i>optional</i>		string	location <i>optional</i>		string	profilePicture <i>optional</i>		string	No Links
Name	Description	Schema																					
id <i>optional</i>		string																					
firstName <i>optional</i>		string																					
lastName <i>optional</i>		string																					
headline <i>optional</i>		string																					
location <i>optional</i>		string																					
profilePicture <i>optional</i>		string																					

POST /api/profiles/me/profile-picture Upload Profile Picture

Uploads a new profile picture.

Responses

Code	Description	Links									
200	Profile picture uploaded successfully <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>message <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>profilePictureUrl <i>optional</i></td><td></td><td>string</td></tr> </table>	Name	Description	Schema	message <i>optional</i>		string	profilePictureUrl <i>optional</i>		string	No Links
Name	Description	Schema									
message <i>optional</i>		string									
profilePictureUrl <i>optional</i>		string									

***DELETE* /api/profiles/me/profile-picture Delete Profile Picture**

Deletes the current profile picture.

Responses

Code	Description	Links						
200	Profile picture deleted successfully <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>message <i>optional</i></td><td></td><td>string</td></tr> </table>	Name	Description	Schema	message <i>optional</i>		string	No Links
Name	Description	Schema						
message <i>optional</i>		string						

***POST* /api/profiles/me/cover-photo Upload Cover Photo**

Uploads a new cover photo.

Responses

Code	Description	Links									
200	Cover photo uploaded successfully <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>message <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>coverPhotoUrl <i>optional</i></td><td></td><td>string</td></tr> </table>	Name	Description	Schema	message <i>optional</i>		string	coverPhotoUrl <i>optional</i>		string	No Links
Name	Description	Schema									
message <i>optional</i>		string									
coverPhotoUrl <i>optional</i>		string									

***DELETE* /api/profiles/me/cover-photo Delete Cover Photo**

Deletes the current cover photo.

Responses

Code	Description	Links						
200	Cover photo deleted successfully <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>message <i>optional</i></td><td></td><td>string</td></tr> </table>	Name	Description	Schema	message <i>optional</i>		string	No Links
Name	Description	Schema						
message <i>optional</i>		string						

***POST* /api/profiles/me/resume Upload Resume**

Uploads a resume file.

Responses

Code	Description	Links									
200	Resume uploaded successfully <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>message <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>resumeU rl <i>optional</i></td><td></td><td>string</td></tr> </table>	Name	Description	Schema	message <i>optional</i>		string	resumeU rl <i>optional</i>		string	No Links
Name	Description	Schema									
message <i>optional</i>		string									
resumeU rl <i>optional</i>		string									

***DELETE* /api/profiles/me/resume Delete Resume**

Deletes the uploaded resume.

Responses

Code	Description	Links						
200	Resume deleted successfully <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>message <i>optional</i></td><td></td><td>string</td></tr> </table>	Name	Description	Schema	message <i>optional</i>		string	No Links
Name	Description	Schema						
message <i>optional</i>		string						

***GET* /api/profiles/me/experience Get Work Experience**

Retrieves the user's work experiences.

Responses

Code	Description	Links
200	Work experience retrieved successfully <i>Content</i> application/json	No Links

POST /api/profiles/me/experience **Add Work Experience**

Adds a new work experience entry.

Responses

Code	Description	Links						
200	Work experience added successfully <i>Content</i> application/json <i>Properties</i> <table><tr><th>Name</th><th>Description</th><th>Schema</th></tr><tr><td>message <i>optional</i></td><td></td><td>string</td></tr></table>	Name	Description	Schema	message <i>optional</i>		string	No Links
Name	Description	Schema						
message <i>optional</i>		string						

PUT /api/profiles/me/experience/{experienceId} **Update Work Experience**

Updates an existing work experience.

Parameters

Type	Name	Description	Schema
path	experienceId <i>required</i>		string

Responses

Code	Description	Links						
200	Work experience updated successfully <i>Content</i> application/json <i>Properties</i> <table><tr><th>Name</th><th>Description</th><th>Schema</th></tr><tr><td>message <i>optional</i></td><td></td><td>string</td></tr></table>	Name	Description	Schema	message <i>optional</i>		string	No Links
Name	Description	Schema						
message <i>optional</i>		string						

DELETE /api/profiles/me/experience/{experienceId} Delete Work Experience

Deletes a work experience entry.

Parameters

Type	Name	Description	Schema
path	experienceId <i>required</i>		string

Responses

Code	Description	Links						
200	Work experience deleted successfully <i>Content</i> application/json <i>Properties</i> <table><tr><th>Name</th><th>Description</th><th>Schema</th></tr><tr><td>message <i>optional</i></td><td></td><td>string</td></tr></table>	Name	Description	Schema	message <i>optional</i>		string	No Links
Name	Description	Schema						
message <i>optional</i>		string						

GET /api/alljobs Get All Job Listings

Retrieves all job listings.

Parameters

Type	Name	Description	Schema
query	limit <i>optional</i>		integer
query	page <i>optional</i>		integer
query	status <i>optional</i>		enum (active,rejected,pending)

Responses

Code	Description	Links									
200	List of job postings <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>jobs <i>optional</i></td><td></td><td>< object > array</td></tr> <tr> <td>total <i>optional</i></td><td></td><td>integer</td></tr> </table>	Name	Description	Schema	jobs <i>optional</i>		< object > array	total <i>optional</i>		integer	No Links
Name	Description	Schema									
jobs <i>optional</i>		< object > array									
total <i>optional</i>		integer									

PUT /api/jobs/{jobId}/status Approve or Reject Job Listing

Updates the status of a job listing.

Parameters

Type	Name	Description	Schema
path	jobId <i>required</i>		string

Responses

Code	Description	Links						
200	Job status updated successfully <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>message <i>optional</i></td><td></td><td>string</td></tr> </table>	Name	Description	Schema	message <i>optional</i>		string	No Links
Name	Description	Schema						
message <i>optional</i>		string						

GET /api/admin/analytics/jobs Get Job Statistics

Retrieves job statistics.

Responses

Code	Description	Links															
200	Job statistics retrieved successfully <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>totalJobs <i>optional</i></td><td></td><td>integer</td></tr> <tr> <td>approvedJobs <i>optional</i></td><td></td><td>integer</td></tr> <tr> <td>pendingJobs <i>optional</i></td><td></td><td>integer</td></tr> <tr> <td>rejectedJobs <i>optional</i></td><td></td><td>integer</td></tr> </table>	Name	Description	Schema	totalJobs <i>optional</i>		integer	approvedJobs <i>optional</i>		integer	pendingJobs <i>optional</i>		integer	rejectedJobs <i>optional</i>		integer	No Links
Name	Description	Schema															
totalJobs <i>optional</i>		integer															
approvedJobs <i>optional</i>		integer															
pendingJobs <i>optional</i>		integer															
rejectedJobs <i>optional</i>		integer															

POST /api/payments/subscribe Subscribe to Premium

Subscribes the logged-in user to a premium plan.

Responses

Code	Description	Links															
200	Subscription successful <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>message <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>subscriptionId <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>status <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>renewalDate <i>optional</i></td><td></td><td>string (date-time)</td></tr> </table>	Name	Description	Schema	message <i>optional</i>		string	subscriptionId <i>optional</i>		string	status <i>optional</i>		string	renewalDate <i>optional</i>		string (date-time)	No Links
Name	Description	Schema															
message <i>optional</i>		string															
subscriptionId <i>optional</i>		string															
status <i>optional</i>		string															
renewalDate <i>optional</i>		string (date-time)															

***GET* /api/payments/subscription** Get Subscription Details

Retrieves the details of the logged-in user's current subscription.

Responses

Code	Description	Links																					
200	Subscription details retrieved successfully <i>Content</i> application/json <i>Properties</i> <table><tr><th>Name</th><th>Description</th><th>Schema</th></tr><tr><td>subscriptionId <i>optional</i></td><td></td><td>string</td></tr><tr><td>plan <i>optional</i></td><td></td><td>string</td></tr><tr><td>status <i>optional</i></td><td></td><td>string</td></tr><tr><td>renewalDate <i>optional</i></td><td></td><td>string (date-time)</td></tr><tr><td>amount <i>optional</i></td><td></td><td>number</td></tr><tr><td>currency <i>optional</i></td><td></td><td>string</td></tr></table>	Name	Description	Schema	subscriptionId <i>optional</i>		string	plan <i>optional</i>		string	status <i>optional</i>		string	renewalDate <i>optional</i>		string (date-time)	amount <i>optional</i>		number	currency <i>optional</i>		string	No Links
Name	Description	Schema																					
subscriptionId <i>optional</i>		string																					
plan <i>optional</i>		string																					
status <i>optional</i>		string																					
renewalDate <i>optional</i>		string (date-time)																					
amount <i>optional</i>		number																					
currency <i>optional</i>		string																					

***DELETE* /api/payments/cancel_subscription** Cancel Subscription

Cancels the user's premium subscription.

Responses

Code	Description	Links									
200	Subscription canceled successfully <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>message <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>status <i>optional</i></td><td></td><td>string</td></tr> </table>	Name	Description	Schema	message <i>optional</i>		string	status <i>optional</i>		string	No Links
Name	Description	Schema									
message <i>optional</i>		string									
status <i>optional</i>		string									

***POST* /api/payments/subscribe/one-time** Make a One-Time Payment for Premium

Allows the user to make a one-time payment for premium benefits.

Responses

Code	Description	Links												
200	Payment successful <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>message <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>transactionId <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>status <i>optional</i></td><td></td><td>string</td></tr> </table>	Name	Description	Schema	message <i>optional</i>		string	transactionId <i>optional</i>		string	status <i>optional</i>		string	No Links
Name	Description	Schema												
message <i>optional</i>		string												
transactionId <i>optional</i>		string												
status <i>optional</i>		string												

***GET* /api/following** Get Users the Current User is Following

Retrieves the list of users the logged-in user is following.

Responses

Code	Description	Links
200	Users retrieved successfully <i>Content</i> application/json	No Links

GET **/api/followers** Get Users Following the Current User

Retrieves the list of users following the logged-in user.

Responses

Code	Description	Links
200	Followers retrieved successfully <i>Content</i> application/json	No Links

POST **/api/following/users/{userId}** Follow a User

Follows another user.

Parameters

Type	Name	Description	Schema
path	userId <i>required</i>		string

Responses

Code	Description	Links						
200	User followed successfully <i>Content</i> application/json <i>Properties</i> <table border="1"> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>message <i>optional</i></td><td></td><td>string</td></tr> </table>	Name	Description	Schema	message <i>optional</i>		string	No Links
Name	Description	Schema						
message <i>optional</i>		string						

***DELETE* /api/following/users/{userId}** Unfollow a User

Unfollows a user.

Parameters

Type	Name	Description	Schema
path	userId <i>required</i>		string

Responses

Code	Description	Links						
200	User unfollowed successfully <i>Content</i> application/json <i>Properties</i> <table><tr><th>Name</th><th>Description</th><th>Schema</th></tr><tr><td>message <i>optional</i></td><td></td><td>string</td></tr></table>	Name	Description	Schema	message <i>optional</i>		string	No Links
Name	Description	Schema						
message <i>optional</i>		string						

***GET* /api/users/blocked** Get Blocked Users

Retrieves the list of users blocked by the logged-in user.

Responses

Code	Description	Links
200	Blocked users retrieved successfully <i>Content</i> application/json	No Links

***POST* /api/users/{userId}/block** Block a user

Blocks a user, preventing them from sending connection requests or messages.

Parameters

Type	Name	Description	Schema
path	userId <i>required</i>	The ID of the user to block.	string

Responses

Code	Description	Links						
200	User blocked successfully. <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>message <i>optional</i></td><td></td><td>string</td></tr> </table>	Name	Description	Schema	message <i>optional</i>		string	No Links
Name	Description	Schema						
message <i>optional</i>		string						

***DELETE* /api/users/{userId}/block Unblock a User**

Unblocks a previously blocked user.

Parameters

Type	Name	Description	Schema
path	userId <i>required</i>		string

Responses

Code	Description	Links						
200	User unblocked successfully <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>message <i>optional</i></td><td></td><td>string</td></tr> </table>	Name	Description	Schema	message <i>optional</i>		string	No Links
Name	Description	Schema						
message <i>optional</i>		string						

***GET* /api/search/users Search Users**

Searches for users based on name, company, or industry.

Parameters

Type	Name	Description	Schema
query	query <i>required</i>	Search term for user name, company, or industry.	string
query	limit <i>optional</i>	Number of results per page.	integer

Type	Name	Description	Schema
query	company <i>optional</i>	Filter by company name.	string
query	industry <i>optional</i>	Filter by industry.	string
query	page <i>optional</i>	Page number for pagination.	integer

Responses

Code	Description	Links
200	Users retrieved successfully <i>Content</i> application/json	No Links

GET /api/search/users/suggestions Get Connection Suggestions

Provides suggested connections for the logged-in user.

Responses

Code	Description	Links
200	Connection suggestions retrieved successfully <i>Content</i> application/json	No Links

GET /api/feed Get User's Feed Posts

Retrieves posts from the logged-in user's network.

Responses

Code	Description	Links
200	Feed posts retrieved successfully <i>Content</i> application/json	No Links

GET /api/feed/following Get Posts from Followed Users

Retrieves posts from users the logged-in user follows.

Responses

Code	Description	Links
200	Posts from followed users retrieved successfully <i>Content</i> application/json	No Links

***PUT* /api/posts/{postId} Edit a Post**

Updates an existing post.

Parameters

Type	Name	Description	Schema
path	postId <i>required</i>		string

Responses

Code	Description	Links						
200	Post updated successfully <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>message <i>optional</i></td><td></td><td>string</td></tr> </table>	Name	Description	Schema	message <i>optional</i>		string	No Links
Name	Description	Schema						
message <i>optional</i>		string						

***DELETE* /api/posts/{postId} Delete a Post**

Deletes a post.

Parameters

Type	Name	Description	Schema
path	postId <i>required</i>		string

Responses

Code	Description	Links						
200	Post deleted successfully <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>message <i>optional</i></td><td></td><td>string</td></tr> </table>	Name	Description	Schema	message <i>optional</i>		string	No Links
Name	Description	Schema						
message <i>optional</i>		string						

***POST* /api/posts_ Create a New Post**

Creates a new post.

Responses

Code	Description	Links						
200	Post created successfully <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>message <i>optional</i></td><td></td><td>string</td></tr> </table>	Name	Description	Schema	message <i>optional</i>		string	No Links
Name	Description	Schema						
message <i>optional</i>		string						

***POST* /api/posts/{postId}/upload-media Upload Media to a Post**

Uploads media (images/videos) to a post.

Parameters

Type	Name	Description	Schema
path	postId <i>required</i>		string

Responses

Code	Description	Links									
200	Media uploaded successfully <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>message <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>mediaUrl <i>optional</i></td><td></td><td>string</td></tr> </table>	Name	Description	Schema	message <i>optional</i>		string	mediaUrl <i>optional</i>		string	No Links
Name	Description	Schema									
message <i>optional</i>		string									
mediaUrl <i>optional</i>		string									

***POST* /api/posts/{postId}/like Like a Post**

Likes a specific post.

Parameters

Type	Name	Description	Schema
path	postId <i>required</i>		string

Responses

Code	Description	Links						
200	Post liked successfully <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>message <i>optional</i></td><td></td><td>string</td></tr> </table>	Name	Description	Schema	message <i>optional</i>		string	No Links
Name	Description	Schema						
message <i>optional</i>		string						

***DELETE* /api/posts/{postId}/like Unlike a Post**

Removes like from a specific post.

Parameters

Type	Name	Description	Schema
path	postId <i>required</i>		string

Responses

Code	Description	Links						
200	Post unliked successfully <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>message <i>optional</i></td><td></td><td>string</td></tr> </table>	Name	Description	Schema	message <i>optional</i>		string	No Links
Name	Description	Schema						
message <i>optional</i>		string						

***POST* /api/posts/{postId}/share** Share a Post

Shares a specific post.

Parameters

Type	Name	Description	Schema
path	postId <i>required</i>		string

Responses

Code	Description	Links						
200	Post shared successfully <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>message <i>optional</i></td><td></td><td>string</td></tr> </table>	Name	Description	Schema	message <i>optional</i>		string	No Links
Name	Description	Schema						
message <i>optional</i>		string						

***GET* /api/posts/{postId}/comments** Get Comments on a Post

Retrieves comments for a specific post.

Parameters

Type	Name	Description	Schema
path	postId <i>required</i>		string

Responses

Code	Description	Links
200	Comments retrieved successfully <i>Content</i> application/json	No Links

POST /api/posts/{postId}/comments **Comment on a Post**

Adds a comment to a specific post.

Parameters

Type	Name	Description	Schema
path	postId <i>required</i>		string

Responses

Code	Description	Links						
200	Comment added successfully <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>message <i>optional</i></td><td></td><td>string</td></tr> </table>	Name	Description	Schema	message <i>optional</i>		string	No Links
Name	Description	Schema						
message <i>optional</i>		string						

PUT /api/posts/{postId}/comments/{commentId} **Edit a Comment**

Updates a specific comment.

Parameters

Type	Name	Description	Schema
path	commentId <i>required</i>		string
path	postId <i>required</i>		string

Responses

Code	Description	Links						
200	Comment updated successfully <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>message <i>optional</i></td><td></td><td>string</td></tr> </table>	Name	Description	Schema	message <i>optional</i>		string	No Links
Name	Description	Schema						
message <i>optional</i>		string						

***DELETE* /api/posts/{postId}/comments/{commentId}**

Delete a Comment

Deletes a specific comment.

Parameters

Type	Name	Description	Schema
path	commentId <i>required</i>		string
path	postId <i>required</i>		string

Responses

Code	Description	Links						
200	Comment deleted successfully <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>message <i>optional</i></td><td></td><td>string</td></tr> </table>	Name	Description	Schema	message <i>optional</i>		string	No Links
Name	Description	Schema						
message <i>optional</i>		string						

***GET* /api/allusers** Get All Users

Retrieves a list of all users in the system.

Responses

Code	Description	Links
200	Users retrieved successfully <i>Content</i> application/json	No Links

PUT **/api/users/{userId}/suspend** Suspend a User

Suspends a user account, restricting access.

Parameters

Type	Name	Description	Schema
path	userId <i>required</i>		string

Responses

Code	Description	Links						
200	User suspended successfully <i>Content</i> application/json <i>Properties</i> <table data-bbox="309 1128 1192 1285"> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>message <i>optional</i></td><td></td><td>string</td></tr> </table>	Name	Description	Schema	message <i>optional</i>		string	No Links
Name	Description	Schema						
message <i>optional</i>		string						

GET **/api/admin/users/statistics** Get User Statistics

Retrieves overall user statistics for the platform.

Responses

Code	Description	Links												
200	User statistics retrieved successfully <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>totalUsers <i>optional</i></td><td></td><td>integer</td></tr> <tr> <td>activeUsers <i>optional</i></td><td></td><td>integer</td></tr> <tr> <td>suspendedUsers <i>optional</i></td><td></td><td>integer</td></tr> </table>	Name	Description	Schema	totalUsers <i>optional</i>		integer	activeUsers <i>optional</i>		integer	suspendedUsers <i>optional</i>		integer	No Links
Name	Description	Schema												
totalUsers <i>optional</i>		integer												
activeUsers <i>optional</i>		integer												
suspendedUsers <i>optional</i>		integer												

***GET* /api/admin/reports** Get Reported Content

Retrieves a list of reported posts and comments for review.

Responses

Code	Description	Links
200	Reported content retrieved successfully <i>Content</i> application/json	No Links

***PUT* /api/admin/reports/{reportId}/resolve** Resolve a Report

Marks a report as resolved.

Parameters

Type	Name	Description	Schema
path	reportId <i>required</i>		string

Responses

Code	Description	Links						
200	Report resolved successfully <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>message <i>optional</i></td><td></td><td>string</td></tr> </table>	Name	Description	Schema	message <i>optional</i>		string	No Links
Name	Description	Schema						
message <i>optional</i>		string						

***DELETE* /api/admin/posts/{postId} Delete Reported Post**

Deletes a reported post.

Parameters

Type	Name	Description	Schema
path	postId <i>required</i>		string

Responses

Code	Description	Links						
200	Reported post deleted successfully <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>message <i>optional</i></td><td></td><td>string</td></tr> </table>	Name	Description	Schema	message <i>optional</i>		string	No Links
Name	Description	Schema						
message <i>optional</i>		string						

***DELETE* /api/admin/comments/{commentId} Delete Reported Comment**

Deletes a reported comment.

Parameters

Type	Name	Description	Schema
path	commentId <i>required</i>		string

Responses

Code	Description	Links						
200	Reported comment deleted successfully <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>message <i>optional</i></td><td></td><td>string</td></tr> </table>	Name	Description	Schema	message <i>optional</i>		string	No Links
Name	Description	Schema						
message <i>optional</i>		string						

GET /api/privacy/settings Get Privacy Settings

Retrieves the user's privacy settings.

Responses

Code	Description	Links												
200	Privacy settings retrieved successfully <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>profileVi sibility <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>emailVisi bility <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>phoneVis ibility <i>optional</i></td><td></td><td>string</td></tr> </table>	Name	Description	Schema	profileVi sibility <i>optional</i>		string	emailVisi bility <i>optional</i>		string	phoneVis ibility <i>optional</i>		string	No Links
Name	Description	Schema												
profileVi sibility <i>optional</i>		string												
emailVisi bility <i>optional</i>		string												
phoneVis ibility <i>optional</i>		string												

PUT /api/privacy/settings Update Privacy Settings

Updates the user's privacy settings.

Responses

Code	Description	Links						
200	Privacy settings updated successfully <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>message <i>optional</i></td><td></td><td>string</td></tr> </table>	Name	Description	Schema	message <i>optional</i>		string	No Links
Name	Description	Schema						
message <i>optional</i>		string						

***POST* /api/reports/users/{userId} Report a User**

Reports a user for inappropriate behavior or content.

Parameters

Type	Name	Description	Schema
path	userId <i>required</i>		string

Responses

Code	Description	Links						
200	User reported successfully <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>message <i>optional</i></td><td></td><td>string</td></tr> </table>	Name	Description	Schema	message <i>optional</i>		string	No Links
Name	Description	Schema						
message <i>optional</i>		string						

***POST* /api/reports/posts/{postId} Report a Post**

Reports a post for violating guidelines.

Parameters

Type	Name	Description	Schema
path	postId <i>required</i>		string

Responses

Code	Description	Links						
200	Post reported successfully <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>message <i>optional</i></td><td></td><td>string</td></tr> </table>	Name	Description	Schema	message <i>optional</i>		string	No Links
Name	Description	Schema						
message <i>optional</i>		string						

***POST* /api/reports/comments/{commentId} Report a Comment**

Reports a comment for violating guidelines.

Parameters

Type	Name	Description	Schema
path	commentId <i>required</i>		string

Responses

Code	Description	Links						
200	Comment reported successfully <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>message <i>optional</i></td><td></td><td>string</td></tr> </table>	Name	Description	Schema	message <i>optional</i>		string	No Links
Name	Description	Schema						
message <i>optional</i>		string						

***POST* /api/companies/{companyId}/follow Follow a Company**

Follows a specific company.

Parameters

Type	Name	Description	Schema
path	companyId <i>required</i>		string

Responses

Code	Description	Links						
200	Company followed successfully <i>Content</i> application/json <i>Properties</i> <table><tr><th>Name</th><th>Description</th><th>Schema</th></tr><tr><td>message <i>optional</i></td><td></td><td>string</td></tr></table>	Name	Description	Schema	message <i>optional</i>		string	No Links
Name	Description	Schema						
message <i>optional</i>		string						

DELETE /api/companies/{companyId}/follow Unfollow a Company

Unfollows a specific company.

Parameters

Type	Name	Description	Schema
path	companyId <i>required</i>		string

Responses

Code	Description	Links						
200	Company unfollowed successfully <i>Content</i> application/json <i>Properties</i> <table><tr><th>Name</th><th>Description</th><th>Schema</th></tr><tr><td>message <i>optional</i></td><td></td><td>string</td></tr></table>	Name	Description	Schema	message <i>optional</i>		string	No Links
Name	Description	Schema						
message <i>optional</i>		string						

GET /api/companies/{companyId}/followers Get Company Followers

Retrieves a list of users following a specific company.

Parameters

Type	Name	Description	Schema
path	companyId <i>required</i>		string

Responses

Code	Description	Links
200	Company followers retrieved successfully <i>Content</i> application/json	No Links

GET /api/users/me/following-companies Get Companies Followed by the User

Retrieves a list of companies followed by the logged-in user.

Responses

Code	Description	Links
200	Followed companies retrieved successfully <i>Content</i> application/json	No Links

POST /api/company/jobs Post a New Job Listing

Creates a new job listing for an employer.

Responses

Code	Description	Links						
200	Job listing created successfully <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>message <i>optional</i></td><td></td><td>string</td></tr> </table>	Name	Description	Schema	message <i>optional</i>		string	No Links
Name	Description	Schema						
message <i>optional</i>		string						

PUT /api/company/jobs/{jobId} Update a Job Listing

Updates an existing job listing.

Parameters

Type	Name	Description	Schema
path	jobId <i>required</i>		string

Responses

Code	Description	Links						
200	Job listing updated successfully <i>Content</i> application/json <i>Properties</i> <table><tr><th>Name</th><th>Description</th><th>Schema</th></tr><tr><td>message <i>optional</i></td><td></td><td>string</td></tr></table>	Name	Description	Schema	message <i>optional</i>		string	No Links
Name	Description	Schema						
message <i>optional</i>		string						

DELETE /api/company/jobs/{jobId} Delete a Job Listing

Deletes a job listing.

Parameters

Type	Name	Description	Schema
path	jobId <i>required</i>		string

Responses

Code	Description	Links						
200	Job listing deleted successfully <i>Content</i> application/json <i>Properties</i> <table><tr><th>Name</th><th>Description</th><th>Schema</th></tr><tr><td>message <i>optional</i></td><td></td><td>string</td></tr></table>	Name	Description	Schema	message <i>optional</i>		string	No Links
Name	Description	Schema						
message <i>optional</i>		string						

GET `/api/company/jobs/{jobId}/applications` **Get Applications for a Job**

Retrieves job applications for a specific job listing.

Parameters

Type	Name	Description	Schema
path	jobId <i>required</i>		string

Responses

Code	Description	Links
200	Job applications retrieved successfully <i>Content</i> application/json	No Links

PUT `/api/company/jobs/applications/{applicationId}/status` **Update Job Application Status**

Updates the status of a job application.

Parameters

Type	Name	Description	Schema
path	applicationId <i>required</i>		string

Responses

Code	Description	Links						
200	Job application status updated successfully <i>Content</i> application/json <i>Properties</i> <table><tr><th>Name</th><th>Description</th><th>Schema</th></tr><tr><td>message <i>optional</i></td><td></td><td>string</td></tr></table>	Name	Description	Schema	message <i>optional</i>		string	No Links
Name	Description	Schema						
message <i>optional</i>		string						

GET /api/jobs/applications Get User's Job Applications

Retrieves a list of jobs the logged-in user has applied for.

Responses

Code	Description	Links
200	Job applications retrieved successfully <i>Content</i> application/json	No Links

POST /api/jobs/{jobId}/apply Apply for a Job

Submits an application for a specific job.

Parameters

Type	Name	Description	Schema
path	jobId <i>required</i>		string

Responses

Code	Description	Links						
200	Job application submitted successfully <i>Content</i> application/json <i>Properties</i> <table><tr><th>Name</th><th>Description</th><th>Schema</th></tr><tr><td>message <i>optional</i></td><td></td><td>string</td></tr></table>	Name	Description	Schema	message <i>optional</i>		string	No Links
Name	Description	Schema						
message <i>optional</i>		string						

GET /api/jobs/applications/{applicationId}/status Check Application Status

Retrieves the status of a job application.

Parameters

Type	Name	Description	Schema
path	applicationId <i>required</i>		string

Responses

Code	Description	Links						
200	Application status retrieved successfully <i>Content</i> application/json <i>Properties</i> <table><tr><th>Name</th><th>Description</th><th>Schema</th></tr><tr><td>status <i>optional</i></td><td></td><td>string</td></tr></table>	Name	Description	Schema	status <i>optional</i>		string	No Links
Name	Description	Schema						
status <i>optional</i>		string						

POST `/api/jobs/{jobId}/save` Save a Job

Saves a job posting for later viewing.

Parameters

Type	Name	Description	Schema
path	jobId <i>required</i>		string

Responses

Code	Description	Links						
200	Job saved successfully <i>Content</i> application/json <i>Properties</i> <table><tr><th>Name</th><th>Description</th><th>Schema</th></tr><tr><td>message <i>optional</i></td><td></td><td>string</td></tr></table>	Name	Description	Schema	message <i>optional</i>		string	No Links
Name	Description	Schema						
message <i>optional</i>		string						

DELETE `/api/jobs/{jobId}/save` Remove a Saved Job

Removes a job posting from saved jobs.

Parameters

Type	Name	Description	Schema
path	jobId <i>required</i>		string

Responses

Code	Description	Links						
200	Job removed from saved jobs successfully <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>message <i>optional</i></td><td></td><td>string</td></tr> </table>	Name	Description	Schema	message <i>optional</i>		string	No Links
Name	Description	Schema						
message <i>optional</i>		string						

GET /api/jobs/search Search Jobs

Searches for jobs based on title, company, or location.

Parameters

Type	Name	Description	Schema
query	query <i>required</i>	Search term for job title or keywords.	string
query	limit <i>optional</i>	Number of results per page.	integer
query	location <i>optional</i>	Filter by job location.	string
query	company <i>optional</i>	Filter by company name.	string
query	page <i>optional</i>	Page number for pagination.	integer

Responses

Code	Description	Links
200	Jobs retrieved successfully <i>Content</i> application/json	No Links

GET /api/jobs/{jobId} Get Job Details

Retrieves detailed information about a specific job posting.

Parameters

Type	Name	Description	Schema
path	jobId <i>required</i>		string

Responses

Code	Description	Links																					
200	Job details retrieved successfully <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>id <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>title <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>company <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>location <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>descripti on <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>requirem ents <i>optional</i></td><td></td><td>< string > array</td></tr> </table>	Name	Description	Schema	id <i>optional</i>		string	title <i>optional</i>		string	company <i>optional</i>		string	location <i>optional</i>		string	descripti on <i>optional</i>		string	requirem ents <i>optional</i>		< string > array	No Links
Name	Description	Schema																					
id <i>optional</i>		string																					
title <i>optional</i>		string																					
company <i>optional</i>		string																					
location <i>optional</i>		string																					
descripti on <i>optional</i>		string																					
requirem ents <i>optional</i>		< string > array																					

GET /api/jobs/saved Get Saved Jobs

Retrieves the jobs saved by the logged-in user.

Responses

Code	Description	Links
200	Saved jobs retrieved successfully <i>Content</i> application/json	No Links

GET /api/notifications Get All Notifications

Retrieves all notifications for the logged-in user.

Responses

Code	Description	Links
200	Notifications retrieved successfully <i>Content</i> application/json	No Links

GET /api/notifications/unread-count Get Unread Notification Count

Retrieves the count of unread notifications for the logged-in user.

Responses

Code	Description	Links						
200	Unread notification count retrieved successfully <i>Content</i> application/json <i>Properties</i> <table><tr><th>Name</th><th>Description</th><th>Schema</th></tr><tr><td>unreadCount <i>optional</i></td><td></td><td>integer</td></tr></table>	Name	Description	Schema	unreadCount <i>optional</i>		integer	No Links
Name	Description	Schema						
unreadCount <i>optional</i>		integer						

PUT /api/notifications/{notificationId}/read Mark a Notification as Read

Marks a specific notification as read.

Parameters

Type	Name	Description	Schema
path	notificationId <i>required</i>		string

Responses

Code	Description	Links						
200	Notification marked as read successfully <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>message <i>optional</i></td><td></td><td>string</td></tr> </table>	Name	Description	Schema	message <i>optional</i>		string	No Links
Name	Description	Schema						
message <i>optional</i>		string						

***PUT* /api/notifications/read-all** Mark All Notifications as Read

Marks all notifications as read for the logged-in user.

Responses

Code	Description	Links						
200	All notifications marked as read successfully <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>message <i>optional</i></td><td></td><td>string</td></tr> </table>	Name	Description	Schema	message <i>optional</i>		string	No Links
Name	Description	Schema						
message <i>optional</i>		string						

***GET* /api/notifications/settings** Get Notification Settings

Retrieves the user's notification settings.

Responses

Code	Description	Links												
200	Notification settings retrieved successfully <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>emailNotifications <i>optional</i></td><td></td><td>boolean</td></tr> <tr> <td>pushNotifications <i>optional</i></td><td></td><td>boolean</td></tr> <tr> <td>smsNotifications <i>optional</i></td><td></td><td>boolean</td></tr> </table>	Name	Description	Schema	emailNotifications <i>optional</i>		boolean	pushNotifications <i>optional</i>		boolean	smsNotifications <i>optional</i>		boolean	No Links
Name	Description	Schema												
emailNotifications <i>optional</i>		boolean												
pushNotifications <i>optional</i>		boolean												
smsNotifications <i>optional</i>		boolean												

PUT /api/notifications/settings Update Notification Settings

Updates the user's notification settings.

Responses

Code	Description	Links						
200	Notification settings updated successfully <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>message <i>optional</i></td><td></td><td>string</td></tr> </table>	Name	Description	Schema	message <i>optional</i>		string	No Links
Name	Description	Schema						
message <i>optional</i>		string						

POST /api/messages Send a Message

Sends a text message to a specific user.

Responses

Code	Description	Links						
200	Message sent successfully <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>message <i>optional</i></td><td></td><td>string</td></tr> </table>	Name	Description	Schema	message <i>optional</i>		string	No Links
Name	Description	Schema						
message <i>optional</i>		string						

***POST* /api/messages/media** Send a Media Message

Sends a media message (image/video) to a specific user.

Responses

Code	Description	Links						
200	Media message sent successfully <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>message <i>optional</i></td><td></td><td>string</td></tr> </table>	Name	Description	Schema	message <i>optional</i>		string	No Links
Name	Description	Schema						
message <i>optional</i>		string						

***PUT* /api/messages/{messageId}/read** Mark a Message as Read

Marks a specific message as read.

Parameters

Type	Name	Description	Schema
path	messageId <i>required</i>		string

Responses

Code	Description	Links						
200	Message marked as read successfully <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>message <i>optional</i></td><td></td><td>string</td></tr> </table>	Name	Description	Schema	message <i>optional</i>		string	No Links
Name	Description	Schema						
message <i>optional</i>		string						

***PUT* /api/conversations/{conversationId}/read** Mark an Entire Conversation as Read

Marks all messages in a conversation as read.

Parameters

Type	Name	Description	Schema
path	conversationId <i>required</i>		string

Responses

Code	Description	Links						
200	Conversation marked as read successfully <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>message <i>optional</i></td><td></td><td>string</td></tr> </table>	Name	Description	Schema	message <i>optional</i>		string	No Links
Name	Description	Schema						
message <i>optional</i>		string						

***DELETE* /api/messages/{messageId}** Delete a Message

Deletes a specific message.

Parameters

Type	Name	Description	Schema
path	messageId <i>required</i>		string

Responses

Code	Description	Links						
200	Message deleted successfully <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>message <i>optional</i></td><td></td><td>string</td></tr> </table>	Name	Description	Schema	message <i>optional</i>		string	No Links
Name	Description	Schema						
message <i>optional</i>		string						

GET /api/conversations Get All Conversations

Retrieves all conversations for the logged-in user.

Responses

Code	Description	Links
200	Conversations retrieved successfully <i>Content</i> application/json	No Links

GET /api/conversations/users/{userId} Get Conversation with a Specific User

Retrieves the conversation between the logged-in user and a specific user.

Parameters

Type	Name	Description	Schema
path	userId <i>required</i>		string

Responses

Code	Description	Links												
200	Conversation retrieved successfully <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>id <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>participants <i>optional</i></td><td></td><td>< object > array</td></tr> <tr> <td>messages <i>optional</i></td><td></td><td>< object > array</td></tr> </table>	Name	Description	Schema	id <i>optional</i>		string	participants <i>optional</i>		< object > array	messages <i>optional</i>		< object > array	No Links
Name	Description	Schema												
id <i>optional</i>		string												
participants <i>optional</i>		< object > array												
messages <i>optional</i>		< object > array												

GET /api/conversations/unread-count Get Unread Message Count

Retrieves the count of unread messages for the logged-in user.

Responses

Code	Description	Links						
200	Unread message count retrieved successfully <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>unreadCount <i>optional</i></td><td></td><td>integer</td></tr> </table>	Name	Description	Schema	unreadCount <i>optional</i>		integer	No Links
Name	Description	Schema						
unreadCount <i>optional</i>		integer						

GET /api/auth/verify-email/{token} Verify Email

Verifies a user's email address using a token.

Parameters

Type	Name	Description	Schema
path	token <i>required</i>		string

Responses

Code	Description	Links						
200	Email verified successfully <i>Content</i> application/json <i>Properties</i> <table><tr><th>Name</th><th>Description</th><th>Schema</th></tr><tr><td>message <i>optional</i></td><td></td><td>string</td></tr></table>	Name	Description	Schema	message <i>optional</i>		string	No Links
Name	Description	Schema						
message <i>optional</i>		string						

***POST* /api/auth/resend-verification** Resend Email Verification

Resends the email verification link to a user.

Responses

Code	Description	Links						
200	Verification email resent successfully <i>Content</i> application/json <i>Properties</i> <table><tr><th>Name</th><th>Description</th><th>Schema</th></tr><tr><td>message <i>optional</i></td><td></td><td>string</td></tr></table>	Name	Description	Schema	message <i>optional</i>		string	No Links
Name	Description	Schema						
message <i>optional</i>		string						

***POST* /api/auth/forgot-password** Forgot Password

Sends a password reset email to the user.

Responses

Code	Description	Links						
200	Password reset link sent successfully <i>Content</i> application/json <i>Properties</i> <table><tr><th>Name</th><th>Description</th><th>Schema</th></tr><tr><td>message <i>optional</i></td><td></td><td>string</td></tr></table>	Name	Description	Schema	message <i>optional</i>		string	No Links
Name	Description	Schema						
message <i>optional</i>		string						

***POST* /api/auth/reset-password** Reset Password

Resets the user's password using a reset token.

Responses

Code	Description	Links						
200	Password reset successfully <i>Content</i> application/json <i>Properties</i> <table><tr><th>Name</th><th>Description</th><th>Schema</th></tr><tr><td>message <i>optional</i></td><td></td><td>string</td></tr></table>	Name	Description	Schema	message <i>optional</i>		string	No Links
Name	Description	Schema						
message <i>optional</i>		string						

***POST* /api/auth/social/google** Login with Google

Authenticates a user using Google OAuth.

Responses

Code	Description	Links									
200	Successfully authenticated with Google <i>Content</i> application/json <i>Properties</i> <table><tr><th>Name</th><th>Description</th><th>Schema</th></tr><tr><td>accessToken <i>optional</i></td><td></td><td>string</td></tr><tr><td>refreshToken <i>optional</i></td><td></td><td>string</td></tr></table>	Name	Description	Schema	accessToken <i>optional</i>		string	refreshToken <i>optional</i>		string	No Links
Name	Description	Schema									
accessToken <i>optional</i>		string									
refreshToken <i>optional</i>		string									

***GET* /api/profiles/me/education** Get Education Entries

Retrieves the user's education history.

Responses

Code	Description	Links
200	Education history retrieved successfully <i>Content</i> application/json	No Links

POST **/api/profiles/me/education** Add Education Entry

Adds a new education entry.

Responses

Code	Description	Links						
200	Education entry added successfully <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>message <i>optional</i></td><td></td><td>string</td></tr> </table>	Name	Description	Schema	message <i>optional</i>		string	No Links
Name	Description	Schema						
message <i>optional</i>		string						

PUT **/api/profiles/me/education/{educationId}** Update Education Entry

Updates an existing education entry.

Parameters

Type	Name	Description	Schema
path	educationId <i>required</i>		string

Responses

Code	Description	Links						
200	Education entry updated successfully <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>message <i>optional</i></td><td></td><td>string</td></tr> </table>	Name	Description	Schema	message <i>optional</i>		string	No Links
Name	Description	Schema						
message <i>optional</i>		string						

***DELETE* /api/profiles/me/education/{educationId}**

Delete Education Entry

Deletes an education entry.

Parameters

Type	Name	Description	Schema
path	educationId <i>required</i>		string

Responses

Code	Description	Links						
200	Education entry deleted successfully <i>Content</i> application/json <i>Properties</i> <table><tr><th>Name</th><th>Description</th><th>Schema</th></tr><tr><td>message <i>optional</i></td><td></td><td>string</td></tr></table>	Name	Description	Schema	message <i>optional</i>		string	No Links
Name	Description	Schema						
message <i>optional</i>		string						

***GET* /api/profiles/me/privacy** Get Privacy Settings

Retrieves the user's privacy settings.

Responses

Code	Description	Links												
200	Privacy settings retrieved successfully <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>profileVisibility <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>emailVisibility <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>phoneVisibility <i>optional</i></td><td></td><td>string</td></tr> </table>	Name	Description	Schema	profileVisibility <i>optional</i>		string	emailVisibility <i>optional</i>		string	phoneVisibility <i>optional</i>		string	No Links
Name	Description	Schema												
profileVisibility <i>optional</i>		string												
emailVisibility <i>optional</i>		string												
phoneVisibility <i>optional</i>		string												

PUT /api/profiles/me/privacy Update Privacy Settings

Updates the user's privacy settings.

Responses

Code	Description	Links						
200	Privacy settings updated successfully <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>message <i>optional</i></td><td></td><td>string</td></tr> </table>	Name	Description	Schema	message <i>optional</i>		string	No Links
Name	Description	Schema						
message <i>optional</i>		string						

GET /api/profiles/me/skills Get User Skills

Retrieves the list of skills of the logged-in user.

Responses

Code	Description	Links
200	Skills retrieved successfully <i>Content</i> application/json	No Links

POST `/api/profiles/me/skills` Add Skill

Adds a new skill.

Responses

Code	Description	Links				
200	Skill added successfully	No Links				
	Content					
	application/json					
	Properties					
	<table><tr><th>Name</th><th>Description</th><th>Schema</th></tr><tr><td>message <i>optional</i></td><td></td><td>string</td></tr></table>		Name	Description	Schema	message <i>optional</i>
Name	Description	Schema				
message <i>optional</i>		string				

DELETE `/api/profiles/me/skills/{skillId}` Delete Skill

Deletes a skill.

Parameters

Type	Name	Description	Schema
path	skillId <i>required</i>		string

Responses

Code	Description	Links						
200	Skill deleted successfully	No Links						
	Content							
	application/json							
	Properties							
	<table><tr><th>Name</th><th>Description</th><th>Schema</th></tr><tr><td>message optional</td><td></td><td>string</td></tr></table>	Name	Description	Schema	message optional		string	
Name	Description	Schema						
message optional		string						

POST `/api/profiles/users/{userId}/skills/{skillId}/endorse` Endorse a User's Skill

Endorses a skill of another user.

Parameters

Type	Name	Description	Schema
path	skillId <i>required</i>		string
path	userId <i>required</i>		string

Responses

Code	Description	Links						
200	Skill endorsed successfully <i>Content</i> application/json <i>Properties</i> <table><tr><th>Name</th><th>Description</th><th>Schema</th></tr><tr><td>message <i>optional</i></td><td></td><td>string</td></tr></table>	Name	Description	Schema	message <i>optional</i>		string	No Links
Name	Description	Schema						
message <i>optional</i>		string						

GET /api/profiles/me/certifications Get User Certifications

Retrieves the list of certifications of the logged-in user.

Responses

Code	Description	Links
200	Certifications retrieved successfully <i>Content</i> application/json	No Links

POST /api/profiles/me/certifications Add Certification

Adds a new certification.

Responses

Code	Description	Links						
200	Certification added successfully <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>message <i>optional</i></td><td></td><td>string</td></tr> </table>	Name	Description	Schema	message <i>optional</i>		string	No Links
Name	Description	Schema						
message <i>optional</i>		string						

***PUT* /api/profiles/me/certifications/{certificationId}** Update Certification

Updates an existing certification.

Parameters

Type	Name	Description	Schema
path	certification Id <i>required</i>		string

Responses

Code	Description	Links						
200	Certification updated successfully <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>message <i>optional</i></td><td></td><td>string</td></tr> </table>	Name	Description	Schema	message <i>optional</i>		string	No Links
Name	Description	Schema						
message <i>optional</i>		string						

***DELETE* /api/profiles/me/certifications/{certificationId}** Delete Certification

Deletes a certification.

Parameters

Type	Name	Description	Schema
path	certificationId <i>required</i>		string

Responses

Code	Description	Links						
200	Certification deleted successfully <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>message <i>optional</i></td><td></td><td>string</td></tr> </table>	Name	Description	Schema	message <i>optional</i>		string	No Links
Name	Description	Schema						
message <i>optional</i>		string						

GET /api/feed/trending Get Trending Posts

Retrieves trending posts based on engagement metrics.

Responses

Code	Description	Links						
200	Trending posts retrieved successfully <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>posts <i>optional</i></td><td></td><td>< object > array</td></tr> </table>	Name	Description	Schema	posts <i>optional</i>		< object > array	No Links
Name	Description	Schema						
posts <i>optional</i>		< object > array						

GET /api/specific-post/{postId} Get a Specific Post

Retrieves a specific post by ID.

Parameters

Type	Name	Description	Schema
path	postId <i>required</i>		string

Responses

Code	Description	Links						
200	Post retrieved successfully <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>id <i>optional</i></td><td></td><td>string</td></tr> </table> <pre> <.<!Name <.<!Description <.<!Schema <.<!id optional <.<! <.<!string <.<!firstName optional <.<! <.<!string <.<!lastName optional <.<! <.<!string <.<!headline optional <.<! <.<!string object content optional string media optional < string > array likes optional integer comments optional integer createdAt optional </pre>	Name	Description	Schema	id <i>optional</i>		string	No Links
Name	Description	Schema						
id <i>optional</i>		string						

GET /api/posts/saved **Get Saved Posts**

Retrieves posts that the logged-in user has saved.

Responses

Code	Description	Links
200	Saved posts retrieved successfully <i>Content</i> application/json	No Links

POST /api/posts/{postId}/save **Save a Post**

Saves a specific post for later viewing.

Parameters

Type	Name	Description	Schema
path	postId <i>required</i>		string

Responses

Code	Description	Links						
200	Post saved successfully <i>Content</i> application/json <i>Properties</i> <table><tr><th>Name</th><th>Description</th><th>Schema</th></tr><tr><td>message <i>optional</i></td><td></td><td>string</td></tr></table>	Name	Description	Schema	message <i>optional</i>		string	No Links
Name	Description	Schema						
message <i>optional</i>		string						

DELETE /api/posts/{postId}/save **Unsave a Post**

Removes a post from saved posts.

Parameters

Type	Name	Description	Schema
path	postId <i>required</i>		string

Responses

Code	Description	Links						
200	Post unsaved successfully <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>message <i>optional</i></td><td></td><td>string</td></tr> </table>	Name	Description	Schema	message <i>optional</i>		string	No Links
Name	Description	Schema						
message <i>optional</i>		string						

***POST* /api/posts/{postId}/comments/{commentId}/like** **Like a Comment**

Likes a specific comment on a post.

Parameters

Type	Name	Description	Schema
path	commentId <i>required</i>		string
path	postId <i>required</i>		string

Responses

Code	Description	Links						
200	Comment liked successfully <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>message <i>optional</i></td><td></td><td>string</td></tr> </table>	Name	Description	Schema	message <i>optional</i>		string	No Links
Name	Description	Schema						
message <i>optional</i>		string						

***DELETE* /api/posts/{postId}/comments/{commentId}/like** **Unlike a Comment**

Removes a like from a specific comment on a post.

Parameters

Type	Name	Description	Schema
path	commentId <i>required</i>		string
path	postId <i>required</i>		string

Responses

Code	Description	Links						
200	Comment unliked successfully <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>message <i>optional</i></td><td></td><td>string</td></tr> </table>	Name	Description	Schema	message <i>optional</i>		string	No Links
Name	Description	Schema						
message <i>optional</i>		string						

POST /api/companies Create a Company Page

Creates a new company page.

Responses

Code	Description	Links						
200	Company page created successfully <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>message <i>optional</i></td><td></td><td>string</td></tr> </table>	Name	Description	Schema	message <i>optional</i>		string	No Links
Name	Description	Schema						
message <i>optional</i>		string						

GET /api/companies/{companyId} Get Company Details

Retrieves details of a specific company.

Parameters

Type	Name	Description	Schema
path	companyId <i>required</i>		string

Responses

Code	Description	Links																		
200	Company details retrieved successfully <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>id <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>name <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>industry <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>website <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>descripti on <i>optional</i></td><td></td><td>string</td></tr> </table>	Name	Description	Schema	id <i>optional</i>		string	name <i>optional</i>		string	industry <i>optional</i>		string	website <i>optional</i>		string	descripti on <i>optional</i>		string	No Links
Name	Description	Schema																		
id <i>optional</i>		string																		
name <i>optional</i>		string																		
industry <i>optional</i>		string																		
website <i>optional</i>		string																		
descripti on <i>optional</i>		string																		

PUT /api/companies/{companyId} Update Company Details

Updates details of a specific company.

Parameters

Type	Name	Description	Schema
path	companyId <i>required</i>		string

Responses

Code	Description	Links						
200	Company details updated successfully <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>message <i>optional</i></td><td></td><td>string</td></tr> </table>	Name	Description	Schema	message <i>optional</i>		string	No Links
Name	Description	Schema						
message <i>optional</i>		string						

POST `/api/companies/{companyId}/logo` Upload Company Logo

Uploads a logo for the company.

Parameters

Type	Name	Description	Schema
path	companyId <i>required</i>		string

Responses

Code	Description	Links									
200	Company logo uploaded successfully <i>Content</i> application/json <i>Properties</i> <table><tr><th>Name</th><th>Description</th><th>Schema</th></tr><tr><td>message <i>optional</i></td><td></td><td>string</td></tr><tr><td>logoUrl <i>optional</i></td><td></td><td>string</td></tr></table>	Name	Description	Schema	message <i>optional</i>		string	logoUrl <i>optional</i>		string	No Links
Name	Description	Schema									
message <i>optional</i>		string									
logoUrl <i>optional</i>		string									

DELETE `/api/companies/{companyId}/logo` Delete Company Logo

Deletes the company's logo.

Parameters

Type	Name	Description	Schema
path	companyId <i>required</i>		string

Responses

Code	Description	Links						
200	Company logo deleted successfully <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>message <i>optional</i></td><td></td><td>string</td></tr> </table>	Name	Description	Schema	message <i>optional</i>		string	No Links
Name	Description	Schema						
message <i>optional</i>		string						

***POST* /api/companies/{companyId}/updates** Post a Company Update

Creates a new update or post for a company.

Parameters

Type	Name	Description	Schema
path	companyId <i>required</i>		string

Responses

Code	Description	Links						
200	Company update posted successfully <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>message <i>optional</i></td><td></td><td>string</td></tr> </table>	Name	Description	Schema	message <i>optional</i>		string	No Links
Name	Description	Schema						
message <i>optional</i>		string						

***GET* /api/companies/{companyId}/companyupdates** Get Company Updates

Retrieves all updates posted by a company.

Parameters

Type	Name	Description	Schema
path	companyId <i>required</i>		string

Responses

Code	Description	Links
200	Company updates retrieved successfully <i>Content</i> application/json	No Links

***DELETE* /api/companies/{companyId}/updates/{updateId}** Delete a Company Update

Deletes a specific company update.

Parameters

Type	Name	Description	Schema
path	updateId <i>required</i>		string
path	companyId <i>required</i>		string

Responses

Code	Description	Links						
200	Company update deleted successfully <i>Content</i> application/json <i>Properties</i> <table><tr><th>Name</th><th>Description</th><th>Schema</th></tr><tr><td>message <i>optional</i></td><td></td><td>string</td></tr></table>	Name	Description	Schema	message <i>optional</i>		string	No Links
Name	Description	Schema						
message <i>optional</i>		string						

***POST* /api/auth/registerwithcaptcha** Register a new user with CAPTCHA

Registers a new user with CAPTCHA verification (for web).

Responses

Code	Description	Links						
200	User registered successfully. <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>message <i>optional</i></td><td></td><td>string</td></tr> </table>	Name	Description	Schema	message <i>optional</i>		string	No Links
Name	Description	Schema						
message <i>optional</i>		string						

***POST* /api/auth/resend-confirmation Resend confirmation email**

Resends the email confirmation link to the user.

Responses

Code	Description	Links						
200	Confirmation email resent successfully. <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>message <i>optional</i></td><td></td><td>string</td></tr> </table>	Name	Description	Schema	message <i>optional</i>		string	No Links
Name	Description	Schema						
message <i>optional</i>		string						

***POST* /api/posts/{postId}/tag Tag users in a post**

Tags one or more users in a post.

Parameters

Type	Name	Description	Schema
path	postId <i>required</i>	The ID of the post.	string

Responses

Code	Description	Links						
200	Users tagged successfully. <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>message <i>optional</i></td><td></td><td>string</td></tr> </table>	Name	Description	Schema	message <i>optional</i>		string	No Links
Name	Description	Schema						
message <i>optional</i>		string						

GET /api/posts/search Search posts by keywords

Searches for posts containing specific keywords.

Parameters

Type	Name	Description	Schema
query	query <i>required</i>	The search query (keywords).	string
query	limit <i>optional</i>	The number of posts to return per page.	integer
query	page <i>optional</i>	The page number for pagination.	integer

Responses

Code	Description	Links									
200	List of posts matching the search query. <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>posts <i>optional</i></td><td></td><td>< object > array</td></tr> <tr> <td>total <i>optional</i></td><td></td><td>integer</td></tr> </table>	Name	Description	Schema	posts <i>optional</i>		< object > array	total <i>optional</i>		integer	No Links
Name	Description	Schema									
posts <i>optional</i>		< object > array									
total <i>optional</i>		integer									

POST /api/notifications/push Send push notification

Sends a push notification to the user's device.

Responses

Code	Description	Links						
200	Push notification sent successfully. <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>message <i>optional</i></td><td></td><td>string</td></tr> </table>	Name	Description	Schema	message <i>optional</i>		string	No Links
Name	Description	Schema						
message <i>optional</i>		string						

PUT /api/profiles/me/visibility Update profile visibility

Updates the visibility settings of the user's profile.

Responses

Code	Description	Links						
200	Profile visibility updated successfully. <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>message <i>optional</i></td><td></td><td>string</td></tr> </table>	Name	Description	Schema	message <i>optional</i>		string	No Links
Name	Description	Schema						
message <i>optional</i>		string						

POST /api/messages/request Send messaging request

Sends a messaging request to a non-connected user.

Responses

Code	Description	Links						
200	Messaging request sent successfully. <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>message <i>optional</i></td><td></td><td>string</td></tr> </table>	Name	Description	Schema	message <i>optional</i>		string	No Links
Name	Description	Schema						
message <i>optional</i>		string						

GET /api/messages/{messageId}/status Get message status

Retrieves the status of a message (e.g., read, delivered,sent).

Parameters

Type	Name	Description	Schema
path	messageId <i>required</i>	The ID of the message.	string

Responses

Code	Description	Links						
200	Message status retrieved successfully. <i>Content</i> application/json <i>Properties</i> <table><tr><th>Name</th><th>Description</th><th>Schema</th></tr><tr><td>status <i>optional</i></td><td></td><td>enum (read,delivered,sent)</td></tr></table>	Name	Description	Schema	status <i>optional</i>		enum (read,delivered,sent)	No Links
Name	Description	Schema						
status <i>optional</i>		enum (read,delivered,sent)						

GET /api/messages/typing-indicators Retrieve typing indicators

Returns whether a user is currently typing in a conversation.

Responses

Code	Description	Links						
200	Typing indicator status retrieved successfully <i>Content</i> application/json <i>Properties</i> <table><tr><th>Name</th><th>Description</th><th>Schema</th></tr><tr><td>isTyping <i>optional</i></td><td></td><td>boolean</td></tr></table>	Name	Description	Schema	isTyping <i>optional</i>		boolean	No Links
Name	Description	Schema						
isTyping <i>optional</i>		boolean						

GET /api/jobs/filter Filter jobs

Filters job listings by experience level, company, and salary range.

Parameters

Type	Name	Description	Schema
query	maxSalary <i>optional</i>	The maximum salary to filter by.	integer
query	experienceLevel <i>optional</i>	The experience level to filter by (e.g., Entry, Mid, Senior).	string
query	company <i>optional</i>	The company name to filter by.	string
query	minSalary <i>optional</i>	The minimum salary to filter by.	integer

Responses

Code	Description	Links						
200	Filtered job listings retrieved successfully. <i>Content</i> application/json <i>Properties</i> <table><tr><th>Name</th><th>Description</th><th>Schema</th></tr><tr><td>jobs <i>optional</i></td><td></td><td>< object > array</td></tr></table>	Name	Description	Schema	jobs <i>optional</i>		< object > array	No Links
Name	Description	Schema						
jobs <i>optional</i>		< object > array						

GET /api/companies/{companyId}/analytics Get job application analytics

Retrieves job application analytics for a company.

Parameters

Type	Name	Description	Schema
path	companyId <i>required</i>	The ID of the company.	string

Responses

Code	Description	Links															
200	Job application analytics retrieved successfully. <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>totalApplications <i>optional</i></td><td></td><td>integer</td></tr> <tr> <td>pendingApplications <i>optional</i></td><td></td><td>integer</td></tr> <tr> <td>acceptedApplications <i>optional</i></td><td></td><td>integer</td></tr> <tr> <td>rejectedApplications <i>optional</i></td><td></td><td>integer</td></tr> </table>	Name	Description	Schema	totalApplications <i>optional</i>		integer	pendingApplications <i>optional</i>		integer	acceptedApplications <i>optional</i>		integer	rejectedApplications <i>optional</i>		integer	No Links
Name	Description	Schema															
totalApplications <i>optional</i>		integer															
pendingApplications <i>optional</i>		integer															
acceptedApplications <i>optional</i>		integer															
rejectedApplications <i>optional</i>		integer															

***PUT* /api/privacy/settings/connection-requests** Update connection request settings

Updates who can send connection requests (e.g., everyone, connections only).

Responses

Code	Description	Links						
200	Connection request settings updated successfully. <i>Content</i> application/json <i>Properties</i> <table> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> <tr> <td>message <i>optional</i></td><td></td><td>string</td></tr> </table>	Name	Description	Schema	message <i>optional</i>		string	No Links
Name	Description	Schema						
message <i>optional</i>		string						

GET /api/connections/mutual/{userId} Get mutual connections

Retrieves mutual connections between the logged-in user and another user.

Parameters

Type	Name	Description	Schema
path	userId <i>required</i>	The ID of the other user.	string

Responses

Code	Description	Links						
200	Mutual connections retrieved successfully. <i>Content</i> application/json <i>Properties</i> <table><tr><th>Name</th><th>Description</th><th>Schema</th></tr><tr><td>mutualConnections <i>optional</i></td><td></td><td>< object > array</td></tr></table>	Name	Description	Schema	mutualConnections <i>optional</i>		< object > array	No Links
Name	Description	Schema						
mutualConnections <i>optional</i>		< object > array						

GET /api/admin/analytics View platform analytics

Retrieve key analytics related to platform activity.

Responses

Code	Description	Links
200	Platform analytics data	No Links