


# Cursor AI For Advanced Users L-10

AI In Cursor Terminal






# Overview

- Turn your command line into an intelligent assistant
- Execute shell tasks using plain english, don't remember the long commands
- Automate repetitive terminal actions and speed up your workflow

A screenshot of a macOS terminal window. The title bar shows 'anujkumar@Anujs-Mac-mini:~'. The terminal content includes: 'Last login: Sun Oct 19 13:24:48 on console', 'Now using node v22.19.0 (npm v10.9.3)', and a prompt 'anujkumar@Anujs-Mac-mini' followed by a blue question mark icon and a cursor. In the top right corner of the terminal, there is a status bar showing a green checkmark, the number '2487', and the time '15:45:16'.

```
anujkumar@Anujs-Mac-mini:~
Last login: Sun Oct 19 13:24:48 on console
Now using node v22.19.0 (npm v10.9.3)
anujkumar@Anujs-Mac-mini ? ~
```






# Terminal Productivity

- Developers rely on the terminal for setup, builds, deployments, Git
- Cursor adds AI-powered automation - translating intent to correct commands instantly

```
anujkumar@Anuj-Mac-mini:~  
Last login: Sun Oct 19 13:24:48 on console  
Now using node v22.19.0 (npm v10.9.3)  
anujkumar@Anuj-Mac-mini [?] [?] 2487 15:45:16
```



# Demo

- Cmd + K in Cursor's terminal
  - List complete path of all template files
  - Find the commit where AI changes were done
  - Locate the database file and create a compressed backup with today's date
  - Create start.sh to setup venv, install dependencies and init database

```
anujkumar@Anuj-Mac-mini:~  
Last login: Sun Oct 19 13:24:48 on console  
Now using node v22.19.0 (npm v10.9.3)  
anujkumar@Anuj-Mac-mini [?] [?] 2487 15:45:16
```

