



Team Cymru Scout for Microsoft Sentinel Installation, Usage and Troubleshooting User Guide

www.cymru.com

901 International Parkway, Suite 350, Lake Mary, FL 32746, USA
TEAM CYMRU. COPYRIGHT © 2025. ALL RIGHTS RESERVED

Contents

Contents	2
Prerequisites	4
Steps to Install the Team Cymru Scout MS Sentinel Integration	5
Steps to Install the Team Cymru Scout Data Connector	9
Usage	9
Prerequisites	9
App Registration steps for the Application in Microsoft Entra ID	9
Add a client secret for application in Microsoft Entra ID	10
Assign role of Microsoft Sentinel Contributor to application in Microsoft Entra ID	11
Steps to Create and Add Log Analytic Workspace in MS Sentinel	12
Enable Microsoft Sentinel on the Workspace	13
Upload Indicators csv in Watchlists to get data related to ip/domain from Team Cymru Scout	14
Get Object ID of your application in Microsoft Entra ID	15
Configuration of Data Connector	18
Steps to Configure Playbook (Logic Apps)	25
Team Cymru Scout Create Incident And Notify Playbook	25
Usage	25
Configuration	25
Authorize API Connection	30
Assign Role to Add Comment in Incident	34
Team Cymru Scout Live Investigation Playbook	37
Usage	37
Configuration	37
Authorize API Connection	41
Team Cymru Scout Enrich Incident Playbook	42
Usage	42
Configuration	42
Authorize API Connection	46
Assign Role to Add Comment in Incident	47
Steps to Configure the Team Cymru Scout Parsers	50
Usage	50
Steps to Configure the Team Cymru Scout Workbook (Dashboards)	52
Indicator Overview	54
Usage	54
Live Investigation	55

Usage	55
Correlation Overview	56
Usage	56
Steps to Deploy ASIM Parsers	58
Troubleshooting Steps	59
Steps to check invocation details of the function in Team Cymru Scout function app	59
Steps to check the data in Log Analytic Workspace table	59
Steps to verify or edit the environment variables of function app	60
Steps to find the exact action where playbook execution failed	61
Case #1 - Indicators Overview Dashboard not showing data in any panel	62
Case #2 - The function app invocation logs are showing "No ip/domain values found for watchlist"	63
Case #3 -The Account Usage tab in the workbook does not immediately show the latest API usage count.	63
Case #4 - Getting Connection error in the logic app	63
Case #5 - Getting Microsoft Outlook account connection error in TeamCymruScoutCreateIncidentAndNotify Logic app	64
Case #6 - On the Indicators Overview tab in the workbook, the logic app to create incident from malicious ip was showing error while creating the incident	64
Case #7 - The Live Investigation tab of workbook not populating data in panels	65
Case #8 - The Data Connector showing the Not Connected status on the data connector UI page	65
Case #9 - The Correlation Overview dashboard not populating data in any panel	65

Prerequisites

The following requirements are essential for configuring all components:

- Azure Account with subscription
- Resource Group
 - This requires **Microsoft Sentinel Contributor Role** at **Subscription Level**
- Microsoft EntraID Application
 - The Azure account user must have an **Application Developer or Application Owner** role at subscription level to create Microsoft EntraID Application
- Log Analytics Workspace (Reference [Link](#))
- Microsoft Sentinel Workspace (Reference [Link](#))

Steps to Install the Team Cymru Scout MS Sentinel Integration

1. Log in to the **Azure Portal** using this link: [Azure Sentinel](#). Search for "**Deploy a custom template**" and select "**Build your own template in the editor**" option.

[Home](#) >

Custom deployment

Deploy from a custom template

Select a template Basics Review + create

Automate deploying resources with Azure Resource Manager templates in a single, coordinated operation. Create or select a template below to get started. [Learn more about template deployment](#)



Build your own template in the editor

Common templates



Create a Linux virtual machine



Create a Windows virtual machine



Create a web app




Create a SQL database



Azure landing zone

2. Click "**Load File**", select the **mainTemplate.json** file, and then click the "**Save**" button.



3. Enter the required details, including **Resource Group**, **Workspace Location** (same as the region), and the **Log Analytics Workspace** name where you want to deploy the integration. Click "**Review + Create**", then select "**Create**".

Custom deployment ...

Deploy from a custom template

 New! Deployment Stacks let you manage the lifecycle of your deployments. Try it now →

Select a template **Basics** Review + create

Template

 Customized template 
60 resources

 Edit template

 Edit parameters

 Visualize

Project details

Select the subscription to manage deployed resources and costs. Use resource groups like folders to organize and manage all your resources.

Subscription * ⓘ

Resource group * ⓘ

[Create new](#)

Instance details

Region * ⓘ

Location ⓘ ✓

Workspace-location ⓘ ✓

Workspace ⓘ ✓

Workbook1-name ⓘ

Watchlist1-id ⓘ

Watchlist2-id ⓘ

[Previous](#) [Next](#) [Review + create](#)

- This will start the deployment process. Once completed, you will receive a confirmation message.

Home >

 **Microsoft.Template-20250326103837** | Overview ...

Deployment

Search x << Delete Cancel Redeploy Download Refresh

Overview


Inputs

Outputs

Template

 **Your deployment is complete**

 Deployment name : Microsoft.Template-20250326103837 Start time : 

Subscription :  Correlation ID : 

Resource group : 

> Deployment details

✓ Next steps

[Go to resource group](#)

Give feedback

 Tell us about your experience with deployment

Steps to Install the Team Cymru Scout Data Connector

Usage

The **Team Cymru Scout Data Connector** ingests **three types of data** via **three functions**:

1. **IPDataCollector**
2. **DomainDataCollector**
3. **AccountUsageDataCollector**

IP and Domain Data Input:

- Requires users to provide an **input list of IPs and Domains** in **two ways**:
 - **Data Connector Configuration Parameter** (IP Values and Domain Values)
 - **Watchlists** (for large IP and Domain lists)
- If inputs are provided **in both places, both will be considered**.

Functionality:

- Based on the provided **input**, the **Function App** will **fetch data periodically** for the specified **IPs and Domains** from Scout API.
- The **AccountUsageDataCollector** function provides data of account usage stats for your account periodically.
- The collected data will then be **ingested into the MS Sentinel Table**.

Prerequisites

App Registration steps for the Application in Microsoft Entra ID

This integration requires an **App Registration** in the **Azure Portal**. Follow the steps below to create a new application in **Microsoft Entra ID**:


Note: If you already have an application and have the **Client ID** and **Client Secret** ready, you can skip the steps below. [Redirect](#)

- **Sign in** to the **Azure Portal**.
- Search for and select **Microsoft Entra ID**.

www.cymru.com

901 International Parkway, Suite 350, Lake Mary, FL 32746, USA
TEAM CYMRU. COPYRIGHT © 2025. ALL RIGHTS RESERVED

- Under Manage, select **App registrations**
- Click on **New Registration**



- Enter a **Display Name** for your application.
- Click **Register** to complete the initial app registration.
- Once the registration is complete, the **Azure Portal** will display the **App Registration Overview** pane. Here, you will find the **Application (Client) ID** and **Tenant ID**, which are required as configuration parameters for the **Team Cymru Scout MS Sentinel Data Connector**.

Reference link:

<https://learn.microsoft.com/azure/active-directory/develop/quickstart-register-app>

Add a client secret for application in Microsoft Entra ID


To create a new **Client Secret** (also known as an **application password**) for the **Team Cymru Scout MS Sentinel Data Connector**, follow these steps:

- **Sign in** to the **Azure Portal**.
- Navigate to **App registrations** and select your application.
- Go to **Certificates & secrets > Client secrets > New client secret**.
- Enter a **description** for your client secret.
- Choose an **expiration period** or specify a **custom lifetime** (maximum limit is **24 months**).

www.cymru.com

901 International Parkway, Suite 350, Lake Mary, FL 32746, USA
TEAM CYMRU. COPYRIGHT © 2025. ALL RIGHTS RESERVED

- Click **Add** to generate the client secret.



- Make sure to **record the client secret's value**, as it will not be displayed again once you leave this page.
- The **client secret value** is a required configuration parameter for the **Team Cymru Scout MS Sentinel Data Connector**.

Reference link:

<https://learn.microsoft.com/azure/active-directory/develop/quickstart-register-app#add-a-client-secret>

Assign role of Microsoft Sentinel Contributor to application in Microsoft Entra ID

Follow the steps in this section to assign the role:

- In the Azure portal, Go to Resource Group and select your resource group.
- In the left menu, click on **Access control (IAM)**.
- Click on **Add**, then choose **Add role assignment**.
- Select Microsoft Sentinel Contributor as the role and click on next.
- In Assign access to, select User, group, or service principal.
- Click on **Add members**, type the name of the application you created, and select it. Now click on Review + assign and then again click on Review + assign.


Reference link:

<https://learn.microsoft.com/azure/role-based-access-control/role-assignments-portal>

Steps to Create and Add Log Analytic Workspace in MS Sentinel

Follow the steps in this section to create Log Analytics Workspace:

- Login to azure portal using <https://portal.azure.com>
- In the search bar at the top, type "Log Analytics workspaces" and select it.



- Click on "+ Create".
- Select a Subscription from the dropdown.
- Use an existing Resource Group or create a new one.
- Provide a name for the new Log Analytics workspace, such as **DefaultLAWorkspace**. This name must be unique per resource group.

- Azure region where you want the workspace hosted.

Home > Log Analytics workspaces >

Create Log Analytics workspace

Basics Pricing tier Tags Review + Create

i A Log Analytics workspace is the basic management unit of Azure Monitor Logs. There are specific considerations you should take when creating a new Log Analytics workspace. [Learn more](#)

With Azure Monitor Logs you can easily store, retain, and query data collected from your monitored resources in Azure and other environments for valuable insights. A Log Analytics workspace is the logical storage unit where your log data is collected and stored.

Project details
Select the subscription to manage deployed resources and costs. Use resource groups like folders to organize and manage all your resources.

Subscription * ⓘ my-subscription ▼

Resource group * ⓘ my-resource-group ▼
[Create new](#)

Instance details

Name * ⓘ my-workspace ✓

Region * ⓘ East US ▼

Review + Create « Previous Next : Pricing tier >

- Click **Review + Create**, then click Create once validation passes.

Enable Microsoft Sentinel on the Workspace


Once the Log Analytics Workspace is created. Follow the steps in this section to enable Microsoft Sentinel on the Workspace:

- Go to **Microsoft Sentinel** in the Azure portal.
- Click **+ Add**.
- Select the **Log Analytics workspace** you just created.
- Click **Add Microsoft Sentinel**.

Upload Indicators csv in Watchlists to get data related to ip/domain from Team Cymru Scout

Follow the steps in this section to upload csv containing indicators in watchlist:

- In the Azure portal, Go to **Microsoft Sentinel** and select your workspace.
- Go to **Watchlist** under the Configuration section from the left panel.
- Click on **TeamCymruScoutDomainData**, and then select **Bulk update** from **Update watchlist**



- Upload your csv files with domain indicators in **Upload file** input and click on **Next: Review+Create**

Microsoft Azure

Home > Microsoft Sentinel | Watchlist >

Watchlist wizard

General **Source** Review + create

Source type * Local file

File type * CSV file with a header (.csv)

Number of lines before row with headings * 0

Upload file *

SearchKey * ip

Reset

< Previous **Next: Review + create >**

File preview | First 50 rows and first 5 columns

Upload or select a file to preview its contents

- Once validation is successful, click on **Update**
- Follow the same steps to update **TeamCymruScoutIPData** watchlist for ip indicators.

Reference link: [Bulk update a](#)

Get Object ID of your application in Microsoft Entra ID

Follow the steps to get your entra application id:

- Go to **"Microsoft Entra ID"**
- Select **"Enterprise applications"** from the left menu.

Home >



CREST DATA SYSTEMS PRIVATE LIMITED

×

⏪

+ Add

⌵

⚙️ Manage ter

📌 Overview

🛠️ Preview features

🔧 Diagnose and solve problems

⌵ Manage

👤 Users

👥 Groups

🏢 External Identities

👤 Roles and administrators

📁 Administrative units

👤 Delegated admin partners

🏢 Enterprise applications

📌 Microsoft Entra has a sim

Overview

Monitoring

Search your tenant

Basic information

Name

Tenant ID

Primary domain

License

- Find your newly created application in the list (you can search by the name you provided).

Home > CREST DATA SYSTEMS PRIVATE LIMITED | Enterprise applications > Enterprise applications

🏢 Enterprise applications | All applications

CREST DATA SYSTEMS PRIVATE LIMITED

⌵ Overview

⌵ Manage

🏢 All applications

🔌 Private Network connectors

+ New application

🔄 Refresh

📄 Download (Export)

📄 Preview info

📄 Columns

📄 Preview features

📄 Got feedback?

View, filter, and search applications in your organization that are set up to use your Microsoft Entra tenant as their Identity Provider.

The list of applications that are maintained by your organization are in [application registrations](#).

🔍 Search by application name or object ID

Application type == Enterprise Applications

Application ID starts with

+ Add filters


112 applications found

www.cymru.com

901 International Parkway, Suite 350, Lake Mary, FL 32746, USA
TEAM CYMRU. COPYRIGHT © 2025. ALL RIGHTS RESERVED

16


- Click on the application.
- On the overview page, copy the **Object ID**.




- This is the “**AzureEntraObjectId**” needed for your ARM template role assignment.

Configuration of Data Connector

1. Go to **Microsoft Sentinel**, select the **Workspace** where the solution was installed, navigate to **Data Connectors**, search for **Team Cymru Scout Data Connector**, and click **Open Connector Page**.



2. On the **connector page**, scroll down the right-side section, locate the **Deploy to Azure** button, and click on it.



3. After clicking **Deploy to Azure**, you will be redirected to the **configuration screen** for the **Team Cymru Scout Data Connector**.

[Home](#) >

Custom deployment ...

Deploy from a custom template

 New! Deployment Stacks let you manage the lifecycle of your deployments. Try it now →

Basics Review + create

Template

 Customized template [↗](#)
8 resources

 Edit template

 Edit parameters

 Visualize

Project details

Select the subscription to manage deployed resources and costs. Use resource groups like folders to organize and manage all your resources.

Subscription * ⓘ

Resource group * ⓘ

[Create new](#)

Instance details

Region * ⓘ

Function Name

Cymru Scout Base URI * ⓘ

[Previous](#) [Next](#) [Review + create](#)

4. Enter the required **parameters** and click **Review + Create**.

Parameter Name	Description
Resource Group	Resource group of your azure account in which you want to configure this data connector.


www.cymru.com

901 International Parkway, Suite 350, Lake Mary, FL 32746, USA
TEAM CYMRU. COPYRIGHT © 2025. ALL RIGHTS RESERVED

Workspace Name	Name of the Log analytics workspace. Can be found under Log analytics "Settings".
Function Name	Name of the Function App Name (Note: Keep the default name)
Team Cymru Scout Base URL	Provide base URL of Team Cymru Scout portal. (i.e. https://scout.cymru.com)
Authentication Type	Select Authentication Type for Team Cymru Scout APIs. By default it is set to Basic Auth.
Username	Enter the username for the team cymru scout account. Required if Authentication Type is Basic Auth
Password	Enter the password for the team cymru scout account. Required if Authentication Type is Basic Auth
API Key	Enter the API Key for the team cymru scout account. Required if Authentication Type is API Key.
IP Values	Enter comma separated ip values for which data should be collected. e.g. 1.2.3.4,10.20.30.40,2.4.3.6
Domain Values	Enter comma separated domain values for which data should be collected. e.g. abc.com,xyz.com,def.ai
API Type	Select the type of API to collect data for IP. By default it is set to Foundation.
Azure Client Id	Provide Azure Client Id that you have created during App Registration in the Microsoft Entra ID.
Azure Client Secret	Provide Azure Client Secret that you have created during creating the client secret in the App Registered in the Microsoft Entra ID.
Tenant Id	Provide Tenant Id of your Microsoft Entra ID.
Azure Entra Object Id	Provide Object id of your Microsoft Entra App.
IP Table Name	Table name in which IP data will ingest (Recommended keep the default table name as mentioned in the configuration)
Domain Table Name	Table name in which Domain data will ingest (Recommended keep the default table name as

	mentioned in the configuration)
Account Usage Table Name	Table name in which Account Usage data will ingest (Recommended keep the default table name as mentioned in the configuration)
Schedule	Enter a valid Quartz cron-expression. The default value is every day at midnight(00:00) for ip and domain data collection.
Account Usage Schedule	Enter a valid Quartz cron-expression. The default value is every 10 minutes for Account usage.
Log Level	Select log level or log severity value. By default it is set to INFO
AppInsightsWorkspaceResourceID	Migrate Classic Application Insights to Log Analytic Workspace which is retiring by 29 February 2024. Use 'Log Analytic Workspace-->Properties' blade having 'Resource ID' property value. This is a fully qualified resourceid which is in format '/subscriptions/{subscriptionId}/resourceGroups/{resourceGroupName}/providers/Microsoft.OperationalInsights/workspaces/{workspaceName}'

You can find **AppInsightsWorkspaceResourceID** in your **Log Analytics Workspace** under **Properties**.



[Home](#) >

Custom deployment ...

Deploy from a custom template

Basics Review + create

Summary



Customized template
8 resources

Terms

[Azure Marketplace Terms](#) | [Azure Marketplace](#)

By clicking "Create," I (a) agree to the applicable legal terms associated with the offering; (b) authorize Microsoft to charge or bill my current payment method for the fees associated the offering(s), including applicable taxes, with the same billing frequency as my Azure subscription, until I discontinue use of the offering(s); and (c) agree that, if the deployment involves 3rd party offerings, Microsoft may share my contact information and other details of such deployment with the publisher of that offering.

Microsoft assumes no responsibility for any actions performed by third-party templates and does not provide rights for third-party products or services. See the [Azure Marketplace Terms](#) for additional terms.

Deploying this template will create one or more Azure resources or Marketplace offerings. You acknowledge that you are responsible for reviewing the applicable pricing and legal terms associated with all resources and offerings deployed as part of this template. Prices and associated legal terms for any Marketplace offerings can be found in the [Azure Marketplace](#); both are subject to change at any time prior to deployment.

Neither subscription credits nor monetary commitment funds may be used to purchase non-Microsoft offerings. These purchases are billed separately.


[Previous](#)

[Next](#)

[Create](#)


5. Click **Create** to install the **Data Connector**.

6. After that, you will be able to see the deployment status, as shown in the image below.




7. After successful installation, the **Data Connector** will be available under **Function App**.


8. Navigate to **Function App** by searching for it in the **Azure Portal**.



9. Locate the **installed Function App** using the name provided during configuration.



10. Click on the **cymruscout Function App**, where you will see the associated **Azure Functions** responsible for ingesting data into **Microsoft Sentinel**.



11. Once the integration is set up, **data will start flowing into Microsoft Sentinel** through the configured **Function App**. You can view this data in the **Log Analytics Workspace tables** specified during setup or use the **parsers deployed** during installation.

Steps to Configure Playbook (Logic Apps)

Note: First, configure the **TeamCymruScoutCreateIncidentAndNotify** Playbook, followed by the **TeamCymruScoutLiveInvestigation** Playbook.

Team Cymru Scout Create Incident And Notify Playbook

Usage


This **playbook** is triggered from two dashboards.

1. **Indicators Overview dashboard** via the **Insights Information by Indicator panel** manually.
2. **Live Investigation dashboard** automatically.


In both the cases, if the **IP's overall rating** is determined to be **suspicious or malicious**, it will **create an incident** in **Microsoft Sentinel**. Additionally, it will **send a notification** to a **predefined or user-customizable email ID**.

Configuration


1. Open **Microsoft Sentinel**.



- Navigate to the **Workspace** where the solution is installed, then go to **Automation > Playbook templates (Preview)** and select the **"Team Cymru Scout Create Incident And Notify"** playbook.



- Click on **Create Playbook**.



- In the **Basic** tab, select the appropriate **Subscription** and **Resource Group**, then click **Next: Parameters**.

Create playbook ...

Basics Parameters Connections Review and create

Select the subscription to manage deployed resources and costs. Use resource groups like folders to organize and manage all your resources.

Subscription

Resource group

[Create new](#)

Region *

Playbook name *

☐ Enable diagnostic logs in Log Analytics ⓘ

Next : Parameters >

NOTE: Please do **not update Playbook name** else you won't be able to run it from the Indicator Overview tab of Workbook.

5. In the **Parameters** tab, enter the required details:
 - **EmailId:** Enter valid, comma-separated email addresses of recipients without spaces (e.g., [person1@gmail.com](#),[person2@gmail.com](#)). Then notification via mail sent to these recipients on Malicious data.
 - **WorkspaceName:** Enter the name of the **Log Analytics Workspace** where the incident should be created.
6. Click on **Next:Connections**

[Home](#) > [Microsoft Sentinel | Automation](#) >

Create playbook ...

Basics Parameters Connections Review and create

EmailId ⓘ

nirali.shah@crestdata.ai *

WorkspaceName ⓘ

████████████████████ *

< Previous

Next : Connections >

7. Click on **Next: Review+Create**

8. Click on **Create Playbook**

[Home](#) > [Microsoft Sentinel | Automation](#) >

Create playbook ...

Basics Parameters Connections Review and create

Basics

Subscription

Resource group

Region

Playbook name

Diagnostics logs workspace

eastus

TeamCymruScoutLiveInvestigation

Disabled

Parameters

UserName

Password

BaseURL

CreateIncidentAndNotifyPlaybookName

TeamCymruScoutCreateIncidentAndNotify

Connections



Azure Log Analytics Data Collector

New connection will be configured



Note: Authorize this connection after deployment in the Logic App designer.

< Previous

Create playbook

www.cymru.com

901 International Parkway, Suite 350, Lake Mary, FL 32746, USA
TEAM CYMRU. COPYRIGHT © 2025. ALL RIGHTS RESERVED

- Once the playbook is successfully deployed, complete the **post-deployment steps** to authorize each required connection to ensure the playbook executes successfully.

Authorize API Connection

- Search for **Logic App** and navigate to the configured playbook (**TeamCymruScoutCreateIncidentAndNotify**).

Home > Logic apps > TeamCymruScoutCreateIncidentAndNotify

Logic app

Search

Run Refresh Edit Delete Enable Clone Open in mobile Export Provide feedback

Overview

Activity log

Access control (IAM)

Tags

Diagnose and solve problems

Resource visualizer

Development Tools

Settings

Monitoring

Automation

Help

Essentials

Resource group (move) : [redacted]

Location (move) : East US

Subscription (move) : [redacted]

Subscription ID : [redacted]

Workflow URL : https://prod-70.eastus.logic.azure.com:443/workflows/2a044e49...

Tags (edit) : environment : Production

Definition : 1 trigger, 49 actions

Status : Disabled

Runs last 24 hours : 0 successful, 0 failed

Integration Account : --

Get started Run history Trigger history Metrics

Resubmit Add filter Specify the run identifier to open monitor view directly

Identifier	Status	Start time (Local Time)	Duration
------------	--------	-------------------------	----------

Showing 0 runs


2. Go to **API connections**

The screenshot shows the Azure portal interface. The breadcrumb navigation at the top reads: Home > CymruScoutCreateIncidentAndNotify. The main header is 'CymruScoutCreateIncidentAndNotify | API connections' with a star icon and a menu icon. Below the header is a search bar and a 'Refresh' button. On the left, there is a navigation pane with the following items: Overview, Activity log, Access control (IAM), Tags, Diagnose and solve problems, Development Tools (expanded), Logic app designer, Logic app code view, Run History, Versions, **API connections** (selected), Quick start guides, Settings, Monitoring, Automation, and Help. The main content area is titled 'API connections associated with the logic app' and lists three connections: Azuremonitorlogs-CymruScoutCreateIncidentAndNotify, MicrosoftSentinel-CymruScoutCreateIncidentAndNotify, and Outlook-CymruScoutCreateIncidentAndNotify.


3. Click on **AzureMonitorLogs-CymruScoutCreateIncidentAndNotify API Connection** and select **Edit API Connection**.

The screenshot shows the 'Edit API connection' page in the Azure portal. The breadcrumb navigation is: Home > CymruScoutCreateIncidentAndNotify | API connections > Azuremonitorlogs-CymruScoutCreateIncidentAndNotify. The main header is 'Azuremonitorlogs-CymruScoutCreateIncidentAndNotify | Edit API connection' with a star icon and a close icon. Below the header is a search bar and a 'Refresh' button. On the left, the navigation pane is similar to the previous screenshot, but 'API connections' is not selected. The main content area is titled 'Edit API connection' and contains the following fields: API (Azure Monitor Logs), Display Name (Azuremonitorlogs-CymruScoutCreateIncidentAndNotify), and an 'Authorize' button. Below the 'Authorize' button are 'Save' and 'Discard' buttons.

- Click the **Authorize** button, which will open an **Azure Portal login** popup. Sign in using your **Azure Portal credentials** for authentication.



- Once authentication is successful, the **Save** button will be enabled. Click **Save** to store the authorized connection.



- Similarly, authorize the connection for **Outlook**.

NOTE: You must authorize Outlook connection using your Outlook email ID only.

Assign Role to Add Comment in Incident

1. Navigate to **Log Analytics Workspace** → {your workspace} → **Access Control (IAM)**.
2. Click on **Add** → **Add role assignment**.

Home > CymruTest2503

CymruTest2503 | Access control (IAM) ☆ ...

Log Analytics workspace

Search

Overview

Activity log

Access control (IAM)

Tags

Diagnose and solve problems

Logs

Resource visualizer

Favorites

+ Add ▾

Download role assignments

Edit columns

Refresh

Check access

Role assignments

Roles

Deny assignments

Classic admini

My access

View my level of access to this resource.

View my access

Check access

Review the level of access a user, group, service principal, or managed identity has to this re

Check access

3. Under **Assignment type**, select **Job function roles**.
4. Search for **Microsoft Sentinel Contributor** and click **Next**.

Home > CymruTest2503 | Access control (IAM) >

Add role assignment

Role Members Conditions Review + assign

A role definition is a collection of permissions. You can use the built-in roles or you can create your own custom roles. [Learn more](#)

Job function roles Privileged administrator roles

Grant access to Azure resources based on job function, such as the ability to create virtual machines.

Microsoft Sentinel Contributor

Type: All Category: All

Name ↑↓	Description ↑↓
Microsoft Sentinel Contributor	Microsoft Sentinel Contributor

Showing 1 - 1 of 1 results.

Review + assign Previous **Next**

5. In the **Members** section, choose **Managed identity** for assigned access.
6. Click **Select members**, then add your **Logic App** as a member.

Home > CymruTest2503 | Access control (IAM) > Add role assignment ...

Role **Members** Conditions Review + assign

Selected role Microsoft Sentinel Contributor

Assign access to ☐ User, group, or service principal ☒ **Managed identity**

Members [+ Select members](#)

Name	Object ID	Type
No members selected		

Description Optional

[Review + assign](#) [Previous](#) [Next](#)

Select managed identities

Some results might be hidden due to your ABAC condition.

Subscription * CDS_R15_Sub1

Managed identity Logic app (159)

Select TeamCymruScoutCreateIncidentAndNotify

TeamCymruScoutCreateIncidentAndNotify /subscriptions/ resourceGroups/

Selected members: No members selected. Search for and add one or more members you want to assign to the role for this resource. [Learn more about RBAC](#)

[Select](#) [Close](#) [Feedback](#)

Select managed identities

Some results might be hidden due to your ABAC condition.

Subscription *

Managed identity Logic app (159)

Select

TeamCymruScoutCreateIncidentAndNotify

TeamCymruScoutCreateIncidentAndNotify /subscriptions/ resourceGroups/

Selected members:

TeamCymruScoutCreateIncidentAndNotify /subscriptions/ /resourceGroups/... [Remove](#)

[Select](#) [Close](#) [Feedback](#)

7. Click **Review + Assign** to complete the process.

[Home](#) > [CymruTest2503 | Access control \(IAM\)](#) >

Add role assignment ...

[Role](#) [Members](#) [Conditions](#) [Review + assign](#)

Selected role

Microsoft Sentinel Contributor

Assign access to

☐ User, group, or service principal
☒ Managed identity

Members

[+ Select members](#)

Name	Object ID	Type
TeamCymruScoutCreateIncidentAndNot...		Lo

Description

Optional

[Review + assign](#)

[Previous](#)

[Next](#)


Team Cymru Scout Live Investigation Playbook

Usage


This **playbook** is triggered from the **Live Investigation** Dashboard. The **user** must provide input for an **IP or Domain value** from the **dashboard** to initiate the **live investigation**. It will **fetch live investigation data** for the specified **IP(/api/scout/ip/{IP}/details)** or **Domain(/api/scout/search)** from the **Scout API** and **store the information** in various **Microsoft Sentinel** tables.

Configuration

1. Go to Microsoft Sentinel



2. Navigate to the **Workspace** where the solution is installed, then go to **Automation** → **Playbook Templates (Preview)** and select the "Team Cymru Scout Live Investigation" playbook.



3. Click on the **Create Playbook** button.

The screenshot shows the Microsoft Sentinel console interface. On the left, the 'Automation' section is selected in the navigation pane. The main area displays the 'Automation rules' tab, which includes a table of rules. The 'CymruScout Live Investigation' rule is highlighted. To the right of the table, the details for this rule are shown, including its description, connectors in use, and prerequisites. A 'Create Playbook' button is highlighted with a red box in the bottom right corner of the rule details pane.

Name	Trigger	Logic Apps Co...	Entities	Tags	Last modified	Source name
CymruScout Create Incident A...	Using Micros	Azure Monitor Log	CymruScout	Inc	7/17/2024, 5:05...	Team Cymru Sc...
CymruScout Live Investigation	Other	Azure Log Analytic...	CymruScout	Liv	7/17/2024, 5:05...	Team Cymru Sc...

CymruScout Live Investigation

Trigger type: Other
Content source: Content hub
Last update time: 7/17/2024, 5:05...

Description: This playbook will fetch and ingest IP or Domain Indicator data based on input parameters given in the live investigation dashboard.

Connectors in use: Azure Log Analytics Data Collector, RegEx Matching (Independent Publisher)

Prerequisites: 1. The CymruScout Live Investigation Workbook should be configured. 2. Make sure that the CymruScoutCreateIncidentAndNotify playbook is deployed before deploying the CymruScoutLiveInvestigation playbook.

Create playbook

4. In the **Basic** tab, select the appropriate **Subscription** and **Resource Group**, then click **Next: Parameters**.

Create playbook ...

Basics Parameters Connections Review and create

Select the subscription to manage deployed resources and costs. Use resource groups like folders to organize and manage all your resources.

Subscription

Resource group

[Create new](#)

Region *



Playbook name *

☐ Enable diagnostic logs in Log Analytics ⓘ

[Next : Parameters >](#)

NOTE: Please do not modify the **Playbook name**, as this may prevent you from performing a **Live Investigation** from the **Workbook**.

5. In the **Parameters** tab, enter the following details:

- **UserName:** Provide the username for your **Team Cymru Scout** account.
- **Password:** Enter the password for your **Team Cymru Scout** account.
- **BaseURL:** Input the **Base URL** of your **Team Cymru Scout** account.
- **CreateIncidentAndNotifyPlaybookName:** Enter the playbook name assigned during the deployment of **CymruScoutCreateIncidentAndNotify** (e.g., **CymruScoutCreateIncidentAndNotify**).
- **WorkspaceName:** Enter workspace name in which you want to fetch or store your data.

Create playbook ...

Basics Parameters Connections Review and create

UserName ⓘ

Password ⓘ

BaseURL ⓘ


WorkspaceName ⓘ

CreateIncidentAndNotifyPlaybookName ⓘ


6. Click on **Next:Connections**
7. Click on **Next: Review+Create**
8. Click on **Create Playbook** and continue to the designer
9. After successfully deploying the playbook, complete the [post-deployment steps](#) to authorize all required connections, ensuring the playbook executes successfully.

Authorize API Connection

1. Search for **Logic App** and navigate to the configured playbook (**TeamCymruScoutLiveInvestigation**).



2. **Go to API Connections.**
3. Click on **AzureLogAnalyticsDataCollector-TeamCymruScoutLiveInvestigation API Connection** and select **Edit API Connection**.
4. Enter the **Workspace ID** and **Workspace Key** where your **Live Investigation Workbook** is available and where the data will be ingested.



5. Click **Save** to store the authorized connection.


Team Cymru Scout Enrich Incident Playbook

Usage


This **playbook** is triggered from the Microsoft Sentinel Incident. It will fetch IP and Domain List from mapped entities with Incident. It will **fetch investigation data** for the specified **IP**(/api/scout/ip/{IP}/details) **and Domain**(/api/scout/search) from the **Scout API** and **store the information** in various **Microsoft Sentinel tables**. It will process data from different sections and add into **Incident Comment**. Additionally, it will **send a notification** to a **predefined or user-customizable email ID**.

Configuration


1. Go to Microsoft Sentinel



2. Navigate to the **Workspace** where the solution is installed, then go to **Automation** → **Playbook Templates (Preview)** and select the "Team Cymru Scout Enrich Incident" playbook.



3. Click on the **Create Playbook** button.



4. In the **Basic** tab, select the appropriate **Subscription** and **Resource Group**, then click **Next: Parameters**.

Create playbook ...

Basics Parameters Connections Review and create

Select the subscription to manage deployed resources and costs. Use resource groups like folders to organize and manage all your resources.

Subscription

[Redacted] *

Resource group

[Redacted] [Create new](#)

Region *

(US) East US

Playbook name *

TeamCymruScoutEnrichIncident

☐ Enable diagnostics logs in Log Analytics ⓘ

Log Analytics workspace

cymru-main-template-test

Next : Parameters >

5. In the **Parameters** tab, enter the following details:

- **UserName:** Provide the username for your **Team Cymru Scout** account.
- **Password:** Enter the password for your **Team Cymru Scout** account.
- **BaseURL:** Input the **Base URL** of your **Team Cymru Scout** account.
- **EmailId:** Enter valid, comma-separated email addresses of recipients without spaces (e.g., person1@gmail.com,person2@gmail.com). Then notification via mail sent to these recipients on Malicious data.
- **WorkspaceName:** Enter workspace name in which you want to fetch or store your data.

Create playbook ...

Basics Parameters Connections Review and create

UserName ⓘ

 *

Password ⓘ

 *

BaseURL ⓘ

 *

EmailId ⓘ

 *

WorkspaceName ⓘ

 *


< Previous

Next : Connections >


6. Click on **Next:Connections**
7. Click on **Next: Review+Create**
8. Click on **Create Playbook** and continue to the designer

Authorize API Connection

1. Search for **Logic App** and navigate to the configured playbook (**TeamCymruScoutEnrichIncident**).



2. **Go to API Connections.**
3. Click on **AzureLogAnalyticsDataCollector-TeamCymruScoutEnrichIncident API Connection** and select **Edit API Connection**.
4. Enter the **Workspace ID** and **Workspace Key** where the data will be ingested.



5. Click **Save** to store the authorized connection.
6. Similarly, authorize each connection.

NOTE: You must authorize Outlook connection using your Outlook email ID only.

Assign Role to Add Comment in Incident

1. Navigate to **Log Analytics Workspace** → {your workspace} → **Access Control (IAM)**.
2. Click on **Add** → **Add role assignment**.

Home > CymruTest2503

CymruTest2503 | Access control (IAM) ☆ ...

Log Analytics workspace

Search

Overview

Activity log

Access control (IAM)

Tags

Diagnose and solve problems

Logs

Resource visualizer

Favorites

+ Add ▾

Download role assignments

Edit columns

Refresh

Check access

Role assignments

Roles

Deny assignments

Classic admini

My access

View my level of access to this resource.

View my access

Check access

Review the level of access a user, group, service principal, or managed identity has to this re

Check access

3. Under **Assignment type**, select **Job function roles**.
4. Search for **Microsoft Sentinel Contributor** and click **Next**.

Home > CymruTest2503 | Access control (IAM) >

Add role assignment

Role Members Conditions Review + assign

A role definition is a collection of permissions. You can use the built-in roles or you can create your own custom roles. [Learn more](#)

Job function roles Privileged administrator roles

Grant access to Azure resources based on job function, such as the ability to create virtual machines.

Microsoft Sentinel Contributor

Type: All Category: All

Name ↑↓

Description ↑↓

Microsoft Sentinel Contributor

Microsoft Sentinel Contributor

Showing 1 - 1 of 1 results.

Review + assign

Previous

Next

5. In the **Members** section, choose **Managed identity** for assigned access.
6. Click **Select members**, then add your **Logic App** as a member.

Home > Log Analytics workspaces > CymruFinalTest | Access control (IAM) >

Add role assignment

Role **Members** Conditions Review + assign

Showing a filtered list of roles because your permissions include a condition. [Learn more](#)
[View my access](#)

Selected role Microsoft Sentinel Contributor

Assign access to ☐ User, group, or service principal ☒ **Managed identity**

Members [+ Select members](#)

Name	Object ID	Type
------	-----------	------

Select managed identities

Some results might be hidden due to your ABAC condition.

Subscription * CDS_R15_Sub1

Managed identity Logic app (184)

Select (1)

TeamCymruScoutEnrich

TeamCymruScoutEnrichIncident /subscriptions/.../resourceGroups/R15_...

7. Click **Review + Assign** to complete the process

Subscription *

CDS_R15_Sub1

Managed identity

Logic app (184)

Select ⓘ

TeamCymruScoutEnrich



TeamCymruScoutEnrichIncident

/subscriptions/.../resourceGroups/...

Selected members:



TeamCymruScoutEnrichIncident

/subscriptions/.../resourceGroups/...

[Remove](#)

Select

Close

 [Feedback](#)

Steps to Configure the Team Cymru Scout Parsers

Usage

The **data connector** ingests scout **data** into **Microsoft Sentinel tables** within the **Log Analytics Workspace**. This **data** is then **visualized** in the **Workbook** using **KQL (Kusto Query Language)**. However, the **raw data** in the **table** requires **parsing** and **normalization** of fields before displaying those in the workbook. To achieve this, a **Kusto Function-based parser** is utilized. For **Team Cymru Scout**, it is essential that these **parsers** are available in the workspace. Without these parsers, the **Workbook** will not be able to access the ingested data.

1. Once you install the **Team Cymru Scout** solution, the parsers are automatically installed to their correct location, so there is no need to install them separately.

Microsoft Sentinel | Logs

Selected workspace: 'cymrutest2503'

Search

Favorites

- Logs
- Data connectors
- Content hub
- Workbooks

General

- Overview
- Logs**
- News & guides
- Search

Threat management

- Incidents
- Workbooks
- Hunting
- Notebooks
- Entity behavior

New Query 1

Functions

Search

Favorites

You can add favorites by clicking on the ☆ icon

LogManagement

Microsoft Sentinel

Workspace functions

- CymruScoutAccountUsage
- CymruScoutCorrelate
- CymruScoutDomain
- CymruScoutDomainData
- CymruScoutIdentity
- CymruScoutIP
- CymruScoutProtoByIP
- CymruScoutSummary
- CymruScoutSummaryTopCerts
- CymruScoutSummaryTopFing...

Show : 1000 results

one of the queries to start


marize Time = max(TimeGenerated)

marize Time = max(TimeGenerated) |


Steps to Configure the Team Cymru Scout Workbook (Dashboards)

Workbooks in Microsoft Sentinel provide a flexible canvas for data analysis and the creation of rich visual reports within the Microsoft Azure portal.


1. To install this workbook, start by navigating to the **Microsoft Sentinel** homepage:



2. Now go to Workspace in which you have installed the solution, go to **Workbooks**, go to template, search for **Team Cymru Scout** and click on the workbook that you want to install.
3. Click on **Save** button to save this workbook



4. Select the location of your Microsoft Sentinel Workspace and click on **Yes**.



5. After successful completion, you will be able to see the **“View saved workbook”** button to see the configured workbook
You can also now able to see workbook under the **“My workbooks”**

Indicator Overview

Usage

The **Indicator Overview Workbook** displays **indicator data** ingested via the **Data Connector** across multiple **panels**. Moreover, if an **IP is identified as malicious**, users can trigger the **Cymru Scout Create Incident and Notify Playbook** to **create an incident in MS Sentinel** and send a **notification email** to the user.

- Make sure that **CymruScoutCreateIncidentAndNotify Playbook** is configured to run it from Indicator Overview from **Insights Information by Indicators** Panel where overall rating of IP is malicious.

NOTE: To perform SOAR action from Indicator Overview, follow the steps mentioned in the *Indicator Overview tab of the workbook*.

Edit Open Refresh Undo Redo Help Auto refresh: Off

Indicators Overview Correlation Overview Live Investigation Account Usage

i The panel **Insights Information by Indicators** incorporates the use of the **TeamCymruScoutCreateIncidentAndNotify** logic app which is deployed with the Microsoft Sentinel Solution to create incident for a malicious indicator. Please configure this logic app first and keep it enabled in order to notify creation of an incident for a malicious indicator.

Steps to Create Incident and Notify for a Malicious Indicator.

- Select the **Subscription ID** and **Resource Group**.
- Click on the **Run Playbook** button besides malicious indicator.
- One side panel will be open, click on the **Create Incident And Notify** button below.
- This will execute the **CymruScoutCreateIncidentAndNotify** logic app in the background.
- You can check the status of the playbook to identify the creation of incident and check mail for notification.

NOTE: You can see Run Playbook option visible only for Malicious indicators. For others, that option is not available.

Live Investigation

Usage

The **Live Investigation Workbook** enables **on-demand investigation** of a specific **IP** or **Domain**, displaying the results across multiple **panels**. Users must enter specific **input parameters** given in the workbook, which then trigger the **Cymru Scout Live Investigation Playbook**. The **ingested data** from this **playbook** is subsequently **visualized** in various **panels**. Moreover, if the IP is found malicious in the live investigation, the **Cymru Scout Create Incident And Notify Playbook** will automatically be triggered from this workbook in order to create the incident in MS Sentinel and notify the user via email.

- Make sure that **TeamCymruScoutLiveInvestigation Playbook** is configured correctly.

NOTE: *To perform Live Investigation, follow the steps mentioned in the Live Investigation tab of the workbook.*

Indicators Overview Correlation Overview Live Investigation Account Usage

 This workbook depends on the **CymruScoutLiveInvestigation** logic app which is deployed with the Microsoft Sentinel Solution. Please configure this logic app first and keep it enabled in order to use this workbook.

Live Investigation

Steps to perform Live Investigation using this workbook

- This workbook is intended to help perform Live Investigation for Indicators (**Type:** IP or Domain).
- Select the **Resource Group** and **Subscription ID**.
- Select Indicator Type from Type filter and provide Indicator value corresponding to it's type in the Indicator parameter.
- Click on the **Submit** button.
- One side panel will be open, click on the **Get Data** button below.
- This will execute the **CymruScoutLiveInvestigation** logic app in the background.
- You will be able to see a message as **Refresh to check for data availability**.
- Click on the refresh button icon above the message until you get a message as **Click here to view the data**.
- Click on the message **Click here to view the data** and it will display all panels for searched Indicator data.
- You can check the status of the playbook to identify the Live Investigation data fetch status.

Note :

In cases where

- In a new environment for live investigations, it may take around 5 to 10 minutes for data ingestion and dashboard population due to Sentinel's default behavior.
- Panels do not populate, please check the status of the **CymruScoutLiveInvestigation** logic app.
- It is suggested to perform a **Hard Refresh** before getting Live Investigation data for the new Indicator value. Otherwise, the source drill down panels will not be populated properly.

Correlation Overview

Usage

Correlation in **Microsoft Sentinel** means linking data from multiple sources to identify patterns, detect threats, and enhance security insights. By correlating logs, alerts, and threat intelligence, Sentinel helps in detecting complex attacks that might be missed in isolated data sources.

This workbook **correlates** IP and Domain data from ingested in the MS Sentinel table using the Scout API via the data connector, with the selected **ASIM Parser's schemas IP and Domain fields** and the **Threat Intelligence Indicator table's IP and Domain fields** to enhance detection and threat analysis.

- **ASIM Parser** (Advanced Security Information Model) normalizes security data across different sources, making it easier to query and analyze.
- **Threat Intelligence Indicator Table** stores threat data like malicious IPs, domains, and hashes, helping detect known threats in the environment.

- Make sure that **ASIM Parsers** are configured correctly in the workspace or **ThreatIntelligence indicators** are available.

NOTE: To perform Correlation of Other sources data with Team Cymru Scout data, follow the steps mentioned in the Correlation Overview tab of workbook.

Edit Open Refresh Save Help Auto refresh: Off

Indicators Overview Correlation Overview Live Investigation Account Usage

This tab depends on the **ASIM Parsers** and **ThreatIntelligenceIndicators**. Please configure ASIM Parsers in the workspace and create/upload some indicators in ThreatIntelligence to visualize data in this tab.

Correlation Overview

Steps to perform Correlation using this workbook

- This workbook is intended to help perform Correlation of Indicators (**Indicator Type:** IP or Domain).
- Select **Time Range** for which you want to perform correlation of other sources data with Team Cymru Scout data.
- Select **Indicator Type** from Indicator Type filter. Default: All is selected.
- Select **Search Matching Algorithm** based on which you want to perform correlation of other sources data with Team Cymru Scout Data.
 - **ThreatIntelligenceIndicator:** Threat indicators are data that associate observed artifacts such as URLs, file hashes, or IP addresses with known threat activity such as phishing, botnets, or malware.
 - **ASIM Parsers:** The Advanced Security Information Model (ASIM) provides a seamless experience for handling various sources in uniform, normalized views. ASIM allows for predictable entities correlation across normalized tables.
- If you select **ASIM Parsers** in "Search Matching Algorithm", filter for ASIM Parsers will be visible.
 - Select ASIM Parsers schema from **ASIM Parsers** filter. Default: All is selected.
- Based on selected filters, correlated data will be visible in below panes.

Note :

- If data is not populated,
 - Check ASIM Parsers schema is available in workspace and does not have any error.
 - Check ThreatIntelligenceIndicator table has indicators available from other sources.

www.cymru.com

901 International Parkway, Suite 350, Lake Mary, FL 32746, USA
TEAM CYMRU. COPYRIGHT © 2025. ALL RIGHTS RESERVED

www.cymru.com


901 International Parkway, Suite 350, Lake Mary, FL 32746, USA
TEAM CYMRU. COPYRIGHT © 2025. ALL RIGHTS RESERVED

Steps to Deploy ASIM Parsers

In the Team Cymru Scout solution, we have used the [ASIM Parsers](#) in the **Correlation Overview Dashboard** for correlation with Team Cymru Scout data.

Follow these steps to deploy the ASIM Parser on Microsoft Sentinel Portal:

1. Go to <https://github.com/Azure/Azure-Sentinel/tree/master/ASIM#deploy-asim>
2. Click on **Deploy to Azure** for Dns Asim schema.



Deploy ASIM

This template deploys all **ASIM** parsers. The Advanced Security Information Model (ASIM) enables you to use and create source-agnostic content, simplifying your analysis of the data in your Microsoft Sentinel workspace.

For more information, see [Normalization and the Advanced Security Information Model \(ASIM\)](#)

 **Deploy to Azure**

 **Deploy to Azure Gov**

To deploy a single schema use the buttons below:

ASim Schema	Deploy	Deploy to Azure Gov
Audit Event	 Deploy to Azure	 Deploy to Azure Gov
Authentication	 Deploy to Azure	 Deploy to Azure Gov
Dns	 Deploy to Azure	 Deploy to Azure Gov
File Event	 Deploy to Azure	 Deploy to Azure Gov
Network Session	 Deploy to Azure	 Deploy to Azure Gov
Web Session	 Deploy to Azure	 Deploy to Azure Gov
Process Event	 Deploy to Azure	 Deploy to Azure Gov
Registry	 Deploy to Azure	 Deploy to Azure Gov

3. You will be redirected to the custom deployment page (same as other components) where you need to provide information including: **Resource Group, Region, and Log Analytic Workspace Name.**
4. Click on the **Review+Create** button.
5. Review the next dialog from Azure, and then click on **Create** to install the ASIM parser.
6. Similarly you need to deploy **WebSession, NetworkSession, DhcpEvent, AuditEvent, and Authentication** parsers.

Troubleshooting Steps

Steps to check invocation details of the function in Team Cymru Scout function app

1. Login to <https://portal.azure.com> .
2. Go to <your function app> → Functions → <FunctionName> → Invocations.
3. Click on the failed invocation to see the detailed logs.

The screenshot shows the Azure Portal interface for the 'IPDataCollector' function. The 'Invocations' tab is selected, displaying a table of recent invocations. The first invocation on 26/03/2025 at 12:00:00 is highlighted with a red box. To the right, a detailed 'Invocation details' window is open, showing the execution log for that specific invocation. The log includes information about the function being executed, the reason for firing, the invocation ID, and the request and response details.

Date	Status	Result Code	Duration (ms)	Operation ID
26/03/2025, 12:00:00	Success	0	6870	205ed1adeab5f
26/03/2025, 11:45:00	Success	0	7800	c323099a10dc6
26/03/2025, 11:30:00	Success	0	2556	a7754264bd6af
26/03/2025, 11:15:00	Success	0	2949	de85685992f94
26/03/2025, 11:00:00	Success	0	2355	00075416f78a3
26/03/2025, 10:45:00	Success	0	30667	7b972b2439da1
26/03/2025, 10:30:00	Success	0	8375	0ba9692004514

Invocation details

Timestamp	Type	Message
26/03/2025, 12:00:00	Information	Executing 'Functions.IPDataCollector' (Reason='Timer fired at 2025-03-26T06:30:00.0027116+00:00', Id=bfb8cddb-1132-477a-a139-1000de8d999a)
26/03/2025, 12:00:00	Trace	Sending invocation id: 'bfb8cddb-1132-477a-a139-1000de8d999a'
26/03/2025, 12:00:00	Trace	Posting invocation id:bfb8cddb-1132-477a-a139-1000de8d999a on workerid:f80fe090-b0d6-4508-b64b-8d188d140f34
26/03/2025, 12:00:00	Information	TeamCymruScout: IPDataCollector: Execution Started
26/03/2025, 12:00:00	Information	TeamCymruScout(method=validate_params) : All necessary variables are present in the Configuration.
26/03/2025, 12:00:00	Information	TeamCymruScout: (method=get_data_from_input) : No ip values found in the input.
26/03/2025, 12:00:00	Information	Request URL: 'https://login.microsoftonline.com/3adb963c-8e61-48e8-a06d-6dbb0dacea39/v2.0/well-known/openid-configuration' Request method: 'GET' Request headers: 'User-Agent: 'azsdk-python-identity/1.17.1 Python/3.11.11 (Linux-5.10.102.2-microsoft-standard-x86_64-with-glibc2.31)' No body was attached to the request
26/03/2025, 12:00:00	Information	Response status: 200 Response headers: 'Cache-Control: 'max-age=86400, private' Content-Type: 'application/json; charset=utf-8' Strict-Transport-Security: 'REDACTED' X-Content-Type-Options: 'no-sniff'

Steps to check the data in Log Analytic Workspace table

1. Go to Log Analytics Workspace → <your workspace>.
2. Go to Logs.
3. Change the mode from Simple mode to KQL mode.

The screenshot shows the Log Analytics Workspace interface for 'TeamCymruScout'. The 'Logs' section is selected in the left-hand navigation pane. In the main area, there is a dropdown menu for the query mode, currently set to 'Simple mode'. A red box highlights this dropdown, and another red box highlights the 'KQL mode' option in the dropdown menu. Below the dropdown, a query history section shows a query for '_GetWatchlist(TeamCymruScoutIPData)'.

4. Run the below KQL queries to verify that that data is available for that table or not.
 - a. Cymru_Scout_Domain_Data_CL

- b. Cymru_Scout_IP_Data_Foundation_CL
 - i. Data will be available in this table only if you have selected Foundation as **APIType** during Data Connector Configuration.
- c. Cymru_Scout_IP_Data_Details_CL
 - i. Data will be available in this table only if you have selected Details as **APIType** during Data Connector Configuration.
- d. Cymru_Scout_Account_Usage_Data_CL


The screenshot shows the 'TeamCymruScout | Logs' interface. A search bar is at the top left. A sidebar on the left contains navigation links: Overview, Activity log, Access control (IAM), Tags, Diagnose and solve problems, Logs (selected), Resource visualizer, Settings, Classic, Monitoring, Automation, and Help. The main area displays a KQL query: '1 Cymru_Scout_Account_Usage_Data_CL'. Below the query, there are tabs for 'Results' and 'Chart'. The 'Results' tab is active, showing a table with the following data:

TimeGenerated [UTC] ↑↓	used_queries_d	remaining_queries_d	query_limit_d	foundation_api_usage_used_queries_d	foundation_api_usage_remaining_queries_d	found
> 3/25/2025, 12:50:01.063 PM	47504	52496	100000	11	0	0
> 3/25/2025, 12:40:01.184 PM	47488	52512	100000	10	0	0
> 3/25/2025, 12:30:01.291 PM	47466	52534	100000	9	0	0


NOTE: If you have changed the table name while configuring the Data Connector, run the KQL query for that table.

Steps to verify or edit the environment variables of function app

1. Go to function apps → <function app>
2. Go to Environment variables under the Setting sections.
3. You can see the value of environment variables from here by clicking on Show value.
4. Check that values are provided in **any specific** variable.
5. To edit a particular variable,
 - a. Click on the variable.
 - b. Change the value.




- c. Click on Apply
- d. Click on Apply at top to Save changes of all the variables.
- e. Click on Confirm




6. After editing any of the variables, you need to stop & start the function app to reflect the changes of the variables from next execution.

Steps to find the exact action where playbook execution failed

1. Go to Logic Apps → <your logic app>
2. In the Overview tab, Go to the Run history and select the failed execution.



- Now, you can see the status of each action of that logic app for that invocation.
- Find the action where it fails by checking the status of each action. You can identify the failed action by a red mark.



Case #1 - Indicators Overview Dashboard not showing data in any panel

Problem1: This can happen if inputs are provided for ip and domain neither in data connector configuration parameter nor in the watchlist.

Solution:

- Check the data connector configuration parameters by following the steps mentioned in the [Steps to verify or edit the environment variables of function app](#).
- Verify that values are provided in **IPValues** and **DomainValues** are provided.

Problem2: The function app invocations logs are showing failed status.

Reason: The provided credentials in the data connector configuration are invalid.

Solution:

- Check the logs of function app invocation by following the step mentioned in [Steps to check invocation details of the function in Team Cymru Scout function app](#):
 - If there are any failures related to **credentials**, use the previously provided steps to verify and update the credentials from the environment variables of the data connector.

Case #2 - The function app invocation logs are showing “No ip/domain values found for watchlist”

Problem1: This can occur if the data is added to the watchlist, but the Microsoft Entra ID application lacks the **Microsoft Sentinel Contributor** role at Resource Group level.

Solution:

- Follow the steps mentioned in the section, [Assign Role of Contributor to application in Microsoft Entra ID](#)

Case #3 -The Account Usage tab in the workbook does not immediately show the latest API usage count.


Problem1: This can occur because the default interval for the account usage function to retrieve data from the Scout API is set to **1 hour**.

Solution:

- To change the interval of the Account Usage function, follow the steps mentioned in this section [Steps to verify or edit the environment variables of function app](#) and update the cron expression in the **AccountUsageSchedule** parameter.
- Reference for cron expression:
<https://arminreiter.com/2017/02/azure-functions-time-trigger-cron-cheat-sheet/>

Case #4 - Getting Connection error in the logic app

Problem1: While running the logic app, execution fails due to the connection error for any of the connections used in the logic app(except outlook email).



Reason: The user may not have followed the Authorized API Connections steps outlined in the playbook configuration.

Solution: Authorize required API Connections by following the steps mentioned in each playbook configuration steps.

- [Authorize API Connection](#) for Team Cymru Scout Live Investigation
- [Authorize API Connection](#) for Team Cymru Scout Create Incident And Notify

Case #5 - Getting Microsoft Outlook account connection error in TeamCymruScoutCreateIncidentAndNotify Logic app

Problem: User doesn't receive any notification via email related to malicious ip and logic app showcased the connection error for **Send an Email**.

Reason: Users have not authorized API connection

“Outlook-TeamCymruScoutCreateIncidentAndNotify” using outlook email.

Solution: Create an outlook email account and authorize API Connection

“Outlook-TeamCymruScoutCreateIncidentAndNotify” using the outlook email.

Case #6 - On the Indicators Overview tab in the workbook, the logic app to create incident from malicious ip was showing error while creating the incident

Problem: This logic app creates an incident for malicious ips found. For that, the logic app is missing the required role to create an incident in Microsoft Sentinel.

Solution:

- Follow the steps mentioned above to [Assign Role to add comment in incident](#)

Case #7 - The Live Investigation tab of workbook not populating data in panels

Reason: The live investigation dashboard provides detailed live investigation information for provided ip or domain. Initially, it may take some time to store data in various tables and populate the dashboard, aligning with Microsoft Sentinel's behavior. Even if the tables are already created—indicating that the live investigation has been performed—it still takes approximately 3-5 minutes to complete the playbook execution in the backend and populate the data in the workbook.

Problem2: The dashboard takes too long to populate the data and the playbooks are failing.

Solution:

- Follow the steps mentioned in [Steps to find the exact action where playbook execution failed](#) to identify the reason of failure for logic app.

Case #8 - The Data Connector showing the Not Connected status on the data connector UI page

Problem1: The data connector UI page will show **Connected** status only if there is any data available in the tables and the table names provided in the Data Connector configuration page are the same as written on the UI page.

Solution:

- Check function app invocation logs by following the steps mentioned in [Steps to check invocation details of the function in Team Cymru Scout function app](#): to identify that the function app execution is successful or failed.
- To verify the data ingestion in the table, follow the steps mentioned in the section [Steps to check the data in Log Analytic Workspace table](#)

Case #9 - The Correlation Overview dashboard not populating data in any panel

Problem1: The Correlation Overview dashboard is not populating data in any panel, even after selecting the ASIM Parsers for the **Search Matching Algorithm** parameter.

Solution:

- Check that ASIM parsers are installed in the workspace by following the steps mentioned in the section [Steps to Deploy ASIM Parsers](#).

- Since this dashboard provides correlation of Team Cymru Scout data with other data sources, data will only be populated if the selected ASIM parser data fields match the Scout API data, even if the ASIM parser is configured.

Problem2: The correlation overview dashboard is not populating data in any panel even after selecting the ThreatIntelligenceIndicator for the **Search Matching Algorithm** parameter.

Solution:

- Since this dashboard provides correlation of Team Cymru Scout data with other data sources, data will only be populated if data is available in ThreatIntelligenceIndicator and data matches with the Scout API data.