
Mean signature exposures across sample set
Mutation fraction
0.0
0.2
0.4
0.6
0.8
Signature A
Signature B


Signature exposures in CATD0621a
Mutation fraction
0.0
0.2
0.4
0.6
0.8
Signature A
Signature B

Signature exposures in CATD0463a
Mutation fraction
0.8
0.6
0.4
0.2
0.0
Signature A
Signature B


Signature exposures in CATD0453a
Mutation fraction
0.8
0.6
0.4
0.2
0.0
Signature A
Signature B


Signature exposures in CATD0450a
Mutation fraction
0.8
0.6
0.4
0.2
0.0
Signature A
Signature B

Signature exposures in CATD0465a
Mutation fraction
0.8
0.6
0.4
0.2
0.0
Signature A
Signature B


Signature exposures in CATD0458a
Mutation fraction
0.8
0.6
0.4
0.2
0.0
Signature A
Signature B


Signature exposures in CATD0466a
Mutation fraction
0.8
0.6
0.4
0.2
0.0
Signature A
Signature B


Signature exposures in CATD0454a
Mutation fraction
0.8
0.6
0.4
0.2
0.0
Signature A
Signature B


Signature exposures in CATD0446a
Mutation fraction
0.8
0.6
0.4
0.2
0.0
Signature A
Signature B


Signature exposures in CATD0451a
Mutation fraction
0.0
0.2
0.4
0.6
0.8
Signature A
Signature B


Signature exposures in CATD0455a
Mutation fraction
0.8
0.6
0.4
0.2
0.0
Signature A
Signature B


Signature exposures in CATD0457a
Mutation fraction
0.0
0.2
0.4
0.6
0.8
Signature A
Signature B


Signature exposures in CATD0452a
Mutation fraction
0.8
0.6
0.4
0.2
0.0
Signature A
Signature B


Signature exposures in CATD0447a
Mutation fraction
0.8
0.6
0.4
0.2
0.0
Signature A
Signature B


Signature exposures in CATD0449a
Mutation fraction
0.8
0.6
0.4
0.2
0.0
Signature A
Signature B


Signature exposures in CATD0617a
Mutation fraction
0.8
0.6
0.4
0.2
0.0
Signature A
Signature B


Signature exposures in CATD0623a
Mutation fraction
0.0
0.2
0.4
0.6
0.8
Signature A
Signature B


Signature exposures in CATD0456a
Mutation fraction
0.0
0.2
0.4
0.6
0.8
Signature A
Signature B


Signature exposures in CATD0618a
Mutation fraction
0.0
0.2
0.4
0.6
0.8
Signature A
Signature B


Signature exposures in CATD0624a
Mutation fraction
0.8
0.6
0.4
0.2
0.0
Signature A
Signature B


Signature exposures in CATD0460a
Mutation fraction
0.8
0.6
0.4
0.2
0.0
Signature A
Signature B


Signature exposures in CATD0448a
Mutation fraction
0.0
0.2
0.4
0.6
0.8
Signature A
Signature B


Signature exposures in CATD0620a
Mutation fraction
0.8
0.6
0.4
0.2
0.0
Signature A
Signature B


Signature exposures in CATD0461a
Mutation fraction
0.0
0.2
0.4
0.6
0.8
Signature A
Signature B


Signature exposures in CATD0625a
Mutation fraction
0.0
0.2
0.4
0.6
0.8
Signature A
Signature B


Signature exposures in CATD0619a
Mutation fraction
0.8
0.6
0.4
0.2
0.0
Signature A
Signature B


Signature exposures in CATD0613a
Mutation fraction
0.0
0.2
0.4
0.6
0.8
Signature A
Signature B


Signature exposures in CATD0464a
Mutation fraction
0.8
0.6
0.4
0.2
0.0
Signature A
Signature B


Signature exposures per sample (absolute)
Signature A
Signature B
Mutations
0
10
20
30
40
50
CATD0621a
CATD0463a
CATD0453a
CATD0450a
CATD0465a
CATD0458a
CATD0466a
CATD0454a
CATD0446a
CATD0451a
CATD0455a
CATD0457a
CATD0452a
CATD0447a
CATD0449a
CATD0617a
CATD0623a
CATD0456a
CATD0618a
CATD0624a
CATD0460a
CATD0448a
CATD0620a
CATD0461a
CATD0625a
CATD0619a
CATD0613a
CATD0464a


Signature exposures per sample (relative)
Mutation fraction
1.0
0.8
0.6
0.4
0.2
0.0
CATD0621a
CATD0463a
CATD0453a
CATD0450a
CATD0465a
CATD0458a
CATD0466a
CATD0454a
CATD0446a
CATD0451a
CATD0455a
CATD0457a
CATD0452a
CATD0447a
CATD0449a
CATD0617a
CATD0623a
CATD0456a
CATD0618a
CATD0624a
CATD0460a
CATD0448a
CATD0620a
CATD0461a
CATD0625a
CATD0619a
CATD0613a
CATD0464a