



System 3

PineBox Station Dialogue RNG Rolodex System



System 3 - Intro

I want to create a 3rd system for managing conversations, dialogue and radio station banter. It will be called System3 and replace the current system having all the systems retrofitted to encompass and accomplish the goals outlined.



This is the initial plan for it however I also made more in depth tables going over the basic idea and goals. This will fully change how we prompt, generate dialogue and create conversational flow between characters.

I want this system to show as instant messages with reaction icons representing RNG results. The diamond icons represent every aspect intended to be calculated randomly via the RNG Rolodex system expressed in the following pages.

System 3 - Banter System

[Banter]

Initial Statement

- [CTS1]

Response A

- [ES1]

- [RS1]

Response B

- [ES1]

- [RS1]

Initiator's Response

- [ES1]

- [RS1]

- [IRS1]

Response A

- [ES1]

- [RS1]

Response B

- [ES1]

- [RS1]

Frame

- [FL1]

Handoff Initiator Role to Other Party

Loop Cycle For Segment Duration

In booth conversations are intended to be a series of prearranged:

-Conversation / Segment Topics [cts1]

-Emotional Sets [es1]

-Responses [rs1]

-Initiator Pushback and Response [irs1]

-Converational Reframe and Transitions [fl1]

These are intended to provide a diverse and robust and expandable list of dynamic variables that will be cycled through via the RNG (randomized number generator) dice system.

For each and every conversation, I want to be able to see and trace and track dialogue all the way down to the origin and the roulette and RNG results that resulted in the dialogue and conversational flow.

Every conversation calls an ES (emotional set) to dictate the voice intonation, tone and dialogue style for the rhetoric used. This ES is randomly cycled through via roulette and chosen via RNG to give a unique response to each and every statement resulting in a dynamic conversation style that should avoid repetition and create nuance adding to the dynamic experience.

Every response needs to have an ES1 signature to tell the intonation engine how to guide the speech generation.


System 3 - Categories

CST1 🎲	RS1 🎲	IRS1 🎲	FL1 🎲
Conversation / Segment Topics Selected at random and based on segment Speaker-box Quote / Monologue 1 - 2 sentence quote 2 - 3 sentences Topic - From Topics Database Internet News - searXNG - Drudge Report (preferred) - CNN / MSNOW / FOX News / OANN / Manager Message - discussion on the last statement said by the manager from upstairs Ad Pitch - gallery item - video from gallery being sold as - Snuff film - Lost found footage - Hidden footage - Backstage access - products - From database list of objects to sell on the air - Mugs - Sweaters - Adorned with graphics from the pine box gallery Products from Pine Box Gazette - lost pets - found items - things for sale - stories from the paper	Response Set 1 - Comedic - Making fun of the previous statement - Insulting the person who said it - Disparaging response - Argue - Debunk or argue the statement - Online search with <u>searxng</u> - Scouring - Reddit - Twitter - Facebook groups - Message boards - Response based on online research / LLM Query for rebuttal - Push back - Express that no bro that isn't gonna work - You sure about that? - speaker-box quote - Used in rebuttal - Spoke indignantly	Initiators Response Set 1 - Opposite - Push pack against the responses maintaining the argument position - Comedic (making fun of the response) - Making fun of the responder - Calling them - Dumb - Silly - Confused - Misunderstood - Misinformed - Retarded - Refutation / Dispute arguing - Expansive (expanding on original point) - more speaker-box - More of the news story - Going into detail on original point - Confrontational - doubling down on original point	Frame Response List 1 - Reframe - Reframe the situation explaining how the views are those of the [Initiator] and not those of the studio or everyone involved - Cancel Topic - Agree to disagree and decide to move past the topic and grab a new topic from [CST1] - Acquiesce - Give up on topic and concede to the Instigator that they are right and request to move on - Anger - Request to fight outside. Decide that the topic is not worth discussing and ask to go outside to the parking lot for a battle - Enjoyment - Requests to continue the topic and suggest to go more in depth resulting in a follow up question about the original point which keeps the interrogator as the Initiator


ES1 🎲
Emotional Set 1
SURPRISE surprise shock astonishment amazement disbelief bewilderment confusion curiosity intrigue ANGER annoyance irritation frustration indignation anger outrage fury resentment contempt disgust FEAR unease apprehension anxiety alarm fear dread panic horror SADNESS disappointment discouragement sadness grief despair melancholy sympathy pity JOY pleasure happiness delight excitement enthusiasm amusement relief satisfaction DISGUST distaste aversion disgust revulsion repulsion moral disgust INTEREST curiosity fascination intrigue attentiveness skepticism suspicion uncertainty SOCIAL / SELF-CONSCIOUS embarrassment awkwardness shame guilt pride admiration envy jealousy defensiveness LOW-AROUSAL / DETACHED indifference boredom apathy resignation exhaustion calm acceptance

I want each list to be customizable, weighted (via sliders), and randomized. When a category is initialized, a Rolodex will scroll the category options then land on one randomly via RNG and then cycle randomly via the subcategories inside. This is a process I want to be able to account for and be able to analyze at all steps of the process and be able to trace back dialogue to it's source finding each and every option that contributed to it's outcome. Through that I hope to be able to troubleshoot dialogue, triage issues and build flowcharts from the dialogue trees showing the entire process in full along with each randomized roll and weighted category and resulting selection and it's outcome with randomizing each and every area of the dialogue tree.

System 3 - Conversation View



I want a view showing conversations being developed in real-time as an instant messenger conversation. I want it to be showing each and every event, response, dice roll and conversation result. I want to be able to expand each result and see the details of what the RNG (random number generator) is providing for each hand every event and what the result is for the conversation being generated and planned.



For each message, I want to see the message slot appear for the person then a Rolodex effect occurs showing it cycling through the options it is rolling through like a randomized effect showcasing the options it is going through in realtime illustrating the backend system. I also want a dice next to each entry that animates rolling the does a pop effect as it lands on a value which sets the result of the Rolodex which stabilizes into the result for that message.



I want to see the technical view of how the conversation was built in addition to the final result conversation. I want to be able to cycle between both sets of construction for the conversation and be able to expand a piece of dialogue to see every aspect of "the Rolodex system" and how it was built. For every result for the conversation that is in the cache (not deleted) i want to be able to review the construction of how the conversation would have been put together

I want to be able to cycle back between the technical assembly view and the messenger view.



The systems of lists, ES1, CST1, RS1, IRS1, and FL1 are lists that I want to be able to expand and also create additional lists of. For example, I want to be able to make an ES2 based on ES1 with even more emotional randomized values to be added to the Rolodex raffle system.

I want to be able to expand the initial tables and make supplemental tables that can be used in the raffle and configured through the nodal editor.

The script view needs to be inherently connected to these systems and be able to be an alternative view as well. The purpose of this system is to engineer things in a way where there is no possibility that we are not able to track the active dialogue being spoke or played. I also want to see each and every step of the process and the RNG result of each and every step and also be able to see the Rolodex scroll each and every time generating the banter conversation which then is generated into a conversation after preparation.

It's essential that the script view is able to cycle between the developing conversation view, the technical RNG generative view of the scaffolding view and back to the script view in sync showing the full process of speech generation.

System 3 - Conversation



Banter and scheduled radio rounds are intended to take up various time slots and will need to fit and encompass them full but being able to loop the cycle of dialogue and extend the banter in the booth for that segment. If the segment remains incomplete, Then the segment needs to extend in order to encompass the dead air time for the broadcast.

The SFX guy is a wildcard who is participating in the conversation but is also using the speech being developed to find the right clip from the vector database of dialogue from the SFX clips on file that are being refreshed hourly checking for new SFX entries and making sure the database only is storing info for files that are present and not deleted. If a line of dialog happens then the SFX guy needs to find the perfect clip for that line to ensure he is playing something appropriate, timely, not a repeat, and is somewhat tangentially related to the topic/sentence/character at hand. If he is unable to find an appropriate clip, then use a random clip. But the SFX guy must never play the same clips within an hour and always be scouring the depths of the directory for new clips to use on broadcast. It is important to play SFX clips no matter what.

System 3

[Banter]

Initial Statement

Prepend

Append

- [CTS1]

Response A

- [ES1]

- [RS1]

Response B

- [ES1]

- [RS1]

Initiator's Response

Prepend

Append

- [ES1]

- [RS1]

- [IRS1]

Response A

- [ES1]

- [RS1]

Response B

- [ES1]

- [RS1]

Frame


Prepend

Append

- [FL1]

Handoff Initiator Role to Other Party

Loop Cycle For Segment Duration



Started from the speakerbox is intended to be a roulette that ensures that statement points (where outlined) are able to have speakerbox text injected before and after the intended statement derived from CST1.


From 0 to 100 means refers to the possibility that a dice roll will occur before and after certain response points for the initiator in the dialogue generation system. If the dice is greater than 50 they get a sentence inserted at random from the speakerbox system. There should be a database that is vectorizing every md being added to the speakerbox system that can be derived from for the front and end of each conversation starter.

I want to see the roulette of randomness for the speakerbox access and text placement as well. I want to see dice rolling and bouncing to values going down a page as the conversation springs to completion as the tallies are calculated.

The slider for prepend / append determines the odds of RNG for a line to be prepended / appended in a conversation. The lower the slider the less of a chance the line has to show.

I want to see a roulette wheel for the document and then for the sentences within the speakerbox being accessed. It is essential to see the results being calculated and the RNG of the Rolodex system.

When designing conversations in the node view and structuring them for use with the system allow me mark lines for prepend / append speakerbox insertions.



I want to see a roulette for the md files in speakerbox being accessed. It want to see it roll through them like a Rolodex in technical view rolling and landing on the intended result. By seeing it, I can know and verify that it is actually randomly selecting lines of the specified document. I want to be able to trace each and every generation back to its RND and Rolodex results seeing how they came to be.



The intonation engine will need to be able to utilize the emotions specified in the ES1 assignment to ensure that the voices match the feelings being chosen by the RNG Rolodex system.