```
==================== FILE: C:\Users\Sandy\Desktop\premium-software-website-design
(1)\src\components\About.tsx ====================

import { motion } from 'framer-motion';

const About = () => {
  return (
    <section id="about" className="relative py-24 bg-white overflow-hidden">

      {/* 💧 BACKGROUND GLOW */}
      <div className="absolute inset-0 pointer-events-none">
        <div className="absolute left-0 bottom-0 w-[500px] h-[300px] bg-indigo-100
blur-3xl opacity-30 rounded-full" />
      </div>

      <div className="container mx-auto px-6 relative z-10">

        <div className="flex flex-col lg:flex-row items-center gap-16">

          {/* LEFT SIDE (CLEAN VISUAL + STATS) */}
          <motion.div
            initial={{ opacity: 0, x: -40 }}
            whileInView={{ opacity: 1, x: 0 }}
            viewport={{ once: true }}
            className="lg:w-1/2 relative"
          >

            {/* MAIN IMAGE */}
            <div className="relative rounded-[2rem] overflow-hidden shadow-xl">
              <img

src="https://images.unsplash.com/photo-1551434678-e076c223a692?auto=format&fit=crop
&q=80&w=800"
                alt="Team Work"
                className="w-full h-[400px] object-cover"
              />

              {/* FLOATING STATS */}
              <div className="absolute -bottom-8 left-6 right-6 grid grid-cols-2
gap-4">

                <div className="bg-white p-6 rounded-2xl shadow-lg border
text-center">
                  <h3 className="text-3xl font-bold text-slate-900">200+</h3>
                  <p className="text-sm text-slate-500">Projects Delivered</p>
                </div>

                <div className="bg-indigo-600 p-6 rounded-2xl shadow-lg text-white
text-center">
```

```
                <h3 className="text-3xl font-bold">5+</h3>
                <p className="text-sm text-indigo-100">Years Experience</p>
              </div>

            </div>
          </div>

        </motion.div>

        {/* RIGHT SIDE CONTENT */}
        <motion.div
          initial={{ opacity: 0, x: 40 }}
          whileInView={{ opacity: 1, x: 0 }}
          viewport={{ once: true }}
          className="lg:w-1/2"
        >

          <h4 className="text-indigo-600 font-semibold tracking-widest uppercase
text-sm mb-4">
            About Duobits
          </h4>

          <h2 className="text-4xl lg:text-5xl font-bold text-slate-900 mb-6
leading-tight">
            Building Software That{' '}
            <span className="bg-gradient-to-r from-indigo-600 to-purple-600
bg-clip-text text-transparent">
              Drives Real Results
            </span>
          </h2>

          <p className="text-lg text-slate-600 mb-10 leading-relaxed">
            At Duobits Software Solutions, we help businesses transform ideas
into powerful digital products.
            Our focus is not just building software, but creating solutions that
generate real business value.
          </p>

          {/* INFO BLOCKS */}
          <div className="space-y-6">

            {[
              {
                title: "Who We Are",
                text: "A team of developers and designers focused on delivering
high-quality digital solutions."
              },
              {
                title: "What We Do",
                text: "We build websites, mobile apps, and custom software
```

```
tailored for modern businesses."
                },
                {
                  title: "Our Approach",
                  text: "We work closely with clients, ensuring transparency,
speed, and measurable results."
                }
              ].map((item, i) => (
                <div
                  key={i}
                  className="flex items-start space-x-4 p-4 rounded-xl
hover:bg-slate-50 transition"
                >
                  <div className="flex-shrink-0 w-10 h-10 bg-indigo-100
text-indigo-600 rounded-full flex items-center justify-center font-bold">
                    {`0${i + 1}`}
                  </div>

                  <div>
                    <h5 className="font-bold text-slate-900 text-lg mb-1">
                      {item.title}
                    </h5>
                    <p className="text-slate-500 leading-relaxed">
                      {item.text}
                    </p>
                  </div>
                </div>
              ))}

            </div>

          </motion.div>

        </div>
      </div>
    </section>
  );
};

export default About;

==================== FILE: C:\Users\Sandy\Desktop\premium-software-website-design
(1)\src\components\AIEntrySection.tsx ====================

import { Link } from 'react-router-dom';

const AIEntrySection = () => {
  return (
    <section className="py-24 bg-[#F8FAFC] text-center">
      <h2 className="text-4xl font-bold mb-4 text-slate-900">
```

```
        Try Our AI Project Estimator
      </h2>
      <p className="text-slate-600 mb-8">
        Get instant cost estimates in seconds using our AI tool.
      </p>

      <Link
        to="/ai-estimator"
        className="px-8 py-4 bg-indigo-600 text-white rounded-xl font-bold
hover:bg-indigo-700 transition"
      >
        Start Chat
      </Link>
    </section>
  );
};

export default AIEntrySection;

==================== FILE: C:\Users\Sandy\Desktop\premium-software-website-design
(1)\src\components\Contact.tsx ====================

import { motion } from 'framer-motion';
import { MessageSquare, Mail, Phone, MapPin, Send } from 'lucide-react';

const Contact = () => {
  return (
    <section id="contact" className="py-24 bg-white">
      <div className="container mx-auto px-6">
        <div className="grid lg:grid-cols-2 gap-16">
          <div>
            <motion.h2
              initial={{ opacity: 0, y: 20 }}
              whileInView={{ opacity: 1, y: 0 }}
              viewport={{ once: true }}
              className="text-4xl font-bold text-slate-900 mb-6"
            >
              Let's Build Something <span className="text-indigo-600">Great
Together</span>
            </motion.h2>
            <motion.p
              initial={{ opacity: 0, y: 20 }}
              whileInView={{ opacity: 1, y: 0 }}
              viewport={{ once: true }}
              transition={{ delay: 0.1 }}
              className="text-lg text-slate-600 mb-10"
            >
              Have a project in mind? We'd love to hear about it. Send us a message
and we'll get back to you within 24 hours.
            </motion.p>
```

```
            <div className="space-y-8">
              <div className="flex items-start space-x-4">
                <div className="w-12 h-12 bg-indigo-50 text-indigo-600 rounded-2xl
flex items-center justify-center flex-shrink-0">
                  <Mail size={24} />
                </div>
                <div>
                  <h4 className="font-bold text-slate-900 text-lg">Email Us</h4>
                  <p className="text-slate-500">hello@duobits.com</p>
                </div>
              </div>
              <div className="flex items-start space-x-4">
                <div className="w-12 h-12 bg-indigo-50 text-indigo-600 rounded-2xl
flex items-center justify-center flex-shrink-0">
                  <Phone size={24} />
                </div>
                <div>
                  <h4 className="font-bold text-slate-900 text-lg">Call Us</h4>
                  <p className="text-slate-500">+91 98765 43210</p>
                </div>
              </div>
              <div className="flex items-start space-x-4">
                <div className="w-12 h-12 bg-indigo-50 text-indigo-600 rounded-2xl
flex items-center justify-center flex-shrink-0">
                  <MapPin size={24} />
                </div>
                <div>
                  <h4 className="font-bold text-slate-900 text-lg">Our Office</h4>
                  <p className="text-slate-500">Baner Road, Pune, Maharashtra
411045</p>
                </div>
              </div>
            </div>

            <div className="mt-12">
              <a
                href="https://wa.me/919876543210"
                target="_blank"
                rel="noopener noreferrer"
                className="inline-flex items-center space-x-3 bg-[#25D366]
text-white px-8 py-4 rounded-2xl font-bold text-lg hover:bg-[#22c35e]
transition-all transform hover:scale-105 shadow-xl shadow-green-100"
              >
                <MessageSquare size={24} />
                <span>Chat on WhatsApp</span>
              </a>
            </div>
          </div>
```

```
          <motion.div
            initial={{ opacity: 0, x: 20 }}
            whileInView={{ opacity: 1, x: 0 }}
            viewport={{ once: true }}
            className="bg-[#F8FAFC] p-8 lg:p-12 rounded-[2.5rem] border
border-slate-100 shadow-sm"
          >
            <form className="space-y-6">
              <div className="grid md:grid-cols-2 gap-6">
                <div className="space-y-2">
                  <label htmlFor="name" className="text-sm font-bold
text-slate-700">Your Name</label>
                  <input
                    type="text"
                    id="name"
                    className="w-full px-5 py-4 bg-white border border-slate-200
rounded-xl focus:outline-none focus:ring-2 focus:ring-indigo-500 transition-all"
                    placeholder="John Doe"
                  />
                </div>
                <div className="space-y-2">
                  <label htmlFor="email" className="text-sm font-bold
text-slate-700">Email Address</label>
                  <input
                    type="email"
                    id="email"
                    className="w-full px-5 py-4 bg-white border border-slate-200
rounded-xl focus:outline-none focus:ring-2 focus:ring-indigo-500 transition-all"
                    placeholder="john@example.com"
                  />
                </div>
              </div>
              <div className="space-y-2">
                <label htmlFor="subject" className="text-sm font-bold
text-slate-700">Subject</label>
                <input
                  type="text"
                  id="subject"
                  className="w-full px-5 py-4 bg-white border border-slate-200
rounded-xl focus:outline-none focus:ring-2 focus:ring-indigo-500 transition-all"
                  placeholder="How can we help?"
                />
              </div>
              <div className="space-y-2">
                <label htmlFor="message" className="text-sm font-bold
text-slate-700">Message</label>
                <textarea
                  id="message"
                  rows={4}
                  className="w-full px-5 py-4 bg-white border border-slate-200
```

```
rounded-xl focus:outline-none focus:ring-2 focus:ring-indigo-500 transition-all
resize-none"
                  placeholder="Tell us about your project..."
                />
              </div>
              <button
                type="submit"
                className="w-full bg-slate-900 text-white px-8 py-5 rounded-xl
font-bold text-lg hover:bg-slate-800 transition-all flex items-center
justify-center space-x-3 group"
              >
                <span>Send Message</span>
                <Send size={18} className="group-hover:translate-x-1
group-hover:-translate-y-1 transition-transform" />
              </button>
            </form>
          </motion.div>
        </div>
      </div>
    </section>
  );
};

export default Contact;

==================== FILE: C:\Users\Sandy\Desktop\premium-software-website-design
(1)\src\components\CTASection.tsx ====================

import { Link } from 'react-router-dom';

const CTASection = () => {
  return (
    <section className="py-20 bg-slate-900 text-white text-center">
      <h2 className="text-4xl font-bold mb-4">
        Ready to build your project?
      </h2>
      <p className="mb-8 text-slate-300">
        Let’s turn your idea into a powerful digital product.
      </p>

      <Link
        to="/#contact"
        className="px-8 py-4 bg-indigo-600 rounded-xl font-bold hover:bg-indigo-700
transition"
      >
        Get Free Quote
      </Link>
    </section>
  );
};
```

```
export default CTASection;

==================== FILE: C:\Users\Sandy\Desktop\premium-software-website-design
(1)\src\components\FloatingCTA.tsx ====================

import { Link } from 'react-router-dom';

const FloatingCTA = () => {
  return (
    <div className="fixed bottom-6 left-1/2 -translate-x-1/2 z-50">
      <Link
        to="/#contact"
        className="px-6 py-3 bg-indigo-600 text-white rounded-full shadow-lg
hover:bg-indigo-700 transition"
      >
        Get Free Quote
      </Link>
    </div>
  );
};

export default FloatingCTA;

==================== FILE: C:\Users\Sandy\Desktop\premium-software-website-design
(1)\src\components\Footer.tsx ====================

import React from 'react';
import { Link } from 'react-router-dom';
import { Share2, Mail, Globe, MessageSquare, Send } from 'lucide-react';

const Footer = () => {
  return (
    <footer className="bg-slate-900 text-white pt-20 pb-10">
      <div className="container mx-auto px-6">
        <div className="grid md:grid-cols-2 lg:grid-cols-4 gap-12 mb-16">
          <div className="col-span-1 lg:col-span-1">
            <Link to="/" className="flex items-center space-x-2 mb-6">
              <div className="w-8 h-8 bg-indigo-600 rounded-lg flex items-center
justify-center">
                <span className="text-white font-bold text-xl">D</span>
              </div>
              <span className="text-xl font-bold tracking-tight">
                Duobits<span className="text-indigo-600">.</span>
              </span>
            </Link>
            <p className="text-slate-400 mb-8 max-w-xs leading-relaxed">
              Building premium software solutions that drive growth and innovation
for businesses worldwide.
            </p>
```

```
            <div className="flex space-x-4">
              <a href="#" className="w-10 h-10 bg-slate-800 rounded-full flex
items-center justify-center hover:bg-indigo-600 transition-colors">
                <Share2 size={18} />
              </a>
              <a href="#" className="w-10 h-10 bg-slate-800 rounded-full flex
items-center justify-center hover:bg-indigo-600 transition-colors">
                <Mail size={18} />
              </a>
              <a href="#" className="w-10 h-10 bg-slate-800 rounded-full flex
items-center justify-center hover:bg-indigo-600 transition-colors">
                <Globe size={18} />
              </a>
              <a href="#" className="w-10 h-10 bg-slate-800 rounded-full flex
items-center justify-center hover:bg-indigo-600 transition-colors">
                <MessageSquare size={18} />
              </a>
            </div>
          </div>

          <div>
            <h4 className="text-lg font-bold mb-6">Services</h4>
            <ul className="space-y-4">
              <li><Link to="/#services" className="text-slate-400 hover:text-white
transition-colors">Web Development</Link></li>
              <li><Link to="/#services" className="text-slate-400 hover:text-white
transition-colors">Mobile Apps</Link></li>
              <li><Link to="/#services" className="text-slate-400 hover:text-white
transition-colors">Custom Software</Link></li>
              <li><Link to="/#services" className="text-slate-400 hover:text-white
transition-colors">AI Solutions</Link></li>
            </ul>
          </div>

          <div>
            <h4 className="text-lg font-bold mb-6">Company</h4>
            <ul className="space-y-4">
              <li><Link to="/" className="text-slate-400 hover:text-white
transition-colors">About Us</Link></li>
              <li><Link to="/#portfolio" className="text-slate-400 hover:text-white
transition-colors">Portfolio</Link></li>
              <li><Link to="/#pricing" className="text-slate-400 hover:text-white
transition-colors">Pricing</Link></li>
              <li><Link to="/#contact" className="text-slate-400 hover:text-white
transition-colors">Contact</Link></li>
            </ul>
          </div>

          <div>
            <h4 className="text-lg font-bold mb-6">Newsletter</h4>
```

```
            <p className="text-slate-400 mb-6 text-sm">Subscribe to get the latest
tech news and updates from us.</p>
            <form className="relative">
              <input
                type="email"
                placeholder="Email address"
                className="w-full bg-slate-800 border-none rounded-xl py-4 pl-4
pr-12 focus:ring-2 focus:ring-indigo-600 text-white placeholder-slate-500"
              />
              <button className="absolute right-2 top-2 bottom-2 bg-indigo-600 px-4
rounded-lg hover:bg-indigo-700 transition-colors">
                <Send size={18} />
              </button>
            </form>
          </div>
        </div>

        <div className="border-t border-slate-800 pt-8 flex flex-col md:flex-row
justify-between items-center text-sm text-slate-500">
          <p>© 2024 Duobits Software Solutions. All rights reserved.</p>
          <div className="flex space-x-6 mt-4 md:mt-0">
            <a href="#" className="hover:text-white transition-colors">Privacy
Policy</a>
            <a href="#" className="hover:text-white transition-colors">Terms of
Service</a>
          </div>
        </div>
      </div>
    </footer>
  );
};

export default Footer;

==================== FILE: C:\Users\Sandy\Desktop\premium-software-website-design
(1)\src\components\Hero.tsx ====================

import { motion } from 'framer-motion';
import { ArrowRight, Sparkles } from 'lucide-react';
import { Link } from 'react-router-dom';

const Hero = () => {
  const containerVariants = {
    hidden: { opacity: 0 },
    visible: {
      opacity: 1,
      transition: {
        staggerChildren: 0.1,
        delayChildren: 0.3,
      },
```

```
    },
  };

  const itemVariants = {
    hidden: { opacity: 0, y: 30 },
    visible: { opacity: 1, y: 0, transition: { duration: 0.8 } },
  };

  return (
    <section className="relative min-h-[85vh] lg:min-h-screen flex items-center
pt-[100px] lg:pt-[140px] pb-12 overflow-hidden bg-white">

      {/* 💧 ENHANCED BACKGROUND */}
      <div className="absolute inset-0 z-0 overflow-hidden">

        {/* Grid */}
        <div className="absolute inset-0
bg-[linear-gradient(to_right,#e5e7eb_1px,transparent_1px),linear-gradient(to_bottom
,#e5e7eb_1px,transparent_1px)] bg-[size:3rem_3rem] opacity-40" />

        {/* Gradient Glow 1 */}
        <motion.div
          animate={{ scale: [1, 1.2, 1], opacity: [0.2, 0.35, 0.2] }}
          transition={{ duration: 12, repeat: Infinity }}
          className="absolute top-[-100px] left-[-100px] w-[400px] h-[400px]
bg-indigo-300 rounded-full blur-3xl"
        />

        {/* Gradient Glow 2 */}
        <motion.div
          animate={{ scale: [1, 1.3, 1], opacity: [0.15, 0.25, 0.15] }}
          transition={{ duration: 15, repeat: Infinity }}
          className="absolute bottom-[-120px] right-[-120px] w-[400px] h-[400px]
bg-purple-300 rounded-full blur-3xl"
        />
      </div>

      <div className="container mx-auto px-6 relative z-10">
        <div className="grid lg:grid-cols-2 gap-12 items-center">

          {/* LEFT CONTENT */}
          <motion.div
            variants={containerVariants}
            initial="hidden"
            animate="visible"
          >

            <motion.h1
              variants={itemVariants}
              className="text-5xl lg:text-7xl font-extrabold text-slate-900
```

```
leading-[1.1] mb-6"
            >
              We Build Software That{' '}
              <span className="bg-gradient-to-r from-indigo-600 to-purple-600
bg-clip-text text-transparent">
                Drives Business Growth
              </span>
            </motion.h1>

            <motion.p
              variants={itemVariants}
              className="text-xl text-slate-600 mb-10 max-w-xl leading-relaxed"
            >
              From websites to powerful applications, we create digital solutions
that help you scale faster. Premium UI/UX meets robust engineering.
            </motion.p>

            {/* 💧 PREMIUM BUTTON */}
            <motion.div variants={itemVariants} className="flex flex-col
sm:flex-row gap-4">

              <Link
                to="/#contact"
                className="group relative px-8 py-4 bg-slate-900 text-white
rounded-2xl font-bold text-lg overflow-hidden"
              >
                <span className="relative z-10 flex items-center justify-center">
                  Get Free Quote
                  <ArrowRight className="ml-2 w-5 h-5 group-hover:translate-x-1
transition-transform" />
                </span>

                {/* Gradient Hover */}
                <div className="absolute inset-0 bg-gradient-to-r from-indigo-600
to-purple-600 opacity-0 group-hover:opacity-100 transition duration-300" />

                {/* Shine Effect */}
                <div className="absolute inset-0 opacity-0
group-hover:opacity-100">
                  <div className="absolute -left-20 top-0 h-full w-20 bg-white/20
skew-x-12 animate-[shine_1s_ease]" />
                </div>
              </Link>

              <Link
                to="/#services"
                className="px-8 py-4 bg-white border-2 border-slate-200
text-slate-900 rounded-2xl font-bold text-lg hover:border-indigo-400
hover:bg-slate-50 transition-all text-center"
              >
```

```
                Explore Services
              </Link>

            </motion.div>

            {/* TRUST BADGE */}
            <motion.div
              variants={itemVariants}
              className="mt-12 flex items-center space-x-6 text-slate-400"
            >
              <div className="flex -space-x-3">
                {[1, 2, 3, 4].map((i) => (
                  <div key={i} className="w-10 h-10 rounded-full border-2
border-white bg-slate-200 flex items-center justify-center text-[10px] font-bold
text-slate-600">
                    JD
                  </div>
                ))}
                <div className="w-10 h-10 rounded-full border-2 border-white
bg-indigo-600 flex items-center justify-center text-[10px] font-bold text-white">
                  +150
                </div>
              </div>
              <p className="text-sm font-medium">Trusted by 150+ clients</p>
            </motion.div>

          </motion.div>

          {/* RIGHT VISUAL */}
          <motion.div
            initial={{ opacity: 0, y: 30, scale: 0.9 }}
            animate={{ opacity: 1, y: 0, scale: 1 }}
            transition={{ duration: 1.2, ease: [0.16, 1, 0.3, 1], delay: 0.5 }}
            className="relative"
          >

            <div className="relative bg-white/70 backdrop-blur-md p-4
rounded-[2rem] border border-slate-200 shadow-2xl">

              <img

src="https://images.unsplash.com/photo-1460925895917-afdab827c52f?auto=format&fit=c
rop&q=80&w=800"
                alt="Dashboard"
                className="rounded-xl shadow-lg"
              />

              {/* Floating Card 1 */}
              <motion.div
                animate={{ y: [0, -12, 0] }}
```

```
                transition={{ duration: 4, repeat: Infinity }}
                className="absolute -top-6 -right-6 bg-white p-4 rounded-xl
shadow-lg border"
              >
                <p className="text-xs font-bold text-slate-900">Performance ↑</p>
                <p className="text-[10px] text-slate-500">+45% growth</p>
              </motion.div>

              {/* Floating Card 2 */}
              <motion.div
                animate={{ y: [0, 12, 0] }}
                transition={{ duration: 5, repeat: Infinity }}
                className="absolute -bottom-6 -left-6 bg-white p-4 rounded-xl
shadow-lg border"
              >
                <p className="text-xs font-bold text-slate-900">Syncing...</p>
                <div className="w-16 h-2 bg-slate-100 rounded mt-1">
                  <div className="w-2/3 h-full bg-indigo-600 rounded" />
                </div>
              </motion.div>

            </div>

          </motion.div>

        </div>
      </div>
    </section>
  );
};

export default Hero;

==================== FILE: C:\Users\Sandy\Desktop\premium-software-website-design
(1)\src\components\Navbar.tsx ====================

import { useState, useEffect } from 'react';
import { motion, AnimatePresence } from 'framer-motion';
import { Menu, X } from 'lucide-react';
import { cn } from '../utils/cn';
import { useNavigate } from 'react-router-dom';

const Navbar = () => {
  const [isScrolled, setIsScrolled] = useState(false);
  const [isMobileMenuOpen, setIsMobileMenuOpen] = useState(false);
  const [activeSection, setActiveSection] = useState('home');
  const navigate = useNavigate();

  // SCROLL TRACK
  useEffect(() => {
```

```
  const handleScroll = () => {
    setIsScrolled(window.scrollY > 20);

    const sections = ['home', 'services', 'portfolio', 'contact'];

    sections.forEach((id) => {
      const el = document.getElementById(id);
      if (!el) return;

      const offsetTop = el.offsetTop - 120;
      const height = el.offsetHeight;

      if (
        window.scrollY >= offsetTop &&
        window.scrollY < offsetTop + height
      ) {
        setActiveSection(id);
      }
    });
  };

  window.addEventListener('scroll', handleScroll);
  return () => window.removeEventListener('scroll', handleScroll);
}, []);

const navLinks = [
  { name: 'Home', id: 'home' },
  { name: 'Services', id: 'services' },
  { name: 'Portfolio', id: 'portfolio' },
  { name: 'AI', id: 'ai' },
  { name: 'Contact', id: 'contact' },
];

// 🔥 FIXED CLICK HANDLER (MAIN FIX)
const handleClick = (id: string) => {
  if (id === 'ai') {
    navigate('/ai-estimator');
    return;
  }

  // If not on homepage → go home first
  if (window.location.pathname !== '/') {
    navigate('/');

    setTimeout(() => {
      const el = document.getElementById(id);
      if (el) {
        el.scrollIntoView({ behavior: 'smooth' });
      }
    }, 500);
```

```
    } else {
      const el = document.getElementById(id);
      if (el) {
        el.scrollIntoView({ behavior: 'smooth' });
      }
    }

    setIsMobileMenuOpen(false);
  };

  return (
    <motion.nav
      initial={{ y: -50, opacity: 0 }}
      animate={{ y: 0, opacity: 1 }}
      className="fixed top-0 left-0 right-0 z-50 flex justify-center px-4"
    >
      <div
        className={cn(
          "max-w-7xl w-full flex items-center justify-between transition-all
duration-300",
          isScrolled
            ? "mt-3 px-6 py-3 bg-white/80 backdrop-blur-xl border border-slate-200
shadow-lg rounded-2xl"
            : "mt-5 px-8 py-4 bg-transparent"
        )}
      >

        {/* LOGO */}
        <button onClick={() => handleClick('home')} className="flex items-center
space-x-2">
          <div className="w-10 h-10 bg-indigo-600 rounded-xl flex items-center
justify-center shadow">
            <span className="text-white font-bold text-lg">D</span>
          </div>
          <span className="text-xl font-black text-slate-900">
            Duobits<span className="text-indigo-600">.</span>
          </span>
        </button>

        {/* DESKTOP */}
        <div className="hidden md:flex items-center space-x-2 bg-white/80
backdrop-blur-xl border border-slate-200 rounded-2xl p-1 shadow-sm">
          {navLinks.map((link) => (
            <button
              key={link.name}
              onClick={() => handleClick(link.id)}
              className={cn(
                "relative px-5 py-2.5 rounded-xl font-semibold transition-all",
                activeSection === link.id
                  ? "text-indigo-600"
```

```
                : "text-slate-500 hover:text-slate-900"
            )}
          >
            {activeSection === link.id && (
              <motion.div
                layoutId="active-pill"
                className="absolute inset-0 bg-slate-100 rounded-xl"
                transition={{ type: 'spring', stiffness: 300, damping: 30 }}
              />
            )}
            <span className="relative z-10">{link.name}</span>
          </button>
        ))}
      </div>

      {/* CTA */}
      <div className="hidden md:block">
        <button
          onClick={() => handleClick('contact')}
          className="px-6 py-3 bg-slate-900 text-white rounded-xl font-bold
hover:bg-indigo-600 transition"
        >
          Get Quote
        </button>
      </div>

      {/* MOBILE BUTTON */}
      <button onClick={() => setIsMobileMenuOpen(!isMobileMenuOpen)}
className="md:hidden">
        {isMobileMenuOpen ? <X /> : <Menu />}
      </button>
    </div>

    {/* MOBILE MENU */}
    <AnimatePresence>
      {isMobileMenuOpen && (
        <motion.div
          initial={{ opacity: 0, y: -20 }}
          animate={{ opacity: 1, y: 0 }}
          exit={{ opacity: 0, y: -20 }}
          className="absolute top-full left-4 right-4 bg-white border
border-slate-200 rounded-2xl shadow-xl p-6 md:hidden"
        >
          <div className="flex flex-col space-y-4">
            {navLinks.map((link) => (
              <button
                key={link.name}
                onClick={() => handleClick(link.id)}
                className="text-lg font-semibold text-left text-slate-700
hover:text-indigo-600"
```

```
                >
                  {link.name}
                </button>
              ))}
            </div>
          </motion.div>
        )}
      </AnimatePresence>
    </motion.nav>
  );
};

export default Navbar;

==================== FILE: C:\Users\Sandy\Desktop\premium-software-website-design
(1)\src\components\Portfolio.tsx ====================

import React from 'react';
import { motion } from 'framer-motion';
import { ExternalLink } from 'lucide-react';

const projects = [
  {
    title: 'E-Commerce Platform',
    category: 'Web Development',
    image:
'https://images.unsplash.com/photo-1557821552-17105176677c?auto=format&fit=crop&q=8
0&w=800',
  },
  {
    title: 'Fintech Mobile App',
    category: 'Mobile Development',
    image:
'https://images.unsplash.com/photo-1551288049-bebda4e38f71?auto=format&fit=crop&q=8
0&w=800',
  },
  {
    title: 'SaaS Dashboard',
    category: 'Custom Software',
    image:
'https://images.unsplash.com/photo-1551434678-e076c223a692?auto=format&fit=crop&q=8
0&w=800',
  },
  {
    title: 'Healthcare Portal',
    category: 'Web Development',
    image:
'https://images.unsplash.com/photo-1576091160550-2173dba999ef?auto=format&fit=crop&
q=80&w=800',
  },
```

```
];

const Portfolio = () => {
  return (
    <section id="portfolio" className="relative py-24 bg-[#F8FAFC]
overflow-hidden">

      {/* 💧 SUBTLE BACKGROUND */}
      <div className="absolute inset-0 pointer-events-none">
        <div className="absolute bottom-0 right-0 w-[500px] h-[300px] bg-indigo-100
blur-3xl opacity-30 rounded-full" />
      </div>

      <div className="container mx-auto px-6 relative z-10">

        {/* HEADER */}
        <div className="flex flex-col md:flex-row justify-between items-end mb-20
gap-6">
          <div className="max-w-2xl">
            <motion.h2
              initial={{ opacity: 0, y: 20 }}
              whileInView={{ opacity: 1, y: 0 }}
              viewport={{ once: true }}
              className="text-4xl lg:text-5xl font-bold text-slate-900 mb-6"
            >
              Our Recent{' '}
              <span className="bg-gradient-to-r from-indigo-600 to-purple-600
bg-clip-text text-transparent">
                Work
              </span>
            </motion.h2>

            <motion.p
              initial={{ opacity: 0, y: 20 }}
              whileInView={{ opacity: 1, y: 0 }}
              viewport={{ once: true }}
              transition={{ delay: 0.1 }}
              className="text-lg text-slate-600 leading-relaxed"
            >
              Take a look at some of the digital products we've built for our
clients across various industries.
            </motion.p>
          </div>

          <motion.button
            initial={{ opacity: 0 }}
            whileInView={{ opacity: 1 }}
            viewport={{ once: true }}
            className="group px-6 py-3 border border-slate-200 text-slate-900
rounded-xl font-semibold hover:bg-slate-900 hover:text-white transition-all"
```

```
          >
            View All Projects
          </motion.button>
        </div>

        {/* GRID */}
        <div className="grid md:grid-cols-2 gap-8">

          {projects.map((project, index) => (
            <motion.div
              key={index}
              initial={{ opacity: 0, y: 30 }}
              whileInView={{ opacity: 1, y: 0 }}
              viewport={{ once: true }}
              transition={{ delay: index * 0.1 }}
              className="group relative overflow-hidden rounded-[2rem] bg-white
shadow-sm hover:shadow-2xl transition-all duration-500"
            >

              {/* IMAGE */}
              <div className="relative h-[320px] overflow-hidden">
                <motion.img
                  src={project.image}
                  alt={project.title}
                  className="w-full h-full object-cover transition-all duration-700
ease-out group-hover:scale-105"
                />

                {/* SOFT OVERLAY */}
                <div className="absolute inset-0 bg-gradient-to-t from-black/40
via-black/10 to-transparent opacity-70 group-hover:opacity-50 transition
duration-500" />
              </div>

              {/* CONTENT */}
              <div className="p-6">

                <p className="text-sm text-indigo-600 font-semibold mb-2">
                  {project.category}
                </p>

                <h3 className="text-xl font-bold text-slate-900 mb-4">
                  {project.title}
                </h3>

                <button className="flex items-center text-indigo-600 font-semibold
group/btn">
                  View Project
                  <ExternalLink className="ml-2 w-4 h-4 transition-transform
group-hover/btn:translate-x-1 group-hover/btn:-translate-y-1" />
```

```
                </button>

              </div>

              {/* 🔥 HOVER GLOW */}
              <div className="absolute inset-0 opacity-0 group-hover:opacity-100
transition duration-500 pointer-events-none">
                <div className="absolute top-[-40px] right-[-40px] w-40 h-40
bg-indigo-100 blur-3xl rounded-full" />
              </div>

            </motion.div>
          ))}

        </div>
      </div>
    </section>
  );
};

export default Portfolio;

==================== FILE: C:\Users\Sandy\Desktop\premium-software-website-design
(1)\src\components\Pricing.tsx ====================

import { motion } from 'framer-motion';
import { Check } from 'lucide-react';

const plans = [
  {
    name: 'Starter',
    price: '₹29,999',
    description: 'Perfect for small businesses and startups looking to establish a
presence.',
    features: ['Custom Responsive Website', '5 Pages Included', 'Basic SEO Setup',
'Contact Form Integration', '1 Year Support'],
    highlight: false,
  },
  {
    name: 'Business',
    price: '₹49,999',
    description: 'Ideal for growing businesses that need more features and
customization.',
    features: ['E-commerce Functionality', 'Up to 15 Pages', 'Advanced SEO &
Analytics', 'Social Media Integration', 'Priority Support'],
    highlight: true,
  },
  {
    name: 'Custom',
    price: 'Contact Us',
```

```
    description: 'For large-scale applications and complex software solutions.',
    features: ['Full Stack Applications', 'Mobile App Development', 'AI/ML
Integration', 'Cloud Infrastructure', 'Dedicated Account Manager'],
    highlight: false,
  },
];

const Pricing = () => {
  return (
    <section id="pricing" className="relative py-24 bg-white overflow-hidden">

      {/* 🔥 BACKGROUND GLOW */}
      <div className="absolute inset-0 pointer-events-none">
        <div className="absolute top-0 left-1/2 -translate-x-1/2 w-[600px]
h-[300px] bg-indigo-100 blur-3xl opacity-30 rounded-full" />
      </div>

      <div className="container mx-auto px-6 relative z-10">

        {/* HEADER */}
        <div className="text-center max-w-3xl mx-auto mb-20">
          <motion.h2
            initial={{ opacity: 0, y: 20 }}
            whileInView={{ opacity: 1, y: 0 }}
            viewport={{ once: true }}
            className="text-4xl lg:text-5xl font-bold text-slate-900 mb-6"
          >
            Simple, Transparent{' '}
            <span className="bg-gradient-to-r from-indigo-600 to-purple-600
bg-clip-text text-transparent">
              Pricing
            </span>
          </motion.h2>

          <motion.p
            initial={{ opacity: 0, y: 20 }}
            whileInView={{ opacity: 1, y: 0 }}
            viewport={{ once: true }}
            transition={{ delay: 0.1 }}
            className="text-lg text-slate-600 leading-relaxed"
          >
            No hidden fees. Choose a plan that fits your business needs and scale
as you grow.
          </motion.p>
        </div>

        {/* GRID */}
        <div className="grid md:grid-cols-3 gap-8">

          {plans.map((plan, index) => (
```

```
            <motion.div
              key={index}
              initial={{ opacity: 0, y: 30 }}
              whileInView={{ opacity: 1, y: 0 }}
              viewport={{ once: true }}
              transition={{ delay: index * 0.1 }}
              whileHover={{ y: -12 }}
              className={`relative p-8 rounded-[2rem] border transition-all
duration-500 overflow-hidden ${
                plan.highlight
                  ? 'bg-white border-indigo-500 shadow-2xl scale-[1.04]'
                  : 'bg-white border-slate-200 hover:shadow-xl'
              }`}
            >

              {/* 🔥 MOST POPULAR */}
              {plan.highlight && (
                <div className="absolute top-4 right-4 bg-indigo-600 text-white
text-xs font-bold px-4 py-1.5 rounded-full shadow-md">
                  Most Popular
                </div>
              )}

              {/* 🔥 GLOW EFFECT */}
              {plan.highlight && (
                <div className="absolute inset-0 pointer-events-none">
                  <div className="absolute top-[-50px] right-[-50px] w-40 h-40
bg-indigo-200 blur-3xl rounded-full opacity-40" />
                </div>
              )}

              {/* PLAN NAME */}
              <h3 className="text-xl font-bold text-slate-900 mb-2">
                {plan.name}
              </h3>

              {/* PRICE */}
              <div className="flex items-baseline mb-4">
                <span className="text-4xl font-extrabold text-slate-900">
                  {plan.price}
                </span>
                {plan.price !== 'Contact Us' && (
                  <span className="text-slate-500 ml-2">/project</span>
                )}
              </div>

              {/* DESCRIPTION */}
              <p className="text-slate-500 text-sm mb-8 leading-relaxed">
                {plan.description}
              </p>
```

```
              {/* FEATURES */}
              <ul className="space-y-4 mb-10">
                {plan.features.map((feature, i) => (
                  <li key={i} className="flex items-center space-x-3 text-slate-700
font-medium">
                    <div className="w-5 h-5 bg-indigo-100 text-indigo-600
rounded-full flex items-center justify-center">
                      <Check size={12} />
                    </div>
                    <span>{feature}</span>
                  </li>
                ))}
              </ul>

              {/* BUTTON */}
              <button
                className={`group relative w-full py-4 rounded-xl font-bold
overflow-hidden transition ${
                  plan.highlight
                    ? 'bg-indigo-600 text-white'
                    : 'bg-slate-900 text-white'
                }`}
              >
                <span className="relative z-10">
                  Choose {plan.name}
                </span>

                {/* Hover Gradient */}
                <div className="absolute inset-0 bg-gradient-to-r from-indigo-600
to-purple-600 opacity-0 group-hover:opacity-100 transition duration-300" />
              </button>

            </motion.div>
          ))}

        </div>
      </div>
    </section>
  );
};

export default Pricing;

==================== FILE: C:\Users\Sandy\Desktop\premium-software-website-design
(1)\src\components\Process.tsx ====================

import { motion } from 'framer-motion';

const steps = [
```

```
  { title: "Requirement", desc: "We understand your business needs and project
goals." },
  { title: "Design", desc: "We create modern UI/UX tailored to your audience." },
  { title: "Development", desc: "We build scalable, high-performance solutions." },
  { title: "Delivery", desc: "We deploy and support your product for success." },
];

const Process = () => {
  return (
    <section className="py-24 bg-white">
      <div className="container mx-auto px-6 text-center">

        <h2 className="text-4xl font-bold mb-16 text-slate-900">
          Our <span className="text-indigo-600">Process</span>
        </h2>

        <div className="grid md:grid-cols-4 gap-8">
          {steps.map((step, i) => (
            <motion.div
              key={i}
              initial={{ opacity: 0, y: 20 }}
              whileInView={{ opacity: 1, y: 0 }}
              transition={{ delay: i * 0.1 }}
              className="p-6 rounded-2xl bg-slate-50 hover-lift"
            >
              <div className="w-12 h-12 bg-indigo-600 text-white rounded-full flex
items-center justify-center mb-4 font-bold">
                {i + 1}
              </div>
              <h3 className="font-bold text-lg mb-2">{step.title}</h3>
              <p className="text-slate-500">{step.desc}</p>
            </motion.div>
          ))}
        </div>
      </div>
    </section>
  );
};

export default Process;

==================== FILE: C:\Users\Sandy\Desktop\premium-software-website-design
(1)\src\components\SEOSection.tsx ====================

const SEOSection = () => {
  return (
    <section className="py-20 bg-white">
      <div className="container mx-auto px-6 max-w-4xl">

        <h2 className="text-3xl font-bold mb-6 text-slate-900">
```

```
          Website Development Company in Pune
        </h2>

        <p className="text-slate-600 mb-4 leading-relaxed">
          Duobits is a leading website development company in Pune offering
affordable and high-quality web solutions for businesses of all sizes. We
specialize in creating modern, responsive, and SEO-friendly websites that help
businesses grow online.
        </p>

        <p className="text-slate-600 leading-relaxed">
          Whether you need a business website, e-commerce platform, or custom
software solution, our team delivers scalable and reliable digital products
tailored to your needs.
        </p>

      </div>
    </section>
  );
};

export default SEOSection;

==================== FILE: C:\Users\Sandy\Desktop\premium-software-website-design
(1)\src\components\Services.tsx ====================

import { motion } from 'framer-motion';
import { Globe, Smartphone, Code, Cpu, ArrowUpRight } from 'lucide-react';

const services = [
  {
    title: 'Website Development',
    description: 'High-performance websites built with React and Next.js, optimized
for speed and conversion.',
    icon: Globe,
    color: 'bg-blue-50 text-blue-600',
  },
  {
    title: 'Mobile App Development',
    description: 'Native and cross-platform mobile applications that provide a
seamless user experience.',
    icon: Smartphone,
    color: 'bg-indigo-50 text-indigo-600',
  },
  {
    title: 'Custom Software',
    description: 'Tailored software solutions designed to solve your specific
business challenges and scale.',
    icon: Code,
    color: 'bg-purple-50 text-purple-600',
```

```
  },
  {
    title: 'AI Solutions',
    description: 'Integrating cutting-edge AI to automate processes and provide
intelligent insights.',
    icon: Cpu,
    color: 'bg-emerald-50 text-emerald-600',
  },
];

const Services = () => {
  return (
    <section id="services" className="relative py-24 bg-[#F8FAFC] overflow-hidden">

      {/* 💧 SUBTLE BACKGROUND EFFECT */}
      <div className="absolute inset-0 pointer-events-none">
        <div className="absolute top-0 left-1/2 -translate-x-1/2 w-[600px]
h-[300px] bg-indigo-100 blur-3xl opacity-30 rounded-full" />
      </div>

      <div className="container mx-auto px-6 relative z-10">

        {/* HEADER */}
        <div className="text-center max-w-3xl mx-auto mb-20">
          <motion.h2
            initial={{ opacity: 0, y: 20 }}
            whileInView={{ opacity: 1, y: 0 }}
            viewport={{ once: true }}
            className="text-4xl lg:text-5xl font-bold text-slate-900 mb-6
leading-tight"
          >
            Specialized Services for{' '}
            <span className="bg-gradient-to-r from-indigo-600 to-purple-600
bg-clip-text text-transparent">
              Growth-Minded
            </span>{' '}
            Businesses
          </motion.h2>

          <motion.p
            initial={{ opacity: 0, y: 20 }}
            whileInView={{ opacity: 1, y: 0 }}
            viewport={{ once: true }}
            transition={{ delay: 0.1 }}
            className="text-lg text-slate-600 leading-relaxed"
          >
            We combine technical expertise with business strategy to deliver
digital products that make a real impact.
          </motion.p>
        </div>
```

```
        {/* SERVICES GRID */}
        <div className="grid md:grid-cols-2 lg:grid-cols-4 gap-8">

          {services.map((service, index) => (
            <motion.div
              key={index}
              initial={{ opacity: 0, y: 30 }}
              whileInView={{ opacity: 1, y: 0 }}
              viewport={{ once: true }}
              transition={{ delay: index * 0.1 }}
              whileHover={{ y: -12 }}
              className="group relative bg-white/80 backdrop-blur-xl p-8
rounded-[2rem] border border-slate-200 shadow-sm hover:shadow-2xl transition-all
duration-500 overflow-hidden"
            >

              {/* 🔥 HOVER GRADIENT BORDER */}
              <div className="absolute inset-0 rounded-[2rem] opacity-0
group-hover:opacity-100 transition duration-500 pointer-events-none">
                <div className="absolute inset-0 rounded-[2rem] border
border-indigo-200" />
              </div>

              {/* ICON */}
              <div className={`w-14 h-14 ${service.color} rounded-2xl flex
items-center justify-center mb-6 transition-all duration-300 group-hover:scale-110
group-hover:rotate-3`}>
                <service.icon size={26} />
              </div>

              {/* TITLE */}
              <h3 className="text-xl font-bold text-slate-900 mb-4">
                {service.title}
              </h3>

              {/* DESCRIPTION */}
              <p className="text-slate-600 mb-6 leading-relaxed text-[15px]">
                {service.description}
              </p>

              {/* CTA */}
              <div className="flex items-center text-indigo-600 font-semibold
cursor-pointer group/link">
                Learn More
                <ArrowUpRight className="ml-1 w-4 h-4 transition-transform
group-hover/link:translate-x-1 group-hover/link:-translate-y-1" />
              </div>

              {/* 🔥 LIGHT GLOW ON HOVER */}
```

```
              <div className="absolute inset-0 opacity-0 group-hover:opacity-100
transition duration-500 pointer-events-none">
                <div className="absolute top-[-40px] right-[-40px] w-32 h-32
bg-indigo-100 blur-2xl rounded-full" />
              </div>

            </motion.div>
          ))}

        </div>
      </div>
    </section>
  );
};

export default Services;

==================== FILE: C:\Users\Sandy\Desktop\premium-software-website-design
(1)\src\components\Stats.tsx ====================

const stats = [
  { value: "50+", label: "Projects" },
  { value: "10+", label: "Clients" },
  { value: "2+", label: "Years Experience" },
];

const Stats = () => {
  return (
    <section className="py-16 bg-white">
      <div className="container mx-auto px-6 grid grid-cols-3 text-center gap-6">

        {stats.map((stat, i) => (
          <div key={i} className="p-6">
            <h3 className="text-3xl font-bold text-indigo-600">{stat.value}</h3>
            <p className="text-slate-500">{stat.label}</p>
          </div>
        ))}

      </div>
    </section>
  );
};

export default Stats;

==================== FILE: C:\Users\Sandy\Desktop\premium-software-website-design
(1)\src\components\TechStack.tsx ====================

const techs = ["React", "Node.js", "Firebase", "AI Tools"];
```

```
const TechStack = () => {
  return (
    <section className="py-20 bg-[#F8FAFC] text-center">
      <h2 className="text-3xl font-bold mb-10 text-slate-900">
        Technologies We Use
      </h2>

      <div className="flex flex-wrap justify-center gap-6">
        {techs.map((tech, i) => (
          <div key={i} className="px-6 py-3 bg-white border rounded-xl shadow-sm
hover-lift">
            {tech}
          </div>
        ))}
      </div>
    </section>
  );
};

export default TechStack;

==================== FILE: C:\Users\Sandy\Desktop\premium-software-website-design
(1)\src\components\Testimonials.tsx ====================

import React from 'react';
import { motion } from 'framer-motion';
import { Quote, Star } from 'lucide-react';

const testimonials = [
  {
    name: 'Rahul Sharma',
    role: 'CEO, TechVentures',
    content: 'Duobits transformed our legacy systems into a modern SaaS platform.
Their attention to detail and technical prowess is unmatched.',
    rating: 5,
  },
  {
    name: 'Priya Patel',
    role: 'Marketing Director, GrowFast',
    content: 'The website they built for us has doubled our conversion rate. It\'s
not just beautiful; it\'s a lead generation machine.',
    rating: 5,
  },
  {
    name: 'Amit Kumar',
    role: 'Founder, CloudSolve',
    content: 'Working with Duobits felt like having an in-house tech team. They
understood our vision perfectly and delivered beyond expectations.',
    rating: 5,
  },
```

```
];

const Testimonials = () => {
  return (
    <section className="relative py-24 bg-[#F8FAFC] overflow-hidden">

      {/* 🔥 BACKGROUND GLOW */}
      <div className="absolute inset-0 pointer-events-none">
        <div className="absolute left-0 top-0 w-[400px] h-[300px] bg-indigo-100
blur-3xl opacity-30 rounded-full" />
      </div>

      <div className="container mx-auto px-6 relative z-10">

        {/* HEADER */}
        <div className="text-center max-w-3xl mx-auto mb-20">
          <motion.h2
            initial={{ opacity: 0, y: 20 }}
            whileInView={{ opacity: 1, y: 0 }}
            viewport={{ once: true }}
            className="text-4xl lg:text-5xl font-bold text-slate-900 mb-6"
          >
            What Our{' '}
            <span className="bg-gradient-to-r from-indigo-600 to-purple-600
bg-clip-text text-transparent">
              Clients Say
            </span>
          </motion.h2>

          <motion.p
            initial={{ opacity: 0, y: 20 }}
            whileInView={{ opacity: 1, y: 0 }}
            viewport={{ once: true }}
            transition={{ delay: 0.1 }}
            className="text-lg text-slate-600 leading-relaxed"
          >
            Don't just take our word for it. Here's what businesses say after
working with us.
          </motion.p>
        </div>

        {/* 🔥 HORIZONTAL SCROLL */}
        <div className="flex gap-6 overflow-x-auto pb-6 snap-x scrollbar-hide">

          {testimonials.map((testimonial, index) => (
            <motion.div
              key={index}
              initial={{ opacity: 0, y: 30 }}
              whileInView={{ opacity: 1, y: 0 }}
              whileHover={{ scale: 1.03 }}
```

```
              viewport={{ once: true }}
              transition={{ delay: index * 0.1 }}
              className="min-w-[320px] md:min-w-[380px] snap-start bg-white/80
backdrop-blur-xl p-8 rounded-[2rem] border border-slate-200 shadow-sm
hover:shadow-2xl transition-all duration-500 relative overflow-hidden"
            >

              {/* QUOTE ICON */}
              <Quote size={40} className="text-indigo-100 absolute top-6 right-6"
/>

              {/* STARS */}
              <div className="flex space-x-1 mb-4">
                {[...Array(testimonial.rating)].map((_, i) => (
                  <Star key={i} size={16} className="text-yellow-400
fill-yellow-400" />
                ))}
              </div>

              {/* CONTENT */}
              <p className="text-slate-700 italic mb-8 text-lg leading-relaxed">
                "{testimonial.content}"
              </p>

              {/* USER */}
              <div className="flex items-center space-x-4 border-t border-slate-100
pt-6">
                <div className="w-12 h-12 bg-indigo-100 text-indigo-600
rounded-full flex items-center justify-center font-bold">
                  {testimonial.name.charAt(0)}
                </div>
                <div>
                  <h4 className="font-bold text-slate-900">{testimonial.name}</h4>
                  <p className="text-xs text-slate-500 uppercase tracking-wider">
                    {testimonial.role}
                  </p>
                </div>
              </div>

              {/* 🔥 HOVER GLOW */}
              <div className="absolute inset-0 opacity-0 hover:opacity-100
transition duration-500 pointer-events-none">
                <div className="absolute bottom-[-40px] right-[-40px] w-40 h-40
bg-indigo-100 blur-3xl rounded-full" />
              </div>

            </motion.div>
          ))}

        </div>
```

```
      </div>
    </section>
  );
};

export default Testimonials;

==================== FILE: C:\Users\Sandy\Desktop\premium-software-website-design
(1)\src\components\WhatsAppButton.tsx ====================

import { MessageCircle } from 'lucide-react';
import { motion } from 'framer-motion';

const WhatsAppButton = () => {
  const phoneNumber = '919876543210'; // Replace with real number
  const message = 'Hello! I am interested in Duobits Software Solutions services.';
  const whatsappUrl =
`https://wa.me/${phoneNumber}?text=${encodeURIComponent(message)}`;

  return (
    <motion.a
      href={whatsappUrl}
      target="_blank"
      rel="noopener noreferrer"
      initial={{ scale: 0, opacity: 0 }}
      animate={{ scale: 1, opacity: 1 }}
      whileHover={{ scale: 1.1 }}
      whileTap={{ scale: 0.9 }}
      className="fixed bottom-8 right-8 z-[9999] bg-[#25D366] text-white p-4
rounded-full shadow-2xl flex items-center justify-center group"
      title="Chat with us on WhatsApp"
    >
      <MessageCircle size={32} />
      <span className="absolute right-full mr-4 bg-white text-slate-900 px-4 py-2
rounded-xl text-sm font-bold shadow-xl border border-slate-100 opacity-0
group-hover:opacity-100 transition-opacity whitespace-nowrap pointer-events-none">
        Chat with us
      </span>
      <span className="absolute inset-0 rounded-full bg-[#25D366] animate-ping
opacity-25" />
    </motion.a>
  );
};

export default WhatsAppButton;

==================== FILE: C:\Users\Sandy\Desktop\premium-software-website-design
(1)\src\components\WhyChooseUs.tsx ====================

import React from 'react';
```

```
import { motion } from 'framer-motion';
import { Shield, Zap, Clock, TrendingUp } from 'lucide-react';

const reasons = [
  {
    title: 'Affordable Pricing',
    description: 'Premium quality software doesn\'t have to break the bank. We
offer competitive rates for top-tier talent.',
    icon: TrendingUp,
  },
  {
    title: 'Fast Delivery',
    description: 'We value your time. Our agile methodology ensures we deliver
high-quality results on schedule.',
    icon: Zap,
  },
  {
    title: 'Reliable Support',
    description: 'We\'re here for you 24/7. Our dedicated support team ensures your
software stays up and running.',
    icon: Shield,
  },
  {
    title: 'Scalable Solutions',
    description: 'We build with the future in mind. Our software is designed to
grow as your business grows.',
    icon: Clock,
  },
];

const WhyChooseUs = () => {
  return (
    <section className="py-24 bg-white">
      <div className="container mx-auto px-6">
        <div className="flex flex-col lg:flex-row items-center gap-16">
          <div className="lg:w-1/2">
            <motion.h2
              initial={{ opacity: 0, x: -20 }}
              whileInView={{ opacity: 1, x: 0 }}
              viewport={{ once: true }}
              className="text-4xl font-bold text-slate-900 mb-6"
            >
              Why Businesses <span className="text-indigo-600">Trust Duobits</span>
            </motion.h2>
            <motion.p
              initial={{ opacity: 0, x: -20 }}
              whileInView={{ opacity: 1, x: 0 }}
              viewport={{ once: true }}
              transition={{ delay: 0.1 }}
              className="text-lg text-slate-600 mb-8"
```

```
            >
              We don't just write code; we solve business problems. Our holistic
approach ensures that every project we undertake adds tangible value to your
organization.
            </motion.p>

            <div className="grid sm:grid-cols-2 gap-6">
              {reasons.map((reason, index) => (
                <motion.div
                  key={index}
                  initial={{ opacity: 0, y: 10 }}
                  whileInView={{ opacity: 1, y: 0 }}
                  viewport={{ once: true }}
                  transition={{ delay: index * 0.1 }}
                  className="flex flex-col space-y-3"
                >
                  <div className="w-10 h-10 bg-indigo-50 text-indigo-600 rounded-lg
flex items-center justify-center">
                    <reason.icon size={20} />
                  </div>
                  <h4 className="font-bold text-slate-900">{reason.title}</h4>
                  <p className="text-sm text-slate-500
leading-relaxed">{reason.description}</p>
                </motion.div>
              ))}
            </div>
          </div>

          <div className="lg:w-1/2 relative">
            <motion.div
              initial={{ opacity: 0, scale: 0.8 }}
              whileInView={{ opacity: 1, scale: 1 }}
              viewport={{ once: true }}
              className="relative z-10 rounded-[2.5rem] overflow-hidden shadow-2xl"
            >
              <img

src="https://images.unsplash.com/photo-1522071820081-009f0129c71c?auto=format&fit=c
rop&q=80&w=800"
                alt="Our Team"
                className="w-full h-full object-cover"
              />
            </motion.div>
            <div className="absolute -bottom-6 -right-6 w-32 h-32 bg-indigo-600
rounded-3xl -z-0" />
            <div className="absolute -top-6 -left-6 w-32 h-32 border-2
border-indigo-100 rounded-3xl -z-0" />
          </div>
        </div>
      </div>
```

```
    </section>
  );
};

export default WhyChooseUs;

==================== FILE: C:\Users\Sandy\Desktop\premium-software-website-design
(1)\src\pages\AIEstimator.tsx ====================

import React, { useState, useEffect, useRef } from 'react';
import { motion, AnimatePresence } from 'framer-motion';
import { Send, Bot, User, Loader2, RefreshCw } from 'lucide-react';

interface Message {
  id: string;
  type: 'bot' | 'user';
  text: string;
}

const suggestions = [
  "Build ecommerce website",
  "Create mobile app",
  "SaaS dashboard",
];

const AIEstimator = () => {
  const [messages, setMessages] = useState<Message[]>([
    {
      id: '1',
      type: 'bot',
      text: "Hi 👋 I'm Duobits AI. Tell me what you want to build and I'll
estimate the cost instantly.",
    },
  ]);
  const [input, setInput] = useState('');
  const [isTyping, setIsTyping] = useState(false);
  const scrollRef = useRef<HTMLDivElement>(null);

  useEffect(() => {
    if (scrollRef.current) {
      scrollRef.current.scrollTop = scrollRef.current.scrollHeight;
    }
  }, [messages, isTyping]);

  const handleSend = async (e: React.FormEvent) => {
    e.preventDefault();
    if (!input.trim()) return;

    const userMessage: Message = {
      id: Date.now().toString(),
```

```
      type: 'user',
      text: input,
    };

    setMessages((prev) => [...prev, userMessage]);
    setInput('');
    setIsTyping(true);

    setTimeout(() => {
      let botResponse = "";
      const lowerInput = input.toLowerCase();

      if (lowerInput.includes('website') || lowerInput.includes('web')) {
        botResponse = "A custom website typically costs ₹29,999 to ₹59,999
depending on features. How many pages do you need?";
      } else if (lowerInput.includes('app') || lowerInput.includes('mobile')) {
        botResponse = "Mobile apps usually start from ₹80,000. Do you need Android,
iOS, or both?";
      } else if (lowerInput.includes('saas') || lowerInput.includes('software')) {
        botResponse = "Custom SaaS solutions start from ₹1,50,000. Share your
number and we'll give you a detailed plan.";
      } else {
        botResponse = "That sounds interesting! Tell me more about your project
features, or drop your number for a detailed quote.";
      }

      const botMessage: Message = {
        id: (Date.now() + 1).toString(),
        type: 'bot',
        text: botResponse,
      };

      setMessages((prev) => [...prev, botMessage]);
      setIsTyping(false);
    }, 1200);
  };

  return (
    <div className="pt-24 min-h-screen bg-[#F8FAFC] flex flex-col">

      <div className="container mx-auto px-6 flex-1 flex flex-col max-w-4xl py-12">

        {/* 🔥 HEADER */}
        <div className="mb-10 text-center">
          <h1 className="text-4xl font-bold text-slate-900 mb-3">
            AI Project Estimator
          </h1>
          <p className="text-slate-600 text-lg">
            Get instant cost estimates for your project in seconds.
          </p>
```

```
        </div>

        <div className="flex-1 bg-white rounded-[2rem] border border-slate-200
shadow-xl flex flex-col overflow-hidden">

          {/* CHAT HEADER */}
          <div className="p-5 border-b flex items-center justify-between bg-white">
            <div className="flex items-center space-x-3">
              <div className="w-10 h-10 bg-indigo-600 rounded-xl flex items-center
justify-center text-white">
                <Bot size={22} />
              </div>
              <div>
                <h3 className="font-bold text-slate-900">Duobits AI</h3>
                <p className="text-xs text-green-500">Online</p>
              </div>
            </div>

            <button
              onClick={() => setMessages([messages[0]])}
              className="text-slate-400 hover:text-indigo-600"
            >
              <RefreshCw size={20} />
            </button>
          </div>

          {/* MESSAGES */}
          <div
            ref={scrollRef}
            className="flex-1 overflow-y-auto p-6 space-y-6"
          >
            <AnimatePresence>
              {messages.map((message) => (
                <motion.div
                  key={message.id}
                  initial={{ opacity: 0, y: 10 }}
                  animate={{ opacity: 1, y: 0 }}
                  className={`flex ${message.type === 'user' ? 'justify-end' :
'justify-start'}`}
                >
                  <div className={`max-w-[75%] p-4 rounded-2xl ${
                    message.type === 'user'
                      ? 'bg-indigo-600 text-white'
                      : 'bg-slate-100 text-slate-800'
                  }`}>
                    {message.text}
                  </div>
                </motion.div>
              ))}
```

```
              {isTyping && (
                <div className="flex">
                  <div className="p-4 bg-slate-100 rounded-2xl">
                    <Loader2 className="animate-spin text-indigo-600" />
                  </div>
                </div>
              )}
            </AnimatePresence>
          </div>

          {/* 💡 SUGGESTIONS */}
          <div className="px-6 pb-2 flex flex-wrap gap-2">
            {suggestions.map((s, i) => (
              <button
                key={i}
                onClick={() => setInput(s)}
                className="px-4 py-2 bg-indigo-50 text-indigo-600 rounded-xl
text-sm hover:bg-indigo-100 transition"
              >
                {s}
              </button>
            ))}
          </div>

          {/* INPUT */}
          <div className="p-6 border-t bg-white">
            <form onSubmit={handleSend} className="flex items-center gap-3">
              <input
                value={input}
                onChange={(e) => setInput(e.target.value)}
                placeholder="Describe your project..."
                className="flex-1 px-5 py-4 bg-slate-50 border rounded-xl
focus:ring-2 focus:ring-indigo-500 outline-none"
              />

              <button
                type="submit"
                className="w-12 h-12 bg-indigo-600 text-white rounded-xl flex
items-center justify-center hover:bg-indigo-700 transition"
              >
                <Send size={18} />
              </button>
            </form>

            <p className="text-xs text-slate-400 text-center mt-3">
              Tip: Mention features for better estimate.
            </p>
          </div>

        </div>
```

```
      </div>
    </div>
  );
};

export default AIEstimator;
```

========== FILE: C:\Users\Sandy\Desktop\premium-software-website-design (1)\src\pages\Home.tsx ==========

```
import Hero from '../components/Hero';
import About from '../components/About';
import Services from '../components/Services';
import WhyChooseUs from '../components/WhyChooseUs';
import Portfolio from '../components/Portfolio';
import Pricing from '../components/Pricing';
import Testimonials from '../components/Testimonials';
import Contact from '../components/Contact';

const Home = () => {
  return (
    <>
      <Hero />
      <About />
      <Services />
      <WhyChooseUs />
      <Portfolio />
      <Pricing />
      <Testimonials />
      <Contact />
    </>
  );
};

export default Home;
```

========== FILE: C:\Users\Sandy\Desktop\premium-software-website-design (1)\src\utils\cn.ts ==========

```
import { clsx, type ClassValue } from "clsx";
import { twMerge } from "tailwind-merge";

export function cn(...inputs: ClassValue[]) {
  return twMerge(clsx(inputs));
}
```

========== FILE: C:\Users\Sandy\Desktop\premium-software-website-design (1)\src\App.tsx ==========

```
import { BrowserRouter as Router, Routes, Route } from 'react-router-dom';
```

```
import Navbar from './components/Navbar';
import Footer from './components/Footer';
import Home from './pages/Home';
import AIEstimator from './pages/AIEstimator';
import WhatsAppButton from './components/WhatsAppButton';

function App() {
  return (
    <Router>
      <div className="min-h-screen bg-white font-sans text-slate-900">
        <Navbar />
        <main>
          <Routes>
            <Route path="/" element={<Home />} />
            <Route path="/ai-estimator" element={<AIEstimator />} />
            <Route path="/chatbot" element={<AIEstimator />} />
          </Routes>
        </main>
        <Footer />
        <WhatsAppButton />
      </div>
    </Router>
  );
}

export default App;

==================== FILE: C:\Users\Sandy\Desktop\premium-software-website-design
(1)\src\index.css ====================

@import "tailwindcss";

@layer base {
  html {
    scroll-behavior: smooth;
  }

  body {
    @apply bg-white text-slate-900 antialiased;
  }

  /* 💧 TEXT SELECTION */
  ::selection {
    background-color: rgba(79, 70, 229, 0.2);
    color: #4F46E5;
  }

  /* 💧 SCROLLBAR (HIDDEN CLEAN UI) */
  ::-webkit-scrollbar {
    width: 6px;
```

```
  }

  ::-webkit-scrollbar-track {
    background: transparent;
  }

  ::-webkit-scrollbar-thumb {
    background: rgba(100, 116, 139, 0.3);
    border-radius: 10px;
  }

  ::-webkit-scrollbar-thumb:hover {
    background: rgba(79, 70, 229, 0.5);
  }
}

/* 🔥 GRID BACKGROUND */
.bg-grid-slate-100 {
  background-image: url("data:image/svg+xml,%3Csvg
xmlns='http://www.w3.org/2000/svg' viewBox='0 0 32 32' width='32' height='32'
fill='none' stroke='rgb(241 245 249 / 1)'%3E%3Cpath d='M0
.5H31.5V32'/%3E%3C/svg%3E");
}

/* 🔥 SOFT GRADIENT GLOW (REUSABLE) */
.bg-soft-glow {
  background: radial-gradient(circle at center, rgba(99,102,241,0.15), transparent
70%);
}

/* 🔥 BUTTON SHINE EFFECT */
@keyframes shine {
  0% {
    left: -100px;
  }
  100% {
    left: 200%;
  }
}

/* 🔥 FLOAT ANIMATION (FOR HERO ELEMENTS) */
@keyframes float {
  0% {
    transform: translateY(0px);
  }
  50% {
    transform: translateY(-10px);
  }
  100% {
    transform: translateY(0px);
```

```
  }
}

.animate-float {
  animation: float 4s ease-in-out infinite;
}

/* 💧 FADE-UP ANIMATION UTILITY */
@keyframes fadeUp {
  from {
    opacity: 0;
    transform: translateY(20px);
  }
  to {
    opacity: 1;
    transform: translateY(0);
  }
}

.animate-fadeUp {
  animation: fadeUp 0.6s ease forwards;
}

/* 💧 HOVER LIFT UTILITY */
.hover-lift {
  transition: all 0.3s ease;
}

.hover-lift:hover {
  transform: translateY(-6px);
}

/* 💧 GLASS EFFECT UTILITY */
.glass {
  backdrop-filter: blur(12px);
  background: rgba(255, 255, 255, 0.7);
}

/* 💧 SCROLLBAR HIDE (FOR TESTIMONIALS) */
.scrollbar-hide::-webkit-scrollbar {
  display: none;
}

.scrollbar-hide {
  -ms-overflow-style: none;
  scrollbar-width: none;
}

==================== FILE: C:\Users\Sandy\Desktop\premium-software-website-design
(1)\src\main.tsx ====================
```

```
import { StrictMode } from "react";
import { createRoot } from "react-dom/client";
import "./index.css";
import App from "./App";

createRoot(document.getElementById("root")!).render(
  <StrictMode>
    <App />
  </StrictMode>
);
```

========== FILE: C:\Users\Sandy\Desktop\premium-software-website-design (1)\index.html ==========

```
<!doctype html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <title>Duobits Software Solutions | We Build Software That Drives Business Growth</title>
  </head>
  <body>
    <div id="root"></div>
    <script type="module" src="/src/main.tsx"></script>
  </body>
</html>
```

========== FILE: C:\Users\Sandy\Desktop\premium-software-website-design (1)\package-lock.json ==========

```
{
  "name": "react-vite-tailwind",
  "version": "0.0.0",
  "lockfileVersion": 3,
  "requires": true,
  "packages": {
    "": {
      "name": "react-vite-tailwind",
      "version": "0.0.0",
      "dependencies": {
        "clsx": "^2.1.1",
        "framer-motion": "^12.38.0",
        "lucide-react": "^1.7.0",
        "react": "19.2.3",
        "react-dom": "19.2.3",
        "react-router-dom": "^7.13.2",
        "tailwind-merge": "^3.4.0"
      },
```

```
      "devDependencies": {
        "@tailwindcss/vite": "4.1.17",
        "@types/node": "^22.0.0",
        "@types/react": "19.2.7",
        "@types/react-dom": "19.2.3",
        "@vitejs/plugin-react": "5.1.1",
        "tailwindcss": "4.1.17",
        "typescript": "5.9.3",
        "vite": "7.2.4",
        "vite-plugin-singlefile": "2.3.0"
      }
    },
    "node_modules/@babel/code-frame": {
      "version": "7.29.0",
      "resolved":
"https://registry.npmjs.org/@babel/code-frame/-/code-frame-7.29.0.tgz",
      "integrity":
"sha512-9NhCeYjq9+3uxgdtp20LSiJXJvN0FeCtNGpJxuMFZ1Kv3cWUNb6DOhJwUvcVCzKGR66cw4njwM6
hrJLqgOwbcw==",
      "dev": true,
      "license": "MIT",
      "dependencies": {
        "@babel/helper-validator-identifier": "^7.28.5",
        "js-tokens": "^4.0.0",
        "picocolors": "^1.1.1"
      },
      "engines": {
        "node": ">=6.9.0"
      }
    },
    "node_modules/@babel/compat-data": {
      "version": "7.29.0",
      "resolved":
"https://registry.npmjs.org/@babel/compat-data/-/compat-data-7.29.0.tgz",
      "integrity":
"sha512-T1NCJqT/j9+cn8fvkt7jtwbLBfLC/1y1c7NtCeXFRgzGTsafi68MRv8yzkYSapBnFA6L3U2VSc0
2ciDzoAJhJg==",
      "dev": true,
      "license": "MIT",
      "engines": {
        "node": ">=6.9.0"
      }
    },
    "node_modules/@babel/core": {
      "version": "7.29.0",
      "resolved": "https://registry.npmjs.org/@babel/core/-/core-7.29.0.tgz",
      "integrity":
"sha512-CGOfOJqWjg2qW/Mb6zNsDm+u5vFQ8DxXfbM09z69p5Z6+mE1ikP2jUXw+j42Pf1XTYED2Rni5f9
5npYeuwMDQA==",
      "dev": true,
```

"license": "MIT",
"dependencies": {
"@babel/code-frame": "^7.29.0",
"@babel/generator": "^7.29.0",
"@babel/helper-compilation-targets": "^7.28.6",
"@babel/helper-module-transforms": "^7.28.6",
"@babel/helpers": "^7.28.6",
"@babel/parser": "^7.29.0",
"@babel/template": "^7.28.6",
"@babel/traverse": "^7.29.0",
"@babel/types": "^7.29.0",
"@jridgewell/remapping": "^2.3.5",
"convert-source-map": "^2.0.0",
"debug": "^4.1.0",
"gensync": "^1.0.0-beta.2",
"json5": "^2.2.3",
"semver": "^6.3.1"
},
"engines": {
"node": ">=6.9.0"
},
"funding": {
"type": "opencollective",
"url": "https://opencollective.com/babel"
}
},
"node_modules/@babel/generator": {
"version": "7.29.1",
"resolved":
"https://registry.npmjs.org/@babel/generator/-/generator-7.29.1.tgz",
"integrity":
"sha512-qsaF+9Qcm2Qv8SRIMMscAvG4O3lJ0F1GuMo5HR/Bp02LopNgnZBC/EkbevHFeGs4ls/oPz9v+Bs
mzbkbe+0dUw==",
"dev": true,
"license": "MIT",
"dependencies": {
"@babel/parser": "^7.29.0",
"@babel/types": "^7.29.0",
"@jridgewell/gen-mapping": "^0.3.12",
"@jridgewell/trace-mapping": "^0.3.28",
"jsesc": "^3.0.2"
},
"engines": {
"node": ">=6.9.0"
}
},
"node_modules/@babel/helper-compilation-targets": {
"version": "7.28.6",
"resolved":
"https://registry.npmjs.org/@babel/helper-compilation-targets/-/helper-compilation-

targets-7.28.6.tgz",
      "integrity":
"sha512-JYtls3hqi15fcx5GaSNL7SCTJ2MNmjrkHXg4FSpOA/grxK8KwyZ5bubHsCq8FXCkua6xhuaaBit
+3b7+VZRfcA==",
      "dev": true,
      "license": "MIT",
      "dependencies": {
        "@babel/compat-data": "^7.28.6",
        "@babel/helper-validator-option": "^7.27.1",
        "browserslist": "^4.24.0",
        "lru-cache": "^5.1.1",
        "semver": "^6.3.1"
      },
      "engines": {
        "node": ">=6.9.0"
      }
    },
    "node_modules/@babel/helper-globals": {
      "version": "7.28.0",
      "resolved":
"https://registry.npmjs.org/@babel/helper-globals/-/helper-globals-7.28.0.tgz",
      "integrity":
"sha512-+W6cISkXFa1jXsDEdYA8HeevQT/FULhxzR99pxphltZcVaugps53THCeiWA8SguxxpSp3gKPiuY
fSWopkLQ4hw==",
      "dev": true,
      "license": "MIT",
      "engines": {
        "node": ">=6.9.0"
      }
    },
    "node_modules/@babel/helper-module-imports": {
      "version": "7.28.6",
      "resolved":
"https://registry.npmjs.org/@babel/helper-module-imports/-/helper-module-imports-7.
28.6.tgz",
      "integrity":
"sha512-l5XkZK7r7wa9LucGw9LwZyyCUscb4x37JWTPz7swwFE/0FMQAGpiWUZn8u9DzkSBWEcK25jmvub
fpw2dnAMdbw==",
      "dev": true,
      "license": "MIT",
      "dependencies": {
        "@babel/traverse": "^7.28.6",
        "@babel/types": "^7.28.6"
      },
      "engines": {
        "node": ">=6.9.0"
      }
    },
    "node_modules/@babel/helper-module-transforms": {
      "version": "7.28.6",

"resolved":
"https://registry.npmjs.org/@babel/helper-module-transforms/-/helper-module-transforms-7.28.6.tgz",
"integrity":
"sha512-67oXFAYr2cDLDVGLXTEABjdBJZ6drElUSI7WKp70NrpyISso3plG9SAGEF6y7zbha/wOzUByWWTJvEDVNIUGcA==",
"dev": true,
"license": "MIT",
"dependencies": {
"@babel/helper-module-imports": "^7.28.6",
"@babel/helper-validator-identifier": "^7.28.5",
"@babel/traverse": "^7.28.6"
},
"engines": {
"node": ">=6.9.0"
},
"peerDependencies": {
"@babel/core": "^7.0.0"
}
},
"node_modules/@babel/helper-plugin-utils": {
"version": "7.28.6",
"resolved":
"https://registry.npmjs.org/@babel/helper-plugin-utils/-/helper-plugin-utils-7.28.6.tgz",
"integrity":
"sha512-S9gzZ/bz83GRysI7gAD4wPT/AI3uCnY+9xn+Mx/KPs2JwHJIz1W8PZkg2cqyt3RNOBM8ejcXhV6y8Og7ly/Dug==",
"dev": true,
"license": "MIT",
"engines": {
"node": ">=6.9.0"
}
},
"node_modules/@babel/helper-string-parser": {
"version": "7.27.1",
"resolved":
"https://registry.npmjs.org/@babel/helper-string-parser/-/helper-string-parser-7.27.1.tgz",
"integrity":
"sha512-qMlSxKbpRlAridDExk92nSobyDdpPijUq2DW6oDnUqd0iOGxmQjyqhMIihI9+zv4LPyZdRje2cavWPbCbWm3eA==",
"dev": true,
"license": "MIT",
"engines": {
"node": ">=6.9.0"
}
},
"node_modules/@babel/helper-validator-identifier": {
"version": "7.28.5",

"resolved":
"https://registry.npmjs.org/@babel/helper-validator-identifier/-/helper-validator-identifier-7.28.5.tgz",
"integrity":
"sha512-qSs4ifwzKJSV39ucNjsvc6WVHs6b7S03sOh2OcHF9UHfVPqWWALUsNUVzhSBiItjRZoLHx7nIarVjqKVusUZ1Q==",
"dev": true,
"license": "MIT",
"engines": {
"node": ">=6.9.0"
}
},
"node_modules/@babel/helper-validator-option": {
"version": "7.27.1",
"resolved":
"https://registry.npmjs.org/@babel/helper-validator-option/-/helper-validator-option-7.27.1.tgz",
"integrity":
"sha512-YvjJow9FxbhFFKDSuFnVCe2WxXk1zWc22fFePVNEaWJEu8IrZVlda6N0uHwzZrUM1il7NC9Mlp4MaJYbYd9JSg==",
"dev": true,
"license": "MIT",
"engines": {
"node": ">=6.9.0"
}
},
"node_modules/@babel/helpers": {
"version": "7.29.2",
"resolved": "https://registry.npmjs.org/@babel/helpers/-/helpers-7.29.2.tgz",
"integrity":
"sha512-HoGuUs4sCZNezVEKdVcwqmZN8GoHirLUcLaYVNBK2J0DadGtdcqgr3BCbvH8+XUo4NGjNl3VOtSjEKNzqfFgKw==",
"dev": true,
"license": "MIT",
"dependencies": {
"@babel/template": "^7.28.6",
"@babel/types": "^7.29.0"
},
"engines": {
"node": ">=6.9.0"
}
},
"node_modules/@babel/parser": {
"version": "7.29.2",
"resolved": "https://registry.npmjs.org/@babel/parser/-/parser-7.29.2.tgz",
"integrity":
"sha512-4GgRzy/+fsBa72/RZVJmGKPmZu9Byn8o4MoLpmNe1m8ZfYnz5emHLQz3U4gLud6Zwl0RZIcgiLD7Uq7ySFuDLA==",
"dev": true,
"license": "MIT",

```
      "dependencies": {
        "@babel/types": "^7.29.0"
      },
      "bin": {
        "parser": "bin/babel-parser.js"
      },
      "engines": {
        "node": ">=6.0.0"
      }
    },
    "node_modules/@babel/plugin-transform-react-jsx-self": {
      "version": "7.27.1",
      "resolved":
"https://registry.npmjs.org/@babel/plugin-transform-react-jsx-self/-/plugin-transfo
rm-react-jsx-self-7.27.1.tgz",
      "integrity":
"sha512-6UzkCs+ejGdZ5mFFC/OCUrv028ab2fp1znZmCZjAOBKiBK2jXD1O+BPSfX8X2qjJ75fZBMSnQn3
Rq2mrBJK2mw==",
      "dev": true,
      "license": "MIT",
      "dependencies": {
        "@babel/helper-plugin-utils": "^7.27.1"
      },
      "engines": {
        "node": ">=6.9.0"
      },
      "peerDependencies": {
        "@babel/core": "^7.0.0-0"
      }
    },
    "node_modules/@babel/plugin-transform-react-jsx-source": {
      "version": "7.27.1",
      "resolved":
"https://registry.npmjs.org/@babel/plugin-transform-react-jsx-source/-/plugin-trans
form-react-jsx-source-7.27.1.tgz",
      "integrity":
"sha512-zbwoTsBruTeKB9hSq73ha66iFeJHuaFkUbwvqElnygoNbj/jHRsSeokowZFN3CZ64IvEqcmmkVe
89OPXc7ldAw==",
      "dev": true,
      "license": "MIT",
      "dependencies": {
        "@babel/helper-plugin-utils": "^7.27.1"
      },
      "engines": {
        "node": ">=6.9.0"
      },
      "peerDependencies": {
        "@babel/core": "^7.0.0-0"
      }
    },
```

"node_modules/@babel/template": {
"version": "7.28.6",
"resolved":
"https://registry.npmjs.org/@babel/template/-/template-7.28.6.tgz",
"integrity":
"sha512-YA6Ma2KsCdGb+WC6UpBVFJGXL58MDA6oyONbjyF/+5sBgxY/dwkhLogbMT2GXXyU84/IhRw/2D1Os1B/giz+BQ==",
"dev": true,
"license": "MIT",
"dependencies": {
"@babel/code-frame": "^7.28.6",
"@babel/parser": "^7.28.6",
"@babel/types": "^7.28.6"
},
"engines": {
"node": ">=6.9.0"
}
},
"node_modules/@babel/traverse": {
"version": "7.29.0",
"resolved":
"https://registry.npmjs.org/@babel/traverse/-/traverse-7.29.0.tgz",
"integrity":
"sha512-4HPiQr0X7+waHfyXPZpWPfWL/J7dcN1mx9gL6WdQVMbPnF3+ZhSMs8tCxN7oHddJE9fhNE7+lxdnlyemKfJRuA==",
"dev": true,
"license": "MIT",
"dependencies": {
"@babel/code-frame": "^7.29.0",
"@babel/generator": "^7.29.0",
"@babel/helper-globals": "^7.28.0",
"@babel/parser": "^7.29.0",
"@babel/template": "^7.28.6",
"@babel/types": "^7.29.0",
"debug": "^4.3.1"
},
"engines": {
"node": ">=6.9.0"
}
},
"node_modules/@babel/types": {
"version": "7.29.0",
"resolved": "https://registry.npmjs.org/@babel/types/-/types-7.29.0.tgz",
"integrity":
"sha512-LwdZHpScM4Qz8Xw2iKSzS+cfglZzJGvofQICy7W7v4caru4EaAmyUuO6BGrbyQ2mYV11W0U8j5mBhd14dd3B0A==",
"dev": true,
"license": "MIT",
"dependencies": {
"@babel/helper-string-parser": "^7.27.1",

"@babel/helper-validator-identifier": "^7.28.5"
      },
      "engines": {
        "node": ">=6.9.0"
      }
    },
    "node_modules/@esbuild/aix-ppc64": {
      "version": "0.25.12",
      "resolved":
"https://registry.npmjs.org/@esbuild/aix-ppc64/-/aix-ppc64-0.25.12.tgz",
      "integrity":
"sha512-Hhmwd6CInZ3dwpuGTF8fJG6yoWmsToE+vYgD4nytZVxcu1ulHpUQRAB1UJ8+N1Am3Mz4+xOByoQ
oSZf4D+CpkA==",
      "cpu": [
        "ppc64"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "aix"
      ],
      "engines": {
        "node": ">=18"
      }
    },
    "node_modules/@esbuild/android-arm": {
      "version": "0.25.12",
      "resolved":
"https://registry.npmjs.org/@esbuild/android-arm/-/android-arm-0.25.12.tgz",
      "integrity":
"sha512-VJ+sKvNA/GE7Ccacc9Cha7bpS8nyzVv0jdVgwNDaR4gDMC/2TTRc33Ip8qrNYUcpkOHUT5OZ0bU
cNNVZQ9RLlg==",
      "cpu": [
        "arm"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "android"
      ],
      "engines": {
        "node": ">=18"
      }
    },
    "node_modules/@esbuild/android-arm64": {
      "version": "0.25.12",
      "resolved":
"https://registry.npmjs.org/@esbuild/android-arm64/-/android-arm64-0.25.12.tgz",

"integrity":
"sha512-6AAmLG7zwD1Z159jCKPvAxZd4y/VTO0VkprYy+3N2FtJ8+BQWFXU+OxARIwA46c5tdD9SsKGZ/1ocqBS/gAKHg==",
"cpu": [
"arm64"
],
"dev": true,
"license": "MIT",
"optional": true,
"os": [
"android"
],
"engines": {
"node": ">=18"
}
},
"node_modules/@esbuild/android-x64": {
"version": "0.25.12",
"resolved":
"https://registry.npmjs.org/@esbuild/android-x64/-/android-x64-0.25.12.tgz",
"integrity":
"sha512-5jbb+2hhDHx5phYR2By8GTWEzn6I9UqR11Kwf22iKbNpYrsmRB18aX/9ivc5cabcUiAT/wM+YIZ6SG9QO6a8kg==",
"cpu": [
"x64"
],
"dev": true,
"license": "MIT",
"optional": true,
"os": [
"android"
],
"engines": {
"node": ">=18"
}
},
"node_modules/@esbuild/darwin-arm64": {
"version": "0.25.12",
"resolved":
"https://registry.npmjs.org/@esbuild/darwin-arm64/-/darwin-arm64-0.25.12.tgz",
"integrity":
"sha512-N3zl+lxHCifgIlcMUP5016ESkeQjLj/959RxxNYIthIg+CQHInujFuXeWbWMgnTo4cp5XVHqFPmpyu9J65C1Yg==",
"cpu": [
"arm64"
],
"dev": true,
"license": "MIT",
"optional": true,
"os": [

```
        "darwin"
      ],
      "engines": {
        "node": ">=18"
      }
    },
    "node_modules/@esbuild/darwin-x64": {
      "version": "0.25.12",
      "resolved":
"https://registry.npmjs.org/@esbuild/darwin-x64/-/darwin-x64-0.25.12.tgz",
      "integrity":
"sha512-HQ9ka4Kx21qHXwtlTUVbKJOAnmG1ipXhdWTmNXiPzPfWKpXqASVcWdnf2bnL73wgjNrFXAa3yYv
BSd9pzfEIpA==",
      "cpu": [
        "x64"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "darwin"
      ],
      "engines": {
        "node": ">=18"
      }
    },
    "node_modules/@esbuild/freebsd-arm64": {
      "version": "0.25.12",
      "resolved":
"https://registry.npmjs.org/@esbuild/freebsd-arm64/-/freebsd-arm64-0.25.12.tgz",
      "integrity":
"sha512-gA0Bx759+7Jve03K1S0vkOu5Lg/85dou3EseOGUes8flVOGxbhDDh/iZaoek11Y8mtyKPGF3vP8
XhnkDEAmzeg==",
      "cpu": [
        "arm64"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "freebsd"
      ],
      "engines": {
        "node": ">=18"
      }
    },
    "node_modules/@esbuild/freebsd-x64": {
      "version": "0.25.12",
      "resolved":
"https://registry.npmjs.org/@esbuild/freebsd-x64/-/freebsd-x64-0.25.12.tgz",
```

"integrity":
"sha512-TGbO26Yw2xsHzxtbVFGEXBFH0FRAP7gtcPE7P5yP7wGy7cXK2oO7RyOhL5NLiqTlBh47XhmIUXu
GciXEqYFfBQ==",
"cpu": [
"x64"
],
"dev": true,
"license": "MIT",
"optional": true,
"os": [
"freebsd"
],
"engines": {
"node": ">=18"
}
},
"node_modules/@esbuild/linux-arm": {
"version": "0.25.12",
"resolved":
"https://registry.npmjs.org/@esbuild/linux-arm/-/linux-arm-0.25.12.tgz",
"integrity":
"sha512-lPDGyC1JPDou8kGcywY0YILzWlhhnRjdof3UlcoqYmS9El818LLfJJc3PXXgZHrHCAKs/Z2SeZt
DJr5MrkxtOw==",
"cpu": [
"arm"
],
"dev": true,
"license": "MIT",
"optional": true,
"os": [
"linux"
],
"engines": {
"node": ">=18"
}
},
"node_modules/@esbuild/linux-arm64": {
"version": "0.25.12",
"resolved":
"https://registry.npmjs.org/@esbuild/linux-arm64/-/linux-arm64-0.25.12.tgz",
"integrity":
"sha512-8bwX7a8FghIgrupcxb4aUmYDLp8pX06rGh5HqDT7bB+8Rdells6mHvrFHHW2JAOPZUbnjUpKTLg
6ECyzvas2AQ==",
"cpu": [
"arm64"
],
"dev": true,
"license": "MIT",
"optional": true,
"os": [

```
        "linux"
      ],
      "engines": {
        "node": ">=18"
      }
    },
    "node_modules/@esbuild/linux-ia32": {
      "version": "0.25.12",
      "resolved":
"https://registry.npmjs.org/@esbuild/linux-ia32/-/linux-ia32-0.25.12.tgz",
      "integrity":
"sha512-0y9KrdVnbMM2/vG8KfU0byhUN+EFCny9+8g202gYqSSVMonbsCfLjUO+rCci7pM0WBEtz+oK/PI
wHkzxkyharA==",
      "cpu": [
        "ia32"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "linux"
      ],
      "engines": {
        "node": ">=18"
      }
    },
    "node_modules/@esbuild/linux-loong64": {
      "version": "0.25.12",
      "resolved":
"https://registry.npmjs.org/@esbuild/linux-loong64/-/linux-loong64-0.25.12.tgz",
      "integrity":
"sha512-h///Lr5a9rib/v1GGqXVGzjL4TMvVTv+s1DPoxQdz7l/AYv6LDSxdIwzxkrPW438oUXiDtwM10o
9PmwS/6Z0Ng==",
      "cpu": [
        "loong64"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "linux"
      ],
      "engines": {
        "node": ">=18"
      }
    },
    "node_modules/@esbuild/linux-mips64el": {
      "version": "0.25.12",
      "resolved":
"https://registry.npmjs.org/@esbuild/linux-mips64el/-/linux-mips64el-0.25.12.tgz",
```

"integrity":
"sha512-iyRrM1Pzy9GFMDLsXn1iHUm18nhKnNMWscjmp4+hpafcZjrr2WbT//d20xaGljXDBYHqRcl8Hnx
bX6uaA/eGVw==",
"cpu": [
"mips64el"
],
"dev": true,
"license": "MIT",
"optional": true,
"os": [
"linux"
],
"engines": {
"node": ">=18"
}
},
"node_modules/@esbuild/linux-ppc64": {
"version": "0.25.12",
"resolved":
"https://registry.npmjs.org/@esbuild/linux-ppc64/-/linux-ppc64-0.25.12.tgz",
"integrity":
"sha512-9meM/lRXxMi5PSUqEXRCtVjEZBGwB7P/D4yT8UG/mwIdze2aV4Vo6U5gD3+RsoHXKkHCfSxZKzm
DssVlRj1QQA==",
"cpu": [
"ppc64"
],
"dev": true,
"license": "MIT",
"optional": true,
"os": [
"linux"
],
"engines": {
"node": ">=18"
}
},
"node_modules/@esbuild/linux-riscv64": {
"version": "0.25.12",
"resolved":
"https://registry.npmjs.org/@esbuild/linux-riscv64/-/linux-riscv64-0.25.12.tgz",
"integrity":
"sha512-Zr7KR4hgKUpWAwb1f3o5ygT04MzqVrGEGXGLnj15YQDJErYu/BGg+wmFlIDOdJp0PmB0lLvxFIO
XZgFRrdjR0w==",
"cpu": [
"riscv64"
],
"dev": true,
"license": "MIT",
"optional": true,
"os": [

```
        "linux"
      ],
      "engines": {
        "node": ">=18"
      }
    },
    "node_modules/@esbuild/linux-s390x": {
      "version": "0.25.12",
      "resolved":
"https://registry.npmjs.org/@esbuild/linux-s390x/-/linux-s390x-0.25.12.tgz",
      "integrity":
"sha512-MsKncOcgTNvdtiISc/jZs/Zf8d0cl/t3gYWX8J9ubBnVOwlk65UIEEvgBORTiljloIWnBzLs4qh
zPkJcitIzIg==",
      "cpu": [
        "s390x"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "linux"
      ],
      "engines": {
        "node": ">=18"
      }
    },
    "node_modules/@esbuild/linux-x64": {
      "version": "0.25.12",
      "resolved":
"https://registry.npmjs.org/@esbuild/linux-x64/-/linux-x64-0.25.12.tgz",
      "integrity":
"sha512-uqZMTLr/zR/ed4jIGnwSLkaHmPjOjJvnm6TVVitAa08SLS9Z0VM8wIRx7gWbJB5/J54YuIMInDq
uWyYvQLZkgw==",
      "cpu": [
        "x64"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "linux"
      ],
      "engines": {
        "node": ">=18"
      }
    },
    "node_modules/@esbuild/netbsd-arm64": {
      "version": "0.25.12",
      "resolved":
"https://registry.npmjs.org/@esbuild/netbsd-arm64/-/netbsd-arm64-0.25.12.tgz",
```

"integrity":
"sha512-xXwcTq4GhRM7J9A8Gv5boanHhRa/Q9KLVmcyXHCTaM4wKfIpWkdXiMog/KsnxzJ0A1+nD+zoecu
zqPmCRyBGjg==",
"cpu": [
"arm64"
],
"dev": true,
"license": "MIT",
"optional": true,
"os": [
"netbsd"
],
"engines": {
"node": ">=18"
}
},
"node_modules/@esbuild/netbsd-x64": {
"version": "0.25.12",
"resolved":
"https://registry.npmjs.org/@esbuild/netbsd-x64/-/netbsd-x64-0.25.12.tgz",
"integrity":
"sha512-Ld5pTlzPy3YwGec4OuHh1aCVCRvOXdH8DgRjfDy/oumVovmuSzWfnSJg+VtakB9Cm0gxNO9BzWk
j6mtO1FMXkQ==",
"cpu": [
"x64"
],
"dev": true,
"license": "MIT",
"optional": true,
"os": [
"netbsd"
],
"engines": {
"node": ">=18"
}
},
"node_modules/@esbuild/openbsd-arm64": {
"version": "0.25.12",
"resolved":
"https://registry.npmjs.org/@esbuild/openbsd-arm64/-/openbsd-arm64-0.25.12.tgz",
"integrity":
"sha512-fF96T6KsBo/pkQI950FARU9apGNTSlZGsv1jZBAlcLL1MLjLNIWPBkj5NlSz8aAzYKg+eNqknrU
J24QBybeR5A==",
"cpu": [
"arm64"
],
"dev": true,
"license": "MIT",
"optional": true,
"os": [

```
        "openbsd"
      ],
      "engines": {
        "node": ">=18"
      }
    },
    "node_modules/@esbuild/openbsd-x64": {
      "version": "0.25.12",
      "resolved":
"https://registry.npmjs.org/@esbuild/openbsd-x64/-/openbsd-x64-0.25.12.tgz",
      "integrity":
"sha512-MZyXUkZHjQxUvzK7rN8DJ3SRmrVrke8ZyRusHlP+kuwqTcfWLyqMOE3sScPPyeIXN/mDJIfGXvc
MqCgYKekoQw==",
      "cpu": [
        "x64"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "openbsd"
      ],
      "engines": {
        "node": ">=18"
      }
    },
    "node_modules/@esbuild/openharmony-arm64": {
      "version": "0.25.12",
      "resolved":
"https://registry.npmjs.org/@esbuild/openharmony-arm64/-/openharmony-arm64-0.25.12.
tgz",
      "integrity":
"sha512-rm0YWsqUSRrjncSXGA7Zv78Nbnw4XL6/dzr20cyrQf7ZmRcsovpcRBdhD43Nuk3y7XIoW2OxMVv
wuRvk9XdASg==",
      "cpu": [
        "arm64"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "openharmony"
      ],
      "engines": {
        "node": ">=18"
      }
    },
    "node_modules/@esbuild/sunos-x64": {
      "version": "0.25.12",
      "resolved":
```

"https://registry.npmjs.org/@esbuild/sunos-x64/-/sunos-x64-0.25.12.tgz",
      "integrity":
"sha512-3wGSCDyuTHQUzt0nV7bocDy72r2lI33QL3gkDNGkod22EsYl04sMf0qLb8luNKTOmgF/eDEDP5BFNwoBKH441w==",
      "cpu": [
        "x64"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "sunos"
      ],
      "engines": {
        "node": ">=18"
      }
    },
    "node_modules/@esbuild/win32-arm64": {
      "version": "0.25.12",
      "resolved":
"https://registry.npmjs.org/@esbuild/win32-arm64/-/win32-arm64-0.25.12.tgz",
      "integrity":
"sha512-rMmLrur64A7+DKlnSuwqUdRKyd3UE7oPJZmnljqEptesKM8wx9J8gx5u0+9Pq0fQQW8vqeKebwNXdfOyP+8Bsg==",
      "cpu": [
        "arm64"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "win32"
      ],
      "engines": {
        "node": ">=18"
      }
    },
    "node_modules/@esbuild/win32-ia32": {
      "version": "0.25.12",
      "resolved":
"https://registry.npmjs.org/@esbuild/win32-ia32/-/win32-ia32-0.25.12.tgz",
      "integrity":
"sha512-HkqnmmBoCbCwxUKKNPBixiWDGCpQGVsrQfJoVGYLPT41XWF8lHuE5N6WhVia2n4o5QK5M4tYr21827fNhi4byQ==",
      "cpu": [
        "ia32"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,

```
      "os": [
        "win32"
      ],
      "engines": {
        "node": ">=18"
      }
    },
    "node_modules/@esbuild/win32-x64": {
      "version": "0.25.12",
      "resolved":
"https://registry.npmjs.org/@esbuild/win32-x64/-/win32-x64-0.25.12.tgz",
      "integrity":
"sha512-alJC0uCZpTFrSL0CCDjcgleBXPnCrEAhTBILpeAp7M/OFgoqtAetfBzX0xM00MUsVVPpVjlPuMb
REqnZCXaTnA==",
      "cpu": [
        "x64"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "win32"
      ],
      "engines": {
        "node": ">=18"
      }
    },
    "node_modules/@jridgewell/gen-mapping": {
      "version": "0.3.13",
      "resolved":
"https://registry.npmjs.org/@jridgewell/gen-mapping/-/gen-mapping-0.3.13.tgz",
      "integrity":
"sha512-2kkt/7niJ6MgEPxF0bYdQ6etZaA+fQvDcLKckhy1yIQOzaoKjBBjSj63/aLVjYE3qhRt5dvM+uU
yfCg6UKCBbA==",
      "dev": true,
      "license": "MIT",
      "dependencies": {
        "@jridgewell/sourcemap-codec": "^1.5.0",
        "@jridgewell/trace-mapping": "^0.3.24"
      }
    },
    "node_modules/@jridgewell/remapping": {
      "version": "2.3.5",
      "resolved":
"https://registry.npmjs.org/@jridgewell/remapping/-/remapping-2.3.5.tgz",
      "integrity":
"sha512-LI9u/+laYG4Ds1TDKSJW2YPrIlcVYOwi2fUC6xB43lueCjgxV4lffOCZCtYFiH6TNOX+tQKXx97
T4IKHbhyHEQ==",
      "dev": true,
      "license": "MIT",
```

```
      "dependencies": {
        "@jridgewell/gen-mapping": "^0.3.5",
        "@jridgewell/trace-mapping": "^0.3.24"
      }
    },
    "node_modules/@jridgewell/resolve-uri": {
      "version": "3.1.2",
      "resolved":
"https://registry.npmjs.org/@jridgewell/resolve-uri/-/resolve-uri-3.1.2.tgz",
      "integrity":
"sha512-bRISgCIjP20/tbWSPWMEi54QVPRZExkuD9lJL+UIxUKtwVJA8wW1Trb1jMs1RFXo1CBTNZ/5hpC
9QvmKWdopKw==",
      "dev": true,
      "license": "MIT",
      "engines": {
        "node": ">=6.0.0"
      }
    },
    "node_modules/@jridgewell/sourcemap-codec": {
      "version": "1.5.5",
      "resolved":
"https://registry.npmjs.org/@jridgewell/sourcemap-codec/-/sourcemap-codec-1.5.5.tgz
",
      "integrity":
"sha512-cYQ9310grqxueWbl+WuIUIaiUaDcj7WOq5fVhEljNVgRfOUhY9fy2zTvfoqWsnebh8Sl70VScFb
ICvJnLKB0Og==",
      "dev": true,
      "license": "MIT"
    },
    "node_modules/@jridgewell/trace-mapping": {
      "version": "0.3.31",
      "resolved":
"https://registry.npmjs.org/@jridgewell/trace-mapping/-/trace-mapping-0.3.31.tgz",
      "integrity":
"sha512-zzNR+SdQSDJzc8joaeP8QQoCQr8NuYx2dIIytl1QeBEZHJ9uW6hebsrYgbz8hJwUQao3TWCMtmf
V8Nu1twOLAw==",
      "dev": true,
      "license": "MIT",
      "dependencies": {
        "@jridgewell/resolve-uri": "^3.1.0",
        "@jridgewell/sourcemap-codec": "^1.4.14"
      }
    },
    "node_modules/@rolldown/pluginutils": {
      "version": "1.0.0-beta.47",
      "resolved":
"https://registry.npmjs.org/@rolldown/pluginutils/-/pluginutils-1.0.0-beta.47.tgz",
      "integrity":
"sha512-8QagwMH3kNCuzD8EWL8R2YPW5e4OrHNSAHRFDdmFqEwEaD/KcNKjVoumo+gP2vW5eKB2UPbM6vT
YiGZX0ixLnw==",
```

"dev": true,
"license": "MIT"
},
"node_modules/@rollup/rollup-android-arm-eabi": {
"version": "4.60.0",
"resolved":
"https://registry.npmjs.org/@rollup/rollup-android-arm-eabi/-/rollup-android-arm-eabi-4.60.0.tgz",
"integrity":
"sha512-WOhNW9K8bR3kf4zLxbfg6Pxu2ybOUbB2AjMDHSQx86LIF4rH4Ft7vmMwNt0loO0eonglSNy4cpD3MKXXKQu0/A==",
"cpu": [
"arm"
],
"dev": true,
"license": "MIT",
"optional": true,
"os": [
"android"
]
},
"node_modules/@rollup/rollup-android-arm64": {
"version": "4.60.0",
"resolved":
"https://registry.npmjs.org/@rollup/rollup-android-arm64/-/rollup-android-arm64-4.60.0.tgz",
"integrity":
"sha512-u6JHLll5QKRvjciE78bQXDmqRqNs5M/3GVqZeMwvmjaNODJih/WIrJlFVEihvV0MiYFmd+ZyPr9wxOVbPAG2Iw==",
"cpu": [
"arm64"
],
"dev": true,
"license": "MIT",
"optional": true,
"os": [
"android"
]
},
"node_modules/@rollup/rollup-darwin-arm64": {
"version": "4.60.0",
"resolved":
"https://registry.npmjs.org/@rollup/rollup-darwin-arm64/-/rollup-darwin-arm64-4.60.0.tgz",
"integrity":
"sha512-qEF7CsKKzSRc20Ciu2Zw1wRrBz4g56F7r/vRwY430UPp/nt1x21Q/fpJ9N5l47WWvJlkNCPJz3QRVw008fi7yA==",
"cpu": [
"arm64"
],

"dev": true,
"license": "MIT",
"optional": true,
"os": [
"darwin"
]
},
"node_modules/@rollup/rollup-darwin-x64": {
"version": "4.60.0",
"resolved":
"https://registry.npmjs.org/@rollup/rollup-darwin-x64/-/rollup-darwin-x64-4.60.0.tgz",
"integrity":
"sha512-WADYozJ4QCnXCH4wPB+3FuGmDPoFseVCUrANmA5LWwGmC6FL14BWC7pcq+FstOZv3baGX65tZ378uT6WG8ynTw==",
"cpu": [
"x64"
],
"dev": true,
"license": "MIT",
"optional": true,
"os": [
"darwin"
]
},
"node_modules/@rollup/rollup-freebsd-arm64": {
"version": "4.60.0",
"resolved":
"https://registry.npmjs.org/@rollup/rollup-freebsd-arm64/-/rollup-freebsd-arm64-4.60.0.tgz",
"integrity":
"sha512-6b8wGHJlDrGeSE3aH5mGNHBjA0TTkxdoNHik5EkvPHCt351XnigA4pS7Wsj/Eo9Y8RBU6f35cjN9SYmCFBtzxw==",
"cpu": [
"arm64"
],
"dev": true,
"license": "MIT",
"optional": true,
"os": [
"freebsd"
]
},
"node_modules/@rollup/rollup-freebsd-x64": {
"version": "4.60.0",
"resolved":
"https://registry.npmjs.org/@rollup/rollup-freebsd-x64/-/rollup-freebsd-x64-4.60.0.tgz",
"integrity":
"sha512-h25Ga0t4jaylMB8M/JKAyrvvfxGRjnPQIR8lnCayyzEjEOx2EJIlIiMbhpWxDRKGKF8jbNH01Nn

N663dH638mA==",
      "cpu": [
        "x64"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "freebsd"
      ]
    },
    "node_modules/@rollup/rollup-linux-arm-gnueabihf": {
      "version": "4.60.0",
      "resolved":
"https://registry.npmjs.org/@rollup/rollup-linux-arm-gnueabihf/-/rollup-linux-arm-g
nueabihf-4.60.0.tgz",
      "integrity":
"sha512-RzeBwv0B3qtVBWtcuABtSuCzToo2IEAIQrcyB/b2zMvBWVbjo8bZDjACUpnaafaxhTw2W+imQbP
2BD1usasK4g==",
      "cpu": [
        "arm"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "linux"
      ]
    },
    "node_modules/@rollup/rollup-linux-arm-musleabihf": {
      "version": "4.60.0",
      "resolved":
"https://registry.npmjs.org/@rollup/rollup-linux-arm-musleabihf/-/rollup-linux-arm-
musleabihf-4.60.0.tgz",
      "integrity":
"sha512-Sf7zusNI2CIU1HLzuu9Tc5YGAHEZs5Lu7N1ssJG4Tkw6e0MEsN7NdjUDDfGNHy2IU+ENyWT+L2o
bgWiguWibWQ==",
      "cpu": [
        "arm"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "linux"
      ]
    },
    "node_modules/@rollup/rollup-linux-arm64-gnu": {
      "version": "4.60.0",
      "resolved":

"https://registry.npmjs.org/@rollup/rollup-linux-arm64-gnu/-/rollup-linux-arm64-gnu
-4.60.0.tgz",
      "integrity":
"sha512-DX2x7CMcrJzsE91q7/O02IJQ5/aLkVtYFryqCjduJhUfGKG6yJV8hxaw8pZa93lLEpPTP/ohdN4
wFz7yp/ry9A==",
      "cpu": [
        "arm64"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "linux"
      ]
    },
    "node_modules/@rollup/rollup-linux-arm64-musl": {
      "version": "4.60.0",
      "resolved":
"https://registry.npmjs.org/@rollup/rollup-linux-arm64-musl/-/rollup-linux-arm64-mu
sl-4.60.0.tgz",
      "integrity":
"sha512-09EL+yFVbJZlhcQfShpswwRZ0Rg+z/CsSELFCnPt3iK+iqwGsI4zht3secj5vLEs957QvFFXnzA
T0FFPIxSrkQ==",
      "cpu": [
        "arm64"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "linux"
      ]
    },
    "node_modules/@rollup/rollup-linux-loong64-gnu": {
      "version": "4.60.0",
      "resolved":
"https://registry.npmjs.org/@rollup/rollup-linux-loong64-gnu/-/rollup-linux-loong64
-gnu-4.60.0.tgz",
      "integrity":
"sha512-i9IcCMPr3EXm8EQg5jnja0Zyc1iFxJjZWlb4wr7U2Wx/GrddOuEafxRdMPRYVaXjgbhvqalp6np
07hN1w9kAKw==",
      "cpu": [
        "loong64"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "linux"
      ]

```
    },
    "node_modules/@rollup/rollup-linux-loong64-musl": {
      "version": "4.60.0",
      "resolved":
"https://registry.npmjs.org/@rollup/rollup-linux-loong64-musl/-/rollup-linux-loong6
4-musl-4.60.0.tgz",
      "integrity":
"sha512-DGzdJK9kyJ+B78MCkWeGnpXJ91tK/iKA6HwHxF4TAlPIY7GXEvMe8hBFRgdrR9Ly4qebR/7gfUs
9y2IoaVEyog==",
      "cpu": [
        "loong64"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "linux"
      ]
    },
    "node_modules/@rollup/rollup-linux-ppc64-gnu": {
      "version": "4.60.0",
      "resolved":
"https://registry.npmjs.org/@rollup/rollup-linux-ppc64-gnu/-/rollup-linux-ppc64-gnu
-4.60.0.tgz",
      "integrity":
"sha512-RwpnLsqC8qbS8z1H1AxBA1H6qknR4YpPR9w2XX0vo2Sz10miu57PkNcnHVaZkbqyw/kUWfKMI73
jhmfi9BRMUQ==",
      "cpu": [
        "ppc64"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "linux"
      ]
    },
    "node_modules/@rollup/rollup-linux-ppc64-musl": {
      "version": "4.60.0",
      "resolved":
"https://registry.npmjs.org/@rollup/rollup-linux-ppc64-musl/-/rollup-linux-ppc64-mu
sl-4.60.0.tgz",
      "integrity":
"sha512-Z8pPf54Ly3aqtdWC3G4rFigZgNvd+qJlOE52fmko3KST9SoGfAdSRCwyoyG05q1HrrAblLbk1/P
SIV+80/pxLg==",
      "cpu": [
        "ppc64"
      ],
      "dev": true,
      "license": "MIT",
```

```
      "optional": true,
      "os": [
        "linux"
      ]
    },
    "node_modules/@rollup/rollup-linux-riscv64-gnu": {
      "version": "4.60.0",
      "resolved":
"https://registry.npmjs.org/@rollup/rollup-linux-riscv64-gnu/-/rollup-linux-riscv64
-gnu-4.60.0.tgz",
      "integrity":
"sha512-3a3qQustp3COCGvnP4SvrMHnPQ9d1vzCakQVRTliaz8cIp/wULGjiGpbcqrkv0WrHTEp8bQD/B3
HBjzujVWLOA==",
      "cpu": [
        "riscv64"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "linux"
      ]
    },
    "node_modules/@rollup/rollup-linux-riscv64-musl": {
      "version": "4.60.0",
      "resolved":
"https://registry.npmjs.org/@rollup/rollup-linux-riscv64-musl/-/rollup-linux-riscv6
4-musl-4.60.0.tgz",
      "integrity":
"sha512-pjZDsVH/1VsghMJ2/kAaxt6dL0psT6ZexQVrijczOf+PeP2BUqTHYejk3l6TlPRydggINOeNRhv
pLa0AYpCWSQ==",
      "cpu": [
        "riscv64"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "linux"
      ]
    },
    "node_modules/@rollup/rollup-linux-s390x-gnu": {
      "version": "4.60.0",
      "resolved":
"https://registry.npmjs.org/@rollup/rollup-linux-s390x-gnu/-/rollup-linux-s390x-gnu
-4.60.0.tgz",
      "integrity":
"sha512-3ObQs0BhvPgiUVZrN7gqCSvmFuMWvWvsjG5ayJ3Lraqv+2KhOsp+pUbigqbeWqueGIsnn+09HBw
27rJ+gYK4VQ==",
      "cpu": [
```

```
        "s390x"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "linux"
      ]
    },
    "node_modules/@rollup/rollup-linux-x64-gnu": {
      "version": "4.60.0",
      "resolved":
"https://registry.npmjs.org/@rollup/rollup-linux-x64-gnu/-/rollup-linux-x64-gnu-4.6
0.0.tgz",
      "integrity":
"sha512-EtylprDtQPdS5rXvAayrNDYoJhIz1/vzN2fEubo3yLE7tfAw+948dO0g4M0vkTVFhKojnF+n6C8
bDNe+gDRdTg==",
      "cpu": [
        "x64"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "linux"
      ]
    },
    "node_modules/@rollup/rollup-linux-x64-musl": {
      "version": "4.60.0",
      "resolved":
"https://registry.npmjs.org/@rollup/rollup-linux-x64-musl/-/rollup-linux-x64-musl-4
.60.0.tgz",
      "integrity":
"sha512-k09oiRCi/bHU9UVFqD17r3eJR9bn03TyKraCrlz5ULFJGdJGi7VOmm9jl44vOJvRJ6P7WuBi/s2
A97LxxHGIdw==",
      "cpu": [
        "x64"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "linux"
      ]
    },
    "node_modules/@rollup/rollup-openbsd-x64": {
      "version": "4.60.0",
      "resolved":
"https://registry.npmjs.org/@rollup/rollup-openbsd-x64/-/rollup-openbsd-x64-4.60.0.
tgz",
```

"integrity":
"sha512-1o/0/pIhozoSaDJoDcec+IVLbnRtQmHwPV730+AOD29lHEEo4F5BEUB24H0OBdhbBBDwIOSuf7vgg0Ywxdfiiw==",
"cpu": [
"x64"
],
"dev": true,
"license": "MIT",
"optional": true,
"os": [
"openbsd"
]
},
"node_modules/@rollup/rollup-openharmony-arm64": {
"version": "4.60.0",
"resolved":
"https://registry.npmjs.org/@rollup/rollup-openharmony-arm64/-/rollup-openharmony-arm64-4.60.0.tgz",
"integrity":
"sha512-pESDkos/PDzYwtyzB5p/UoNU/8fJo68vcXM9ZW2V0kjYayj1KaaUfi1NmTUTUpMn4UhU4gTuK8gIaFO4UGuMbA==",
"cpu": [
"arm64"
],
"dev": true,
"license": "MIT",
"optional": true,
"os": [
"openharmony"
]
},
"node_modules/@rollup/rollup-win32-arm64-msvc": {
"version": "4.60.0",
"resolved":
"https://registry.npmjs.org/@rollup/rollup-win32-arm64-msvc/-/rollup-win32-arm64-msvc-4.60.0.tgz",
"integrity":
"sha512-hj1wFStD7B1YBeYmvY+lWXZ7ey73YGPcViMShYikqKT1GtstIKQAtfUI6yrzPjAy/O7pO0VLXGmUVWXQMaYgTQ==",
"cpu": [
"arm64"
],
"dev": true,
"license": "MIT",
"optional": true,
"os": [
"win32"
]
},
"node_modules/@rollup/rollup-win32-ia32-msvc": {

"version": "4.60.0",
"resolved":
"https://registry.npmjs.org/@rollup/rollup-win32-ia32-msvc/-/rollup-win32-ia32-msvc
-4.60.0.tgz",
"integrity":
"sha512-SyaIPFoxmUPlNDq5EHkTbiKzmSEmq/gOYFI/3HHJ8iS/v1mbugVa7dXUzcJGQfoytp9DJFLhHH4
U3/eTy2Bq4w==",
"cpu": [
"ia32"
],
"dev": true,
"license": "MIT",
"optional": true,
"os": [
"win32"
]
},
"node_modules/@rollup/rollup-win32-x64-gnu": {
"version": "4.60.0",
"resolved":
"https://registry.npmjs.org/@rollup/rollup-win32-x64-gnu/-/rollup-win32-x64-gnu-4.6
0.0.tgz",
"integrity":
"sha512-RdcryEfzZr+lAr5kRm2ucN9aVlCCa2QNq4hXelZxb8GG0NJSazq44Z3PCCc8wISRuCVnGs0lQJV
X5Vp6fKA+IA==",
"cpu": [
"x64"
],
"dev": true,
"license": "MIT",
"optional": true,
"os": [
"win32"
]
},
"node_modules/@rollup/rollup-win32-x64-msvc": {
"version": "4.60.0",
"resolved":
"https://registry.npmjs.org/@rollup/rollup-win32-x64-msvc/-/rollup-win32-x64-msvc-4
.60.0.tgz",
"integrity":
"sha512-PrsWNQ8BuE00O3Xsx3ALh2Df8fAj9+cvvX9AIA6o4KpATR98c9mud4XtDWVvsEuyia5U4tVSTKy
gawyJkjm60w==",
"cpu": [
"x64"
],
"dev": true,
"license": "MIT",
"optional": true,
"os": [

```
        "win32"
      ]
    },
    "node_modules/@tailwindcss/node": {
      "version": "4.1.17",
      "resolved": "https://registry.npmjs.org/@tailwindcss/node/-/node-4.1.17.tgz",
      "integrity":
"sha512-csIkHIgLb3JisEFQ0vxr2Y57GUNYh447C8xzwj89U/8fdW8LhProdxvnVH6U8M2Y73QKiTIH+LW
bK3V2BBZsAg==",
      "dev": true,
      "license": "MIT",
      "dependencies": {
        "@jridgewell/remapping": "^2.3.4",
        "enhanced-resolve": "^5.18.3",
        "jiti": "^2.6.1",
        "lightningcss": "1.30.2",
        "magic-string": "^0.30.21",
        "source-map-js": "^1.2.1",
        "tailwindcss": "4.1.17"
      }
    },
    "node_modules/@tailwindcss/oxide": {
      "version": "4.1.17",
      "resolved":
"https://registry.npmjs.org/@tailwindcss/oxide/-/oxide-4.1.17.tgz",
      "integrity":
"sha512-F0F7d01fmkQhsTjXezGBLdrl1KresJTcI3DB8EkScCldyKp3Msz4hub4uyYaVnk88BAS1g5DQjj
F6F5qczheLA==",
      "dev": true,
      "license": "MIT",
      "engines": {
        "node": ">= 10"
      },
      "optionalDependencies": {
        "@tailwindcss/oxide-android-arm64": "4.1.17",
        "@tailwindcss/oxide-darwin-arm64": "4.1.17",
        "@tailwindcss/oxide-darwin-x64": "4.1.17",
        "@tailwindcss/oxide-freebsd-x64": "4.1.17",
        "@tailwindcss/oxide-linux-arm-gnueabihf": "4.1.17",
        "@tailwindcss/oxide-linux-arm64-gnu": "4.1.17",
        "@tailwindcss/oxide-linux-arm64-musl": "4.1.17",
        "@tailwindcss/oxide-linux-x64-gnu": "4.1.17",
        "@tailwindcss/oxide-linux-x64-musl": "4.1.17",
        "@tailwindcss/oxide-wasm32-wasi": "4.1.17",
        "@tailwindcss/oxide-win32-arm64-msvc": "4.1.17",
        "@tailwindcss/oxide-win32-x64-msvc": "4.1.17"
      }
    },
    "node_modules/@tailwindcss/oxide-android-arm64": {
      "version": "4.1.17",
```

"resolved":
"https://registry.npmjs.org/@tailwindcss/oxide-android-arm64/-/oxide-android-arm64-4.1.17.tgz",
"integrity":
"sha512-BMqpkJHgOZ5z78qqiGE6ZIRExyaHyuxjgrJ6eBO5+hfrfGkuya0lYfw8fRHG77gdTjWkNWEEm+qeG2cDMxArLQ==",
"cpu": [
"arm64"
],
"dev": true,
"license": "MIT",
"optional": true,
"os": [
"android"
],
"engines": {
"node": ">= 10"
}
},
"node_modules/@tailwindcss/oxide-darwin-arm64": {
"version": "4.1.17",
"resolved":
"https://registry.npmjs.org/@tailwindcss/oxide-darwin-arm64/-/oxide-darwin-arm64-4.1.17.tgz",
"integrity":
"sha512-EquyumkQweUBNk1zGEU/wfZo2qkp/nQKRZM8bUYO0J+Lums5+wl2CcG1f9BgAjn/u9pJzdYddHWBiFXJTcxmOg==",
"cpu": [
"arm64"
],
"dev": true,
"license": "MIT",
"optional": true,
"os": [
"darwin"
],
"engines": {
"node": ">= 10"
}
},
"node_modules/@tailwindcss/oxide-darwin-x64": {
"version": "4.1.17",
"resolved":
"https://registry.npmjs.org/@tailwindcss/oxide-darwin-x64/-/oxide-darwin-x64-4.1.17.tgz",
"integrity":
"sha512-gdhEPLzke2Pog8s12oADwYu0IAw04Y2tlmgVzIN0+046ytcgx8uZmCzEg4VcQh+AHKiS7xaL8kGo/QTiNEGRog==",
"cpu": [
"x64"

```
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "darwin"
      ],
      "engines": {
        "node": ">= 10"
      }
    },
    "node_modules/@tailwindcss/oxide-freebsd-x64": {
      "version": "4.1.17",
      "resolved":
"https://registry.npmjs.org/@tailwindcss/oxide-freebsd-x64/-/oxide-freebsd-x64-4.1.
17.tgz",
      "integrity":
"sha512-hxGS81KskMxML9DXsaXT1H0DyA+ZBIbyG/sSAjWNe2EDl7TkPOBI42GBV3u38itzGUOmFfCzk1i
AjDXds8Oh0g==",
      "cpu": [
        "x64"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "freebsd"
      ],
      "engines": {
        "node": ">= 10"
      }
    },
    "node_modules/@tailwindcss/oxide-linux-arm-gnueabihf": {
      "version": "4.1.17",
      "resolved":
"https://registry.npmjs.org/@tailwindcss/oxide-linux-arm-gnueabihf/-/oxide-linux-ar
m-gnueabihf-4.1.17.tgz",
      "integrity":
"sha512-k7jWk5E3ldAdw0cNglhjSgv501u7yrMf8oeZ0cElhxU6Y2o7f8yqelOp3fhf7evjIS6ujTI3U8p
KUXV2I4iXHQ==",
      "cpu": [
        "arm"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "linux"
      ],
      "engines": {
```

```
        "node": ">= 10"
      }
    },
    "node_modules/@tailwindcss/oxide-linux-arm64-gnu": {
      "version": "4.1.17",
      "resolved":
"https://registry.npmjs.org/@tailwindcss/oxide-linux-arm64-gnu/-/oxide-linux-arm64-
gnu-4.1.17.tgz",
      "integrity":
"sha512-HVDOm/mxK6+TbARwdW17WrgDYEGzmoYayrCgmLEw7FxTPLcp/glBisuyWkFz/jb7ZfiAXAXUACf
yItn+nTgsdQ==",
      "cpu": [
        "arm64"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "linux"
      ],
      "engines": {
        "node": ">= 10"
      }
    },
    "node_modules/@tailwindcss/oxide-linux-arm64-musl": {
      "version": "4.1.17",
      "resolved":
"https://registry.npmjs.org/@tailwindcss/oxide-linux-arm64-musl/-/oxide-linux-arm64
-musl-4.1.17.tgz",
      "integrity":
"sha512-HvZLfGr42i5anKtIeQzxdkw/wPqIbpeZqe7vd3V9vI3RQxe3xU1fLjss0TjyhxWcBaipk7NYwSr
wTwK1hJARMg==",
      "cpu": [
        "arm64"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "linux"
      ],
      "engines": {
        "node": ">= 10"
      }
    },
    "node_modules/@tailwindcss/oxide-linux-x64-gnu": {
      "version": "4.1.17",
      "resolved":
"https://registry.npmjs.org/@tailwindcss/oxide-linux-x64-gnu/-/oxide-linux-x64-gnu-
4.1.17.tgz",
```

"integrity":
"sha512-M3XZuORCGB7VPOEDH+nzpJ21XPvK5PyjlkSFkFziNHGLc5d6g3di2McAAblmaSUNl8IOmzYwLx9NsE7bplNkwQ==",
"cpu": [
"x64"
],
"dev": true,
"license": "MIT",
"optional": true,
"os": [
"linux"
],
"engines": {
"node": ">= 10"
}
},
"node_modules/@tailwindcss/oxide-linux-x64-musl": {
"version": "4.1.17",
"resolved":
"https://registry.npmjs.org/@tailwindcss/oxide-linux-x64-musl/-/oxide-linux-x64-musl-4.1.17.tgz",
"integrity":
"sha512-k7f+pf9eXLEey4pBlw+8dgfJHY4PZ5qOUFDyNf7SI6lHjQ9Zt7+NcscjpwdCEbYi6FI5c2KDTDWyf2iHcCSyyQ==",
"cpu": [
"x64"
],
"dev": true,
"license": "MIT",
"optional": true,
"os": [
"linux"
],
"engines": {
"node": ">= 10"
}
},
"node_modules/@tailwindcss/oxide-wasm32-wasi": {
"version": "4.1.17",
"resolved":
"https://registry.npmjs.org/@tailwindcss/oxide-wasm32-wasi/-/oxide-wasm32-wasi-4.1.17.tgz",
"integrity":
"sha512-cEytGqSSoy7zK4JRWiTCx43FsKP/zGr0CsuMawhH67ONlH+T79VteQeJQRO/X7L0juEUA8ZyuYikcRBf0vsxhg==",
"bundleDependencies": [
"@napi-rs/wasm-runtime",
"@emnapi/core",
"@emnapi/runtime",
"@tybys/wasm-util",

```
        "@emnapi/wasi-threads",
        "tslib"
      ],
      "cpu": [
        "wasm32"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "dependencies": {
        "@emnapi/core": "^1.6.0",
        "@emnapi/runtime": "^1.6.0",
        "@emnapi/wasi-threads": "^1.1.0",
        "@napi-rs/wasm-runtime": "^1.0.7",
        "@tybys/wasm-util": "^0.10.1",
        "tslib": "^2.4.0"
      },
      "engines": {
        "node": ">=14.0.0"
      }
    },
    "node_modules/@tailwindcss/oxide-win32-arm64-msvc": {
      "version": "4.1.17",
      "resolved":
"https://registry.npmjs.org/@tailwindcss/oxide-win32-arm64-msvc/-/oxide-win32-arm64
-msvc-4.1.17.tgz",
      "integrity":
"sha512-JU5AHr7gKbZlOGvMdb4722/0aYbU+tN6lv1kONx0JK2cGsh7g148zVWLM0IKR3NeKLv+L90chBV
YcJ8uJWbC9A==",
      "cpu": [
        "arm64"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "win32"
      ],
      "engines": {
        "node": ">= 10"
      }
    },
    "node_modules/@tailwindcss/oxide-win32-x64-msvc": {
      "version": "4.1.17",
      "resolved":
"https://registry.npmjs.org/@tailwindcss/oxide-win32-x64-msvc/-/oxide-win32-x64-msv
c-4.1.17.tgz",
      "integrity":
"sha512-SKWM4waLuqx0IH+FMDUw6R66Hu4OuTALFgnleKbqhgGU30DY20NORZMZUKgLRjQXNN2TLzKvh48
QXTig4h4bGw==",
```

```
      "cpu": [
        "x64"
      ],
      "dev": true,
      "license": "MIT",
      "optional": true,
      "os": [
        "win32"
      ],
      "engines": {
        "node": ">= 10"
      }
    },
    "node_modules/@tailwindcss/vite": {
      "version": "4.1.17",
      "resolved": "https://registry.npmjs.org/@tailwindcss/vite/-/vite-4.1.17.tgz",
      "integrity":
"sha512-4+9w8ZHOiGnpcGI6z1TVVfWaX/koK7fKeSYF3qlYg2xpBtbteP2ddBxiarL+HVgfSJGeK5RIxRQ
mKm4rTJJAwA==",
      "dev": true,
      "license": "MIT",
      "dependencies": {
        "@tailwindcss/node": "4.1.17",
        "@tailwindcss/oxide": "4.1.17",
        "tailwindcss": "4.1.17"
      },
      "peerDependencies": {
        "vite": "^5.2.0 || ^6 || ^7"
      }
    },
    "node_modules/@types/babel__core": {
      "version": "7.20.5",
      "resolved":
"https://registry.npmjs.org/@types/babel__core/-/babel__core-7.20.5.tgz",
      "integrity":
"sha512-qoQprZvz5wQFJwMDqeseRXWv3rqMvhgpbXFfVyWhbx9X47POIA6i/+dXefEmZKoAgOaTdaIgNSM
qMIU61yRyzA==",
      "dev": true,
      "license": "MIT",
      "dependencies": {
        "@babel/parser": "^7.20.7",
        "@babel/types": "^7.20.7",
        "@types/babel__generator": "*",
        "@types/babel__template": "*",
        "@types/babel__traverse": "*"
      }
    },
    "node_modules/@types/babel__generator": {
      "version": "7.27.0",
      "resolved":
```

"https://registry.npmjs.org/@types/babel__generator/-/babel__generator-7.27.0.tgz",
      "integrity":
"sha512-ufFd2Xi92OAVPYsy+P4n7/U7e68fex0+Ee8gSG9KX7eo084CWiQ4sdxktvdl0bOPupXtVJPY19zk6EwWqUQ8lg==",
      "dev": true,
      "license": "MIT",
      "dependencies": {
        "@babel/types": "^7.0.0"
      }
    },
    "node_modules/@types/babel__template": {
      "version": "7.4.4",
      "resolved":
"https://registry.npmjs.org/@types/babel__template/-/babel__template-7.4.4.tgz",
      "integrity":
"sha512-h/NUaSyG5EyxBIp8YRxo4RMe2/qQgvyowRwVMzhYhBCONbW8PUsg4lkFMrhgZhUe5z3L3MiLDuvyJ/CaPa2A8A==",
      "dev": true,
      "license": "MIT",
      "dependencies": {
        "@babel/parser": "^7.1.0",
        "@babel/types": "^7.0.0"
      }
    },
    "node_modules/@types/babel__traverse": {
      "version": "7.28.0",
      "resolved":
"https://registry.npmjs.org/@types/babel__traverse/-/babel__traverse-7.28.0.tgz",
      "integrity":
"sha512-8PvcXf70gTDZBgt9ptxJ8elBeBjcLOAcOtoO/mPJjtji1+CdGbHgm77om1GrsPxsiE+uXIpNSK64UYaIwQXd4Q==",
      "dev": true,
      "license": "MIT",
      "dependencies": {
        "@babel/types": "^7.28.2"
      }
    },
    "node_modules/@types/estree": {
      "version": "1.0.8",
      "resolved": "https://registry.npmjs.org/@types/estree/-/estree-1.0.8.tgz",
      "integrity":
"sha512-dWHzHa2WqEXI/O1E9OjrocMTKJl2mSrEolh1Iomrv6U+JuNwaHXsXx9bLu5gG7BUWFIN0skIQJQ/L1rIex4X6w==",
      "dev": true,
      "license": "MIT"
    },
    "node_modules/@types/node": {
      "version": "22.19.15",
      "resolved": "https://registry.npmjs.org/@types/node/-/node-22.19.15.tgz",
      "integrity":

"sha512-F0R/h2+dsy5wJAUe3tAU6oqa2qbWY5TpNfL/RGmo1y38hiyO1w3x2jPtt76wmuaJI4DQnOBu21c
NXQ2STIUUWg==",
      "dev": true,
      "license": "MIT",
      "dependencies": {
        "undici-types": "~6.21.0"
      }
    },
    "node_modules/@types/react": {
      "version": "19.2.7",
      "resolved": "https://registry.npmjs.org/@types/react/-/react-19.2.7.tgz",
      "integrity":
"sha512-MWtvHrGZLFttgeEj28VXHxpmwYbor/ATPYbBfSFZEIRK0ecCFLl2Qo55z52Hss+UV9CRN7trSeq
1zbgx7YDWWg==",
      "dev": true,
      "license": "MIT",
      "dependencies": {
        "csstype": "^3.2.2"
      }
    },
    "node_modules/@types/react-dom": {
      "version": "19.2.3",
      "resolved":
"https://registry.npmjs.org/@types/react-dom/-/react-dom-19.2.3.tgz",
      "integrity":
"sha512-jp2L/eY6fn+KgVVQAOqYItbF0VY/YApe5Mz2F0aykSO8gx31bYCZyvSeYxCHKvzHG5eZjc+zyaS
5BrBWya2+kQ==",
      "dev": true,
      "license": "MIT",
      "peerDependencies": {
        "@types/react": "^19.2.0"
      }
    },
    "node_modules/@vitejs/plugin-react": {
      "version": "5.1.1",
      "resolved":
"https://registry.npmjs.org/@vitejs/plugin-react/-/plugin-react-5.1.1.tgz",
      "integrity":
"sha512-WQfkSw0QbQ5aJ2CHYw23ZGkqnRwqKHD/KYsMeTkZzPT4Jcf0DcBxBtwMJxnu6E7oxw5+JC6ZAie
Pgh28uJ1HBA==",
      "dev": true,
      "license": "MIT",
      "dependencies": {
        "@babel/core": "^7.28.5",
        "@babel/plugin-transform-react-jsx-self": "^7.27.1",
        "@babel/plugin-transform-react-jsx-source": "^7.27.1",
        "@rolldown/pluginutils": "1.0.0-beta.47",
        "@types/babel__core": "^7.20.5",
        "react-refresh": "^0.18.0"
      },

```
      "engines": {
        "node": "^20.19.0 || >=22.12.0"
      },
      "peerDependencies": {
        "vite": "^4.2.0 || ^5.0.0 || ^6.0.0 || ^7.0.0"
      }
    },
    "node_modules/baseline-browser-mapping": {
      "version": "2.10.11",
      "resolved":
"https://registry.npmjs.org/baseline-browser-mapping/-/baseline-browser-mapping-2.1
0.11.tgz",
      "integrity":
"sha512-DAKrHphkJyiGuau/cFieRYhcTFeK/lBuD++C7cZ6KZHbMhBrisoi+EvhQ5RZrIfV5qwsW8kgQ07
JIC+MDJRAhg==",
      "dev": true,
      "license": "Apache-2.0",
      "bin": {
        "baseline-browser-mapping": "dist/cli.cjs"
      },
      "engines": {
        "node": ">=6.0.0"
      }
    },
    "node_modules/braces": {
      "version": "3.0.3",
      "resolved": "https://registry.npmjs.org/braces/-/braces-3.0.3.tgz",
      "integrity":
"sha512-yQbXgO/OSZVD2IsiLlro+7Hf6Q18EJrKSEsdoMzKePKXct3gvD8oLcOQdIzGupr5Fj+EDe8gO/l
xc1BzfMpxvA==",
      "dev": true,
      "license": "MIT",
      "dependencies": {
        "fill-range": "^7.1.1"
      },
      "engines": {
        "node": ">=8"
      }
    },
    "node_modules/browserslist": {
      "version": "4.28.1",
      "resolved":
"https://registry.npmjs.org/browserslist/-/browserslist-4.28.1.tgz",
      "integrity":
"sha512-ZC5Bd0LgJXgwGqUknZY/vkUQ04r8NXnJZ3yYi4vDmSiZmC/pdSN0NbNRPxZpbtO4uAfDUAFffO8
IZoM3Gj8IkA==",
      "dev": true,
      "funding": [
        {
          "type": "opencollective",
```

```
          "url": "https://opencollective.com/browserslist"
        },
        {
          "type": "tidelift",
          "url": "https://tidelift.com/funding/github/npm/browserslist"
        },
        {
          "type": "github",
          "url": "https://github.com/sponsors/ai"
        }
      ],
      "license": "MIT",
      "dependencies": {
        "baseline-browser-mapping": "^2.9.0",
        "caniuse-lite": "^1.0.30001759",
        "electron-to-chromium": "^1.5.263",
        "node-releases": "^2.0.27",
        "update-browserslist-db": "^1.2.0"
      },
      "bin": {
        "browserslist": "cli.js"
      },
      "engines": {
        "node": "^6 || ^7 || ^8 || ^9 || ^10 || ^11 || ^12 || >=13.7"
      }
    },
    "node_modules/caniuse-lite": {
      "version": "1.0.30001781",
      "resolved":
"https://registry.npmjs.org/caniuse-lite/-/caniuse-lite-1.0.30001781.tgz",
      "integrity":
"sha512-RdwNCyMsNBftLjW6w01z8bKEvT6e/5tpPVEgtn22TiLGlstHOVecsX2KHFkD5e/vRnIE4EGzpuI
ODb3mtswtkw==",
      "dev": true,
      "funding": [
        {
          "type": "opencollective",
          "url": "https://opencollective.com/browserslist"
        },
        {
          "type": "tidelift",
          "url": "https://tidelift.com/funding/github/npm/caniuse-lite"
        },
        {
          "type": "github",
          "url": "https://github.com/sponsors/ai"
        }
      ],
      "license": "CC-BY-4.0"
    },
```

```
    "node_modules/clsx": {
      "version": "2.1.1",
      "resolved": "https://registry.npmjs.org/clsx/-/clsx-2.1.1.tgz",
      "integrity":
"sha512-eYm0QWBtUrBWZWG0d386OGAw16Z995PiOVo2B7bjWSbHedGl5e0ZWaq65kOGgUSNesEIDkB9ISb
Tg/JK9dhCZA==",
      "license": "MIT",
      "engines": {
        "node": ">=6"
      }
    },
    "node_modules/convert-source-map": {
      "version": "2.0.0",
      "resolved":
"https://registry.npmjs.org/convert-source-map/-/convert-source-map-2.0.0.tgz",
      "integrity":
"sha512-Kvp459HrV2FEJ1CAsi1Ku+MY3kasH19TFykTz2xWmMeq6bk2NU3XXvfJ+Q61m0xktWwt+1HSYf3
JZsTms3aRJg==",
      "dev": true,
      "license": "MIT"
    },
    "node_modules/cookie": {
      "version": "1.1.1",
      "resolved": "https://registry.npmjs.org/cookie/-/cookie-1.1.1.tgz",
      "integrity":
"sha512-ei8Aos7ja0weRpFzJnEA9UHJ/7XQmqglbRwnf2ATjcB9Wq874VKH9kfjjirM6UhU2/E5fFYadyl
yhFldcqSidQ==",
      "license": "MIT",
      "engines": {
        "node": ">=18"
      },
      "funding": {
        "type": "opencollective",
        "url": "https://opencollective.com/express"
      }
    },
    "node_modules/csstype": {
      "version": "3.2.3",
      "resolved": "https://registry.npmjs.org/csstype/-/csstype-3.2.3.tgz",
      "integrity":
"sha512-z1HGKcYy2xA8AGQfwrn0PAy+PB7X/GSj3UVJW9qKyn43xWa+gl5nXmU4qqLMRzWVLFC8KusUX8T
/0kCiOYpAIQ==",
      "dev": true,
      "license": "MIT"
    },
    "node_modules/debug": {
      "version": "4.4.3",
      "resolved": "https://registry.npmjs.org/debug/-/debug-4.4.3.tgz",
      "integrity":
"sha512-RGwwWnwQvkVfavKVt22FGLw+xYSdzARwm0ru6DhTVA3umU5hZc28V3kO4stgYryrTlLpuvgI9Gi
```

ijltAjNbcqA==",
      "dev": true,
      "license": "MIT",
      "dependencies": {
        "ms": "^2.1.3"
      },
      "engines": {
        "node": ">=6.0"
      },
      "peerDependenciesMeta": {
        "supports-color": {
          "optional": true
        }
      }
    },
    "node_modules/detect-libc": {
      "version": "2.1.2",
      "resolved": "https://registry.npmjs.org/detect-libc/-/detect-libc-2.1.2.tgz",
      "integrity":
"sha512-Btj2BOOO83o3WyH59e8MgXsxEQVcarkUOpEYrubB0urwnN10yQ364rsiByU11nZlqWYZm05i/of
7io4mzihBtQ==",
      "dev": true,
      "license": "Apache-2.0",
      "engines": {
        "node": ">=8"
      }
    },
    "node_modules/electron-to-chromium": {
      "version": "1.5.328",
      "resolved":
"https://registry.npmjs.org/electron-to-chromium/-/electron-to-chromium-1.5.328.tgz
",
      "integrity":
"sha512-QNQ5l45DzYytThO21403XN3FvK0hOkWDG8viNf6jqS42msJ8I4tGDSpBCgvDRRPnkffafiwAym2
X2eHeGD2V0w==",
      "dev": true,
      "license": "ISC"
    },
    "node_modules/enhanced-resolve": {
      "version": "5.20.1",
      "resolved":
"https://registry.npmjs.org/enhanced-resolve/-/enhanced-resolve-5.20.1.tgz",
      "integrity":
"sha512-Qohcme7V1inbAfvjItgw0EaxVX5q2rdVEZHRBrEQdRZTssLDGsL8Lwrznl8oQ/6kuTJONLaDcGj
kNP247XEhcA==",
      "dev": true,
      "license": "MIT",
      "dependencies": {
        "graceful-fs": "^4.2.4",
        "tapable": "^2.3.0"

```
      },
      "engines": {
        "node": ">=10.13.0"
      }
    },
    "node_modules/esbuild": {
      "version": "0.25.12",
      "resolved": "https://registry.npmjs.org/esbuild/-/esbuild-0.25.12.tgz",
      "integrity":
"sha512-bbPBYYrtZbkt6Os6FiTLCTFxvq4tt3JKall1vRwshA3fdVztsLAatFaZobhkBC8/BrPetoa0oks
YoKXoG4ryJg==",
      "dev": true,
      "hasInstallScript": true,
      "license": "MIT",
      "bin": {
        "esbuild": "bin/esbuild"
      },
      "engines": {
        "node": ">=18"
      },
      "optionalDependencies": {
        "@esbuild/aix-ppc64": "0.25.12",
        "@esbuild/android-arm": "0.25.12",
        "@esbuild/android-arm64": "0.25.12",
        "@esbuild/android-x64": "0.25.12",
        "@esbuild/darwin-arm64": "0.25.12",
        "@esbuild/darwin-x64": "0.25.12",
        "@esbuild/freebsd-arm64": "0.25.12",
        "@esbuild/freebsd-x64": "0.25.12",
        "@esbuild/linux-arm": "0.25.12",
        "@esbuild/linux-arm64": "0.25.12",
        "@esbuild/linux-ia32": "0.25.12",
        "@esbuild/linux-loong64": "0.25.12",
        "@esbuild/linux-mips64el": "0.25.12",
        "@esbuild/linux-ppc64": "0.25.12",
        "@esbuild/linux-riscv64": "0.25.12",
        "@esbuild/linux-s390x": "0.25.12",
        "@esbuild/linux-x64": "0.25.12",
        "@esbuild/netbsd-arm64": "0.25.12",
        "@esbuild/netbsd-x64": "0.25.12",
        "@esbuild/openbsd-arm64": "0.25.12",
        "@esbuild/openbsd-x64": "0.25.12",
        "@esbuild/openharmony-arm64": "0.25.12",
        "@esbuild/sunos-x64": "0.25.12",
        "@esbuild/win32-arm64": "0.25.12",
        "@esbuild/win32-ia32": "0.25.12",
        "@esbuild/win32-x64": "0.25.12"
      }
    },
    "node_modules/escalade": {
```

"version": "3.2.0",
"resolved": "https://registry.npmjs.org/escalade/-/escalade-3.2.0.tgz",
"integrity":
"sha512-WUj2qlxaQtO4g6Pq5c29GTcWGDyd8itL8zTlipgECz3JesAiiOKotd8JU6otB3PACgG6xkJUyVhboMS+bje/jA==",
"dev": true,
"license": "MIT",
"engines": {
"node": ">=6"
}
},
"node_modules/fdir": {
"version": "6.5.0",
"resolved": "https://registry.npmjs.org/fdir/-/fdir-6.5.0.tgz",
"integrity":
"sha512-tIbYtZbucOs0BRGqPJkshJUYdL+SDH7dVM8gjy+ERp3WAUjLEFJE+02kanyHtwjWOnwrKYBiwAmM0p4kLJAnXg==",
"dev": true,
"license": "MIT",
"engines": {
"node": ">=12.0.0"
},
"peerDependencies": {
"picomatch": "^3 || ^4"
},
"peerDependenciesMeta": {
"picomatch": {
"optional": true
}
}
},
"node_modules/fill-range": {
"version": "7.1.1",
"resolved": "https://registry.npmjs.org/fill-range/-/fill-range-7.1.1.tgz",
"integrity":
"sha512-YsGpe3WHLK8ZYi4tWDg2Jy3ebRz2rXowDxnld4bkQB00cc/1Zw9AWnC0i9ztDJitivtQvaI9KaLyKrc+hBW0yg==",
"dev": true,
"license": "MIT",
"dependencies": {
"to-regex-range": "^5.0.1"
},
"engines": {
"node": ">=8"
}
},
"node_modules/framer-motion": {
"version": "12.38.0",
"resolved":
"https://registry.npmjs.org/framer-motion/-/framer-motion-12.38.0.tgz",

"integrity":
"sha512-rFYkY/pigbcswl1XQSb7q424kSTQ8q6eAC+YUsSKooHQYuLdzdHjrt6uxUC+PRAO++q5IS7+Tam
gIw1AphxR+g==",
"license": "MIT",
"dependencies": {
"motion-dom": "^12.38.0",
"motion-utils": "^12.36.0",
"tslib": "^2.4.0"
},
"peerDependencies": {
"@emotion/is-prop-valid": "*",
"react": "^18.0.0 || ^19.0.0",
"react-dom": "^18.0.0 || ^19.0.0"
},
"peerDependenciesMeta": {
"@emotion/is-prop-valid": {
"optional": true
},
"react": {
"optional": true
},
"react-dom": {
"optional": true
}
}
},
"node_modules/fsevents": {
"version": "2.3.3",
"resolved": "https://registry.npmjs.org/fsevents/-/fsevents-2.3.3.tgz",
"integrity":
"sha512-5xoDfX+fL7faATnagmWPpbFtwh/R77WmMMqqHGS65C3vvB0YHrgF+B1YmZ3441tMj5n63k0212X
NoJwzlhffQw==",
"dev": true,
"hasInstallScript": true,
"license": "MIT",
"optional": true,
"os": [
"darwin"
],
"engines": {
"node": "^8.16.0 || ^10.6.0 || >=11.0.0"
}
},
"node_modules/gensync": {
"version": "1.0.0-beta.2",
"resolved": "https://registry.npmjs.org/gensync/-/gensync-1.0.0-beta.2.tgz",
"integrity":
"sha512-3hN7NaskYvMDLQY55gnW3NQ+mesEAepTqlg+VEbj7zzqEMBVNhzcGYYeqFo/TlYz6eQiFcp1Hcs
CZO+nGgS8zg==",
"dev": true,

"license": "MIT",
"engines": {
"node": ">=6.9.0"
}
},
"node_modules/graceful-fs": {
"version": "4.2.11",
"resolved":
"https://registry.npmjs.org/graceful-fs/-/graceful-fs-4.2.11.tgz",
"integrity":
"sha512-RbJ5/jmFcNNCcDV5o9eTnBLJ/HszWV0P73bc+Ff4nS/rJj+YaS6IGyiOL0VoBYX+l1Wrl3k63h/
KrH+nhJ0XvQ==",
"dev": true,
"license": "ISC"
},
"node_modules/is-number": {
"version": "7.0.0",
"resolved": "https://registry.npmjs.org/is-number/-/is-number-7.0.0.tgz",
"integrity":
"sha512-41Cifkg6e8TylSpdtTpeLVMqvSBEVzTttHvERD741+pnZ8ANv0004MRL43QKPDlK9cGvNp6NZWZ
UBlbGXYxxng==",
"dev": true,
"license": "MIT",
"engines": {
"node": ">=0.12.0"
}
},
"node_modules/jiti": {
"version": "2.6.1",
"resolved": "https://registry.npmjs.org/jiti/-/jiti-2.6.1.tgz",
"integrity":
"sha512-ekilCSN1jwRvIbgeg/57YFh8qQDNbwDb9xT/qu2DAHbFFZUicIl4ygVaAvzveMhMVr3LnpSKTNn
wt8PoOfmKhQ==",
"dev": true,
"license": "MIT",
"bin": {
"jiti": "lib/jiti-cli.mjs"
}
},
"node_modules/js-tokens": {
"version": "4.0.0",
"resolved": "https://registry.npmjs.org/js-tokens/-/js-tokens-4.0.0.tgz",
"integrity":
"sha512-RdJUflcE3cUzKiMqQgsCu06FPu9UdIJO0beYbPhHN4k6apgJtifcoCtT9bcxOpYBtpD2kCM6Sbz
g4CausW/PKQ==",
"dev": true,
"license": "MIT"
},
"node_modules/jsesc": {
"version": "3.1.0",

"resolved": "https://registry.npmjs.org/jsesc/-/jsesc-3.1.0.tgz",
"integrity":
"sha512-/sM3dO2FOzXjKQhJuo0Q173wf2KOo8t4I8vHy6lF9poUp7bKT0/NHE8fPX23Pwfhnykfqn C2xRx
OnVw5XuGIaA==",
"dev": true,
"license": "MIT",
"bin": {
"jsesc": "bin/jsesc"
},
"engines": {
"node": ">=6"
}
},
"node_modules/json5": {
"version": "2.2.3",
"resolved": "https://registry.npmjs.org/json5/-/json5-2.2.3.tgz",
"integrity":
"sha512-XmOWe7eyHYH14cLdVPoyg+GOH3rYX++KpzrylJwSW98t3Nk+U8XOl8FWKOgwtzdb8lXGf6zYwDU
zeHMWfxasyg==",
"dev": true,
"license": "MIT",
"bin": {
"json5": "lib/cli.js"
},
"engines": {
"node": ">=6"
}
},
"node_modules/lightningcss": {
"version": "1.30.2",
"resolved":
"https://registry.npmjs.org/lightningcss/-/lightningcss-1.30.2.tgz",
"integrity":
"sha512-utfs7Pr5uJyyvDETitgsaqSyjCb2qNRAtuqUeWIAKztsOYdcACf2KtARYXg2pSvhkt+9NfoaNY7
fxjl6nuMjIQ==",
"dev": true,
"license": "MPL-2.0",
"dependencies": {
"detect-libc": "^2.0.3"
},
"engines": {
"node": ">= 12.0.0"
},
"funding": {
"type": "opencollective",
"url": "https://opencollective.com/parcel"
},
"optionalDependencies": {
"lightningcss-android-arm64": "1.30.2",
"lightningcss-darwin-arm64": "1.30.2",

"lightningcss-darwin-x64": "1.30.2",
"lightningcss-freebsd-x64": "1.30.2",
"lightningcss-linux-arm-gnueabihf": "1.30.2",
"lightningcss-linux-arm64-gnu": "1.30.2",
"lightningcss-linux-arm64-musl": "1.30.2",
"lightningcss-linux-x64-gnu": "1.30.2",
"lightningcss-linux-x64-musl": "1.30.2",
"lightningcss-win32-arm64-msvc": "1.30.2",
"lightningcss-win32-x64-msvc": "1.30.2"
}
},
"node_modules/lightningcss-android-arm64": {
"version": "1.30.2",
"resolved":
"https://registry.npmjs.org/lightningcss-android-arm64/-/lightningcss-android-arm64
-1.30.2.tgz",
"integrity":
"sha512-BH9sEdOCahSgmkVhBLeU7Hc9DWeZ1Eb6wNS6Da8igvUwAe0sqROHddIlvU06q3WyXVEOYDZ6ykB
ZQnjTbmo4+A==",
"cpu": [
"arm64"
],
"dev": true,
"license": "MPL-2.0",
"optional": true,
"os": [
"android"
],
"engines": {
"node": ">= 12.0.0"
},
"funding": {
"type": "opencollective",
"url": "https://opencollective.com/parcel"
}
},
"node_modules/lightningcss-darwin-arm64": {
"version": "1.30.2",
"resolved":
"https://registry.npmjs.org/lightningcss-darwin-arm64/-/lightningcss-darwin-arm64-1
.30.2.tgz",
"integrity":
"sha512-ylTcDJBN3Hp21TdhRT5zBOIi73P6/W0qwvlFEk22fkdXchtNTOU4Qc37SkzV+EKYxLouZ6M4LG9
NfZ1qkhhBWA==",
"cpu": [
"arm64"
],
"dev": true,
"license": "MPL-2.0",
"optional": true,

```
      "os": [
        "darwin"
      ],
      "engines": {
        "node": ">= 12.0.0"
      },
      "funding": {
        "type": "opencollective",
        "url": "https://opencollective.com/parcel"
      }
    },
    "node_modules/lightningcss-darwin-x64": {
      "version": "1.30.2",
      "resolved":
"https://registry.npmjs.org/lightningcss-darwin-x64/-/lightningcss-darwin-x64-1.30.
2.tgz",
      "integrity":
"sha512-oBZgKchomuDYxr7ilwLcyms6BCyLn0z8J0+ZZmfpjwg9fRVZIR5/GMXd7r9RH94iDhld3UmSjBM
6nXWM2TfZTQ==",
      "cpu": [
        "x64"
      ],
      "dev": true,
      "license": "MPL-2.0",
      "optional": true,
      "os": [
        "darwin"
      ],
      "engines": {
        "node": ">= 12.0.0"
      },
      "funding": {
        "type": "opencollective",
        "url": "https://opencollective.com/parcel"
      }
    },
    "node_modules/lightningcss-freebsd-x64": {
      "version": "1.30.2",
      "resolved":
"https://registry.npmjs.org/lightningcss-freebsd-x64/-/lightningcss-freebsd-x64-1.3
0.2.tgz",
      "integrity":
"sha512-c2bH6xTrf4BDpK8MoGG4Bd6zAMZDAXS569UxCAGcA7IKbHNMlhGQ89eRmvpIUGfKWNVdbhSbkQa
WhEoMGmGslA==",
      "cpu": [
        "x64"
      ],
      "dev": true,
      "license": "MPL-2.0",
      "optional": true,
```

```
      "os": [
        "freebsd"
      ],
      "engines": {
        "node": ">= 12.0.0"
      },
      "funding": {
        "type": "opencollective",
        "url": "https://opencollective.com/parcel"
      }
    },
    "node_modules/lightningcss-linux-arm-gnueabihf": {
      "version": "1.30.2",
      "resolved":
"https://registry.npmjs.org/lightningcss-linux-arm-gnueabihf/-/lightningcss-linux-a
rm-gnueabihf-1.30.2.tgz",
      "integrity":
"sha512-eVdpxh4wYcm0PofJIZVuYuLiqBIakQ9uFZmipf6LF/HRj5Bgm0eb3qL/mr1smyXIS1twwOxNWnd
d8z0E374hiA==",
      "cpu": [
        "arm"
      ],
      "dev": true,
      "license": "MPL-2.0",
      "optional": true,
      "os": [
        "linux"
      ],
      "engines": {
        "node": ">= 12.0.0"
      },
      "funding": {
        "type": "opencollective",
        "url": "https://opencollective.com/parcel"
      }
    },
    "node_modules/lightningcss-linux-arm64-gnu": {
      "version": "1.30.2",
      "resolved":
"https://registry.npmjs.org/lightningcss-linux-arm64-gnu/-/lightningcss-linux-arm64
-gnu-1.30.2.tgz",
      "integrity":
"sha512-UK65WJAbwIJbiBFXpxrbTNArtfuznvxAJw4Q2ZGlU8kPeDIWEX1dg3rn2veBVUylA2Ezg89ktsz
WbaQnxD/e3A==",
      "cpu": [
        "arm64"
      ],
      "dev": true,
      "license": "MPL-2.0",
      "optional": true,
```

"os": [
"linux"
],
"engines": {
"node": ">= 12.0.0"
},
"funding": {
"type": "opencollective",
"url": "https://opencollective.com/parcel"
}
},
"node_modules/lightningcss-linux-arm64-musl": {
"version": "1.30.2",
"resolved":
"https://registry.npmjs.org/lightningcss-linux-arm64-musl/-/lightningcss-linux-arm6
4-musl-1.30.2.tgz",
"integrity":
"sha512-5Vh9dGeblpTxWHpOx8iauV02popZDsCYMPIgiuw97OJ5uaDsL86cnqSFs5LZkG3ghHoX5isLgWz
Ms+eD1YzrnA==",
"cpu": [
"arm64"
],
"dev": true,
"license": "MPL-2.0",
"optional": true,
"os": [
"linux"
],
"engines": {
"node": ">= 12.0.0"
},
"funding": {
"type": "opencollective",
"url": "https://opencollective.com/parcel"
}
},
"node_modules/lightningcss-linux-x64-gnu": {
"version": "1.30.2",
"resolved":
"https://registry.npmjs.org/lightningcss-linux-x64-gnu/-/lightningcss-linux-x64-gnu
-1.30.2.tgz",
"integrity":
"sha512-Cfd46gdmj1vQ+lR6VRTTadNHu6ALuw2pKR9lYq4FnhvgBc4zWY1EtZcAc6EffShbb1MFrIPfLDX
D6Xprbnni4w==",
"cpu": [
"x64"
],
"dev": true,
"license": "MPL-2.0",
"optional": true,

```
      "os": [
        "linux"
      ],
      "engines": {
        "node": ">= 12.0.0"
      },
      "funding": {
        "type": "opencollective",
        "url": "https://opencollective.com/parcel"
      }
    },
    "node_modules/lightningcss-linux-x64-musl": {
      "version": "1.30.2",
      "resolved":
"https://registry.npmjs.org/lightningcss-linux-x64-musl/-/lightningcss-linux-x64-mu
sl-1.30.2.tgz",
      "integrity":
"sha512-XJaLUUFXb6/QG2lGIW6aIk6jKdtjtcffUT0NKvIqhSBY3hh9Ch+1LCeH80dR9q9LBjG3ewbDjnu
mefsLsP6aiA==",
      "cpu": [
        "x64"
      ],
      "dev": true,
      "license": "MPL-2.0",
      "optional": true,
      "os": [
        "linux"
      ],
      "engines": {
        "node": ">= 12.0.0"
      },
      "funding": {
        "type": "opencollective",
        "url": "https://opencollective.com/parcel"
      }
    },
    "node_modules/lightningcss-win32-arm64-msvc": {
      "version": "1.30.2",
      "resolved":
"https://registry.npmjs.org/lightningcss-win32-arm64-msvc/-/lightningcss-win32-arm6
4-msvc-1.30.2.tgz",
      "integrity":
"sha512-FZn+vaj7zLv//D/192WFFVA0RgHawIcHqLX9xuWiQt7P0PtdFEVaxgF9rjM/IRYHQXNnk61/H/g
b2Ei+kUQ4xQ==",
      "cpu": [
        "arm64"
      ],
      "dev": true,
      "license": "MPL-2.0",
      "optional": true,
```

```
      "os": [
        "win32"
      ],
      "engines": {
        "node": ">= 12.0.0"
      },
      "funding": {
        "type": "opencollective",
        "url": "https://opencollective.com/parcel"
      }
    },
    "node_modules/lightningcss-win32-x64-msvc": {
      "version": "1.30.2",
      "resolved":
"https://registry.npmjs.org/lightningcss-win32-x64-msvc/-/lightningcss-win32-x64-ms
vc-1.30.2.tgz",
      "integrity":
"sha512-5g1yc73p+iAkid5phb4oVFMB45417DkRevRbt/El/gKXJk4jid+vPFF/AXbxn05Aky8PapwzZrd
JShv5C0avjw==",
      "cpu": [
        "x64"
      ],
      "dev": true,
      "license": "MPL-2.0",
      "optional": true,
      "os": [
        "win32"
      ],
      "engines": {
        "node": ">= 12.0.0"
      },
      "funding": {
        "type": "opencollective",
        "url": "https://opencollective.com/parcel"
      }
    },
    "node_modules/lru-cache": {
      "version": "5.1.1",
      "resolved": "https://registry.npmjs.org/lru-cache/-/lru-cache-5.1.1.tgz",
      "integrity":
"sha512-KpNARQA3Iwv+jTA0utUVVbrh+Jlrr1Fv0e56GGzAFOXN7dk/FviaDW8LHmK52DlcH4WP2n6gI8v
N1aesBFgo9w==",
      "dev": true,
      "license": "ISC",
      "dependencies": {
        "yallist": "^3.0.2"
      }
    },
    "node_modules/lucide-react": {
      "version": "1.7.0",
```

"resolved":
"https://registry.npmjs.org/lucide-react/-/lucide-react-1.7.0.tgz",
"integrity":
"sha512-yI7BeItCLZJTXikmK4KNUGCKoGzSvbKlfCvw44bU4fXAL6v3gYS4uHD1jzsLkfwODYwI6Drw5Tu
9Z5ulDe0TSg==",
"license": "ISC",
"peerDependencies": {
"react": "^16.5.1 || ^17.0.0 || ^18.0.0 || ^19.0.0"
}
},
"node_modules/magic-string": {
"version": "0.30.21",
"resolved":
"https://registry.npmjs.org/magic-string/-/magic-string-0.30.21.tgz",
"integrity":
"sha512-vd2F4YUyEXKGcLHoq+TEyCjxueSeHnFxyyjNp80yg0XV4vUhnDer/lvvlqM/arB5bXQN5K2/3oi
nyCRyx8T2CQ==",
"dev": true,
"license": "MIT",
"dependencies": {
"@jridgewell/sourcemap-codec": "^1.5.5"
}
},
"node_modules/micromatch": {
"version": "4.0.8",
"resolved": "https://registry.npmjs.org/micromatch/-/micromatch-4.0.8.tgz",
"integrity":
"sha512-PXwfBhYu0hBCPw8Dn0E+WDYb7af3dSLVWKi3HGv84IdF4TyFoC0ysxFd0Goxw7nSv4T/PzEJQxs
YsEiFCKo2BA==",
"dev": true,
"license": "MIT",
"dependencies": {
"braces": "^3.0.3",
"picomatch": "^2.3.1"
},
"engines": {
"node": ">=8.6"
}
},
"node_modules/micromatch/node_modules/picomatch": {
"version": "2.3.2",
"resolved": "https://registry.npmjs.org/picomatch/-/picomatch-2.3.2.tgz",
"integrity":
"sha512-V7+vQEJ06Z+c5tSye8S+nHUfI51xoXIXjHQ99cQtKUkQqqO1kO/KCJUfZXuB47h/YBlDhah2H3h
dUGXn8ie0oA==",
"dev": true,
"license": "MIT",
"engines": {
"node": ">=8.6"
},

```
      "funding": {
        "url": "https://github.com/sponsors/jonschlinkert"
      }
    },
    "node_modules/motion-dom": {
      "version": "12.38.0",
      "resolved": "https://registry.npmjs.org/motion-dom/-/motion-dom-12.38.0.tgz",
      "integrity":
"sha512-pdkHLD8QYRp8VfiNLb8xIBJis1byQ9gPT3Jnh2jqfFtAsWUA3dEepDlsWe/xMpO8McV+VdpKVcp
+E+TGJEtOoA==",
      "license": "MIT",
      "dependencies": {
        "motion-utils": "^12.36.0"
      }
    },
    "node_modules/motion-utils": {
      "version": "12.36.0",
      "resolved":
"https://registry.npmjs.org/motion-utils/-/motion-utils-12.36.0.tgz",
      "integrity":
"sha512-eHWisygbiwVvf6PZ1vhaHCLamvkSbPIeAYxWUuL3a2PD/TROgE7FvfHWTIH4vMl798QLfMw15nR
qIaRDXTlYRg==",
      "license": "MIT"
    },
    "node_modules/ms": {
      "version": "2.1.3",
      "resolved": "https://registry.npmjs.org/ms/-/ms-2.1.3.tgz",
      "integrity":
"sha512-6FlzubTLZG3J2a/NVCAleEhjzq5oxgHyaCU9yYXvcLsvoVaHJq/s5xXI6/XXP6tz7R9xAOtHnSO
/tXtF3WRTlA==",
      "dev": true,
      "license": "MIT"
    },
    "node_modules/nanoid": {
      "version": "3.3.11",
      "resolved": "https://registry.npmjs.org/nanoid/-/nanoid-3.3.11.tgz",
      "integrity":
"sha512-N8SpfPUnUp1bK+PMYW8qSWdl9U+wwNWI4QKxOYDy9JAro3WMX7p2OeVRF9v+347pnakNevPmiHh
NmZ2HbFA76w==",
      "dev": true,
      "funding": [
        {
          "type": "github",
          "url": "https://github.com/sponsors/ai"
        }
      ],
      "license": "MIT",
      "bin": {
        "nanoid": "bin/nanoid.cjs"
      },
```

```
      "engines": {
        "node": "^10 || ^12 || ^13.7 || ^14 || >=15.0.1"
      }
    },
    "node_modules/node-releases": {
      "version": "2.0.36",
      "resolved":
"https://registry.npmjs.org/node-releases/-/node-releases-2.0.36.tgz",
      "integrity":
"sha512-TdC8FSgHz8Mwtw9g5L4gR/Sh9XhSP/0DEkQxfEFXOpiul5IiHgHan2VhYYb6agDSfp4KuvltmGA
pc8HMgUrIkA==",
      "dev": true,
      "license": "MIT"
    },
    "node_modules/picocolors": {
      "version": "1.1.1",
      "resolved": "https://registry.npmjs.org/picocolors/-/picocolors-1.1.1.tgz",
      "integrity":
"sha512-xceH2snhtb5M9liqDsmEw56le376mTZkEX/jEb/RxNFyegNul7eNslCXP9FDj/Lcu0X8KEyMceP
2ntpaHrDEVA==",
      "dev": true,
      "license": "ISC"
    },
    "node_modules/picomatch": {
      "version": "4.0.4",
      "resolved": "https://registry.npmjs.org/picomatch/-/picomatch-4.0.4.tgz",
      "integrity":
"sha512-QP88BAKvMam/3NxH6vj2o21R6MjxZUAd6nlwAS/pnGvN9IVLocLHxGYIzFhg6fUQ+5th6P4dv4e
W9jX3DSIj7A==",
      "dev": true,
      "license": "MIT",
      "engines": {
        "node": ">=12"
      },
      "funding": {
        "url": "https://github.com/sponsors/jonschlinkert"
      }
    },
    "node_modules/postcss": {
      "version": "8.5.8",
      "resolved": "https://registry.npmjs.org/postcss/-/postcss-8.5.8.tgz",
      "integrity":
"sha512-OW/rX8O/jXnm82Ey1k44pObPtdblfiuWnrd8X7GJ7emImCOstunGbXUpp7HdBrFQX6rJzn3sPT3
97Wp5aCwCHg==",
      "dev": true,
      "funding": [
        {
          "type": "opencollective",
          "url": "https://opencollective.com/postcss/"
        },
```

```
        {
          "type": "tidelift",
          "url": "https://tidelift.com/funding/github/npm/postcss"
        },
        {
          "type": "github",
          "url": "https://github.com/sponsors/ai"
        }
      ],
      "license": "MIT",
      "dependencies": {
        "nanoid": "^3.3.11",
        "picocolors": "^1.1.1",
        "source-map-js": "^1.2.1"
      },
      "engines": {
        "node": "^10 || ^12 || >=14"
      }
    },
    "node_modules/react": {
      "version": "19.2.3",
      "resolved": "https://registry.npmjs.org/react/-/react-19.2.3.tgz",
      "integrity":
"sha512-Ku/hhYbVjOQnXDZFv2+RibmLFGwFdeeKHFcOTlrt7xplBnya5OGn/hIRDsqDiSUcfORsDC7MPxw
ork8jBwsIWA==",
      "license": "MIT",
      "engines": {
        "node": ">=0.10.0"
      }
    },
    "node_modules/react-dom": {
      "version": "19.2.3",
      "resolved": "https://registry.npmjs.org/react-dom/-/react-dom-19.2.3.tgz",
      "integrity":
"sha512-yELu4WmLPw5Mr/lmeEpox5rw3RETacE++JgHqQzd2dg+YbJuat3jH4ingc+WPZhxaoFzdv9y33G
+F7Nl5O0GBg==",
      "license": "MIT",
      "dependencies": {
        "scheduler": "^0.27.0"
      },
      "peerDependencies": {
        "react": "^19.2.3"
      }
    },
    "node_modules/react-refresh": {
      "version": "0.18.0",
      "resolved":
"https://registry.npmjs.org/react-refresh/-/react-refresh-0.18.0.tgz",
      "integrity":
"sha512-QgT5//D3jfjJb6Gsjxv0Slpj23ip+HtOpnNgnb2S5zU3CB26G/IDPGoy4RJB42wzFE46DRsstbW
```

6tKHoKbhAxw==",
      "dev": true,
      "license": "MIT",
      "engines": {
        "node": ">=0.10.0"
      }
    },
    "node_modules/react-router": {
      "version": "7.13.2",
      "resolved":
"https://registry.npmjs.org/react-router/-/react-router-7.13.2.tgz",
      "integrity":
"sha512-tX1Aee+ArlKQP+NIUd7SE6Li+CiGKwQtbS+FfRxPX6Pe4vHOo6nr9d++u5cwg+Z8K/x8tP+7qLm
ujDtfrAoUJA==",
      "license": "MIT",
      "dependencies": {
        "cookie": "^1.0.1",
        "set-cookie-parser": "^2.6.0"
      },
      "engines": {
        "node": ">=20.0.0"
      },
      "peerDependencies": {
        "react": ">=18",
        "react-dom": ">=18"
      },
      "peerDependenciesMeta": {
        "react-dom": {
          "optional": true
        }
      }
    },
    "node_modules/react-router-dom": {
      "version": "7.13.2",
      "resolved":
"https://registry.npmjs.org/react-router-dom/-/react-router-dom-7.13.2.tgz",
      "integrity":
"sha512-aR7SUORwTqAW0JDeiWF07e9SBE9qGpByR9I8kJT5h/FrBKxPMS6TiC7rmVO+gC0q52Bx7JnjWe8
Z1sR9faN4YA==",
      "license": "MIT",
      "dependencies": {
        "react-router": "7.13.2"
      },
      "engines": {
        "node": ">=20.0.0"
      },
      "peerDependencies": {
        "react": ">=18",
        "react-dom": ">=18"
      }

```
    },
    "node_modules/rollup": {
      "version": "4.60.0",
      "resolved": "https://registry.npmjs.org/rollup/-/rollup-4.60.0.tgz",
      "integrity":
"sha512-yqjxruMGBQJ2gG4HtjZtAfXArHomazDHoFwFFmZZl0r7Pdo7qCIXKqKHZc8yeoMgzJJ+pO6pEEH
a+V7uzWlrAQ==",
      "dev": true,
      "license": "MIT",
      "dependencies": {
        "@types/estree": "1.0.8"
      },
      "bin": {
        "rollup": "dist/bin/rollup"
      },
      "engines": {
        "node": ">=18.0.0",
        "npm": ">=8.0.0"
      },
      "optionalDependencies": {
        "@rollup/rollup-android-arm-eabi": "4.60.0",
        "@rollup/rollup-android-arm64": "4.60.0",
        "@rollup/rollup-darwin-arm64": "4.60.0",
        "@rollup/rollup-darwin-x64": "4.60.0",
        "@rollup/rollup-freebsd-arm64": "4.60.0",
        "@rollup/rollup-freebsd-x64": "4.60.0",
        "@rollup/rollup-linux-arm-gnueabihf": "4.60.0",
        "@rollup/rollup-linux-arm-musleabihf": "4.60.0",
        "@rollup/rollup-linux-arm64-gnu": "4.60.0",
        "@rollup/rollup-linux-arm64-musl": "4.60.0",
        "@rollup/rollup-linux-loong64-gnu": "4.60.0",
        "@rollup/rollup-linux-loong64-musl": "4.60.0",
        "@rollup/rollup-linux-ppc64-gnu": "4.60.0",
        "@rollup/rollup-linux-ppc64-musl": "4.60.0",
        "@rollup/rollup-linux-riscv64-gnu": "4.60.0",
        "@rollup/rollup-linux-riscv64-musl": "4.60.0",
        "@rollup/rollup-linux-s390x-gnu": "4.60.0",
        "@rollup/rollup-linux-x64-gnu": "4.60.0",
        "@rollup/rollup-linux-x64-musl": "4.60.0",
        "@rollup/rollup-openbsd-x64": "4.60.0",
        "@rollup/rollup-openharmony-arm64": "4.60.0",
        "@rollup/rollup-win32-arm64-msvc": "4.60.0",
        "@rollup/rollup-win32-ia32-msvc": "4.60.0",
        "@rollup/rollup-win32-x64-gnu": "4.60.0",
        "@rollup/rollup-win32-x64-msvc": "4.60.0",
        "fsevents": "~2.3.2"
      }
    },
    "node_modules/scheduler": {
      "version": "0.27.0",
```

"resolved": "https://registry.npmjs.org/scheduler/-/scheduler-0.27.0.tgz",
"integrity":
"sha512-eNv+WrVbKu1f3vbYJT/xtiF5syA5HPIMtf9IgY/nKg0sWqzAUEvqY/xm7OcZc/qafLx/iO9FgOmeSAp4v5ti/Q==",
"license": "MIT"
},
"node_modules/semver": {
"version": "6.3.1",
"resolved": "https://registry.npmjs.org/semver/-/semver-6.3.1.tgz",
"integrity":
"sha512-BR7VvDCVHO+q2xBEWskxS6DJE1qRnb7DxzUrogb71CWoSficBxYsiAGd+Kl0mmq/MprG9yArRkyrQxTO6XjMzA==",
"dev": true,
"license": "ISC",
"bin": {
"semver": "bin/semver.js"
}
},
"node_modules/set-cookie-parser": {
"version": "2.7.2",
"resolved":
"https://registry.npmjs.org/set-cookie-parser/-/set-cookie-parser-2.7.2.tgz",
"integrity":
"sha512-oeM1lpU/UvhTxw+g3cIfxXHyJRc/uidd3yK1P242gzHds0udQBYzs3y8j4gCCW+ZJ7ad0yctld8RYO+bdurlvw==",
"license": "MIT"
},
"node_modules/source-map-js": {
"version": "1.2.1",
"resolved":
"https://registry.npmjs.org/source-map-js/-/source-map-js-1.2.1.tgz",
"integrity":
"sha512-UXWMKhLOwVKb728IUtQPXxfYU+usdybtUrK/8uGE8CQMvrhOpwvzDBwj0QhSL7MQc7vIsISBG8VQ8+IDQxpfQA==",
"dev": true,
"license": "BSD-3-Clause",
"engines": {
"node": ">=0.10.0"
}
},
"node_modules/tailwind-merge": {
"version": "3.4.0",
"resolved":
"https://registry.npmjs.org/tailwind-merge/-/tailwind-merge-3.4.0.tgz",
"integrity":
"sha512-uSaO4gnW+b3Y2aWoWfFpX62vn2sR3skfhbjsEnaBI81WD1wBLlHZe5sWf0AqjksNdYTbGBEd0UasQMT3SNV15g==",
"license": "MIT",
"funding": {
"type": "github",

```
        "url": "https://github.com/sponsors/dcastil"
      }
    },
    "node_modules/tailwindcss": {
      "version": "4.1.17",
      "resolved":
"https://registry.npmjs.org/tailwindcss/-/tailwindcss-4.1.17.tgz",
      "integrity":
"sha512-j9Ee2YjuQqYT9bbRTfTZht9W/ytp5H+jJpZKiYdP/bpnXARAuELt9ofP0lPnmHjbga7SNQIxdTA
XCmtKVYjN+Q==",
      "dev": true,
      "license": "MIT"
    },
    "node_modules/tapable": {
      "version": "2.3.2",
      "resolved": "https://registry.npmjs.org/tapable/-/tapable-2.3.2.tgz",
      "integrity":
"sha512-1MOpMXuhGzGL5TTCZFItxCc0AARf1EZFQkGqMm7ERKj8+Hgr5oLvJOVFcC+lRmR8hCe2S3jC4T5
D7Vg/d7/fhA==",
      "dev": true,
      "license": "MIT",
      "engines": {
        "node": ">=6"
      },
      "funding": {
        "type": "opencollective",
        "url": "https://opencollective.com/webpack"
      }
    },
    "node_modules/tinyglobby": {
      "version": "0.2.15",
      "resolved": "https://registry.npmjs.org/tinyglobby/-/tinyglobby-0.2.15.tgz",
      "integrity":
"sha512-j2Zq4NyQYG5XMST4cbs02Ak8iJUdxRM0XI5QyxXuZOzKOINmWurp3smXu3y5wDcJrptwpSjgXHz
IQxR0omXljQ==",
      "dev": true,
      "license": "MIT",
      "dependencies": {
        "fdir": "^6.5.0",
        "picomatch": "^4.0.3"
      },
      "engines": {
        "node": ">=12.0.0"
      },
      "funding": {
        "url": "https://github.com/sponsors/SuperchupuDev"
      }
    },
    "node_modules/to-regex-range": {
      "version": "5.0.1",
```

"resolved":
"https://registry.npmjs.org/to-regex-range/-/to-regex-range-5.0.1.tgz",
"integrity":
"sha512-65P7iz6X5yEr1cwcgvQxbbIw7Uk3gOy5dIdtZ4rDveLqhrdJP+Li/Hx6tyK0NEb+2GCyneCMJiG
qrADCSNk8sQ==",
"dev": true,
"license": "MIT",
"dependencies": {
"is-number": "^7.0.0"
},
"engines": {
"node": ">=8.0"
}
},
"node_modules/tslib": {
"version": "2.8.1",
"resolved": "https://registry.npmjs.org/tslib/-/tslib-2.8.1.tgz",
"integrity":
"sha512-oJFu94HQb+KVduSUQL7wnpmqnfmLsOA/nAh6b6EH0wCEoK0/mPeXU6c3wKDV83MkOuHPRHtSXKK
U99IBazS/2w==",
"license": "0BSD"
},
"node_modules/typescript": {
"version": "5.9.3",
"resolved": "https://registry.npmjs.org/typescript/-/typescript-5.9.3.tgz",
"integrity":
"sha512-jl1vZzPDinLr9eUt3J/t7V6FgNEw9QjvBPdysz9KfQDD41fQrC2Y4vKQdiaUpFT4bXlb1RHhLpp
8wtm6M5TgSw==",
"dev": true,
"license": "Apache-2.0",
"bin": {
"tsc": "bin/tsc",
"tsserver": "bin/tsserver"
},
"engines": {
"node": ">=14.17"
}
},
"node_modules/undici-types": {
"version": "6.21.0",
"resolved":
"https://registry.npmjs.org/undici-types/-/undici-types-6.21.0.tgz",
"integrity":
"sha512-iwDZqg0QAGrg9Rav5H4n0M64c3mkR59cJ6wQp+7C4nI0gsmExaedaYLNO44eT4AtBBwjbTiGPMl
t2Md0T9H9JQ==",
"dev": true,
"license": "MIT"
},
"node_modules/update-browserslist-db": {
"version": "1.2.3",

"resolved": "https://registry.npmjs.org/update-browserslist-db/-/update-browserslist-db-1.2.3.tgz",
"integrity": "sha512-Js0m9cx+qOgDxo0eMiFGEueWztz+d4+M3rGlmKPT+T4IS/jP4ylw3Nwpu6cpTTP8R1MAC1kF4VbdLt3ARf209w==",
"dev": true,
"funding": [
{
"type": "opencollective",
"url": "https://opencollective.com/browserslist"
},
{
"type": "tidelift",
"url": "https://tidelift.com/funding/github/npm/browserslist"
},
{
"type": "github",
"url": "https://github.com/sponsors/ai"
}
],
"license": "MIT",
"dependencies": {
"escalade": "^3.2.0",
"picocolors": "^1.1.1"
},
"bin": {
"update-browserslist-db": "cli.js"
},
"peerDependencies": {
"browserslist": ">= 4.21.0"
}
},
"node_modules/vite": {
"version": "7.2.4",
"resolved": "https://registry.npmjs.org/vite/-/vite-7.2.4.tgz",
"integrity": "sha512-NL8jTlbo0Tn4dUEXEsUg8KeyG/Lkmc4Fnzb8JXN/Ykm9G4HNImjtABMJgkQoVjOBN/j2WAwDTRytdqJbZsah7w==",
"dev": true,
"license": "MIT",
"dependencies": {
"esbuild": "^0.25.0",
"fdir": "^6.5.0",
"picomatch": "^4.0.3",
"postcss": "^8.5.6",
"rollup": "^4.43.0",
"tinyglobby": "^0.2.15"
},
"bin": {

```
    "vite": "bin/vite.js"
  },
  "engines": {
    "node": "^20.19.0 || >=22.12.0"
  },
  "funding": {
    "url": "https://github.com/vitejs/vite?sponsor=1"
  },
  "optionalDependencies": {
    "fsevents": "~2.3.3"
  },
  "peerDependencies": {
    "@types/node": "^20.19.0 || >=22.12.0",
    "jiti": ">=1.21.0",
    "less": "^4.0.0",
    "lightningcss": "^1.21.0",
    "sass": "^1.70.0",
    "sass-embedded": "^1.70.0",
    "stylus": ">=0.54.8",
    "sugarss": "^5.0.0",
    "terser": "^5.16.0",
    "tsx": "^4.8.1",
    "yaml": "^2.4.2"
  },
  "peerDependenciesMeta": {
    "@types/node": {
      "optional": true
    },
    "jiti": {
      "optional": true
    },
    "less": {
      "optional": true
    },
    "lightningcss": {
      "optional": true
    },
    "sass": {
      "optional": true
    },
    "sass-embedded": {
      "optional": true
    },
    "stylus": {
      "optional": true
    },
    "sugarss": {
      "optional": true
    },
    "terser": {
```

```
          "optional": true
        },
        "tsx": {
          "optional": true
        },
        "yaml": {
          "optional": true
        }
      }
    },
    "node_modules/vite-plugin-singlefile": {
      "version": "2.3.0",
      "resolved":
"https://registry.npmjs.org/vite-plugin-singlefile/-/vite-plugin-singlefile-2.3.0.t
gz",
      "integrity":
"sha512-DAcHzYypM0CasNLSz/WG0VdKOCxGHErfrjOoyIPiNxTPTGmO6rRD/te93n1YL/s+miXq66ipF1b
rMBikf99c6A==",
      "dev": true,
      "license": "MIT",
      "dependencies": {
        "micromatch": "^4.0.8"
      },
      "engines": {
        "node": ">18.0.0"
      },
      "peerDependencies": {
        "rollup": "^4.44.1",
        "vite": "^5.4.11 || ^6.0.0 || ^7.0.0"
      }
    },
    "node_modules/yallist": {
      "version": "3.1.1",
      "resolved": "https://registry.npmjs.org/yallist/-/yallist-3.1.1.tgz",
      "integrity":
"sha512-a4UGQaWPH59mOXUYnAG2ewncQS4i4F43Tv3JoAM+s2VDAmS9NsK8GpDMLrCHPksFT7h3K6TOoUN
n2pb7RoXx4g==",
      "dev": true,
      "license": "ISC"
    }
  }
}

==================== FILE: C:\Users\Sandy\Desktop\premium-software-website-design
(1)\package.json ====================

{
  "name": "react-vite-tailwind",
  "private": true,
  "version": "0.0.0",
```

```
  "type": "module",
  "scripts": {
    "dev": "vite",
    "build": "vite build",
    "preview": "vite preview"
  },
  "dependencies": {
    "clsx": "^2.1.1",
    "framer-motion": "^12.38.0",
    "lucide-react": "^1.7.0",
    "react": "19.2.3",
    "react-dom": "19.2.3",
    "react-router-dom": "^7.13.2",
    "tailwind-merge": "^3.4.0"
  },
  "devDependencies": {
    "@tailwindcss/vite": "4.1.17",
    "@types/node": "^22.0.0",
    "@types/react": "19.2.7",
    "@types/react-dom": "19.2.3",
    "@vitejs/plugin-react": "5.1.1",
    "tailwindcss": "4.1.17",
    "typescript": "5.9.3",
    "vite": "7.2.4",
    "vite-plugin-singlefile": "2.3.0"
  }
}

==================== FILE: C:\Users\Sandy\Desktop\premium-software-website-design
(1)\tsconfig.json ====================

{
  "compilerOptions": {
    "target": "ES2020",
    "useDefineForClassFields": true,
    "lib": ["ES2020", "DOM", "DOM.Iterable"],
    "module": "ESNext",
    "skipLibCheck": true,
    "types": ["node"],

    /* Bundler mode */
    "moduleResolution": "bundler",
    "allowImportingTsExtensions": true,
    "resolveJsonModule": true,
    "isolatedModules": true,
    "noEmit": true,
    "jsx": "react-jsx",

    /* Path mapping */
    "baseUrl": ".",
```

```
    "paths": {
      "@/*": ["src/*"]
    },

    /* Linting */
    "strict": true,
    "noUnusedLocals": true,
    "noUnusedParameters": true,
    "noFallthroughCasesInSwitch": true
  },
  "include": ["src", "vite.config.ts"]
}
```

==================== FILE: C:\Users\Sandy\Desktop\premium-software-website-design (1)\vite.config.ts ====================

```
import path from "path";
import { fileURLToPath } from "url";
import tailwindcss from "@tailwindcss/vite";
import react from "@vitejs/plugin-react";
import { defineConfig } from "vite";
import { viteSingleFile } from "vite-plugin-singlefile";

const __filename = fileURLToPath(import.meta.url);
const __dirname = path.dirname(__filename);

// https://vite.dev/config/
export default defineConfig({
  plugins: [react(), tailwindcss(), viteSingleFile()],
  resolve: {
    alias: {
      "@": path.resolve(__dirname, "src"),
    },
  },
});
```