

# catalogs

|                                      |  |
|--------------------------------------|--|
| Global Parameter List .....          |  |
| Global Parameters .....              |  |
| Interface List .....                 |  |
| External interfaces .....            |  |
| Add Player Account .....             |  |
| recharge .....                       |  |
| withdraw .....                       |  |
| Get Player Balance.....              |  |
| Get Agent Balance .....              |  |
| Login name to get player ID .....    |  |
| Getting low-balance users.....       |  |
| Reset Player Password.....           |  |
| Force Player Offline .....           |  |
| Appendices .....                     |  |
| Project Status Code Dictionary ..... |  |

# 1 Global Parameter List

## 1.1 Global Parameters

Description of request parameters :

| parameter name | Example values                   | Parameter Description                                                         |
|----------------|----------------------------------|-------------------------------------------------------------------------------|
| agent_id       | 1                                | agent id                                                                      |
| timestamp      | 1709867667                       | A 10-digit timestamp.                                                         |
| token          | bb2d4c312195711cc2fca531b7d8cc48 | A 32-character lowercase string,signature=MD5 (agent_id:timestamp:secret_key) |

## 2 Interface List

## 2.1 External interfaces

### 2.1.1 Add Player Account

Interface URL : *http://domain name/api/external/addUser*

Content-Type : *multipart/form-data*

Request method: post

Description of the request body parameters:

| parameter name | Example values | Parameter type | Required or not | Parameter Description |
|----------------|----------------|----------------|-----------------|-----------------------|
| account        | Test_user      | String         | Yes             | login name            |
| login_pwd      | 123123         | String         | Yes             | login password        |

Return parameter description: (200) Successful

| parameter name    | Example values | Parameter type | Parameter Description      |
|-------------------|----------------|----------------|----------------------------|
| code              | 0              | Number         | Response Codes             |
| msg               | Success        | String         | Return to text description |
| data              |                | Object         | Return data                |
| data.account_name | Test_user      | String         | player login name          |
| data.user_id      | 88886468       | String         | Player id                  |
| count             | 0              | Number         |                            |

Return Example: (200) Successful

```

{
    "code": 0,
    "msg": "Success",
    "data": {
        "account_name": "Test_user",
        "user_id": "88886468"
    },
    "count": 0
}

```

Return parameter description: (201) Failure

| parameter name                      | Example values | Parameter type | Parameter Description |
|-------------------------------------|----------------|----------------|-----------------------|
| No request parameter KEY/VALUE type |                |                |                       |

### 2.1.2 Recharge

Interface URL : *http://domain name/api/external/recharge*

Content-Type : *multipart/form-data*

Request method: post

Description of the request body parameters:

| parameter name | Example values | Parameter type | Required or not | Parameter Description |
|----------------|----------------|----------------|-----------------|-----------------------|
| user_id        | 88880188       | String         | Yes             | Player id             |

|          |        |        |     |                           |
|----------|--------|--------|-----|---------------------------|
| amount   | 5      | String | Yes | recharge amount           |
| order_id | 100001 | String | Yes | Agent's recharge order ID |

Return parameter description: (200) Successful

| parameter name        | Example values | Parameter type | Parameter Description      |
|-----------------------|----------------|----------------|----------------------------|
| code                  | 0              | Number         | Response Codes             |
| msg                   | Success        | String         | Return to text description |
| data                  |                | Object         | Return data                |
| data.agent_balance    | 36390057       | String         | agent balance              |
| data.amount           | 5              | String         | recharge amount            |
| data.pay_order_id     | pay:11:100001  | String         | agent recharge order id    |
| data.transaction_id   | pay:11:100001  | String         | platform order id          |
| data.transaction_time | 1709798588     | String         | Trading Order Time         |
| data.user_balance     | 150000         | String         | user balance               |
| count                 | 0              | Number         |                            |

Return Example: (200) Successful

```
{
  "code": 0,
  "msg": "Success",
  "data": {
    "agent_balance": "36390057",
```

```
"amount": "5",

"pay_order_id": "pay:11:100001",

"transaction_id": "pay:11:100001",

"transaction_time": "1709798588",

"user_balance": "150000"

},

"count": 0

}
```

### 2.1.3 Withdraw

Interface URL : *http://domain name/api/external/withdraw*

Content-Type : *multipart/form-data*

Request method: post

Description of the request body parameters:

| parameter name | Example values | Parameter type | Required or not | Parameter Description     |
|----------------|----------------|----------------|-----------------|---------------------------|
| user_id        | 88880188       | String         | Yes             | Player id                 |
| amount         | 5              | String         | Yes             | recharge amount           |
| order_id       | 100002         | String         | Yes             | Agent's withdraw order ID |

Return parameter description: (200) Successful

| parameter name        | Example values | Parameter type | Parameter Description      |
|-----------------------|----------------|----------------|----------------------------|
| code                  | 0              | Number         | Response Codes             |
| msg                   | Success        | String         | Return to text description |
| data                  |                | Object         | Return data                |
| data.agent_balance    | 36440057       | String         | agent balance              |
| data.amount           | 5              | String         | recharge amount            |
| data.transaction_id   | wdw:11:100002  | String         | Platform order id          |
| data.transaction_time | 1709798910     | String         | Trading Order Time         |
| data.user_balance     | 100000         | String         | user balance               |
| data.wdw_order_id     | wdw:11:100002  | String         | agent withdraw order id    |
| count                 | 0              | Number         |                            |

Return Example: (200) Successful

```
{
  "code": 0,
  "msg": "Success",
  "data": {
    "agent_balance": "36440057",
    "amount": "5",
    "transaction_id": "wdw:11:100002",
    "transaction_time": "1709798910",
    "user_balance": "100000",
  }
}
```

```
"wdw_order_id": "wdw:11:100002"

},

"count": 0

}
```

#### 2.1.4 Get Player Balance

Interface URL : *http://domain name/api/external/userBalance*

Content-Type : *multipart/form-data*

Request method: post

Description of the request body parameters:

| parameter name | Example values | Parameter type | Required or not | Parameter Description |
|----------------|----------------|----------------|-----------------|-----------------------|
| user_id        | 88880212       | String         | Yes             | Player id             |

Return parameter description: (200) Successful

| parameter name    | Example values | Parameter type | Parameter Description      |
|-------------------|----------------|----------------|----------------------------|
| code              | 0              | Number         | Response Codes             |
| msg               | Success        | String         | Return to text description |
| data              |                | Object         | Return data                |
| data.user_balance | 60             | String         | user balance               |
| count             | 0              | Number         |                            |

Return Example: (200) Successful

```
{
  "code": 0,
  "msg": "Success",
  "data": {
    "user_balance": "60"
  },
  "count": 0
}
```

#### 2.1.5 Get Agent Balance

Interface URL : *http://domain name/api/external/agentBalance*

Content-Type : *multipart/form-data*

Request method: post

Description of the request body parameters:

| parameter name                      | Example values | Parameter type | Required or not | Parameter Description |
|-------------------------------------|----------------|----------------|-----------------|-----------------------|
| No request parameter KEY/VALUE type |                |                |                 |                       |

Return parameter description: (200) Successful

| parameter name     | Example values | Parameter type | Parameter Description      |
|--------------------|----------------|----------------|----------------------------|
| code               | 0              | Number         | Response Codes             |
| msg                | Success        | String         | Return to text description |
| data               |                | Object         | Return data                |
| data.agent_balance | 3649.0057      | String         | agent balance              |
| count              | 0              | Number         |                            |

Return Example: (200) Successful

```
{
  "code": 0,
  "msg": "Success",
  "data": {
    "agent_balance": "3649.0057"
  },
  "count": 0
}
```

#### 2.1.6 Login name to get player ID

Interface URL : *http://domain name/api/external/getUserID*

Content-Type : *multipart/form-data*

Request method: post

Description of the request body parameters:

| parameter name | Example values | Parameter type | Required or not | Parameter Description |
|----------------|----------------|----------------|-----------------|-----------------------|
| account_name   | user020301     | String         | Yes             | player login name     |

Return parameter description: (200) Successful

| parameter name | Example values | Parameter type | Parameter Description      |
|----------------|----------------|----------------|----------------------------|
| code           | 0              | Number         | Response Codes             |
| msg            | Success        | String         | Return to text description |
| data           |                | Object         | Return data                |
| data.user_id   | 88880212       | String         | Player id                  |
| count          | 0              | Number         |                            |

Return Example: (200) Successful

```
{
  "code": 0,
  "msg": "Success",
  "data": {
    "user_id": "88880212"
  },
  "count": 0
}
```

### 2.1.7 Getting low-balance users

Interface URL : *http://domain name/api/external/external/getLowDepositUsers*

Content-Type : *multipart/form-data*

Request method: post

Description of the request body parameters:

| parameter name | Example values | Parameter type | Required or not | Parameter Description |
|----------------|----------------|----------------|-----------------|-----------------------|
| query_date     | 2024-03-07     | String         | yes             | query date            |
| page           | 1              | Integer        | yes             | pagination            |
| page_size      | 20             | Integer        | yes             | Number of pages       |

Return Example: (200) Successful

| parameter name    | Example values | Parameter type | Parameter Description      |
|-------------------|----------------|----------------|----------------------------|
| code              | 0              | Number         | Response Codes             |
| msg               | Success        | String         | Return to text description |
| data              |                | Object         | Return data                |
| data.account_name | user011110     | String         | player login name          |
| data.agent_id     | 11             | Number         | agent id                   |
| data.day_recharge | 10             | Number         | Same Day Recharge          |
| data.user_balance | 10             | String         | user balance               |
| data.user_id      | 88880188       | String         | Player id                  |
| count             | 1              | Number         | total number of            |

|  |  |  |          |
|--|--|--|----------|
|  |  |  | articles |
|--|--|--|----------|

Return Example: (200) Successful

```
{
  "code": 0,
  "msg": "Success",
  "data": [
    {
      "account_name": "user011110",
      "agent_id": 11,
      "day_recharge": 10,
      "user_balance": 10,
      "user_id": 88880188
    }
  ],
  "count": 1
}
```

#### 2.1.8 Reset Player Password

Interface URL : *http://domain name/api/external/resetPassword*

Content-Type : *multipart/form-data*

Request method: post

Description of the request body parameters:

| parameter name | Example values | Parameter type | Required or not | Parameter Description |
|----------------|----------------|----------------|-----------------|-----------------------|
| user_id        | 88880212       | String         | Yes             | Player id             |
| login_pwd      | 123123         | String         | Yes             | login password        |

Return parameter description: (200) Successful

| parameter name | Example values | Parameter type | Parameter Description      |
|----------------|----------------|----------------|----------------------------|
| code           | 0              | Number         | Response Codes             |
| msg            | Success        | String         | Return to text description |
| data           |                | Object         | Return data                |
| count          | 0              | Number         |                            |

Return Example: (200) Successful

```
{  
  "code": 0,  
  "msg": "Success",  
  "data": null,  
  "count": 0  
}
```

### 2.1.9 Force Player Offline

Interface URL : *http://domain name/api/external/playerOffline*

Content-Type : *multipart/form-data*

Request method: post

Description of the request body parameters:

| parameter name | Example values | Parameter type | Required or not | Parameter Description |
|----------------|----------------|----------------|-----------------|-----------------------|
| user_id        | 88880212       | String         | Yes             | Player id             |

Return parameter description: (200) Successful

| parameter name | Example values | Parameter type | Parameter Description      |
|----------------|----------------|----------------|----------------------------|
| code           | 0              | Number         | Response Codes             |
| msg            | Success        | String         | Return to text description |
| data           |                | Object         | Return data                |
| count          | 0              | Number         |                            |

Return Example: (200) Successful

```
{  
  
  "code": 0,  
  
  "msg": "Success",  
  
  "data": null,  
  
  "count": 0
```

```
}
```

## 3 Appendices

### 3.1 Project Status Code Dictionary

| status code | description                               |
|-------------|-------------------------------------------|
| 1           | Invalid agent ID                          |
| 2           | Invalid request parameters                |
| 3           | Invalid token                             |
| 4           | Token expired                             |
| 5           | Access ip is not white ip                 |
| 6           | Insufficient agent balance                |
| 7           | Insufficient user balance                 |
| 8           | Invalid user ID                           |
| 9           | User account frozen                       |
| 10          | User is in game                           |
| 11          | Invalid amount                            |
| 12          | Recharge failed, please try again later   |
| 13          | Recharge permission denied                |
| 14          | Withdrawal failed, please try again later |
| 15          | Withdrawal amount exceeds daily limit     |

|     |                                                                     |
|-----|---------------------------------------------------------------------|
| 16  | Withdrawal under review                                             |
| 17  | Withdrawal permission denied                                        |
| 18  | Account name format error,contain letters, numbers, and underscores |
| 19  | Agent no register user permission                                   |
| 20  | Account name already exists                                         |
| 21  | System failed                                                       |
| 22  | Num of register ip exceeds the upper limit                          |
| 23  | Password digits 6 to 32 characters                                  |
| 400 | Parameter error                                                     |