
40.22May.Advance K8S & Ansible


- · Architecture.
- · Nodes
- · Pods
- · Deployment
- · Service.
- · Scale (Up/down)
- Rolling (updates/Back)

V Conf (Ansible)

- ~ Architedure
 - · Components



(Deployment (nginr-deployment-gand) - md Spec replicase 4



\$ cat > replicaset.yaml

apiVersion: apps/v1 kind: ReplicaSet metadata: name: example-replicaset spec: replicas: 3

selector:
matchLabels:
name: app
template:
metadata:
labels:
name: app
spec:
containers:
- name: app
image: learnk8s/app:1.0.0 \$ kubectl create -f replicaset.yaml \$ cat> deployment.yaml

apiVersion: apps/v1
kind: Deployment
metadata:
name: example-deployment
spec:
replicas: 3
selector:
match!abels:
name: app
template:
matedata:
labels:
name: app
spec:
containers:
- name: app
image: learnk8s/app:1.0.0 \$ cat > deployment.yaml \$ kubectl apply -f deployment.yaml \$ cat > deployment.yaml apiVersion: apps/v1 kind: Deployment metadata: nunt: upployment
metadata:
name: example-deployment
spec:
replicas: 3
revisionHistoryLimit: 100
selector:
matchiabels:
name: app
template:
metadata:
labels:
name: app
spec:
containers:
- name: app
image: learnk8s/app:1.0.0 (d1 apply (d2 \$ kubectl rollout history deployment/example-deployment apply to-8,11,2,0, rollow history. Kubet rollout- nistory > condo 1 Create RS 2) Create Deployment 3 Apply 1 update deployment @ Apply (6) History undo

Kubernetes

Ansible (Configuration tool)

