


CORN Job

⑤ `* / 2 * * * *`
 ↓
 Every 2 minutes
 All
 list

astisk = * → All



Comma = , → custom (4,5,9)

Dash = - → range (5-15)

Pattern = / → step

4,5,9,11/2

Alphabets = Sun




Current → 12:00:00

- | | |
|-----------|----------|
| ① Execute | 12:03:02 |
| ② | 12:04:02 |
| ③ | 12:05:02 |
| ④ | 12:06:02 |
| ⑤ | 12:07:02 |
- 3-7

Selenium

◦ Headless Browser.



404 → Don't have Access

.

Path

Window: \ → Backword Slash /

(Linux/Mac) Unix : / → forword Slash.

Absolute path → /root/abc/xyz/pqr.txt.

Relative path /root/abc \$ cat xyz/pqr.txt

X /root \$ cat xyz/pqr.txt
 ↓
 abc

../ → Back to previous folder/Directory

\$ docker info


\$ docker network ls

Find out the IP Address of Docker Container
 \$ docker inspect <container_id> | grep IPAddress


Pull Jenkins Image on Local Docker Engine
 \$ docker pull jenkins/jenkins:its

\$ docker images

RAM



\$ docker images



```
DockerEngine$ docker run -d -p 8080:8080 -p 50000:50000 jenkins/jenkins
```

```
DockerEngine$ docker ps
```

```
DockerEngine$ docker exec -it <container-id> /bin/bash
```

```
Container$ cat /var/jenkins_home/secrets/initialAdminPassword
```

http://ip172-18-0-24-ci1juh4snmng00f8oqk0-8080.direct.labs.play-with-docker.com/ci1juh4s_ci1julksnmng00f8oqlg

<http://SessionID-PORT.direct.labs.play-with-docker.com/>