

# PLOTWEAVER L<sup>A</sup>T<sub>E</sub>X DOCUMENT CLASS

Documentation for the Plotweaver L<sup>A</sup>T<sub>E</sub>X document class. See `example.tex` for sample usage. More documentation to come.

## ICON COMMANDS

These commands produce commonly used icons. All of the icons are implemented using TikZ. The icons created by `\action`, `\doubleAction`, `\tripleAction`, `\freeAction`, `\reaction`, `\forever`, and `\key` will match the current text color. For example: ▶ ▶ ▶. Icons will also respect font size: ▶ ▶ ▶.

|               |                      |       |
|---------------|----------------------|-------|
| U: 2026-08-11 | <code>\action</code> | ( ▶ ) |
|---------------|----------------------|-------|

This command produces the ▶ icon.

|               |                            |        |
|---------------|----------------------------|--------|
| U: 2026-08-11 | <code>\doubleAction</code> | ( ▶▶ ) |
|---------------|----------------------------|--------|

This command produces the ▶▶ icon.

|               |                            |         |
|---------------|----------------------------|---------|
| U: 2026-08-11 | <code>\tripleAction</code> | ( ▶▶▶ ) |
|---------------|----------------------------|---------|

This command produces the ▶▶▶ icon.

|               |                          |       |
|---------------|--------------------------|-------|
| U: 2026-08-11 | <code>\freeAction</code> | ( ▷ ) |
|---------------|--------------------------|-------|

This command produces the ▷ icon.

|                        |  |       |
|------------------------|--|-------|
| <code>\reaction</code> |  | ( ↵ ) |
|------------------------|--|-------|

This command produces the ↵ icon.

|                       |  |       |
|-----------------------|--|-------|
| <code>\forever</code> |  | ( ∞ ) |
|-----------------------|--|-------|

This command produces the ∞ icon.

|               |                                                                                                      |       |
|---------------|------------------------------------------------------------------------------------------------------|-------|
| U: 2026-08-11 | <code>\complication</code> [ <span style="color: green;"><math>\langle value \rangle</math></span> ] | ( ✨ ) |
|---------------|------------------------------------------------------------------------------------------------------|-------|

This command produces the ✨ icon. It takes an optional argument for a number, which will be subsequently displayed.

A `\complication` is complicated. Sometimes complications come with values like `\complication[X]`.

A ✨ is complicated. Sometimes complications come with values like ✨X.

|               |                                                                                                          |       |
|---------------|----------------------------------------------------------------------------------------------------------|-------|
| U: 2026-08-11 | <code>\complicationDice</code> [ <span style="color: green;"><math>\langle value \rangle</math></span> ] | ( ✨ ) |
|---------------|----------------------------------------------------------------------------------------------------------|-------|

This command produces the ✨ icon. It takes an optional argument for a number, which will be displayed inside of the icon like so: ✨. It is a little larger than `\complication`.

```
A \complicationDice is complicated. Sometimes complications come with values like 2
{\complicationDice[x]}.
```

A ✨ is complicated. Sometimes complications come with values like ✨.

**\opportunity** ( ✨ )

This command produces the ✨ icon.

U: 2026-08-11

**\key** ( ★ )

This command produces the ★ icon.

## FEATURE BOXES

U: 2026-08-16

**/tcb/featureBox**=*<text>*

The tcbcolorbox key containing the styling for feature boxes. See the tcbcolorbox documentation for more information.

```
\begin{tcolorbox}[featureBox, 2
  {title={Feature Box}}
  \lipsum[1][1-3]
\end{tcolorbox}
```

### FEATURE BOX

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris.

U: 2026-08-11

**\begin{statBox}**{*<heading 1>*}{*<content 1>*}{*<heading 2>*}{*<content 2>*}

*<environment content>*

**\end{statBox}**

This is a series of custom boxes that will stay the same height regardless of content length. They are always of equal width. You can use each half of **statBox** separately by using the **leftBox** and **rightBox** style keys. These follow the same documentation as **/tcb/featureBox**.

```
\statBox{Stat One}{
  10
}%
{Stat Two}{
  20
}
```

STAT ONE

10

STAT TWO

20

## TABLES

Tables can be created using `\plotable`. This uses `nicematrix` under the hood. See the `nicematrix` documentation for more information.

New:  
2026-08-12

```
\begin{plotable}{<column spec>}[<options>]  
  <environment content>  
\end{plotable}
```

This is a custom `NiceTabular` environment. It simply a wrapper that defines the styling for the table.

```
\begin{plotable}{c|l}  
  Level & Feature \\\br/>  1 & Cool abilities \\\br/>  2 & Even cooler abilities \\\br/>  3 & The coolest abilities \\\br/>\end{plotable}
```

| Level | Feature               |
|-------|-----------------------|
| 1     | Cool abilities        |
| 2     | Even cooler abilities |
| 3     | The coolest abilities |

New:  
2026-08-13

```
\lowercaption{<caption text>}
```

This command formats a caption to sit below a table. It sets the text to uppercase and uses the `csdim` color.

## CHARACTER SHEETS

One page character sheets can be made using the `\MakeCharacterSheet` command. This command takes in a series of key-value pairs and generates the sheet and any derived statistics. See `character_sheet.tex` for an example sheet. Multipage character sheets are in development.

New:  
2026-08-16

```
\MakeCharacterSheet{<key-value pairs>}
```

Generates a page character sheet. Each value is set by a key-value pair that is passed into the command.

New:  
2026-08-16

|                                                      |                                   |
|------------------------------------------------------|-----------------------------------|
| <code>/charsheet/name=&lt;text&gt;</code>            | (name of the character)           |
| <code>/charsheet/ancestry=&lt;text&gt;</code>        | (ancestry or lineage)             |
| <code>/charsheet/level=&lt;text&gt;</code>           | (level)                           |
| <code>/charsheet/paths=&lt;text&gt;</code>           | (paths or talent trees)           |
| <code>/charsheet/maxHealth=&lt;text&gt;</code>       | (maximum health)                  |
| <code>/charsheet/maxEssence=&lt;text&gt;</code>      | (maximum essence or investiture)  |
| <code>/charsheet/recoveryDie=&lt;text&gt;</code>     | (the die used for recovery rolls) |
| <code>/charsheet/liftingCapacity=&lt;text&gt;</code> | (lifting capacity)                |
| <code>/charsheet/movement=&lt;text&gt;</code>        | (movement speed)                  |
| <code>/charsheet/sensesRange=&lt;text&gt;</code>     | (senses range)                    |
| <code>/charsheet/strength=&lt;text&gt;</code>        | (strength attribute)              |
| <code>/charsheet/speed=&lt;text&gt;</code>           | (speed attribute)                 |
| <code>/charsheet/intellect=&lt;text&gt;</code>       | (intellect attribute)             |
| <code>/charsheet/willpower=&lt;text&gt;</code>       | (willpower attribute)             |
| <code>/charsheet/awareness=&lt;text&gt;</code>       | (awareness attribute)             |
| <code>/charsheet/presence=&lt;text&gt;</code>        | (presence attribute)              |
| <code>/charsheet/phyDefenseBonus=&lt;text&gt;</code> | (physical defense bonus)          |
| <code>/charsheet/cogDefenseBonus=&lt;text&gt;</code> | (cognitive defense bonus)         |

|                                                      |                                           |
|------------------------------------------------------|-------------------------------------------|
| <code>/charsheet/spiDefenseBonus=&lt;text&gt;</code> | (spiritual defense bonus)                 |
| <code>/charsheet/agility=&lt;text&gt;</code>         | (ranks in agility)                        |
| <code>/charsheet/athletics=&lt;text&gt;</code>       | (ranks in athletics)                      |
| <code>/charsheet/heavyweaponry=&lt;text&gt;</code>   | (ranks in heavy weaponry)                 |
| <code>/charsheet/lightweaponry=&lt;text&gt;</code>   | (ranks in light weaponry)                 |
| <code>/charsheet/stealth=&lt;text&gt;</code>         | (ranks in stealth)                        |
| <code>/charsheet/finesse=&lt;text&gt;</code>         | (ranks in finesse)                        |
| <code>/charsheet/crafting=&lt;text&gt;</code>        | (ranks in crafting)                       |
| <code>/charsheet/deduction=&lt;text&gt;</code>       | (ranks in deduction)                      |
| <code>/charsheet/discipline=&lt;text&gt;</code>      | (ranks in discipline)                     |
| <code>/charsheet/intimidation=&lt;text&gt;</code>    | (ranks in intimidation)                   |
| <code>/charsheet/knowledge=&lt;text&gt;</code>       | (ranks in knowledge)                      |
| <code>/charsheet/medicine=&lt;text&gt;</code>        | (ranks in medicine)                       |
| <code>/charsheet/deception=&lt;text&gt;</code>       | (ranks in deception)                      |
| <code>/charsheet/insight=&lt;text&gt;</code>         | (ranks in insight)                        |
| <code>/charsheet/leadership=&lt;text&gt;</code>      | (ranks in leadership)                     |
| <code>/charsheet/perception=&lt;text&gt;</code>      | (ranks in perception)                     |
| <code>/charsheet/persuasion=&lt;text&gt;</code>      | (ranks in persuasion)                     |
| <code>/charsheet/survival=&lt;text&gt;</code>        | (ranks in survival)                       |
| <code>/charsheet/phyStatName=&lt;text&gt;</code>     | (optional physical stat name)             |
| <code>/charsheet/phyStatRanks=&lt;text&gt;</code>    | (optional physical stat ranks)            |
| <code>/charsheet/cogStatName=&lt;text&gt;</code>     | (optional cognitive stat name)            |
| <code>/charsheet/phyStatBase=&lt;text&gt;</code>     | (optional physical stat base)             |
| <code>/charsheet/cogStatRanks=&lt;text&gt;</code>    | (optional cognitive stat ranks)           |
| <code>/charsheet/cogStatBase=&lt;text&gt;</code>     | (optional cognitive stat base)            |
| <code>/charsheet/spiStatName=&lt;text&gt;</code>     | (optional spiritual stat name)            |
| <code>/charsheet/spiStatRanks=&lt;text&gt;</code>    | (optional spiritual stat ranks)           |
| <code>/charsheet/spiStatBase=&lt;text&gt;</code>     | (optional spiritual stat base)            |
| <code>/charsheet/expertises=&lt;text&gt;</code>      | (content for expertises box)              |
| <code>/charsheet/firstTalents=&lt;text&gt;</code>    | (content for talents on the first page)   |
| <code>/charsheet/secondTalents=&lt;text&gt;</code>   | (content for talents on the second page)  |
| <code>/charsheet/thirdTalents=&lt;text&gt;</code>    | (content for talents on the third page)   |
| <code>/charsheet/weapons=&lt;text&gt;</code>         | (content for weapons box)                 |
| <code>/charsheet/armor=&lt;text&gt;</code>           | (content for armor box)                   |
| <code>/charsheet/inventory=&lt;text&gt;</code>       | (content for inventory box)               |
| <code>/charsheet/currency=&lt;text&gt;</code>        | (content for currency box)                |
| <code>/charsheet/conditions=&lt;text&gt;</code>      | (content for conditions and injuries box) |
| <code>/charsheet/purpose=&lt;text&gt;</code>         | (content for purpose box)                 |
| <code>/charsheet/image=&lt;text&gt;</code>           | (path to character image)                 |
| <code>/charsheet/description=&lt;text&gt;</code>     | (content for description box)             |
| <code>/charsheet/backstory=&lt;text&gt;</code>       | (content for backstory box)               |
| <code>/charsheet/obstacle=&lt;text&gt;</code>        | (content for obstacle box)                |
| <code>/charsheet/goals=&lt;text&gt;</code>           | (content for goals box)                   |
| <code>/charsheet/connections=&lt;text&gt;</code>     | (content for connections box)             |
| <code>/charsheet/rewards=&lt;text&gt;</code>         | (content for rewards box)                 |
| <code>/charsheet/notes=&lt;text&gt;</code>           | (content for notes box)                   |
| <code>/charsheet/hideBlanks=true false</code>        | (hide blank boxes on the character sheet) |
| <code>/charsheet/stormlight=true false</code>        | (use Stormlight Archive terminology)      |

`/charsheet/mistborn=true|false` (use Mistborn terminology)  
`/charsheet/handwritten=true|false` (use a handwritten font for the character sheet)

The keys used for making a character sheet. These are all initialized as empty, other than the boolean switches. Other attributes, like physical defense, are derived from the provided key-value pairs.

## COLOR SCHEMES

---

New:  
2026-08-12

This document class currently provides two predefined color schemes: `stormlight` and `mistborn`. The default is `stormlight`. The color scheme is selected by passing its name into the document class options. Additionally, custom color schemes can be defined by overriding the following color definitions with `\colorlet`:

- `cspapercolor`: The background color of the page.
- `cstextcolor`: The color of the text.
- `cscolor`: The main color used for headings, borders, etc.
- `csaccent`: The accent color used for underlines, borders, etc.
- `csdim`: Dimmed color used for notes and other subtle text.
- `cstblheaderbg`: The background color of table headers.
- `cstblheadertext`: The text color of table headers.
- `cstblrowa`: Lighter background color for table rows.
- `cstblrowb`: Darker background color for table rows.
- `cscalloutheadergb`: The background color of callout headers.
- `cscalloutheadertext`: The text color of callout headers.
- `cscalloutbg`: The background color of callouts.