

PLOTWEAVER L^AT_EX DOCUMENT CLASS

Documentation for the Plotweaver L^AT_EX document class. See `example.tex` for sample usage. More documentation to come.

ICON COMMANDS

These commands produce commonly used icons. All of the icons are implemented using TikZ. The icons created by `\action`, `\doubleAction`, `\tripleAction`, `\freeAction`, `\reaction`, `\forever`, and `\key` will match the current text color. For example: ▶ ▶ ▶. Icons will also respect font size: ▶ ▶ ▶.

U: 2026-08-11	<code>\action</code>	(▶)
---------------	----------------------	-------

This command produces the ▶ icon.

U: 2026-08-11	<code>\doubleAction</code>	(▶▶)
---------------	----------------------------	--------

This command produces the ▶▶ icon.

U: 2026-08-11	<code>\tripleAction</code>	(▶▶▶)
---------------	----------------------------	---------

This command produces the ▶▶▶ icon.

U: 2026-08-11	<code>\freeAction</code>	(▷)
---------------	--------------------------	-------

This command produces the ▷ icon.

<code>\reaction</code>		(↩)
------------------------	--	-------

This command produces the ↩ icon.

<code>\forever</code>		(∞)
-----------------------	--	-------

This command produces the ∞ icon.

U: 2026-08-11	<code>\complication</code> [⟨value⟩]	(✨)
---------------	---	-------

This command produces the ✨ icon. It takes an optional argument for a number, which will be subsequently displayed.

A `\complication` is complicated. Sometimes complications come with values like `\complication[X]`.

A ✨ is complicated. Sometimes complications come with values like ✨X.

U: 2026-08-11	<code>\complicationDice</code> [⟨value⟩]	(✨)
---------------	---	-------

This command produces the ✨ icon. It takes an optional argument for a number, which will be displayed inside of the icon like so: ✨. It is a little larger than `\complication`.

```
A \complicationDice is complicated. Sometimes complications come with values like 2
{\complicationDice[x]}.
```

A ✨ is complicated. Sometimes complications come with values like ✨.

\opportunity (✨)

This command produces the ✨ icon.

U: 2026-08-11

\key (★)

This command produces the ★ icon.

FEATURE BOXES

U: 2026-08-16

/tcb/featureBox=*<text>*

The tcbcolorbox key containing the styling for feature boxes. See the tcbcolorbox documentation for more information.

```
\begin{tcolorbox}[featureBox, 2
  {title={Feature Box}}
  \lipsum[1][1-3]
\end{tcolorbox}
```

FEATURE BOX

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris.

U: 2026-08-11

```
\begin{statBox}{\langle heading 1 \rangle}{\langle content 1 \rangle}{\langle heading 2 \rangle}{\langle content 2 \rangle}
  \langle environment content \rangle
\end{statBox}
```

This is a series of custom boxes that will stay the same height regardless of content length. They are always of equal width. You can use each half of **statBox** separately by using the **leftBox** and **rightBox** style keys. These follow the same documentation as **/tcb/featureBox**.

```
\statBox{Stat One}{
  10
}%
{Stat Two}{
  20
}
```

STAT ONE

10

STAT TWO

20

TABLES

Tables can be created using `\plotable`. This uses `nicematrix` under the hood. See the `nicematrix` documentation for more information.

New:
2026-08-12

```
\begin{plotable}{<column spec>}[<options>]
  <environment content>
\end{plotable}
```

This is a custom `NiceTabular` environment. It simply a wrapper that defines the styling for the table.

```
\begin{plotable}{c|l}
  Level & Feature \\
  1 & Cool abilities \\
  2 & Even cooler abilities \\
  3 & The coolest abilities \\
\end{plotable}
```

Level	Feature
1	Cool abilities
2	Even cooler abilities
3	The coolest abilities

New:
2026-08-13

```
\lowercaption{<caption text>}
```

This command formats a caption to sit below a table. It sets the text to uppercase and uses the `csdim` color.

CHARACTER SHEETS

One page character sheets can be made using the `\MakeCharacterSheet` command. This command takes in a series of key-value pairs and generates the sheet and any derived statistics. See `character_sheet.tex` for an example sheet. Multipage character sheets are in development.

New:
2026-08-16

```
\MakeCharacterSheet{<key-value pairs>}
```

Generates a page character sheet. Each value is set by a key-value pair that is passed into the command.

New:
2026-08-16

<code>/charsheet/name=<text></code>	(name of the character)
<code>/charsheet/ancestry=<text></code>	(ancestry or lineage)
<code>/charsheet/level=<text></code>	(level)
<code>/charsheet/paths=<text></code>	(paths or talent trees)
<code>/charsheet/maxHealth=<text></code>	(maximum health)
<code>/charsheet/maxEssence=<text></code>	(maximum essence or investiture)
<code>/charsheet/recoveryDie=<text></code>	(the die used for recovery rolls)
<code>/charsheet/liftingCapacity=<text></code>	(lifting capacity)
<code>/charsheet/movement=<text></code>	(movement speed)
<code>/charsheet/sensesRange=<text></code>	(senses range)
<code>/charsheet/strength=<text></code>	(strength attribute)
<code>/charsheet/speed=<text></code>	(speed attribute)
<code>/charsheet/intellect=<text></code>	(intellect attribute)
<code>/charsheet/willpower=<text></code>	(willpower attribute)
<code>/charsheet/awareness=<text></code>	(awareness attribute)
<code>/charsheet/presence=<text></code>	(presence attribute)
<code>/charsheet/phyDefenseBonus=<text></code>	(physical defense bonus)
<code>/charsheet/cogDefenseBonus=<text></code>	(cognitive defense bonus)

<code>/charsheet/spiDefenseBonus=<text></code>	(spiritual defense bonus)
<code>/charsheet/agility=<text></code>	(ranks in agility)
<code>/charsheet/athletics=<text></code>	(ranks in athletics)
<code>/charsheet/heavyweaponry=<text></code>	(ranks in heavy weaponry)
<code>/charsheet/lightweaponry=<text></code>	(ranks in light weaponry)
<code>/charsheet/stealth=<text></code>	(ranks in stealth)
<code>/charsheet/finesse=<text></code>	(ranks in finesse)
<code>/charsheet/crafting=<text></code>	(ranks in crafting)
<code>/charsheet/deduction=<text></code>	(ranks in deduction)
<code>/charsheet/discipline=<text></code>	(ranks in discipline)
<code>/charsheet/intimidation=<text></code>	(ranks in intimidation)
<code>/charsheet/knowledge=<text></code>	(ranks in knowledge)
<code>/charsheet/medicine=<text></code>	(ranks in medicine)
<code>/charsheet/deception=<text></code>	(ranks in deception)
<code>/charsheet/insight=<text></code>	(ranks in insight)
<code>/charsheet/leadership=<text></code>	(ranks in leadership)
<code>/charsheet/perception=<text></code>	(ranks in perception)
<code>/charsheet/persuasion=<text></code>	(ranks in persuasion)
<code>/charsheet/survival=<text></code>	(ranks in survival)
<code>/charsheet/phyStatName=<text></code>	(optional physical stat name)
<code>/charsheet/phyStatRanks=<text></code>	(optional physical stat ranks)
<code>/charsheet/cogStatName=<text></code>	(optional cognitive stat name)
<code>/charsheet/phyStatBase=<text></code>	(optional physical stat base)
<code>/charsheet/cogStatRanks=<text></code>	(optional cognitive stat ranks)
<code>/charsheet/cogStatBase=<text></code>	(optional cognitive stat base)
<code>/charsheet/spiStatName=<text></code>	(optional spiritual stat name)
<code>/charsheet/spiStatRanks=<text></code>	(optional spiritual stat ranks)
<code>/charsheet/spiStatBase=<text></code>	(optional spiritual stat base)
<code>/charsheet/expertises=<text></code>	(content for expertises box)
<code>/charsheet/firstTalents=<text></code>	(content for talents on the first page)
<code>/charsheet/secondTalents=<text></code>	(content for talents on the second page)
<code>/charsheet/thirdTalents=<text></code>	(content for talents on the third page)
<code>/charsheet/weapons=<text></code>	(content for weapons box)
<code>/charsheet/armor=<text></code>	(content for armor box)
<code>/charsheet/inventory=<text></code>	(content for inventory box)
<code>/charsheet/currency=<text></code>	(content for currency box)
<code>/charsheet/conditions=<text></code>	(content for conditions and injuries box)
<code>/charsheet/purpose=<text></code>	(content for purpose box)
<code>/charsheet/image=<text></code>	(path to character image)
<code>/charsheet/description=<text></code>	(content for description box)
<code>/charsheet/backstory=<text></code>	(content for backstory box)
<code>/charsheet/obstacle=<text></code>	(content for obstacle box)
<code>/charsheet/goals=<text></code>	(content for goals box)
<code>/charsheet/connections=<text></code>	(content for connections box)
<code>/charsheet/rewards=<text></code>	(content for rewards box)
<code>/charsheet/notes=<text></code>	(content for notes box)
<code>/charsheet/hideBlanks=true false</code>	(hide blank boxes on the character sheet)
<code>/charsheet/stormlight=true false</code>	(use Stormlight Archive terminology)

`/charsheet/mistborn=true|false`

(use Mistborn terminology)

The keys used for making a character sheet. These are all initialized as empty, other than the boolean switches. Other attributes, like physical defense, are derived from the provided key-value pairs.

COLOR SCHEMES

New:
2026-08-12

This document class currently provides two predefined color schemes: `stormlight` and `mistborn`. The default is `stormlight`. The color scheme is selected by passing its name into the document class options. Additionally, custom color schemes can be defined by overriding the following color definitions with `\colorlet`:

- `cspapercolor`: The background color of the page.
- `cstextcolor`: The color of the text.
- `cscolor`: The main color used for headings, borders, etc.
- `csaccent`: The accent color used for underlines, borders, etc.
- `csdim`: Dimmed color used for notes and other subtle text.
- `cstblheaderbg`: The background color of table headers.
- `cstblheadertext`: The text color of table headers.
- `cstblrowa`: Lighter background color for table rows.
- `cstblrowb`: Darker background color for table rows.
- `cscalloutheaderbg`: The background color of callout headers.
- `cscalloutheadertext`: The text color of callout headers.
- `cscalloutbg`: The background color of callouts.