

PLOTWEAVER L^AT_EX DOCUMENT CLASS

INTRODUCTION

I wanted to make a L^AT_EX class for Cosmere RPG and other Plotweaver RPG games. I've tried to emulate the style of the books and character sheets with this document class, though it is not perfect yet. Contributions to its development are welcome!

DOCUMENTATION

This document class provides styling and several commands to make formatting Plotweaver RPG homebrew a little easier.

FEATURE BOXES

Three feature boxes are specified using `tcolorbox`. They are `featureBox`, `leftBox`, and `rightBox`. You can also use the command `statBox` to nicely align a left and right box. These boxes support upper and lower content, but you don't have to specify both.

TALENT PATHS

TikZ is used to make the talent paths. You can add a photo as the background, if desired. Check the `example.tex` for a sample talent path.

ICONS

Icons for activations and plot die are specified with `forever`, `freeAction`, `action`, `doubleAction`, `tripleAction`, `reaction`, `opportunity`, and `complication`. They look like this:



The complication commands can take a number or be left blank. Numbers look like this:  2 . You can also make larger complication symbols with `complicationDice`:



TABLES

Tables can be created using `plotable`. This uses `nicematrix` under the hood. Like usual, you can refer to Table 1 with a label.

TABLE 1: EXAMPLE TABLE

Heading 1	Heading 2	Heading 3	Heading 4
Lipsum	Lorem ipsum dolor sit amet, consectetur adipiscing elit.	1234	5678
Lipsum	Lorem ipsum dolor sit amet, consectetur adipiscing elit.	1234	5678
Lipsum	Lorem ipsum dolor sit amet, consectetur adipiscing elit.	1234	5678
Lipsum	Lorem ipsum dolor sit amet, consectetur adipiscing elit.	1234	5678


THIS IS A CAPTION THAT IS PLACED BELOW THE TABLE

COLOR SCHEMES

You can switch color schemes by passing an option to the document class. The default is `stormlight`. You can also use `mistborn`, with more to come. You can also define your own color schemes.

FEATURE Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo.	
SUB FEATURE Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris.	
STAT ONE These boxes can have different content...	STAT TWO ...and still end up the same height! Even when one is multiple lines.





TIMELINES

Timelines can be created using the timeline environment. You can pass in arguments to determine the spacing between major and minor ticks with `major tick pattern` and adjust the overall scale with `scale`. Within the timeline environment, the start and end years are specified with the `era` command. Specific events are added afterwards with the `event` command. This allows for multiple eras to be chained together in a single timeline.