

PLOTWEAVER L^AT_EX DOCUMENT CLASS

Documentation for the Plotweaver L^AT_EX document class. See `example.tex` and `character-sheet.tex` for sample usage. Thanks to everyone who has contributed commands and feedback to this project!

PLOTWEAVER ICON COMMANDS

These commands produce commonly used icons and are provided by `plotweaver-icons.sty`. All of the icons are implemented using TikZ. The icons created by `\action`, `\doubleAction`, `\tripleAction`, `\freeAction`, `\reaction`, `\forever`, and `\key` will match the current text color. For example:   . Icons will also respect font size:   .

U: 2026-08-11

`\action` ()

This command produces the  icon.

U: 2026-08-11

`\doubleAction` ()

This command produces the  icon.

U: 2026-08-11

`\tripleAction` ()

This command produces the  icon.

U: 2026-08-11

`\freeAction` ()

This command produces the  icon.

`\reaction` ()

This command produces the  icon.

`\forever` ()

This command produces the  icon.

U: 2026-08-11

`\complication`[*value*] ()

This command produces the  icon. It takes an optional argument for a number, which will be subsequently displayed.

A `\complication` is complicated. Sometimes complications come with values like `\complication[X]`.

A  is complicated. Sometimes complications come with values like X.

U: 2026-08-11

`\complicationDice`[*value*] ()

This command produces the  icon. It takes an optional argument for a number, which will be displayed inside of the icon like so: . It is a little larger than `\complication`.

A `\complicationDice` is complicated. Sometimes complications come with values like `\complicationDice[x]`.

A  is complicated. Sometimes complications come with values like .

`\opportunity` ()

This command produces the  icon.

`\key` ()

This command produces the  icon.

MISTBORN ICON COMMANDS

These commands produce commonly used icons and are provided by `plotweaver-mistborn.sty`. This package will be automatically loaded if the `mistborn` option is passed to the document class. Otherwise, it must be loaded separately. All of the icons are implemented using TikZ and will match the current text color. For example:   . Icons size can also be altered with an optional argument:   .

THE STEEL ALPHABET

New: 2026-08-26 **`\action[scale]`** ()

This command produces the  icon.

New: 2026-08-26 **`\action[scale]`** ()

This command produces the  icon.

New: 2026-08-26 **`\action[scale]`** ()

This command produces the  icon.

New: 2026-08-26 **`\action[scale]`** ()

This command produces the  icon.

New: 2026-08-26 **`\action[scale]`** ()

This command produces the  icon.

New: 2026-08-26 **`\action[scale]`** ()

This command produces the  icon.

New: 2026-08-26 **`\action[scale]`** ()

This command produces the  icon.

New: 2026-08-26 **`\action[scale]`** ()

This command produces the  icon.


New: 2026-08-26 **`\action[scale]`** ()

This command produces the  icon.

New: 2026-08-26	<code>\action[<i>scale</i>]</code>	()
	This command produces the  icon.	
New: 2026-08-26	<code>\action[<i>scale</i>]</code>	()
	This command produces the  icon.	
New: 2026-08-26	<code>\action[<i>scale</i>]</code>	()
	This command produces the  icon.	
New: 2026-08-26	<code>\action[<i>scale</i>]</code>	()
	This command produces the  icon.	
New: 2026-08-26	<code>\action[<i>scale</i>]</code>	()
	This command produces the  icon.	
New: 2026-08-26	<code>\action[<i>scale</i>]</code>	()
	This command produces the  icon.	
New: 2026-08-26	<code>\action[<i>scale</i>]</code>	()
	This command produces the  icon.	
New: 2026-08-26	<code>\action[<i>scale</i>]</code>	()
	This command produces the  icon.	
New: 2026-08-26	<code>\action[<i>scale</i>]</code>	()
	This command produces the  icon.	
New: 2026-08-26	<code>\action[<i>scale</i>]</code>	()
	This command produces the  icon.	
New: 2026-08-26	<code>\action[<i>scale</i>]</code>	()
	This command produces the  icon.	
New: 2026-08-26	<code>\action[<i>scale</i>]</code>	()
	This command produces the  icon.	
New: 2026-08-26	<code>\action[<i>scale</i>]</code>	()
	This command produces the  icon.	
New: 2026-08-26	<code>\action[<i>scale</i>]</code>	()
	This command produces the  icon.	
New: 2026-08-26	<code>\action[<i>scale</i>]</code>	()
	This command produces the  icon.	
New: 2026-08-26	<code>\action[<i>scale</i>]</code>	()
	This command produces the  icon.	
New: 2026-08-26	<code>\action[<i>scale</i>]</code>	()
	This command produces the  icon.	
New: 2026-08-26	<code>\action[<i>scale</i>]</code>	()
	This command produces the  icon.	
New: 2026-08-26	<code>\action[<i>scale</i>]</code>	()
	This command produces the  icon.	

THE TERRIS ALPHABET

New: 2026-08-26	<code>\action[<i>scale</i>]</code>	()
	This command produces the  icon.	
New: 2026-08-26	<code>\action[<i>scale</i>]</code>	()
	This command produces the  icon.	
New: 2026-08-26	<code>\action[<i>scale</i>]</code>	()
	This command produces the  icon.	
New: 2026-08-26	<code>\action[<i>scale</i>]</code>	()
	This command produces the  icon.	
New: 2026-08-26	<code>\action[<i>scale</i>]</code>	()
	This command produces the  icon.	
New: 2026-08-26	<code>\action[<i>scale</i>]</code>	()
	This command produces the  icon.	
New: 2026-08-26	<code>\action[<i>scale</i>]</code>	()
	This command produces the  icon.	
New: 2026-08-26	<code>\action[<i>scale</i>]</code>	()
	This command produces the  icon.	
New: 2026-08-26	<code>\action[<i>scale</i>]</code>	()
	This command produces the  icon.	
New: 2026-08-26	<code>\action[<i>scale</i>]</code>	()
	This command produces the  icon.	
New: 2026-08-26	<code>\action[<i>scale</i>]</code>	()
	This command produces the  icon.	
New: 2026-08-26	<code>\action[<i>scale</i>]</code>	()
	This command produces the  icon.	
New: 2026-08-26	<code>\action[<i>scale</i>]</code>	()
	This command produces the  icon.	
New: 2026-08-26	<code>\action[<i>scale</i>]</code>	()
	This command produces the  icon.	


New: 2026-08-26	<code>\action[<i>scale</i>]</code>	()
	This command produces the  icon.	
New: 2026-08-26	<code>\action[<i>scale</i>]</code>	()
	This command produces the  icon.	
New: 2026-08-26	<code>\action[<i>scale</i>]</code>	()
	This command produces the  icon.	
New: 2026-08-26	<code>\action[<i>scale</i>]</code>	()
	This command produces the  icon.	
New: 2026-08-26	<code>\action[<i>scale</i>]</code>	()
	This command produces the  icon.	
New: 2026-08-26	<code>\action[<i>scale</i>]</code>	()
	This command produces the  icon.	
New: 2026-08-26	<code>\action[<i>scale</i>]</code>	()
	This command produces the  icon.	
New: 2026-08-26	<code>\action[<i>scale</i>]</code>	()
	This command produces the  icon.	
New: 2026-08-26	<code>\action[<i>scale</i>]</code>	()
	This command produces the  icon.	

FEATURE BOXES

These boxes are implemented using `tcolorbox` and are provided by `plotweaver-boxes.sty`.

U: 2026-08-16	<code>/tcb/featureBox=<text></code>
	The <code>tcolorbox</code> key containing the styling for feature boxes. See the <code>tcolorbox</code> documentation for more information.
	<pre>\begin{tcolorbox}[featureBox, 2 {title={Feature Box}} \lipsum[1][1-3] \end{tcolorbox}</pre> FEATURE BOX Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris.
U: 2026-08-16	<code>/tcb/leftBox=<text></code>
	The <code>tcolorbox</code> key containing the styling for left boxes. See the <code>tcolorbox</code> documentation for more information.

```
\begin{tcolorbox}[leftBox, title={Left }
{Box}]
\lipsum[1][1]
\end{tcolorbox}
```




U: 2026-08-16

/tcb/rightBox=*<text>*

The tcolorbox key containing the styling for right boxes. See the tcolorbox documentation for more information.

```
\begin{tcolorbox}[rightBox, title={Right }
{Box}]
\lipsum[1][2]
\end{tcolorbox}
```




New:
2026-08-24

/tcb/calloutBox=*<text>*

The tcolorbox key containing the styling for callout boxes. This box will match the current color scheme. See the tcolorbox documentation for more information.

```
\begin{tcolorbox}[calloutBox, 2
{title={Callout Box}}]
\lipsum[1][3]
\end{tcolorbox}
```



New:
2026-08-26

/tcb/altcalloutBox=*<text>*

The tcolorbox key containing alternate styling for callout boxes. This box will match the current color scheme. See the tcolorbox documentation for more information.

```
\begin{tcolorbox}[altcalloutBox, 2
{title={Alt Callout Box}}]
\lipsum[1][3]
\end{tcolorbox}
```



New:
2026-08-26

/tcb/paperBox=*<text>*

The tcolorbox key containing the styling for paper boxes. This box will match the current color scheme. See the tcolorbox documentation for more information.


```
\begin{tcolorbox}[paperBox, title={Paper }
{Box}]
\lipsum[1][4-5]
\end{tcolorbox}
```



```
\begin{statBox}{\langle heading 1 \rangle}{\langle content 1 \rangle}{\langle heading 2 \rangle}{\langle content 2 \rangle}
  \langle environment content \rangle
\end{statBox}
```

This is a series of custom boxes that will stay the same height regardless of content length. They are always of equal width. You can use each half of **statBox** separately by using the **leftBox** and **rightBox** style keys. These follow the same documentation as **/tcb/featureBox**.

```
\statBox{Stat One}{
  10
}%
{Stat Two}{
  20
}
```



\MakeStatBlock{*<key-value pairs>*}

This command is provided by `plotweaver-statblock.sty` and can be used by passing `statblock` into the document class options. generates a statblock which is populated by a series of key-value pairs. The statblock is a custom `tcolorbox`, and it will change to match the current color scheme. Spe Pcial thanks to cosmicducks for contributing this command!

<code>/statblock/numCols=<i><text></i></code>	(number of columns in the statblock (<i>defaults to 2</i>))
<code>/statblock/width=<i><text></i></code>	(width of the statblock (<i>defaults to \linewidth</i>))
<code>/statblock/name=<i><text></i></code>	(name for the statblock)
<code>/statblock/tier=<i><text></i></code>	(tier rank for the statblock)
<code>/statblock/role=<i><text></i></code>	(role for the statblock (<i>Minion, Rival, Boss</i>))
<code>/statblock/size=<i><text></i></code>	(size for the statblock (<i>Small, Medium, Large, Huge, Gargantuan</i>))
<code>/statblock/type=<i><text></i></code>	(type for the statblock (<i>Humanoid, Animal, Swarm, Essence, Entity, etc.</i>))
<code>/statblock/health=<i><text></i></code>	(health for the statblock (<i>AVG (MIN-MAX)</i>))
<code>/statblock/focus=<i><text></i></code>	(focus for the statblock)
<code>/statblock/essence=<i><text></i></code>	(essence or investiture for the statblock)
<code>/statblock/strength=<i><text></i></code>	(strength for the statblock)
<code>/statblock/speed=<i><text></i></code>	(speed for the statblock)
<code>/statblock/intellect=<i><text></i></code>	(intellect for the statblock)
<code>/statblock/willpower=<i><text></i></code>	(willpower for the statblock)
<code>/statblock/awareness=<i><text></i></code>	(awareness for the statblock)
<code>/statblock/presence=<i><text></i></code>	(presence for the statblock)
<code>/statblock/physDef=<i><text></i></code>	(physical defense for the statblock)
<code>/statblock/cogDef=<i><text></i></code>	(cognitive or mental defense for the statblock)
<code>/statblock/spiDef=<i><text></i></code>	(spiritual defense for the statblock)
<code>/statblock/deflect=<i><text></i></code>	(deflect for the statblock)
<code>/statblock/movement=<i><text></i></code>	(movement speed for the statblock)
<code>/statblock/senses=<i><text></i></code>	(senses range for the statblock)
<code>/statblock/immunities=<i><text></i></code>	(immunities for the statblock (<i>eg. Pierce, Immobilised</i>))
<code>/statblock/physSkills=<i><text></i></code>	(physical skills for the statblock (<i>eg. Heavy Weaponry +9</i>))
<code>/statblock/cogSkills=<i><text></i></code>	(cognitive skills for the statblock (<i>eg. Discipline +5</i>))
<code>/statblock/spiSkills=<i><text></i></code>	(spiritual skills for the statblock (<i>eg. Insight +7</i>))
<code>/statblock/surgeSkills=<i><text></i></code>	(surge skills for the statblock)
<code>/statblock/maSkills=<i><text></i></code>	(metallic art skills for the statblock)
<code>/statblock/languages=<i><text></i></code>	(known languages for the statblock)
<code>/statblock/features=<i><text></i></code>	(features for the statblock)
<code>/statblock/actions=<i><text></i></code>	(actions for the statblock)
<code>/statblock/oandcs=<i><text></i></code>	(extra uses for opportunities and complications)
<code>/statblock/charCosmere=<i><text></i></code>	(use Cosmere terminology for the statblock)

TABLES

Tables can be created using `plotable`. This uses `nicematrix` under the hood. See the `nicematrix` documentation for more information.

New:
2026-08-12

```
\begin{plotable}{\column spec}[\options]
  \environment content
\end{plotable}
```

This is a custom `NiceTabular` environment. It simply a wrapper that defines the styling for the table.

```
\begin{plotable}{c|l}
  Level & Feature \\
  1 & Cool abilities \\
  2 & Even cooler abilities \\
  3 & The coolest abilities \\
\end{plotable}
```

Level	Feature
1	Cool abilities
2	Even cooler abilities
3	The coolest abilities

New:
2026-08-13

```
\lowercaption{\caption text}
```

This command formats a caption to sit below a table. It sets the text to uppercase and uses the `csdim` color.

CHARACTER SHEETS

Character sheets can be made using the `\MakeCharacterSheet` command which is provided by `plotweaver-character-sheet.sty`. To use this command, pass `character-sheet` into the document class options. This command takes in a series of key-value pairs and generates the sheet and any derived statistics. See `character-sheet.tex` for an example sheet.

New:
2026-08-16

```
\MakeCharacterSheet{\key-value pairs}
```

Generates a page character sheet. Each value is set by a key-value pair that is passed into the command.

New:
2026-08-16

<code>/charsheet/name=</code>	<code>\text</code>	(name of the character)
<code>/charsheet/ancestry=</code>	<code>\text</code>	(ancestry or lineage)
<code>/charsheet/level=</code>	<code>\text</code>	(level)
<code>/charsheet/paths=</code>	<code>\text</code>	(paths or talent trees)
<code>/charsheet/maxHealth=</code>	<code>\text</code>	(maximum health)
<code>/charsheet/maxEssence=</code>	<code>\text</code>	(maximum essence or investiture)
<code>/charsheet/recoveryDie=</code>	<code>\text</code>	(the die used for recovery rolls)
<code>/charsheet/liftingCapacity=</code>	<code>\text</code>	(lifting capacity)
<code>/charsheet/movement=</code>	<code>\text</code>	(movement speed)
<code>/charsheet/sensesRange=</code>	<code>\text</code>	(senses range)
<code>/charsheet/strength=</code>	<code>\text</code>	(strength attribute)
<code>/charsheet/speed=</code>	<code>\text</code>	(speed attribute)
<code>/charsheet/intellect=</code>	<code>\text</code>	(intellect attribute)
<code>/charsheet/willpower=</code>	<code>\text</code>	(willpower attribute)
<code>/charsheet/awareness=</code>	<code>\text</code>	(awareness attribute)
<code>/charsheet/presence=</code>	<code>\text</code>	(presence attribute)
<code>/charsheet/phyDefenseBonus=</code>	<code>\text</code>	(physical defense bonus)

<code>/charsheet/menDefenseBonus=<text></code>	(cognitive defense bonus)
<code>/charsheet/spiDefenseBonus=<text></code>	(spiritual defense bonus)
<code>/charsheet/agility=<text></code>	(ranks in agility)
<code>/charsheet/athletics=<text></code>	(ranks in athletics)
<code>/charsheet/heavyweaponry=<text></code>	(ranks in heavy weaponry)
<code>/charsheet/lightweaponry=<text></code>	(ranks in light weaponry)
<code>/charsheet/stealth=<text></code>	(ranks in stealth)
<code>/charsheet/finesse=<text></code>	(ranks in finesse)
<code>/charsheet/crafting=<text></code>	(ranks in crafting)
<code>/charsheet/deduction=<text></code>	(ranks in deduction)
<code>/charsheet/discipline=<text></code>	(ranks in discipline)
<code>/charsheet/intimidation=<text></code>	(ranks in intimidation)
<code>/charsheet/knowledge=<text></code>	(ranks in knowledge)
<code>/charsheet/medicine=<text></code>	(ranks in medicine)
<code>/charsheet/deception=<text></code>	(ranks in deception)
<code>/charsheet/insight=<text></code>	(ranks in insight)
<code>/charsheet/leadership=<text></code>	(ranks in leadership)
<code>/charsheet/perception=<text></code>	(ranks in perception)
<code>/charsheet/persuasion=<text></code>	(ranks in persuasion)
<code>/charsheet/survival=<text></code>	(ranks in survival)
<code>/charsheet/phyStatName=<text></code>	(optional physical stat name)
<code>/charsheet/phyStatRanks=<text></code>	(optional physical stat ranks)
<code>/charsheet/menStatName=<text></code>	(optional cognitive stat name)
<code>/charsheet/phyStatBase=<text></code>	(optional physical stat base)
<code>/charsheet/menStatRanks=<text></code>	(optional cognitive stat ranks)
<code>/charsheet/menStatBase=<text></code>	(optional cognitive stat base)
<code>/charsheet/spiStatName=<text></code>	(optional spiritual stat name)
<code>/charsheet/spiStatRanks=<text></code>	(optional spiritual stat ranks)
<code>/charsheet/spiStatBase=<text></code>	(optional spiritual stat base)
<code>/charsheet/expertises=<text></code>	(content for expertises box)
<code>/charsheet/firstTalents=<text></code>	(content for talents on the first page)
<code>/charsheet/secondTalents=<text></code>	(content for talents on the second page)
<code>/charsheet/thirdTalents=<text></code>	(content for talents on the third page)
<code>/charsheet/weapons=<text></code>	(content for weapons box)
<code>/charsheet/armor=<text></code>	(content for armor box)
<code>/charsheet/inventory=<text></code>	(content for inventory box)
<code>/charsheet/currency=<text></code>	(content for currency box)
<code>/charsheet/conditions=<text></code>	(content for conditions and injuries box)
<code>/charsheet/purpose=<text></code>	(content for purpose box)
<code>/charsheet/image=<text></code>	(path to character image)
<code>/charsheet/description=<text></code>	(content for description box)
<code>/charsheet/backstory=<text></code>	(content for backstory box)
<code>/charsheet/obstacle=<text></code>	(content for obstacle box)
<code>/charsheet/goals=<text></code>	(content for goals box)
<code>/charsheet/connections=<text></code>	(content for connections box)
<code>/charsheet/rewards=<text></code>	(content for rewards box)
<code>/charsheet/notes=<text></code>	(content for notes box)
<code>/charsheet/hideBlanks=true false</code>	(hide blank boxes on the character sheet)

```
/charsheet/stormlight=true|false (use Stormlight Archive terminology)
/charsheet/mistborn=true|false (use Mistborn terminology)
/charsheet/handwritten=true|false (use a handwritten font for the character sheet)
```

The keys used for making a character sheet. These are all initialized as empty, other than the boolean switches. Other attributes, like physical defense, are derived from the provided key-value pairs.

COLOR SCHEMES

New:
2026-08-12

This document class currently provides three predefined color schemes: `stormlight`, `mistborn`, and `ariandor`. The default is `ariandor`. The color scheme is selected by passing its name into the document class options. Additionally, custom color schemes can be defined by overriding the following color definitions with `\colorlet`:

- `cspapercolor`: The background color of the page.
- `cstextcolor`: The color of the text.
- `cscolor`: The main color used for headings, borders, etc.
- `csaccent`: The accent color used for underlines, borders, etc.
- `csdim`: Dimmed color used for notes and other subtle text.
- `cstblheaderbg`: The background color of table headers.
- `cstblheadertext`: The text color of table headers.
- `cstblrowa`: Lighter background color for table rows.
- `cstblrowb`: Darker background color for table rows.
- `cscalloutheadergb`: The background color of callout headers.
- `cscalloutheadertext`: The text color of callout headers.
- `cscalloutbg`: The background color of callouts.