

PLOTWEAVER L^AT_EX DOCUMENT CLASS

Documentation for the Plotweaver L^AT_EX document class. See `example.tex` and `character-sheet.tex` for sample usage. Thanks to everyone who has contributed commands and feedback to this project!

PLOTWEAVER ICON COMMANDS

These commands produce commonly used icons and are provided by `plotweaver-icons.sty`. All of the icons are implemented using TikZ. The icons created by `\action`, `\doubleAction`, `\tripleAction`, `\freeAction`, `\reaction`, `\forever`, and `\key` will match the current text color. For example:   . Icons will also respect font size:   .

U: 2026-08-11

`\action` ( )

This command produces the  icon.

U: 2026-08-11

`\doubleAction` ( )

This command produces the  icon.

U: 2026-08-11

`\tripleAction` (  )

This command produces the  icon.

U: 2026-08-11

`\freeAction` ()

This command produces the  icon.

`\reaction` ()

This command produces the  icon.

`\forever` ()

This command produces the  icon.

U: 2026-08-11

`\complication`[*`<value>`*] ()

This command produces the  icon. It takes an optional argument for a number, which will be subsequently displayed.

A `\complication` is complicated. Sometimes complications come with values like `\complication[X]`.

A  is complicated. Sometimes complications come with values like X.

U: 2026-08-11

`\complicationDice`[*`<value>`*] ()

This command produces the  icon. It takes an optional argument for a number, which will be displayed inside of the icon like so: . It is a little larger than `\complication`.

A `\complicationDice` is complicated. Sometimes complications come with values like `\complicationDice[x]`.

A  is complicated. Sometimes complications come with values like .

`\opportunity` ()

This command produces the  icon.

U: 2026-08-11

`\key` ()

This command produces the  icon.

MISTBORN ICON COMMANDS

These commands produce commonly used icons and are provided by `plotweaver-mistborn.sty`. This package will be automatically loaded if the `mistborn` option is passed to the document class. Otherwise, it must be loaded separately. All of the icons are implemented using TikZ and will match the current text color. For example:   . Icons size will generally match the current font size, but can also be altered with an optional argument:   .

THE STEEL ALPHABET

New:
2026-08-26

`\alAluminum[scale]` ()

This command produces the  icon.

New:
2026-08-26

`\alAtium[scale]` ()

This command produces the  icon.

New:
2026-08-26

`\alBendalloy[scale]` ()

This command produces the  icon.

New:
2026-08-26

`\alBrass[scale]` ()

This command produces the  icon.

New:
2026-08-26

`\alBronze[scale]` ()

This command produces the  icon.

New:
2026-08-26

`\alCadmium[scale]` ()

This command produces the  icon.

New:
2026-08-26

`\alChromium[scale]` ()

This command produces the  icon.

New:
2026-08-26

`\alCopper[scale]` ()

This command produces the  icon.

New: 2026-08-26	<code>\alDuralumin[⟨scale⟩]</code>	()
	This command produces the  icon.	
New: 2026-08-26	<code>\alElectrum[⟨scale⟩]</code>	()
	This command produces the  icon.	
New: 2026-08-26	<code>\alEttmetal[⟨scale⟩]</code>	()
	This command produces the  icon.	
New: 2026-08-26	<code>\alGold[⟨scale⟩]</code>	()
	This command produces the  icon.	
New: 2026-08-26	<code>\alIron[⟨scale⟩]</code>	()
	This command produces the  icon.	
New: 2026-08-26	<code>\alLerasium[⟨scale⟩]</code>	()
	This command produces the  icon.	
New: 2026-08-26	<code>\alMalatium[⟨scale⟩]</code>	()
	This command produces the  icon.	
New: 2026-08-26	<code>\alNicrosil[⟨scale⟩]</code>	()
	This command produces the  icon.	
New: 2026-08-26	<code>\alPewter[⟨scale⟩]</code>	()
	This command produces the  icon.	
New: 2026-08-26	<code>\alSteel[⟨scale⟩]</code>	()
	This command produces the  icon.	
New: 2026-08-26	<code>\alTin[⟨scale⟩]</code>	()
	This command produces the  icon.	
New: 2026-08-26	<code>\alUnknownC[⟨scale⟩]</code>	()
	This command produces the  icon.	
New: 2026-08-26	<code>\alUnknownH[⟨scale⟩]</code>	()
	This command produces the  icon.	
New: 2026-08-26	<code>\alUnknownJ[⟨scale⟩]</code>	()
	This command produces the  icon.	
New: 2026-08-26	<code>\alUnknownX[⟨scale⟩]</code>	()
	This command produces the  icon.	
New: 2026-08-26	<code>\alZero[⟨scale⟩]</code>	()
	This command produces the icon.	
New: 2026-08-26	<code>\alZinc[⟨scale⟩]</code>	()
	This command produces the  icon.	

THE TERRIS ALPHABET

New: 2026-08-26	<code>\feAluminum[<i>scale</i>]</code>	()
	This command produces the  icon.	
New: 2026-08-26	<code>\feAtium[<i>scale</i>]</code>	()
	This command produces the  icon.	
New: 2026-08-26	<code>\feBendalloy[<i>scale</i>]</code>	()
	This command produces the  icon.	
New: 2026-08-26	<code>\feBrass[<i>scale</i>]</code>	()
	This command produces the  icon.	
New: 2026-08-26	<code>\feBronze[<i>scale</i>]</code>	()
	This command produces the  icon.	
New: 2026-08-26	<code>\feCadmium[<i>scale</i>]</code>	()
	This command produces the  icon.	
New: 2026-08-26	<code>\feChromium[<i>scale</i>]</code>	()
	This command produces the  icon.	
New: 2026-08-26	<code>\feCopper[<i>scale</i>]</code>	()
	This command produces the  icon.	
New: 2026-08-26	<code>\feDuralumin[<i>scale</i>]</code>	()
	This command produces the  icon.	
New: 2026-08-26	<code>\feElectrum[<i>scale</i>]</code>	()
	This command produces the  icon.	
New: 2026-08-26	<code>\feEttmetal[<i>scale</i>]</code>	()
	This command produces the  icon.	
New: 2026-08-26	<code>\feGold[<i>scale</i>]</code>	()
	This command produces the  icon.	
New: 2026-08-26	<code>\feIron[<i>scale</i>]</code>	()
	This command produces the  icon.	
New: 2026-08-26	<code>\feLerasium[<i>scale</i>]</code>	()
	This command produces the  icon.	
New: 2026-08-26	<code>\feMalatium[<i>scale</i>]</code>	()
	This command produces the  icon.	

New: 2026-08-26	<code>\feNicrosil[<i>scale</i>]</code>	()
	This command produces the  icon.	
New: 2026-08-26	<code>\fePewter[<i>scale</i>]</code>	()
	This command produces the  icon.	
New: 2026-08-26	<code>\feSteel[<i>scale</i>]</code>	()
	This command produces the  icon.	
New: 2026-08-26	<code>\feTin[<i>scale</i>]</code>	()
	This command produces the  icon.	
New: 2026-08-26	<code>\feUnknownC[<i>scale</i>]</code>	()
	This command produces the  icon.	
New: 2026-08-26	<code>\feUnknownH[<i>scale</i>]</code>	()
	This command produces the  icon.	
New: 2026-08-26	<code>\feUnknownJ[<i>scale</i>]</code>	()
	This command produces the  icon.	
New: 2026-08-26	<code>\feUnknownX[<i>scale</i>]</code>	()
	This command produces the  icon.	
New: 2026-08-26	<code>\feZinc[<i>scale</i>]</code>	()
	This command produces the  icon.	

STORMLIGHT ICON COMMANDS

These commands produce commonly used icons and are provided by `plotweaver-stormlight.sty`. This package will be automatically loaded if the `stormlight` option is passed to the document class. Otherwise, it must be loaded separately. All of the icons are implemented using TikZ. The surge icons will match the current text color. For example: . The radiant order icons will match their order's color, unless specified otherwise. For example: . Icons size will generally match the font size, but can also be altered with an optional argument: .

THE SURGES

New: 2026-08-29	<code>\abrasion[<i>scale</i>]</code>	()
	This command produces the  icon.	
New: 2026-08-29	<code>\adhesion[<i>scale</i>]</code>	()
	This command produces the  icon.	

New: 2026-08-29	<code>\cohesion[⟨scale⟩]</code>	()
	This command produces the  icon.	
New: 2026-08-29	<code>\division[⟨scale⟩]</code>	()
	This command produces the  icon.	
New: 2026-08-29	<code>\gravitation[⟨scale⟩]</code>	()
	This command produces the  icon.	
New: 2026-08-29	<code>\illumination[⟨scale⟩]</code>	()
	This command produces the  icon.	
New: 2026-08-29	<code>\progression[⟨scale⟩]</code>	()
	This command produces the  icon.	
New: 2026-08-29	<code>\tension[⟨scale⟩]</code>	()
	This command produces the  icon.	
New: 2026-08-29	<code>\transformation[⟨scale⟩]</code>	()
	This command produces the  icon.	
New: 2026-08-29	<code>\transportation[⟨scale⟩]</code>	()
	This command produces the  icon.	



THE RADIANT ORDERS

New: 2026-08-29	<code>\windrunner[⟨scale⟩][⟨color⟩]</code>	()
	This command produces the  icon.	
New: 2026-08-29	<code>\skybreaker[⟨scale⟩][⟨color⟩]</code>	()
	This command produces the  icon.	
New: 2026-08-29	<code>\dustbringer[⟨scale⟩][⟨color⟩]</code>	()
	This command produces the  icon.	
New: 2026-08-29	<code>\edgedancer[⟨scale⟩][⟨color⟩]</code>	()
	This command produces the  icon.	
New: 2026-08-29	<code>\truthwatcher[⟨scale⟩][⟨color⟩]</code>	()
	This command produces the  icon.	
New: 2026-08-29	<code>\lightweaver[⟨scale⟩][⟨color⟩]</code>	()
	This command produces the  icon.	

New: 2026-08-29	<code>\elsecaller[<i><scale></i>][<i><color></i>]</code>	()
	This command produces the  icon.	
New: 2026-08-29	<code>\willshaper[<i><scale></i>][<i><color></i>]</code>	()
	This command produces the  icon.	
New: 2026-08-29	<code>\stoneward[<i><scale></i>][<i><color></i>]</code>	()
	This command produces the  icon.	
New: 2026-08-29	<code>\bondsmith[<i><scale></i>][<i><color></i>]</code>	()
	This command produces the  icon.	

FEATURE BOXES

These boxes are implemented using `tcolorbox` and are provided by `plotweaver-boxes.sty`.

U: 2026-08-16	<code>/tcb/featureBox=<text></code>	
	The <code>tcolorbox</code> key containing the styling for feature boxes. See the <code>tcolorbox</code> documentation for more information.	
	<pre>\begin{tcolorbox}[featureBox, 2 {title={Feature Box}} \lipsum[1][1-3] \end{tcolorbox}</pre>	
U: 2026-08-16	<code>/tcb/leftBox=<text></code>	
	The <code>tcolorbox</code> key containing the styling for left boxes. See the <code>tcolorbox</code> documentation for more information.	
	<pre>\begin{tcolorbox}[leftBox, title={Left } {Box}] \lipsum[1][1] \end{tcolorbox}</pre>	
U: 2026-08-16	<code>/tcb/rightBox=<text></code>	
	The <code>tcolorbox</code> key containing the styling for right boxes. See the <code>tcolorbox</code> documentation for more information.	
	<pre>\begin{tcolorbox}[rightBox, title={Right } {Box}] \lipsum[1][2] \end{tcolorbox}</pre>	

New:
2026-08-24

/tcb/calloutBox=*<text>*

The `tcolorbox` key containing the styling for callout boxes. This box will match the current color scheme. See the `tcolorbox` documentation for more information.

```
\begin{tcolorbox}[calloutBox, 2
  {title={Callout Box}}
  \lipsum[1][3]
\end{tcolorbox}
```

CALLOUT BOX

Curabitur dictum gravida mauris.

New:
2026-08-26

/tcb/altcalloutBox=*<text>*

The `tcolorbox` key containing alternate styling for callout boxes. This box will match the current color scheme. See the `tcolorbox` documentation for more information.

```
\begin{tcolorbox}[altcalloutBox, 2
  {title={Alt Callout Box}}
  \lipsum[1][3]
\end{tcolorbox}
```

ALT CALLOUT BOX

Curabitur dictum gravida mauris.

New:
2026-08-26

/tcb/paperBox=*<text>*

The `tcolorbox` key containing the styling for paper boxes. This box will match the current color scheme. See the `tcolorbox` documentation for more information.

```
\begin{tcolorbox}[paperBox, title={Paper 2
  {Box}}
  \lipsum[1][4-5]
\end{tcolorbox}
```

Paper Box

*Nam arcu libero, nonummy eget, consectetur
id, vulputate a, magna. Donec vehicula augue
eu neque.*

U: 2026-08-11

\begin{statBox}{*<heading 1>*}{*<content 1>*}{*<heading 2>*}{*<content 2>*}}
<environment content>
\end{statBox}

This is a series of custom boxes that will stay the same height regardless of content length. They are always of equal width. You can use each half of `statBox` separately by using the `leftBox` and `rightBox` style keys. These follow the same documentation as `/tcb/featureBox`.

```
\statBox{Stat One}{
  10
}%
{Stat Two}{
  20
}
```

STAT ONE

10

STAT TWO

20

`\MakeStatBlock{<key-value pairs>}`

This command is provided by `plotweaver-statblock.sty` and can be used by passing `statblock` into the document class options. generates a statblock which is populated by a series of key-value pairs. The statblock is a custom `tcolorbox`, and it will change to match the current color scheme. Spe Pcial thanks to cosmicducks for contributing this command!

<code>/statblock/numCols=<text></code>	(number of columns in the statblock (<i>defaults to 2</i>))
<code>/statblock/width=<text></code>	(width of the statblock (<i>defaults to \linewidth</i>))
<code>/statblock/name=<text></code>	(name for the statblock)
<code>/statblock/tier=<text></code>	(tier rank for the statblock)
<code>/statblock/role=<text></code>	(role for the statblock (<i>Minion, Rival, Boss</i>))
<code>/statblock/size=<text></code>	(size for the statblock (<i>Small, Medium, Large, Huge, Gargantuan</i>))
<code>/statblock/type=<text></code>	(type for the statblock (<i>Humanoid, Animal, Swarm, Essence, Entity, etc.</i>))
<code>/statblock/health=<text></code>	(health for the statblock (<i>AVG (MIN-MAX)</i>))
<code>/statblock/focus=<text></code>	(focus for the statblock)
<code>/statblock/essence=<text></code>	(essence or investiture for the statblock)
<code>/statblock/strength=<text></code>	(strength for the statblock)
<code>/statblock/speed=<text></code>	(speed for the statblock)
<code>/statblock/intellect=<text></code>	(intellect for the statblock)
<code>/statblock/willpower=<text></code>	(willpower for the statblock)
<code>/statblock/awareness=<text></code>	(awareness for the statblock)
<code>/statblock/presence=<text></code>	(presence for the statblock)
<code>/statblock/physDef=<text></code>	(physical defense for the statblock)
<code>/statblock/cogDef=<text></code>	(cognitive or mental defense for the statblock)
<code>/statblock/spiDef=<text></code>	(spiritual defense for the statblock)
<code>/statblock/deflect=<text></code>	(deflect for the statblock)
<code>/statblock/movement=<text></code>	(movement speed for the statblock)
<code>/statblock/senses=<text></code>	(senses range for the statblock)
<code>/statblock/immunities=<text></code>	(immunities for the statblock (<i>eg. Pierce, Immobilised</i>))
<code>/statblock/physSkills=<text></code>	(physical skills for the statblock (<i>eg. Heavy Weaponry +9</i>))
<code>/statblock/cogSkills=<text></code>	(cognitive skills for the statblock (<i>eg. Discipline +5</i>))
<code>/statblock/spiSkills=<text></code>	(spiritual skills for the statblock (<i>eg. Insight +7</i>))
<code>/statblock/surgeSkills=<text></code>	(surge skills for the statblock)
<code>/statblock/maSkills=<text></code>	(metallic art skills for the statblock)
<code>/statblock/languages=<text></code>	(known languages for the statblock)
<code>/statblock/features=<text></code>	(features for the statblock)
<code>/statblock/actions=<text></code>	(actions for the statblock)
<code>/statblock/oandcs=<text></code>	(extra uses for opportunities and complications)
<code>/statblock/charCosmere=<text></code>	(use Cosmere terminology for the statblock)

TABLES

Tables can be created using `plotable`. This uses `nicematrix` under the hood. See the `nicematrix` documentation for more information.

New:
2026-08-12

```
\begin{plotable}{\column spec}[\options]
  \environment content
\end{plotable}
```

This is a custom `NiceTabular` environment. It simply a wrapper that defines the styling for the table.

```
\begin{plotable}{c|l}
  Level & Feature \\
  1 & Cool abilities \\
  2 & Even cooler abilities \\
  3 & The coolest abilities \\
\end{plotable}
```

Level	Feature
1	Cool abilities
2	Even cooler abilities
3	The coolest abilities

New:
2026-08-13

```
\lowercaption{\caption text}
```

This command formats a caption to sit below a table. It sets the text to uppercase and uses the `csdim` color.

CHARACTER SHEETS

Character sheets can be made using the `\MakeCharacterSheet` command which is provided by `plotweaver-character-sheet.sty`. To use this command, pass `character-sheet` into the document class options. This command takes in a series of key-value pairs and generates the sheet and any derived statistics. See `character-sheet.tex` for an example sheet.

New:
2026-08-16

```
\MakeCharacterSheet{\key-value pairs}
```

Generates a page character sheet. Each value is set by a key-value pair that is passed into the command.

New:
2026-08-16

<code>/charsheet/name=</code>	<code>\text</code>	(name of the character)
<code>/charsheet/ancestry=</code>	<code>\text</code>	(ancestry or lineage)
<code>/charsheet/level=</code>	<code>\text</code>	(level)
<code>/charsheet/paths=</code>	<code>\text</code>	(paths or talent trees)
<code>/charsheet/maxHealth=</code>	<code>\text</code>	(maximum health)
<code>/charsheet/maxEssence=</code>	<code>\text</code>	(maximum essence or investiture)
<code>/charsheet/recoveryDie=</code>	<code>\text</code>	(the die used for recovery rolls)
<code>/charsheet/liftingCapacity=</code>	<code>\text</code>	(lifting capacity)
<code>/charsheet/movement=</code>	<code>\text</code>	(movement speed)
<code>/charsheet/sensesRange=</code>	<code>\text</code>	(senses range)
<code>/charsheet/strength=</code>	<code>\text</code>	(strength attribute)
<code>/charsheet/speed=</code>	<code>\text</code>	(speed attribute)
<code>/charsheet/intellect=</code>	<code>\text</code>	(intellect attribute)
<code>/charsheet/willpower=</code>	<code>\text</code>	(willpower attribute)
<code>/charsheet/awareness=</code>	<code>\text</code>	(awareness attribute)
<code>/charsheet/presence=</code>	<code>\text</code>	(presence attribute)
<code>/charsheet/phyDefenseBonus=</code>	<code>\text</code>	(physical defense bonus)

<code>/charsheet/menDefenseBonus=<text></code>	(cognitive defense bonus)
<code>/charsheet/spiDefenseBonus=<text></code>	(spiritual defense bonus)
<code>/charsheet/agility=<text></code>	(ranks in agility)
<code>/charsheet/athletics=<text></code>	(ranks in athletics)
<code>/charsheet/heavyweaponry=<text></code>	(ranks in heavy weaponry)
<code>/charsheet/lightweaponry=<text></code>	(ranks in light weaponry)
<code>/charsheet/stealth=<text></code>	(ranks in stealth)
<code>/charsheet/finesse=<text></code>	(ranks in finesse)
<code>/charsheet/crafting=<text></code>	(ranks in crafting)
<code>/charsheet/deduction=<text></code>	(ranks in deduction)
<code>/charsheet/discipline=<text></code>	(ranks in discipline)
<code>/charsheet/intimidation=<text></code>	(ranks in intimidation)
<code>/charsheet/knowledge=<text></code>	(ranks in knowledge)
<code>/charsheet/medicine=<text></code>	(ranks in medicine)
<code>/charsheet/deception=<text></code>	(ranks in deception)
<code>/charsheet/insight=<text></code>	(ranks in insight)
<code>/charsheet/leadership=<text></code>	(ranks in leadership)
<code>/charsheet/perception=<text></code>	(ranks in perception)
<code>/charsheet/persuasion=<text></code>	(ranks in persuasion)
<code>/charsheet/survival=<text></code>	(ranks in survival)
<code>/charsheet/phyStatName=<text></code>	(optional physical stat name)
<code>/charsheet/phyStatRanks=<text></code>	(optional physical stat ranks)
<code>/charsheet/menStatName=<text></code>	(optional cognitive stat name)
<code>/charsheet/phyStatBase=<text></code>	(optional physical stat base)
<code>/charsheet/menStatRanks=<text></code>	(optional cognitive stat ranks)
<code>/charsheet/menStatBase=<text></code>	(optional cognitive stat base)
<code>/charsheet/spiStatName=<text></code>	(optional spiritual stat name)
<code>/charsheet/spiStatRanks=<text></code>	(optional spiritual stat ranks)
<code>/charsheet/spiStatBase=<text></code>	(optional spiritual stat base)
<code>/charsheet/expertises=<text></code>	(content for expertises box)
<code>/charsheet/firstTalents=<text></code>	(content for talents on the first page)
<code>/charsheet/secondTalents=<text></code>	(content for talents on the second page)
<code>/charsheet/thirdTalents=<text></code>	(content for talents on the third page)
<code>/charsheet/weapons=<text></code>	(content for weapons box)
<code>/charsheet/armor=<text></code>	(content for armor box)
<code>/charsheet/inventory=<text></code>	(content for inventory box)
<code>/charsheet/currency=<text></code>	(content for currency box)
<code>/charsheet/conditions=<text></code>	(content for conditions and injuries box)
<code>/charsheet/purpose=<text></code>	(content for purpose box)
<code>/charsheet/image=<text></code>	(path to character image)
<code>/charsheet/description=<text></code>	(content for description box)
<code>/charsheet/backstory=<text></code>	(content for backstory box)
<code>/charsheet/obstacle=<text></code>	(content for obstacle box)
<code>/charsheet/goals=<text></code>	(content for goals box)
<code>/charsheet/connections=<text></code>	(content for connections box)
<code>/charsheet/rewards=<text></code>	(content for rewards box)
<code>/charsheet/notes=<text></code>	(content for notes box)
<code>/charsheet/hideBlanks=true false</code>	(hide blank boxes on the character sheet)

```
/charsheet/stormlight=true|false (use Stormlight Archive terminology)
/charsheet/mistborn=true|false (use Mistborn terminology)
/charsheet/handwritten=true|false (use a handwritten font for the character sheet)
```

The keys used for making a character sheet. These are all initialized as empty, other than the boolean switches. Other attributes, like physical defense, are derived from the provided key-value pairs.

COLOR SCHEMES

New:
2026-08-12

This document class currently provides three predefined color schemes: `stormlight`, `mistborn`, and `ariandor`. The default is `ariandor`. The color scheme is selected by passing its name into the document class options. Additionally, custom color schemes can be defined by overriding the following color definitions with `\colorlet`:

- `cspapercolor`: The background color of the page.
- `cstextcolor`: The color of the text.
- `cscolor`: The main color used for headings, borders, etc.
- `csaccent`: The accent color used for underlines, borders, etc.
- `csdim`: Dimmed color used for notes and other subtle text.
- `cstblheaderbg`: The background color of table headers.
- `cstblheadertext`: The text color of table headers.
- `cstblrowa`: Lighter background color for table rows.
- `cstblrowb`: Darker background color for table rows.
- `cscalloutheadergb`: The background color of callout headers.
- `cscalloutheadertext`: The text color of callout headers.
- `cscalloutbg`: The background color of callouts.