

PLOTWEAVER L^AT_EX DOCUMENT CLASS

Documentation for the Plotweaver L^AT_EX document class. See `example.tex` for sample usage. More documentation to come.

ICON COMMANDS

These commands produce commonly used icons. All of the icons are implemented using TikZ. The icons created by `\action`, `\doubleAction`, `\tripleAction`, `\freeAction`, `\reaction`, `\forever`, and `\key` will match the current text color. For example: ▶ ▶ ▶. Icons will also respect font size: ▶ ▶ ▶.

U: 2026-08-11	<code>\action</code>	(▶)
---------------	----------------------	-------

This command produces the ▶ icon.

U: 2026-08-11	<code>\doubleAction</code>	(▶▶)
---------------	----------------------------	--------

This command produces the ▶▶ icon.

U: 2026-08-11	<code>\tripleAction</code>	(▶▶▶)
---------------	----------------------------	---------

This command produces the ▶▶▶ icon.

U: 2026-08-11	<code>\freeAction</code>	(▷)
---------------	--------------------------	-------

This command produces the ▷ icon.

<code>\reaction</code>		(↵)
------------------------	--	-------

This command produces the ↵ icon.

<code>\forever</code>		(∞)
-----------------------	--	-------

This command produces the ∞ icon.

U: 2026-08-11	<code>\complication</code> [⟨value⟩]	(✨)
---------------	---	-------

This command produces the ✨ icon. It takes an optional argument for a number, which will be subsequently displayed.

A `\complication` is complicated. Sometimes complications come with values like `\complication[X]`.

A ✨ is complicated. Sometimes complications come with values like ✨X.

U: 2026-08-11	<code>\complicationDice</code> [⟨value⟩]	(✨)
---------------	---	-------

This command produces the ✨ icon. It takes an optional argument for a number, which will be displayed inside of the icon like so: ✨. It is a little larger than `\complication`.

A `\complicationDice` is complicated. Sometimes complications come with values like `\complicationDice[x]`.

A ✨ is complicated. Sometimes complications come with values like ✨.

`\opportunity`

(✨)

This command produces the ✨ icon.

U: 2026-08-11

`\key`

(★)

This command produces the ★ icon.

FEATURE BOXES

```
\begin{featureBox}[\textit{options}]  
  \textit{environment content}  
\end{featureBox}
```

This is a custom `tcolorbox` and works as such. Under the hood, it is defined by `\newtcolorbox`. See the `tcolorbox` documentation for more information.

```
\begin{featureBox}{Feature}  
  \lipsum[1][1-3]  
\end{featureBox}
```

FEATURE

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris.

U: 2026-08-11

```
\begin{statBox}{\textit{heading 1}}{\textit{content 1}}{\textit{heading 2}}{\textit{content 2}}  
  \textit{environment content}  
\end{statBox}
```

This is a series of custom boxes that will stay the same height regardless of content length. They are always of equal width. You can use each half of `\statBox` separately by using `\leftBox` and `\rightBox`. These follow the same documentation as `\featureBox`.

```
\statBox{Stat One}{  
  10  
}%  
{Stat Two}{  
  20  
}
```

STAT ONE

10

STAT TWO

20

TABLES

Tables can be created using `\plotable`. This uses `nicematrix` under the hood. See the `nicematrix` documentation for more information.

New:
2026-08-12

```
\begin{plotable}{\column spec}[\options]  
  \environment content  
\end{plotable}
```

This is a custom `NiceTabular` environment. It simply a wrapper that defines the styling for the table.

```
\begin{plotable}{c|l}  
  Level & Feature \\  
  1 & Cool abilities \\  
  2 & Even cooler abilities \\  
  3 & The coolest abilities \\  
\end{plotable}
```

Level	Feature
1	Cool abilities
2	Even cooler abilities
3	The coolest abilities

COLOR SCHEMES

New:
2026-08-12

This document class currently provides two predefined color schemes: `stormlight` and `mistborn`. The default is `stormlight`. The color scheme is selected by passing its name into the document class options. Additionally, custom color schemes can be defined by overriding the following color definitions with `\colorlet`:

- `cspapercolor`: The background color of the page.
- `cstextcolor`: The color of the text.
- `cscolor`: The main color used for headings, borders, etc.
- `csaccent`: The accent color used for underlines, borders, etc.
- `csdim`: Dimmed color used for notes and other subtle text.
- `cstblheaderbg`: The background color of table headers.
- `cstblheadertext`: The text color of table headers.
- `cstblrowa`: Lighter background color for table rows.
- `cstblrowb`: Darker background color for table rows.
- `cscalloutheaderbg`: The background color of callout headers.
- `cscalloutheadertext`: The text color of callout headers.
- `cscalloutbg`: The background color of callouts.