

PLOTWEAVER L^AT_EX DOCUMENT CLASS

Documentation for the Plotweaver L^AT_EX document class. See `example.tex` for sample usage. More documentation to come.

ICON COMMANDS

These commands produce commonly used icons. All of the icons are implemented using TikZ. The icons created by `\action`, `\doubleAction`, `\tripleAction`, `\freeAction`, `\reaction`, `\forever`, and `\key` will match the current text color. For example: ▶ ▶ ▶. Icons will also respect font size: ▶ ▶ ▶.

U: 2026-08-11	<code>\action</code>	(▶)
---------------	----------------------	-------

This command produces the ▶ icon.

U: 2026-08-11	<code>\doubleAction</code>	(▶▶)
---------------	----------------------------	--------

This command produces the ▶▶ icon.

U: 2026-08-11	<code>\tripleAction</code>	(▶▶▶)
---------------	----------------------------	---------

This command produces the ▶▶▶ icon.

U: 2026-08-11	<code>\freeAction</code>	(▷)
---------------	--------------------------	-------

This command produces the ▷ icon.

<code>\reaction</code>	(↵)
------------------------	-------

This command produces the ↵ icon.

<code>\forever</code>	(∞)
-----------------------	-------

This command produces the ∞ icon.

U: 2026-08-11	<code>\complication</code> [⟨value⟩]	(✨)
---------------	---	-------

This command produces the ✨ icon. It takes an optional argument for a number, which will be subsequently displayed.

A `\complication` is complicated. Sometimes complications come with values like `\complication[X]`.

A ✨ is complicated. Sometimes complications come with values like ✨X.

U: 2026-08-11	<code>\complicationDice</code> [⟨value⟩]	(✨)
---------------	---	-------

This command produces the ✨ icon. It takes an optional argument for a number, which will be displayed inside of the icon like so: ✨. It is a little larger than `\complication`.

```
A \complicationDice is complicated. Sometimes complications come with values like 2
{\complicationDice[x]}.
```

A ✨ is complicated. Sometimes complications come with values like ✨.

\opportunity (✨)

This command produces the ✨ icon.

U: 2026-08-11

\key (★)

This command produces the ★ icon.

FEATURE BOXES

U: 2026-08-16

/tcb/featureBox=*<text>*

The tcbcolorbox key containing the styling for feature boxes. See the tcbcolorbox documentation for more information.

```
\begin{tcolorbox}[featureBox, 2
  {title={Feature Box}}
  \lipsum[1][1-3]
\end{tcolorbox}
```

FEATURE BOX

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris.

U: 2026-08-11

```
\begin{statBox}{\langle heading 1 \rangle}{\langle content 1 \rangle}{\langle heading 2 \rangle}{\langle content 2 \rangle}
  \langle environment content \rangle
\end{statBox}
```

This is a series of custom boxes that will stay the same height regardless of content length. They are always of equal width. You can use each half of **statBox** separately by using the **leftBox** and **rightBox** style keys. These follow the same documentation as **/tcb/featureBox**.

```
\statBox{Stat One}{
  10
}%
{Stat Two}{
  20
}
```

STAT ONE

10

STAT TWO

20

TABLES

Tables can be created using `\plotable`. This uses `nicematrix` under the hood. See the `nicematrix` documentation for more information.

New:
2026-08-12

```
\begin{plotable}{\langle column spec \rangle} [\langle options \rangle]
  \langle environment content \rangle
\end{plotable}
```

This is a custom `NiceTabular` environment. It simply a wrapper that defines the styling for the table.

```
\begin{plotable}{c|l}
  Level & Feature \\
  1 & Cool abilities \\
  2 & Even cooler abilities \\
  3 & The coolest abilities \\
\end{plotable}
```

Level	Feature
1	Cool abilities
2	Even cooler abilities
3	The coolest abilities

New:
2026-08-13

```
\lowercaption{\langle caption text \rangle}
```

This command formats a caption to sit below a table. It sets the text to uppercase and uses the `csdim` color.

CHARACTER SHEETS

One page character sheets can be made using the `\MakeCharacterSheet` command. This command takes in a series of key-value pairs and generates the sheet and any derived statistics. See `character_sheet.tex` for an example sheet. Multipage character sheets are in development.

New:
2026-08-16

```
\MakeCharacterSheet{\langle key-value pairs \rangle} [\langle expertises \rangle] [\langle talents \rangle] [\langle weapons \rangle] [\langle armor \rangle]
```

Generates a one page character sheet. The optional arguments fill the boxes for expertises, talents, weapons, and armor.

New:
2026-08-16

<code>/charsheet/name=\langle text \rangle</code>	(name of the character)
<code>/charsheet/ancestry=\langle text \rangle</code>	(ancestry or lineage)
<code>/charsheet/level=\langle text \rangle</code>	(level)
<code>/charsheet/paths=\langle text \rangle</code>	(paths or talent trees)
<code>/charsheet/maxHealth=\langle text \rangle</code>	(maximum health)
<code>/charsheet/maxEssence=\langle text \rangle</code>	(maximum essence or investiture)
<code>/charsheet/recoveryDie=\langle text \rangle</code>	(the die used for recovery rolls)
<code>/charsheet/liftingCapacity=\langle text \rangle</code>	(lifting capacity)
<code>/charsheet/movement=\langle text \rangle</code>	(movement speed)
<code>/charsheet/sensesRange=\langle text \rangle</code>	(senses range)
<code>/charsheet/strength=\langle text \rangle</code>	(strength attribute)
<code>/charsheet/speed=\langle text \rangle</code>	(speed attribute)
<code>/charsheet/intellect=\langle text \rangle</code>	(intellect attribute)
<code>/charsheet/willpower=\langle text \rangle</code>	(willpower attribute)
<code>/charsheet/awareness=\langle text \rangle</code>	(awareness attribute)
<code>/charsheet/presence=\langle text \rangle</code>	(presence attribute)
<code>/charsheet/phyDefenseBonus=\langle text \rangle</code>	(physical defense bonus)
<code>/charsheet/cogDefenseBonus=\langle text \rangle</code>	(cognitive defense bonus)

<code>/charsheet/spiDefenseBonus=<text></code>	(spiritual defense bonus)
<code>/charsheet/agility=<text></code>	(ranks in agility)
<code>/charsheet/athletics=<text></code>	(ranks in athletics)
<code>/charsheet/heavyweaponry=<text></code>	(ranks in heavy weaponry)
<code>/charsheet/lightweaponry=<text></code>	(ranks in light weaponry)
<code>/charsheet/stealth=<text></code>	(ranks in stealth)
<code>/charsheet/finesse=<text></code>	(ranks in finesse)
<code>/charsheet/crafting=<text></code>	(ranks in crafting)
<code>/charsheet/deduction=<text></code>	(ranks in deduction)
<code>/charsheet/discipline=<text></code>	(ranks in discipline)
<code>/charsheet/intimidation=<text></code>	(ranks in intimidation)
<code>/charsheet/knowledge=<text></code>	(ranks in knowledge)
<code>/charsheet/medicine=<text></code>	(ranks in medicine)
<code>/charsheet/deception=<text></code>	(ranks in deception)
<code>/charsheet/insight=<text></code>	(ranks in insight)
<code>/charsheet/leadership=<text></code>	(ranks in leadership)
<code>/charsheet/perception=<text></code>	(ranks in perception)
<code>/charsheet/persuasion=<text></code>	(ranks in persuasion)
<code>/charsheet/survival=<text></code>	(ranks in survival)
<code>/charsheet/phyStatName=<text></code>	(optional physical stat name)
<code>/charsheet/phyStatRanks=<text></code>	(optional physical stat ranks)
<code>/charsheet/cogStatName=<text></code>	(optional cognitive stat name)
<code>/charsheet/phyStatBase=<text></code>	(optional physical stat base)
<code>/charsheet/cogStatRanks=<text></code>	(optional cognitive stat ranks)
<code>/charsheet/cogStatBase=<text></code>	(optional cognitive stat base)
<code>/charsheet/spiStatName=<text></code>	(optional spiritual stat name)
<code>/charsheet/spiStatRanks=<text></code>	(optional spiritual stat ranks)
<code>/charsheet/spiStatBase=<text></code>	(optional spiritual stat base)

The keys used for making a character sheet. These are all initialized as empty. Other attributes, like physical defense, are derived from the provided key-value pairs.

COLOR SCHEMES

New:
2026-08-12

This document class currently provides two predefined color schemes: `stormlight` and `mistborn`. The default is `stormlight`. The color scheme is selected by passing its name into the document class options. Additionally, custom color schemes can be defined by overriding the following color definitions with `\colorlet`:

- `cspapercolor`: The background color of the page.
- `cstextcolor`: The color of the text.
- `cscolor`: The main color used for headings, borders, etc.
- `csaccent`: The accent color used for underlines, borders, etc.
- `csdim`: Dimmed color used for notes and other subtle text.
- `cstblheaderbg`: The background color of table headers.
- `cstblheadertext`: The text color of table headers.

- `cstblrowa`: Lighter background color for table rows.
- `cstblrowb`: Darker background color for table rows.
- `cscalloutheaderbg`: The background color of callout headers.
- `cscalloutheadertext`: The text color of callout headers.
- `cscalloutbg`: The background color of callouts.