## One Does Not Simply Iterate over Mordor

## miki (atebeka

CEO






Effective Go Recipes Fast Solutions to Common Tasks

The Pragmatic Programmers



Go Brain Teasers





Python Brain Teasers





Pandas Brain Teasers







## Range Over Function

Go 1.23, August 2024

#### Generators

Python 2.3, July 2003

tick/tick.go

# Range-Over Functions in Go ArdanLab Blog



## Load logs from compressed JSON file.

```
$ zcat logs.json.gz | wc
5350200 16045852 770589508
$ zcat logs.json.gz | head -1
{"host":"199.72.81.55","time":
"1995-07-01T00:00:01Z", "reques
t": "GET /history/apollo/
HTTP/1.0", "status":200, "bytes"
:6245}
```

log/log.go

slice/slice.go

load

#### Map

lower: ["Suite", "Up"] -> ["suite", "up"]

#### Filter

 $\geq$  0: [2, -1, 3, 4] -> [2, 3, 4]

#### Reduce

sum:  $[1, 2, 3, 4] \rightarrow 10$ 



```
reduce
                 map
SELECT SUM(amount * price)
FROM sales
WHERE date = '2025-05-25';
          filter
```

lazy/lazy.go

push/push.go

pull/pull.go



fibs/fibs.go

order/order.go

leak/leak.go

range/range.go



#### Questions?



github.com/tebeka/talks/tree/main/gcil-2025